

VITAL STATISTICS OF THE UNITED STATES

1993

VOLUME II – MORTALITY

PART B

**DEPARTMENT OF
HEALTH AND HUMAN SERVICES**

**CENTERS FOR DISEASE CONTROL AND PREVENTION
NATIONAL CENTER FOR HEALTH STATISTICS**

Hyattsville, Maryland: 2002

NATIONAL CENTER FOR HEALTH STATISTICS

EDWARD J. SONDIK, Ph.D., *Director*

JACK R. ANDERSON, *Deputy Director*

JACK R. ANDERSON, *Acting Associate Director for International Statistics*

JENNIFER H. MADANS, Ph.D., *Associate Director for Science*

LAWRENCE H. COX, Ph.D., *Associate Director for Research and Methodology*

JENNIFER H. MADANS, Ph.D., *Acting Associate Director for Analysis, Epidemiology, and Health Promotion*

EDWARD L. HUNTER, *Associate Director for Planning, Budget, and Legislation*

JENNIFER H. MADANS, Ph.D., *Acting Associate Director for Vital and Health Statistics Systems*

DOUGLAS L. ZINN, *Acting Associate Director for Management*

CHARLES J. ROTHWELL, *Associate Director for Information Technology and Services*

DIVISION OF VITAL STATISTICS

MARY ANNE FREEDMAN, M.A., *Director*

JAMES A. WEED, Ph.D., *Deputy Director*

ROBERT BILGRAD, *Special Assistant to the Director*

HARRY M. ROSENBERG, Ph.D., *Special Assistant for International Mortality Statistics*

JAMES A. WEED, Ph.D., *Acting Chief, Mortality Statistics Branch*

STEPHANIE J. VENTURA, M.A., *Chief, Reproductive Statistics Branch*

RONALD CHAMBLEE, *Chief, Data Acquisition and Evaluation Branch*

NICHOLAS F. PACE, *Chief, Systems, Programming, and Statistical Resources Branch*

Copyright information

All material appearing in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

Suggested citation

National Center for Health Statistics. Vital statistics of the United States, 1993, vol II, mortality, part B. Hyattsville, Maryland. 2002.

DHHS Publication No. (PHS) 2002-1102

For sale by the U.S. Government Printing Office
Superintendent of Documents, Mail Stop: SSOP, Washington, D.C. 20402-9328
ISBN 0-16-048087-6

ACKNOWLEDGMENTS

This publication and the vital statistics computer file on which it is based were prepared by staff from the Division of Vital Statistics, Division of Data Processing, Division of Data Services, and the Office of Research and Methodology, under the general direction of Harry M. Rosenberg, Chief of the Mortality Statistics Branch.

The Division of Vital Statistics, Mary Anne Freedman, Director, and James A. Weed, Deputy Director, managed the Vital Statistics Cooperative Program, through which the vital registration offices of all States, the District of Columbia, New York City, Puerto Rico, Virgin Islands, and Guam provided the data to the National Center for Health Statistics. This Division also processed computer edits, designed and programmed the tabulations, reviewed the data, and prepared documentation for this publication. The following branch chiefs provided overall direction: Ronald F. Chamblee, George A. Gay, Nicholas F. Pace, Harry M. Rosenberg, and Robert J. Armstrong. Important contributors were Joyce A. Arbertha, Robert N. Anderson, Judy M. Barnes, Thomas D. Dunn, Paula Gardner, Donna E. Glenn, Brenda A. Green, Donna L. Hoyert, Christina K. Jarman, Millie B. Johnson, David W. Justice, Virginia J. Justice, Kenneth D. Kochanek, Wilma C. Latta, Jeffrey D. Maurer, Arialdi M. Minino, Jaleh Mousavi, Sherry L. Murphy, Mary J. Oakley, Gail A. Parr, Kimberley D. Peters, Adrienne L. Rouse, Charles E. Royer, Jordan Sacks, Ann F. Scarlett, Betty L. Smith, Elsie A. Stanton, Mary M. Trotter, Mary H. Wilder, and Francine D. Winter.

The Division of Data Processing, Howard Paris, Deputy Director, was responsible for receipt and processing of the basic data file. The following management staff provided overall direction: Brenda L. Brown, Mary V. Burt, Carl G. Hicks, June S. Pearce, Portia D. Prevo, Linda B. Torian, and Shirley C. Turbiville. Important contributors were Tyinga L. Ambrose, Rosalyn R. Anderson, Susan T. Autry, Joyce L. Bius, Trina L. Bryant, Frances E. Carter, Shirley Carter, Shirley Croy, Linda P. Currin, Connie M. Gentry, Lillian M. Guettler, Lila W. Hales, Linda O. Harper, Audrey S. Johnson, Katheryn G. Lyndon, Carolyn H. Lyons, Janet L. McBride, Susan L. McBroom, Mary Susan McKelvey, Roy H. Peedin, Mae G. Penny, Rodney Pierson, Tanya W. Pitts, Lois L. Poole, Julia E. Raynor, Gwendolyn E. Robbins, Helen H. Rogerson, Eldora Smith, Elizabeth A. Smith, Pamela A. Stephenson, Betty J. Stewart, Leslie J. Stewart, Betsy B. Thompson, Elizabeth A. Walston, Carolyn R. Watkins, Teresa M. Watkins, Faye L. Webster, James G. Williams, Patricia W. Dunham, and Karen M. Wooten.

The Division of Data Services, Phillip R. Beattie, Director, was responsible for publication management, production, editorial review, and printing. The following branch and section chief provided overall direction: Linda L. Bean and Rolfe W. Larson. Important contributors were Demarius V. Miller, Jacqueline M. Davis, Patricia L. Wilson, and Joan Burton.

The Office of Research and Methodology was responsible for the application of mathematical statistics methods to the development and implementation of quality assurance procedures. Important contributions in this area were made by Van L. Parsons.

The National Center for Health Statistics acknowledges the essential role of the vital registration offices of all States and territories in maintaining the system through which vital statistics data are obtained and for their cooperation in providing the information on which this publication is based.

For a list of reports published by the Centers for Disease Control and Prevention's National Center for Health Statistics contact:

Data Dissemination Branch
National Center for Health Statistics
Centers for Disease Control and Prevention
6525 Belcrest Road, Room 1064
Hyattsville, MD 20782-2003
(301) 458-4636
Internet: www.cdc.gov/nchs

VITAL STATISTICS OF THE UNITED STATES, 1993

VOLUME II—MORTALITY

A brief summary of the contents for sections 8 and 9 is listed below for the convenience of the reader. A complete contents page is at the beginning of each section and is identified by a narrow black edge, which can be located easily by fanning the pages. Each section is paged independently, beginning with page 1. Sections 1 through 7, which show data on General Mortality, Infant Mortality, Fetal Mortality, Perinatal Mortality, Accident Mortality, Life Tables, and the Technical Appendix, are in Part A of Volume II of *Vital Statistics of the United States, 1993*. Section 7, the Technical Appendix, discusses the factors affecting the collection, classification, and interpretation of the mortality statistics.

PART B

Section 8. Geographic Detail for Mortality

Total number of deaths, deaths from selected causes, infant deaths, neonatal deaths, fetal deaths, and selected rates and ratios. Tabulations shown by each State and county, specified urban places, metropolitan and nonmetropolitan counties, population-size groups, and metropolitan areas.

Section 9. Puerto Rico, Virgin Islands (U.S.), and Guam

Trend of the crude death rate. Frequency tabulations for most of the characteristics shown in other sections of Volume II.

Guide to tables in Section 8

[All data are for deaths occurring in the United States during 1993. Data for geographic areas within the United States are by place of residence unless otherwise noted. Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths to nonresidents]

TABLE: 8	-1	-2	-3	-4	-5	-6	-7	-8	-9
PAGE:	1	87	100	126	176	202	491	496	539
Geographic area:									
Counties	1								9
Metropolitan and nonmetropolitan counties.....		2	3						9
Population-size groups		2							9
Specified urban places	1								9
Metropolitan areas.....				4				8	
States.....	1 ¹	2	3			6	2 ⁷		9
United States	1	2	3		5		7		9
Type of entry:									
Fetal-death rates (per 1,000 live births)		2							
Infant mortality rates (per 1,000 live births).....		2							
Neonatal mortality rates (per 1,000 live births)		2							
Number of deaths	1	2	3	4	5	6	7	8	9
Number of fetal deaths	1	2							
Number of infant deaths.....	1	2	3	4	5	6			
Number of neonatal deaths.....	1	2							
Characteristics:									
Age:									
5-year age groups.....					5				
10-year age groups			3	4		6			
Cause of death:									
34 selected causes.....									9
72 selected causes.....					5	6	7	8	
Race.....	1	2	3	4	5	6			
Sex			3	4	5	6			

¹Deaths by place of occurrence and place of residence.

²Deaths by place of occurrence.

Guide to tables in Section 9

[All data are for deaths occurring in Puerto Rico, Virgin Islands, and Guam. Data are by place of residence unless otherwise noted]

TABLE: 9	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14	15	16
PAGE:	1	2	3	4	8	15	22	23	24	25	26	27	29	31	32	33
Geographic area:																
Guam.....	1	2	3			6	7	8		¹ 10	11	12	13			16
Puerto Rico.....	1	2		4			7	8	¹ 9		11	12	13	14		
Municipios.....									¹ 9							
Virgin Islands.....	1	2	3		5		7	8		¹ 10	11	12	13		15	
Islands.....										¹ 10						
Specified urban place.....										¹ 10						
Years:																
1940-93.....	1															
1993 only.....		2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Type of entry:																
Death rates.....	1															
Number of deaths.....	1	2	3	4	5	6	7	8	9	10				14	15	16
Number of fetal deaths.....									9	10						
Number of infant deaths.....			3	4	5	6			9	10	11	12	13	14	15	16
Number of neonatal deaths.....									9	10	11	12	13			
Number of postneonatal deaths.....												12	13			
Characteristics:																
Age:																
10-year age groups.....			3	4	5	6								14	15	16
Detailed age groups (under 1 day-11 months).....												12				
Cause of death:																
61 selected causes of infant mortality.....													13			
72 selected causes.....				4	5	6										
HIV infection.....														14	15	16
Motor vehicle accidents.....							7									
Nontransport accidents.....								8								
Person injured.....							7									
Month.....		2									11					
Place of accident.....								8								
Race ²		2	3		5	6	7	8		10	11	12	13		15	16
Sex.....		2	3	4	5	6	7	8				12		14	15	16

¹Deaths by place of occurrence and place of residence.
²Puerto Rico does not report race.

Symbols Used in Tables	
Data not available	---
Category not applicable
Quantity zero	-
Quantity more than zero but less than 0.05	0.0
Figure does not meet standards of reliability or precision	*

Section 8. Geographic Detail for Mortality

Table	Page
8-1. Total, infant, and neonatal deaths, and fetal deaths, by race: United States, each State and county, and specified urban places of 10,000 or more, 1993	
8-2. Total deaths, infant and neonatal deaths and rates, fetal deaths and rates, by race, for population-size groups in metropolitan and nonmetropolitan counties: United States and each State, 1993	8
8-3. Deaths by 10-year age groups, race, and sex, for metropolitan and nonmetropolitan counties: United States and each State, 1993	10
8-4. Deaths by 10-year age groups, race, and sex, for metropolitan areas of the United States: 1993	12
8-5. Deaths from 72 selected causes, by 5-year age groups, race, and sex: United States, 1993	17
8-6. Deaths from 72 selected causes, by 10-year age groups, race, and sex: each State, 1993	20
8-7. Deaths from 72 selected causes, by State of occurrence: United States and each State, 1993	49
8-8. Deaths from 72 selected causes for metropolitan areas of the United States: 1993	49
8-9. Deaths from 34 selected causes: United States, each State and county, population-size groups, metropolitan and nonmetropolitan counties, and specified urban places, 1993	53

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993

(Page 1 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more.]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
United States	2,271,947	2,268,553	33,466	21,174	28,766	Alabama-Con.					
White	1,954,291	1,951,437	21,497	13,506	19,222	Cleburne	68	142	2	1	1
All other	317,656	317,116	11,969	7,668	9,544	Coffee	285	396	3	2	6
Black	282,333	282,151	10,887	7,044	8,510	White	238	330	2	2	1
Alabama	40,854	41,272	638	409	598	All other	47	66	1	-	5
White	30,119	30,428	315	200	301	Black	47	65	1	-	1
All other	10,735	10,844	323	209	297	Enterprise, part	-	170	2	1	3
Black	10,653	10,765	318	206	293	White	-	135	1	1	3
White	231	309	-	-	6	All other	-	35	1	-	-
All other	172	231	-	-	5	Black	-	35	1	-	-
Black	59	78	-	-	1	Enterprise, total	-	171	2	1	3
Prattville, part	-	183	-	-	2	White	-	136	1	1	3
White	-	139	-	-	2	All other	-	35	1	-	-
All other	-	44	-	-	1	Black	-	35	1	-	-
Black	-	43	-	-	1	Balance of county	-	226	1	1	3
Prattville, total	-	183	-	-	2	White	-	195	1	1	2
White	-	139	-	-	2	All other	-	31	-	-	1
All other	-	44	-	-	1	Black	-	30	-	-	1
Black	-	43	-	-	1	Colbert	560	537	5	3	3
Balance of county	-	126	-	-	4	White	460	440	4	3	3
White	-	92	-	-	3	All other	100	97	1	-	-
All other	-	34	-	-	1	Black	100	97	1	-	-
Black	-	34	-	-	1	Sheffield	-	131	-	-	-
Baldwin	974	1,002	16	11	16	White	-	105	-	-	-
White	841	893	14	10	15	All other	-	26	-	-	-
All other	133	109	2	1	1	Black	-	26	-	-	-
Black	131	107	2	1	1	Balance of county	-	406	5	3	3
Barbour	186	245	1	1	10	White	-	335	4	3	3
White	100	140	-	-	4	All other	-	71	1	-	-
All other	86	105	1	1	6	Black	-	71	1	-	-
Black	86	105	1	1	4	Conecuh	122	197	4	3	3
Eufaula	-	122	1	1	6	White	70	118	1	1	2
White	-	83	-	-	2	All other	52	79	3	2	1
All other	-	39	1	1	2	Black	51	79	3	2	1
Black	-	39	1	1	2	Coosa	62	129	1	1	3
Balance of county	-	123	-	-	6	White	40	77	-	-	1
White	-	57	-	-	2	All other	22	52	1	1	2
All other	-	66	-	-	4	Black	22	52	1	1	2
Black	-	66	-	-	4	Covington	343	417	3	2	4
Bibb	126	187	3	1	6	White	303	379	3	2	3
White	101	153	1	-	-	All other	40	38	-	-	1
All other	25	34	2	1	-	Black	40	38	-	-	1
Black	25	34	2	1	-	Andalusia	-	108	1	-	-
Blount	229	345	7	7	6	White	-	93	1	-	-
Bullock	80	142	6	5	3	All other	-	15	-	-	-
White	25	45	1	1	3	Black	-	15	-	-	-
All other	65	97	5	4	3	Balance of county	-	309	2	2	4
Black	65	97	5	4	3	White	-	286	2	2	3
Butler	240	278	4	3	6	All other	-	23	-	-	1
White	154	179	1	1	4	Black	-	23	-	-	1
All other	86	99	3	2	2	Crenshaw	128	183	3	1	1
Black	86	99	3	2	2	White	100	148	2	1	-
Calhoun	1,134	1,202	17	10	10	All other	28	35	1	-	1
White	923	974	10	6	7	Black	27	35	1	-	6
All other	211	228	7	4	3	Cullman	663	787	9	3	6
Black	208	225	7	4	2	White	-	227	2	-	-
Anniston	-	460	7	4	2	All other	-	560	7	3	6
White	-	307	3	2	1	Balance of county	-	285	5	5	3
All other	-	153	4	2	1	White	-	231	326	2	2
Black	-	153	4	2	1	All other	-	54	73	3	1
Balance of county	-	742	10	6	8	Black	-	54	72	3	3
White	-	657	7	4	6	Dothan, part	-	2	1	-	-
All other	-	75	3	2	1	Enterprise, part	-	1	-	-	-
Black	-	72	3	2	1	White	-	1	-	-	-
Chambers	358	452	7	3	9	All other	-	1	-	-	-
White	268	335	1	-	6	Black	-	-	-	-	-
All other	30	117	6	3	3	Ozark	-	168	2	2	2
Black	89	116	6	3	3	White	-	129	1	1	1
Cherokee	171	229	1	-	1	All other	-	39	1	1	1
Chilton	183	337	4	2	4	Black	-	38	1	1	1
White	157	296	4	2	4	Balance of county	-	228	3	3	1
All other	26	41	-	-	-	White	-	194	1	1	1
Black	25	40	-	-	-	All other	-	34	2	2	-
Choctaw	89	174	1	1	3	Black	-	34	2	2	-
White	56	106	-	-	3	Dallas	568	530	8	6	15
All other	33	68	1	1	3	White	240	229	1	1	1
Black	33	68	1	1	3	All other	328	301	7	5	14
Clarke	252	304	3	2	6	Black	328	301	7	5	14
White	128	167	1	1	6	Selma	-	336	5	4	7
All other	124	137	2	1	6	White	-	144	-	-	-
Black	124	137	2	1	6	All other	-	192	5	4	7
Clay	136	165	1	-	4	Black	-	192	5	4	7
White	123	148	1	-	4	Balance of county	-	194	3	2	8
All other	13	17	-	-	-	White	-	85	1	1	1
Black	13	17	-	-	-	All other	-	109	2	1	7
						Black	-	109	2	1	7
						De Kalb	429	603	9	2	8
						Fort Payne	-	152	4	2	3
						Balance of county	-	451	5	-	5

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 2 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more.]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Alabama-Con.					Alabama-Con.						
Elmore	354	458	8	4	7	Balance of county	---	2,193	24	17	19
White	241	370	3	2	3	White	---	1,900	19	13	11
All other	113	88	5	2	4	All other	---	293	5	4	8
Black	113	88	5	2	4	Black	---	289	5	4	8
Prattville, part	---	---	---	---	---	Lamar	103	186	3	2	1
White	---	---	---	---	---	White	93	162	2	1	---
All other	---	---	---	---	---	All other	10	24	1	1	1
Black	---	---	---	---	---	Black	10	24	1	1	1
Balance of county	---	458	8	4	7	Lauderdale	859	849	7	6	17
White	---	370	3	2	3	White	758	751	6	5	13
All other	---	88	5	2	4	All other	101	98	1	1	4
Black	---	88	5	2	4	Black	100	97	1	1	4
Escambia	322	412	1	1	7	Florence	---	455	2	2	9
White	228	299	---	---	3	White	---	372	1	1	5
All other	94	113	1	1	4	All other	---	83	1	1	4
Black	87	104	1	1	4	Black	---	83	1	1	4
Etowah	1,375	1,338	17	11	10	Balance of county	---	394	5	4	8
White	1,197	1,158	13	8	6	Lawrence	222	291	3	3	4
All other	178	180	4	3	4	White	202	249	1	1	4
Black	178	180	4	3	4	All other	20	42	2	2	---
Gadsden	---	784	9	6	6	Black	19	41	2	2	---
White	---	629	5	3	2	Lee	707	639	9	7	7
All other	---	155	4	3	4	White	455	429	4	3	4
Black	---	155	4	3	4	All other	252	210	5	4	3
Balance of county	---	554	8	5	4	Black	250	207	4	3	2
Fayette	178	245	5	4	1	Auburn	---	159	4	3	3
White	156	221	5	4	1	White	---	107	1	1	2
All other	22	24	---	---	---	All other	---	52	3	2	1
Black	21	23	---	---	---	Black	---	51	3	2	1
Franklin	270	354	6	2	5	Opelika	---	247	2	1	2
Geneva	184	300	1	---	3	White	---	160	2	1	---
White	166	278	1	---	2	All other	---	87	---	---	2
All other	18	22	---	---	1	Black	---	87	---	---	1
Black	18	22	---	---	1	Phenix City, part	---	6	---	---	---
Greene	76	128	3	2	2	Balance of county	---	227	3	3	2
White	18	26	---	---	---	White	---	156	1	1	2
All other	58	102	3	2	2	All other	---	71	2	2	---
Black	58	102	3	2	2	Black	---	69	1	1	---
Hale	105	180	2	1	3	Limestone	383	497	5	3	7
White	39	61	---	---	1	White	321	416	5	3	4
All other	66	119	2	1	2	All other	62	81	---	---	3
Black	66	118	2	1	2	Black	61	80	---	---	3
Henry	100	196	---	---	1	Athens	---	206	1	---	2
White	68	125	---	---	1	White	---	164	1	---	1
All other	32	71	---	---	---	All other	---	42	---	---	1
Black	32	71	---	---	---	Black	---	41	---	---	1
Houston	1,305	796	15	11	12	Balance of county	---	291	4	3	5
White	1,013	598	8	5	7	White	---	252	4	3	3
All other	292	198	7	6	5	All other	---	39	---	---	2
Black	286	195	7	6	5	Black	---	39	---	---	2
Dothan, part	---	544	10	8	10	Lowndes	67	142	2	2	4
White	---	389	4	3	5	White	20	29	---	---	1
All other	---	155	6	5	5	All other	47	113	2	2	3
Black	---	153	6	5	5	Black	47	113	2	2	3
Dothan, total	---	546	10	8	10	Macon	334	313	5	3	5
White	---	391	4	3	5	White	119	50	1	---	---
All other	---	155	6	5	5	All other	215	263	4	3	5
Black	---	153	6	5	5	Black	215	262	4	3	5
Balance of county	---	252	5	3	2	Tuskegee	---	148	1	1	4
White	---	209	4	2	2	White	---	6	---	---	---
All other	---	43	1	1	---	All other	---	142	1	1	4
Black	---	42	1	1	---	Black	---	141	1	1	4
Jackson	396	531	6	3	4	Balance of county	---	165	4	2	1
White	---	179	---	---	2	White	---	44	1	---	---
All other	---	352	6	3	2	All other	---	121	3	2	1
Black	---	352	6	3	2	Black	---	121	3	2	1
Jefferson	9,146	7,121	126	88	106	Madison	2,113	1,738	24	14	28
White	6,148	4,434	36	25	44	White	1,788	1,430	13	9	19
All other	2,998	2,687	90	63	62	All other	325	308	11	5	9
Black	2,986	2,679	89	63	62	Black	320	300	9	4	9
Bessemer	---	486	5	3	10	Huntsville	---	1,276	22	12	21
White	---	212	---	---	4	White	---	1,030	11	7	14
All other	---	274	5	3	6	All other	---	246	11	5	7
Black	---	274	5	3	6	Black	---	239	9	4	7
Birmingham	---	3,373	83	57	71	Balance of county	---	462	2	2	7
White	---	1,418	7	5	24	White	---	400	2	2	5
All other	---	1,955	76	52	47	All other	---	62	---	---	2
Black	---	1,953	75	52	47	Black	---	61	---	---	2
Fairfield	---	162	4	4	1	Marengo	198	275	3	2	1
White	---	44	---	---	---	White	89	124	---	---	---
All other	---	118	4	4	1	All other	109	151	3	2	1
Black	---	118	4	4	1	Black	108	150	3	2	1
Homewood	---	180	2	1	1	Marion	276	352	4	2	5
Hoover, part	---	224	2	2	3	Marshall	713	789	9	6	6
Hoover, total	---	239	2	2	3	Albertville	---	215	3	3	2
Hueytown	---	189	4	3	1	Balance of county	---	574	6	3	4
Mountain Brook	---	139	---	---	---						
Vestavia Hills	---	175	2	1	---						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 3 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Alabama-Con.						Alabama-Con.					
Mobile	3,890	3,581	83	62	61	Hoover, part	---	15	-	-	-
White	2,591	2,352	32	24	20	Balance of county	---	634	10	9	6
All other	1,299	1,229	51	38	41	White	---	560	8	8	4
Black	1,287	1,223	50	37	41	All other	---	74	2	1	2
Mobile	---	2,155	47	36	34	Black	---	73	2	1	2
White	---	1,343	12	9	8	Sumter	103	177	10	4	2
All other	---	812	35	27	26	White	---	29	45	1	-
Black	---	809	35	27	26	All other	---	74	132	9	4
Prichard	---	392	13	10	10	Black	---	74	132	9	4
White	---	104	2	2	1	Talladega	699	819	15	8	13
All other	---	288	11	8	9	White	---	495	588	11	5
Black	---	288	11	8	9	All other	---	204	231	4	3
Balance of county	---	1,034	23	16	17	Black	---	203	229	4	3
White	---	905	18	13	11	Sylacauga	---	---	197	4	3
All other	---	129	5	3	6	White	---	151	2	1	-
Black	---	126	4	2	6	All other	---	46	2	2	1
Monroe	179	224	1	-	4	Black	---	45	2	2	1
White	100	123	-	-	1	Talladega	---	261	2	-	2
All other	79	101	1	-	3	White	---	174	2	-	1
Black	77	99	1	-	3	All other	---	87	-	-	1
Montgomery	2,543	2,008	48	25	41	Black	---	87	-	-	1
White	1,558	1,186	16	9	10	Balance of county	---	361	9	5	10
All other	985	822	32	16	31	White	---	269	7	4	4
Black	980	818	32	16	31	All other	---	98	2	1	4
Montgomery	---	1,862	48	25	38	Black	---	97	2	1	4
White	---	1,110	16	9	9	Tallapoosa	448	483	9	5	12
All other	---	752	32	16	29	White	---	333	360	4	1
Black	---	749	32	16	29	All other	---	115	123	5	4
Balance of county	---	146	-	-	3	Black	---	113	121	5	4
White	---	76	-	-	1	Alexander City	---	210	6	5	8
All other	---	70	-	-	2	White	---	161	2	1	2
Black	---	69	-	-	2	All other	---	49	4	4	6
Morgan	781	895	17	10	7	Black	---	49	4	4	6
White	692	799	15	9	5	Balance of county	---	273	3	-	4
All other	89	96	2	1	2	White	---	199	2	-	2
Black	87	94	2	1	2	All other	---	74	1	-	2
Decatur	---	440	6	5	7	Black	---	72	1	-	2
White	---	361	4	4	5	Tuscaloosa	1,626	1,259	20	15	22
All other	---	79	2	1	2	White	---	1,103	907	9	6
Black	---	77	2	1	2	All other	---	523	352	11	9
Balance of county	---	455	11	5	-	Black	---	520	350	11	9
Perry	86	153	2	-	4	Northport	---	195	2	1	6
White	28	63	-	-	-	White	---	151	2	1	3
All other	58	90	2	-	4	All other	---	44	-	-	3
Black	58	90	2	-	4	Black	---	44	-	-	3
Pickens	165	221	2	1	1	Tuscaloosa	---	718	13	9	15
White	98	135	-	-	-	White	---	469	3	1	2
All other	67	86	2	1	1	All other	---	249	10	8	13
Black	67	86	2	1	1	Black	---	248	10	8	12
Pike	252	311	4	3	7	Balance of county	---	346	5	5	1
White	158	191	-	-	6	White	---	287	4	4	1
All other	94	120	4	3	1	All other	---	59	1	1	-
Black	94	120	4	3	1	Black	---	58	1	1	-
Troy	---	154	2	1	1	Walker	619	798	9	4	12
White	---	99	-	-	-	Jasper	---	193	4	3	2
All other	---	55	2	1	1	White	---	165	3	3	2
Black	---	55	2	1	1	All other	---	28	1	-	2
Balance of county	---	157	2	2	6	Black	---	28	1	-	2
White	---	92	-	-	6	Balance of county	---	605	5	1	10
All other	---	65	2	2	-	Washington	96	189	2	2	-
Black	---	65	2	2	-	White	---	74	140	2	2
Randolph	186	250	3	1	4	All other	---	22	49	-	-
White	137	198	2	-	3	Black	---	20	43	-	-
All other	49	52	1	1	1	Wilcox	100	169	1	-	5
Black	49	52	1	1	1	White	---	34	60	-	1
Russell	420	556	7	4	8	All other	---	66	109	1	4
White	271	398	6	3	2	Black	---	66	109	1	4
All other	149	218	1	1	6	Winston	164	209	2	1	-
Black	148	217	1	1	6	Alaska ¹	2,382	2,383	91	51	46
Phenix City, part	---	377	7	4	3	White	---	1,661	1,658	47	28
White	---	248	6	3	1	All other	---	721	725	44	23
All other	---	129	1	1	2	Black	---	82	80	11	8
Black	---	128	1	1	2	Aleutian Islands	25	17	1	1	-
Phenix City, total	---	383	7	4	3	White	---	17	6	1	-
White	---	254	6	3	1	All other	---	8	11	-	-
All other	---	129	1	1	2	Black	---	-	-	-	-
Black	---	128	1	1	2	Balance of county	---	605	5	1	10
Balance of county	---	179	-	-	5	Washington	96	189	2	2	-
White	---	90	-	-	4	White	---	74	140	2	2
All other	---	89	-	-	1	All other	---	22	49	-	-
Black	---	89	-	-	1	Black	---	20	43	-	-
St. Clair	291	500	6	3	6	Wilcox	100	169	1	-	5
White	267	464	3	3	5	White	---	34	60	-	1
All other	24	36	3	-	1	All other	---	66	109	1	4
Black	23	35	3	-	1	Black	---	66	109	1	4
Shelby	508	649	10	9	6	Winston	164	209	2	1	-
White	446	575	8	8	4	Alaska ¹	2,382	2,383	91	51	46
All other	62	74	2	1	2	White	---	1,661	1,658	47	28
Black	61	73	2	1	2	All other	---	721	725	44	23
						Black	---	82	80	11	8

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 4 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Alaska-Con.						Arizona	34,070	33,321	525	340	454
Bristol Bay borough	6	4	-	-	White	31,834	30,989	411	268	372	
White	4	2	-	-	All other	2,236	2,332	114	72	82	
All other	2	2	-	-	Black	804	797	53	32	25	
Black	-	-	-	-	Apache	292	394	15	11	10	
Dillingham	22	38	2	1	White	70	90	1	1	1	
White	7	4	-	-	All other	222	304	14	10	9	
All other	15	34	2	1	Black	1	1	-	-	-	
Black	-	-	-	-	Cochise	693	890	16	10	12	
Fairbanks North Star borough	325	310	10	6	Douglas	-	126	2	1	1	
White	250	250	5	3	White	-	124	2	1	1	
All other	75	60	5	3	All other	-	2	-	-	-	
Black	19	17	3	2	Black	-	2	-	-	-	
Fairbanks	-	252	8	4	Sierra Vista	-	215	5	2	4	
White	-	197	3	1	White	-	204	4	2	3	
All other	-	55	5	3	All other	-	11	1	-	1	
Black	-	15	3	2	Black	-	7	-	-	1	
Balance of area	-	58	2	2	Balance of county	-	549	9	7	7	
White	-	53	2	2	White	-	537	7	6	7	
All other	-	5	-	-	All other	-	12	2	1	-	
Black	-	2	-	-	Black	-	9	2	1	-	
Haines borough	8	18	-	-	Coconino	486	467	18	12	12	
White	4	10	-	-	White	337	300	11	8	5	
All other	4	8	-	-	All other	149	167	7	4	7	
Black	-	-	-	-	Black	15	11	1	1	-	
Juneau, coext. with Juneau city	106	117	5	2	Flagstaff	-	175	11	8	3	
White	85	92	3	1	White	-	158	8	5	2	
All other	21	25	2	1	All other	-	17	3	3	1	
Black	2	2	-	-	Black	-	7	1	1	-	
Kenai Peninsula borough	156	183	2	1	Balance of county	-	292	7	4	9	
Ketchikan Gateway borough	80	72	-	-	White	-	142	3	3	3	
White	70	62	-	-	All other	-	150	4	1	6	
All other	10	10	-	-	Black	-	4	-	-	-	
Black	-	-	-	-	Gila	439	536	4	3	4	
Kobuk	36	49	3	2	White	404	485	2	1	1	
White	1	2	-	-	All other	35	51	2	2	3	
All other	35	47	3	2	Black	-	-	-	-	-	
Black	-	-	-	-	Graham	199	221	3	2	-	
Kodiak Island borough	42	55	4	2	White	184	201	-	-	-	
White	27	34	4	2	All other	15	20	3	2	-	
All other	15	21	-	-	Black	2	2	-	-	-	
Black	-	1	-	-	Greenlee	34	78	2	-	1	
Matanuska-Susitna borough	170	199	5	4	Maricopa	19,829	18,417	319	214	250	
Nome	41	51	4	2	White	18,727	17,520	264	179	218	
White	7	8	-	-	All other	1,102	897	55	35	32	
All other	34	43	4	2	Black	542	537	40	25	17	
Black	-	-	-	-	Chandler	-	450	12	10	20	
North Slope borough	26	31	1	-	White	-	424	11	9	18	
White	4	2	-	-	All other	-	26	1	1	2	
All other	22	29	1	-	Black	-	14	1	1	1	
Black	-	-	-	-	Glendale	-	1,107	26	20	24	
Prince of Wales-Outer Ketchikan	13	22	2	1	White	-	1,067	20	15	24	
White	9	12	1	1	All other	-	40	6	5	-	
All other	4	10	1	1	Black	-	24	5	5	-	
Black	-	-	-	-	Mesa	-	2,551	45	25	35	
Sitka borough	45	48	2	1	White	-	2,488	41	23	32	
White	32	34	2	1	All other	-	63	4	2	3	
All other	13	14	-	-	Black	-	42	4	2	1	
Black	-	-	-	-	Paradise Valley	-	77	-	-	1	
Skagway-Yakutat-Angoon	23	19	-	-	Peoria	-	646	3	2	8	
White	14	8	-	-	White	-	637	3	2	5	
All other	9	11	-	-	All other	-	9	-	-	3	
Black	1	-	-	-	Black	-	4	-	-	1	
Southeast Fairbanks	23	29	1	1	Phoenix	-	7,814	176	118	125	
White	17	20	1	1	White	-	7,232	142	97	104	
All other	6	9	-	-	All other	-	582	34	21	21	
Black	1	1	-	-	Black	-	417	29	17	13	
Valdez-Cordova	50	53	1	-	Scottsdale	-	1,446	12	7	13	
White	41	40	1	-	Tempe	-	700	13	8	8	
All other	9	13	-	-	Balance of county	-	3,626	32	24	16	
Black	-	-	-	-	White	-	3,501	27	21	16	
Wade Hampton	8	31	1	1	All other	-	125	5	3	-	
White	-	-	-	-	Black	-	17	-	-	-	
All other	8	31	1	1	Mohave	1,309	1,454	14	11	17	
Black	-	-	-	-	Lake Havasu City	-	387	-	-	2	
Wrangell-Petersburg	30	29	-	-	Balance of county	-	1,067	14	11	15	
White	24	23	-	-	Navajo	457	630	13	11	16	
All other	6	6	-	-	White	277	323	4	2	5	
Black	-	-	-	-	All other	180	307	9	9	11	
Yukon-Koyukuk	34	53	2	-	Black	6	3	-	-	-	
White	8	13	-	-	Pima	7,125	6,427	80	42	83	
All other	26	40	2	-	White	6,775	6,101	68	37	71	
Black	-	-	-	-	All other	350	326	12	5	12	
					Black	173	164	7	4	6	
					Tucson	-	4,261	63	36	63	
					White	-	4,075	53	31	56	
					All other	-	188	10	5	7	
					Black	-	144	7	4	5	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 5

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 5 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Arizona-Con.					Arkansas-Con.						
Balance of county	---	2,166	17	6	20	Balance of county	---	130	3	2	1
White	---	2,026	15	6	15	White	---	108	3	2	-
All other	---	140	2	-	5	All other	---	22	-	-	1
Black	---	20	-	-	1	Black	---	22	-	-	1
Pinal	655	1,093	11	7	11	Clay	139	255	4	1	1
White	592	966	5	4	9	Cleburne	184	272	3	2	3
All other	63	127	6	3	2	Cleveland	39	71	-	-	-
Black	24	29	1	-	-	White	35	60	-	-	-
Casa Grande	---	179	2	-	-	All other	4	11	-	-	-
White	---	163	1	-	-	Black	4	11	-	-	-
All other	---	16	1	-	-	Columbia	272	335	2	1	4
Black	---	14	1	-	-	White	186	228	-	-	1
Balance of county	---	914	9	7	11	All other	86	107	2	1	3
White	---	803	4	4	9	Black	86	107	2	1	3
All other	---	111	5	3	2	Magnolia	---	193	1	-	3
Black	---	15	-	-	-	White	---	144	-	-	1
Santa Cruz	134	199	4	2	4	All other	---	49	1	-	2
Nogales	---	132	4	2	3	Black	---	49	1	-	2
White	---	130	4	2	2	Balance of county	---	142	1	1	1
All other	---	2	-	-	1	White	---	84	-	-	-
Black	---	1	-	-	-	All other	---	58	1	1	1
Balance of county	---	67	-	-	1	Black	---	58	1	1	1
White	---	66	-	-	1	Conway	182	215	1	-	-
All other	---	1	-	-	-	White	153	179	1	-	-
Black	---	-	-	-	-	All other	29	36	-	-	-
Yavapai	1,364	1,499	11	7	5	Black	29	36	-	-	-
Prescott	---	461	3	3	3	Craighead	1,128	651	8	7	8
Balance of county	---	1,038	8	4	2	Jonesboro	---	421	6	5	7
Yuma	1,054	1,016	15	8	29	Balance of county	---	230	2	2	1
White	---	556	8	6	17	Crawford	325	431	5	-	2
All other	---	539	7	5	15	Van Buren	---	204	2	-	2
Black	---	17	1	1	2	Balance of county	---	227	3	-	-
Balance of county	---	460	7	2	1	Crittenden	---	436	519	16	14
White	---	424	6	2	12	White	---	231	263	4	4
All other	---	36	1	-	-	All other	---	205	256	12	10
Black	---	3	-	-	-	Black	---	203	254	12	10
Arkansas	26,431	26,531	342	200	282	West Memphis	---	293	8	7	4
White	22,319	22,301	236	132	191	White	---	161	3	3	4
All other	4,112	4,230	106	68	91	All other	---	132	5	4	-
Black	4,002	4,180	105	68	88	Black	---	132	5	4	-
Arkansas	305	289	3	2	3	Balance of county	---	226	8	7	2
White	224	226	2	2	2	White	---	102	1	1	1
All other	81	63	1	-	1	All other	---	124	7	6	1
Black	79	62	1	-	1	Black	---	122	7	6	1
Stuttgart	---	126	2	1	-	Cross	173	221	6	4	1
White	---	93	1	1	-	White	135	176	6	4	-
All other	---	33	1	-	-	All other	38	45	-	-	1
Black	---	32	1	-	-	Black	37	44	-	-	-
Balance of county	---	163	1	1	3	Dallas	110	146	-	-	-
White	---	133	1	1	2	White	---	75	104	-	-
All other	---	30	-	-	1	All other	---	35	42	-	-
Black	---	30	-	-	1	Black	---	35	42	-	-
Ashley	192	274	5	2	3	Desha	167	189	2	2	2
White	142	207	2	1	2	White	83	109	1	1	1
All other	50	67	3	1	1	All other	84	80	1	1	1
Black	50	67	3	1	2	Black	84	80	1	1	1
Baxter	612	531	7	5	4	Drew	149	182	1	1	3
Benton	1,095	1,144	15	5	7	White	114	134	-	-	2
Rogers	---	328	7	2	1	All other	35	48	1	1	1
Springdale, part	---	-	-	-	-	Black	35	48	1	1	1
Balance of county	---	816	8	3	6	Faulkner	371	469	6	3	3
Boone	361	345	8	4	2	Conway	---	228	2	-	2
Bradley	166	187	-	-	3	Balance of county	---	241	4	3	1
White	122	138	-	-	-	Franklin	---	149	220	-	-
All other	44	49	-	-	3	Fulton	---	87	106	-	-
Black	44	49	-	-	3	Garland	1,186	1,103	10	7	2
Calhoun	27	73	-	-	1	Hot Springs	---	773	5	4	2
White	19	54	-	-	1	White	---	694	4	3	2
All other	8	19	-	-	-	All other	---	79	1	1	-
Black	8	19	-	-	-	Black	---	79	1	1	-
Carroll	178	212	7	6	6	Balance of county	---	330	5	3	-
Chicot	174	209	-	-	-	Grant	82	152	2	1	1
White	80	91	-	-	-	Greene	334	372	3	1	3
All other	94	118	-	-	-	Paragould	---	264	2	1	1
Black	94	118	-	-	-	Balance of county	---	108	1	-	2
Clark	224	260	4	3	3	Hempstead	213	266	3	2	1
White	182	209	3	2	-	White	158	193	-	-	1
All other	42	51	1	1	3	All other	55	73	3	2	-
Black	42	51	1	1	3	Black	55	73	3	2	-
Arkadelphia	---	130	1	1	2	Hope	---	154	2	2	-
White	---	101	-	-	-	White	---	117	-	-	-
All other	---	29	1	1	2	All other	---	37	2	2	-
Black	---	29	1	1	2	Black	---	37	2	2	-
						Balance of county	---	112	1	-	1
						White	---	76	-	-	1
						All other	---	36	1	-	-
						Black	---	36	1	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 6

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 6 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more.]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Arkansas-Con.					Arkansas-Con.						
Hot Spring	203	307	5	3	2	Nevada	102	137	1	1	-
White	176	268	5	3	2	White	72	96	1	1	-
All other	27	39	-	-	-	All other	30	41	-	-	-
Black	27	39	-	-	-	Black	30	41	-	-	-
Malvern	-	153	1	1	2	Newton	29	78	-	-	-
White	-	115	1	1	2	Ouachita	345	396	6	5	2
All other	-	38	-	-	-	White	212	248	2	2	1
Black	-	38	-	-	-	All other	133	148	4	3	1
Balance of county	-	154	4	2	-	Black	133	148	4	3	1
Howard	153	185	2	2	2	Camden	-	217	3	2	2
White	120	150	1	1	2	White	-	145	2	2	1
All other	33	35	1	1	-	All other	-	72	1	-	1
Black	33	35	1	1	-	Black	-	72	1	-	1
Independence	401	353	6	5	5	Balance of county	-	179	3	3	-
Izard	127	199	3	2	1	White	-	103	-	-	-
Jackson	225	265	1	1	1	All other	-	76	3	3	-
White	186	220	-	-	1	Black	-	76	3	3	-
All other	39	45	1	1	-	Perry	49	103	-	-	1
Black	39	45	1	1	-	Phillips	304	382	8	5	8
Jefferson	973	930	12	5	19	White	126	178	2	2	7
White	579	546	4	4	6	All other	178	204	6	3	7
All other	394	384	8	5	13	Black	177	202	6	3	7
Black	389	380	8	5	13	West Helena	-	122	2	1	2
Pine Bluff	-	741	11	5	15	White	-	62	-	-	-
White	-	419	3	4	4	All other	-	60	2	1	2
All other	-	322	8	5	11	Black	-	60	2	1	2
Black	-	319	8	5	11	Balance of county	-	260	6	4	6
Balance of county	-	189	1	-	4	White	-	116	2	2	1
White	-	127	1	-	2	All other	-	144	4	2	5
All other	-	62	-	-	2	Black	-	142	4	2	5
Black	-	61	-	-	2	Pike	83	113	2	-	-
Johnson	185	208	5	3	3	Poinsett	130	325	1	-	5
Lafayette	37	123	-	-	2	Polk	166	224	2	-	-
White	19	64	-	-	2	Pope	390	383	3	1	5
All other	18	59	-	-	-	Russellville	-	176	2	1	3
Black	18	59	-	-	-	Balance of county	-	207	1	-	2
Lawrence	158	234	3	1	4	Prairie	54	104	-	-	2
Lee	64	168	1	1	1	White	47	96	-	-	1
White	24	59	-	-	1	All other	7	8	-	-	1
All other	40	109	1	1	1	Black	7	8	-	-	1
Black	40	109	1	1	1	Pulaski	5,064	3,279	63	38	45
Lincoln	71	124	-	-	-	White	3,943	2,429	25	14	18
White	42	71	-	-	-	All other	1,121	850	38	24	27
All other	29	53	-	-	-	Black	1,116	846	38	24	26
Black	29	53	-	-	-	Jacksonville	-	225	7	6	3
Little River	117	163	2	1	1	White	-	206	5	4	2
White	88	122	-	-	1	All other	-	19	2	2	1
All other	29	41	2	1	-	Black	-	18	2	2	1
Black	29	40	2	1	-	Little Rock	-	1,830	41	23	29
Logan	193	263	3	2	5	White	-	1,265	15	9	7
Lonoke	164	366	8	5	2	All other	-	565	26	14	22
White	144	328	8	5	2	Black	-	562	26	14	21
All other	20	38	-	-	-	North Little Rock	-	831	11	6	7
Black	20	37	-	-	-	White	-	634	4	1	6
Madison	59	113	1	-	2	All other	-	197	7	5	1
Marion	71	163	2	1	2	Black	-	197	7	5	1
Miller	730	432	7	6	1	Sherwood	-	95	-	-	-
White	557	326	5	4	1	Balance of county	-	298	4	3	6
All other	173	106	2	2	-	White	-	234	1	-	3
Black	168	106	2	2	-	All other	-	64	3	3	3
Texarkana ^a	-	318	4	4	1	Black	-	64	3	3	3
White	-	227	2	2	1	Randolph	128	193	1	-	1
All other	-	91	2	2	-	St. Francis	315	355	7	3	2
Black	-	91	2	2	-	White	158	194	2	1	1
Balance of county	-	114	3	2	-	All other	157	161	5	2	1
White	-	99	3	2	-	Black	157	161	5	2	1
All other	-	15	-	-	-	Forrest City	-	198	3	-	-
Black	-	15	-	-	-	White	-	101	-	-	-
Mississippi	448	626	10	2	13	All other	-	97	3	-	-
White	303	444	6	2	8	Black	-	97	3	-	-
All other	145	182	4	-	5	Balance of county	-	157	4	3	2
Black	145	182	4	-	5	White	-	93	2	1	1
Blytheville	-	281	6	1	4	All other	-	64	2	2	1
White	-	184	3	1	3	Black	-	64	2	2	7
All other	-	97	3	-	3	Saline	433	544	3	3	4
Black	-	97	3	-	3	Benton	-	242	1	1	4
Balance of county	-	345	4	1	9	Balance of county	-	302	2	2	3
White	-	260	3	1	7	Scott	104	143	1	-	-
All other	-	85	1	-	2	Searcy	44	118	-	-	1
Black	-	85	1	-	2	Sebastian	1,683	1,076	15	9	14
Monroe	63	157	1	1	1	Fort Smith	-	830	13	7	9
White	39	84	-	-	-	Balance of county	-	246	2	2	5
All other	24	73	1	1	1	Sevier	178	184	1	-	1
Black	24	73	1	1	1	Sharp	162	258	3	2	2
Montgomery	43	90	1	-	2	Stone	95	123	1	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 7

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 7 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Arkansas-Con.					California-Con.						
Union	631	636	4	3	10	Calaveras	247	342	2	-	3
White	452	457	2	2	4	Colusa	124	156	3	3	2
All other	179	179	2	1	6	Contra Costa	5,742	6,009	75	42	89
Black	179	179	2	1	6	White	4,911	5,096	53	30	56
El Dorado	376	376	2	1	5	All other	831	913	22	12	33
White	269	269	-	-	-	Black	574	633	13	9	20
All other	107	107	2	1	5	Antioch	406	5	3	5	5
Black	107	107	2	1	5	White	380	2	1	4	4
Balance of county	260	260	2	2	5	All other	26	3	2	1	1
White	188	188	2	2	4	Black	8	1	-	1	1
All other	72	72	-	-	1	Concord	796	8	4	14	14
Black	72	72	-	-	1	El Cerrito	214	-	-	1	1
Van Buren	137	185	3	1	2	White	175	-	-	-	-
Washington	1,339	1,030	15	10	16	All other	39	-	-	1	1
Fayetteville	341	341	3	3	8	Black	16	-	-	-	-
Springdale, part	333	333	8	4	3	Lafayette	192	2	2	3	3
Springdale, total	333	333	8	4	3	Martinez	286	4	-	-	-
Balance of county	356	356	4	3	5	Moraga Town	101	-	-	-	-
White	674	604	6	5	13	Pinole	107	-	-	3	3
Searcy	178	178	-	-	1	White	97	-	-	1	1
Balance of county	426	426	6	5	12	All other	10	-	-	2	2
Woodruff	46	134	-	-	1	Black	5	-	-	1	1
White	32	91	-	-	-	Pittsburg	374	10	3	10	10
All other	14	43	-	-	1	White	274	7	2	3	3
Black	14	43	-	-	1	All other	100	3	1	7	7
Yell	201	256	2	-	3	Black	68	1	1	3	3
California	222,330	221,989	4,001	2,445	3,621	Pleasant Hill	235	3	3	6	6
White	192,121	191,762	3,016	1,839	2,846	Richmond	838	17	11	17	17
All other	30,209	30,227	985	606	775	White	371	7	4	5	5
Black	16,432	16,472	703	437	468	All other	467	10	7	12	12
Alameda	10,000	9,927	136	78	143	Black	419	7	6	9	9
White	7,029	6,947	62	38	74	San Pablo	324	6	1	9	9
All other	2,971	2,980	74	40	69	White	250	4	1	3	3
Black	2,168	2,178	62	34	50	All other	74	2	-	6	6
Alameda	600	600	8	3	7	Black	54	1	-	4	4
White	523	523	6	2	4	Walnut Creek	890	2	1	1	1
All other	77	77	2	1	3	Balance of county	1,246	18	14	17	17
Black	25	25	-	-	1	White	1,134	16	13	15	15
Albany	144	144	-	-	-	All other	112	2	1	2	2
White	129	129	-	-	-	Black	37	1	1	1	1
All other	15	15	-	-	-	Del Norte	260	261	2	1	2
Black	8	8	-	-	-	El Dorado	739	906	13	6	11
Berkeley	769	769	11	7	6	South Lake Tahoe	154	5	2	3	3
White	441	441	2	2	4	Balance of county	752	8	4	8	8
All other	328	328	9	5	2	Fresno	5,529	5,192	119	76	95
Black	276	276	9	5	2	White	4,503	4,579	85	51	75
Fremont	869	869	11	6	14	All other	626	613	34	25	20
White	721	721	8	6	9	Black	334	332	17	13	10
All other	148	148	3	-	5	Clovis	396	5	1	4	4
Black	24	24	-	-	-	White	377	5	1	4	4
Hayward	1,158	1,158	13	8	27	All other	19	-	-	-	-
White	991	991	9	4	15	Black	1	-	-	-	-
All other	167	167	4	4	12	Fresno	3,442	92	60	68	68
Black	84	84	2	2	7	White	2,914	58	35	48	48
Livermore	358	358	5	4	5	All other	528	34	25	20	20
Newark	159	159	7	4	4	Black	319	17	13	10	10
White	136	136	4	3	2	Reedley	167	4	3	2	2
All other	23	23	3	1	2	White	156	4	3	2	2
Black	5	5	-	-	1	All other	11	-	-	-	-
Oakland	3,545	3,545	60	36	56	Black	195	2	1	3	3
White	1,593	1,593	12	11	21	White	189	2	1	3	3
All other	1,952	1,952	48	25	35	All other	6	-	-	-	-
Black	1,668	1,668	46	24	33	Sanger	189	2	1	3	3
Piedmont	72	72	-	-	2	White	189	2	1	3	3
Pleasanton	236	236	-	-	2	All other	6	-	-	-	-
San Leandro	941	941	8	4	7	Black	189	2	1	3	3
White	867	867	8	4	5	Selma	176	2	-	-	-
All other	74	74	-	-	2	White	13	-	-	-	-
Black	25	25	-	-	2	All other	4	-	-	-	-
Union City	302	302	7	4	7	Black	4	-	-	-	-
White	205	205	4	2	6	Balance of county	803	14	11	15	15
All other	97	97	3	2	1	White	767	14	11	15	15
Black	26	26	2	1	1	All other	36	-	-	-	-
Balance of county	774	774	6	2	8	Black	8	-	-	-	-
White	711	711	6	2	4	Glenn	135	247	2	2	3
All other	63	63	-	-	4	Humboldt	1,119	1,124	18	7	7
Black	28	28	-	-	2	Arcata	119	4	1	-	-
Alpine	11	5	-	-	-	Eureka	474	6	3	1	1
White	9	2	-	-	-	Balance of county	531	8	3	6	6
All other	2	3	-	-	-	Imperial	687	841	16	10	22
Black	-	-	-	-	-	White	129	7	5	4	4
Amador	295	328	2	1	4	All other	120	6	5	4	4
Butte	2,167	1,991	20	9	32	Black	9	1	-	-	-
Chico	615	615	8	4	11	Calexico	121	2	1	5	5
Paradise	438	438	1	1	1	White	117	2	1	5	5
Balance of county	938	938	11	4	20	All other	4	-	-	-	-
						Black	2	-	-	-	-
						El Centro	248	2	2	5	5
						White	226	2	2	5	5
						All other	22	-	-	-	-
						Black	9	-	-	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 8

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.
(Page 8 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more.]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
California-Con.						California-Con.					
Balance of county	---	343	5	2	8	Compton	---	912	45	26	32
White	---	317	4	2	7	White	---	233	22	13	12
All other	---	26	1	-	1	All other	---	679	23	13	20
Black	---	10	-	-	-	Black	---	668	22	12	16
Inyo	186	219	2	1	1	Covina	---	458	6	4	9
Kern	4,131	4,327	135	76	95	Cudahy	---	83	2	1	6
White	---	3,724	121	69	76	White	---	81	2	1	6
All other	---	412	14	7	19	All other	---	2	-	-	-
Black	---	295	13	6	15	Black	---	-	-	-	-
Bakersfield	---	2,580	83	51	55	Culver City	---	352	4	3	3
White	---	2,298	69	44	40	White	---	301	2	2	-
All other	---	282	14	7	15	All other	---	51	2	1	3
Black	---	248	13	6	15	Black	---	28	1	-	3
Delano	---	229	7	3	9	Downey	---	776	11	5	12
White	---	170	7	3	5	White	---	740	10	5	6
All other	---	59	-	-	4	All other	---	36	1	-	6
Black	---	6	-	-	-	Black	---	16	-	-	2
Ridgecrest	---	198	9	6	6	Duarte	---	222	3	1	2
Balance of county	---	1,320	36	16	25	White	---	185	1	1	2
White	---	1,260	36	16	25	All other	---	37	2	-	-
All other	---	60	-	-	-	Black	---	23	1	-	-
Black	---	44	-	-	-	El Monte	---	625	23	10	15
Kings	590	656	15	8	13	White	---	569	20	9	13
Hanford	---	362	8	4	6	All other	---	56	3	1	2
White	---	332	7	3	4	Black	---	8	-	-	1
All other	---	30	1	1	2	El Segundo	---	99	1	-	2
Black	---	19	1	1	2	Gardena	---	596	10	6	8
Balance of county	---	294	7	4	7	White	---	328	5	3	5
White	---	262	5	2	4	All other	---	268	5	3	3
All other	---	32	2	2	3	Black	---	116	5	3	2
Black	---	22	2	2	1	Glendale	---	1,297	12	5	13
Lake	679	780	4	2	6	White	---	1,216	7	2	11
Lassen	159	199	3	-	1	All other	---	81	5	3	2
Los Angeles	63,474	62,640	1,387	873	1,227	Black	---	14	1	-	1
White	---	50,546	49,660	987	625	Glendora	---	340	2	2	3
All other	---	12,928	400	248	288	Hawaiian Gardens	---	78	4	3	1
Black	---	9,109	310	192	195	White	---	71	3	2	1
Alhambra	---	665	6	6	8	All other	---	7	1	1	-
White	---	550	4	4	7	Black	---	3	1	1	-
All other	---	115	2	2	1	Hawthorne	---	506	24	16	13
Black	---	2	1	1	-	White	---	357	5	2	8
Arcadia	---	509	2	2	3	All other	---	149	19	14	5
Artesia	---	135	4	1	3	Black	---	123	19	14	4
White	---	122	2	-	3	Hermosa Beach	---	83	1	1	3
All other	---	13	2	1	-	Huntington Park	---	290	16	10	17
Black	---	4	2	1	-	White	---	284	16	10	17
Azusa	---	260	4	4	5	All other	---	6	-	-	-
White	---	239	4	4	5	Black	---	3	-	-	-
All other	---	21	-	-	-	Inglewood	---	770	26	15	29
Black	---	7	-	-	-	White	---	344	17	11	16
Baldwin Park	---	332	11	6	9	All other	---	426	9	4	13
White	---	293	11	6	8	Black	---	413	9	4	12
All other	---	39	-	-	1	La Canada Flintridge	---	145	-	-	-
Black	---	10	-	-	1	Lakewood	---	555	7	2	8
Bell	---	186	7	6	4	White	---	519	4	1	6
White	---	178	7	6	4	All other	---	36	3	1	2
All other	---	8	-	-	-	Black	---	11	2	1	1
Black	---	4	-	-	-	La Mirada	---	324	2	1	2
Bellflower	---	493	14	10	6	White	---	298	1	1	2
White	---	462	14	10	6	All other	---	26	1	-	-
All other	---	31	-	-	-	Black	---	6	1	-	-
Black	---	11	-	-	-	Lancaster	---	793	24	16	23
Bell Gardens	---	174	10	6	6	La Puente	---	414	10	7	8
White	---	168	10	6	5	White	---	364	8	5	7
All other	---	6	-	-	1	All other	---	50	2	2	1
Black	---	2	-	-	1	Black	---	19	-	-	1
Beverly Hills	---	356	-	-	-	La Verne	---	294	2	2	-
Burbank	---	890	10	5	4	White	---	290	2	2	-
White	---	854	9	5	3	All other	---	4	-	-	-
All other	---	36	1	-	1	Black	---	1	-	-	-
Black	---	10	-	-	-	Lawndale	---	152	3	2	2
Carson	---	603	9	6	10	White	---	133	1	1	1
White	---	344	3	1	8	All other	---	19	2	1	1
All other	---	259	6	5	2	Black	---	7	-	-	-
Black	---	152	3	3	1	Lomita	---	174	2	1	2
Cerritos	---	221	5	4	2	White	---	161	1	1	2
White	---	130	2	2	1	All other	---	13	1	-	-
All other	---	91	3	2	1	Black	---	4	-	-	-
Black	---	16	1	1	-	Long Beach	---	3,733	85	50	84
Claremont	---	274	-	-	2	White	---	3,124	54	29	52
White	---	255	-	-	2	All other	---	609	31	21	32
All other	---	19	-	-	-	Black	---	388	22	17	21
Black	---	11	-	-	-	Los Angeles	---	26,910	627	385	574
Commerce	---	69	6	4	-	White	---	19,344	448	282	446
White	---	67	6	4	-	All other	---	7,566	179	103	128
All other	---	2	-	-	-	Black	---	6,019	157	89	96
Black	---	-	-	-	-	Lynwood	---	318	15	9	16
						White	---	230	14	8	14
						All other	---	88	1	1	2
						Black	---	83	1	1	2
						Manhattan Beach	---	171	-	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 9

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 9 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more.]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal		
California-Con.					California-Con.							
Maywood	---	140	8	5	5	Torrance	---	1,231	18	12	12	
White	---	135	8	5	5	White	---	1,085	14	8	10	
All other	---	5	-	-	-	All other	---	146	4	4	2	
Black	---	2	-	-	-	Black	---	28	1	1	2	
Monrovia	---	289	2	2	4	West Covina	---	587	8	7	7	
White	---	253	1	1	4	White	---	496	3	2	5	
All other	---	36	1	1	-	All other	---	91	5	5	2	
Black	---	32	1	1	-	Black	---	39	2	2	1	
Montebello	---	434	5	3	3	Whittier	---	1,255	25	19	24	
White	---	400	5	3	3	White	---	1,223	24	18	24	
All other	---	34	-	-	-	All other	---	32	1	1	-	
Black	---	1	-	-	-	Black	---	7	-	-	-	
Monterey Park	---	365	9	6	3	Balance of county	---	3,588	57	35	70	
White	---	211	3	3	2	White	---	3,085	38	24	53	
All other	---	154	6	3	1	All other	---	503	19	11	17	
Black	---	1	-	-	-	Black	---	243	9	7	3	
Norwalk	---	624	22	18	14	Madera	---	565	725	16	13	20
White	---	553	15	12	13	White	---	431	13	12	14	
All other	---	71	7	6	1	All other	---	404	12	11	13	
Black	---	18	4	3	-	Black	---	27	1	1	1	
Palmdale	---	508	20	10	18	Balance of county	---	21	1	1	1	
White	---	448	16	8	14	White	---	294	3	1	6	
All other	---	60	4	2	4	All other	---	280	3	1	6	
Black	---	49	4	2	3	Black	---	14	-	-	-	
Palos Verdes Estates	---	87	-	-	1	Marin	---	1,879	1,855	17	10	9
Paramount	---	264	9	4	11	White	---	1,783	1,781	16	9	6
White	---	224	7	3	7	All other	---	96	74	1	3	
All other	---	40	2	1	4	Black	---	47	36	-	1	
Black	---	29	2	1	3	Larkspur	---	---	49	-	-	
Pasadena	---	1,279	37	27	21	Mill Valley	---	---	202	2	2	
White	---	987	19	15	11	Novato	---	---	373	3	1	1
All other	---	292	18	12	10	San Anselmo	---	---	110	2	2	
Black	---	242	17	11	8	San Rafael	---	---	612	6	3	5
Pico Rivera	---	389	13	7	10	Balance of county	---	---	509	4	2	3
White	---	378	13	7	10	Mariposa	---	85	138	-	-	
All other	---	11	-	-	-	Mendocino	---	719	787	13	8	7
Black	---	4	-	-	-	Ukiah	---	---	287	7	3	3
Pomona	---	799	34	26	22	Balance of county	---	---	500	6	5	4
White	---	642	22	18	16	Merced	---	1,036	1,199	27	18	39
All other	---	157	12	8	6	White	---	939	1,089	21	13	35
Black	---	124	11	7	4	All other	---	97	110	6	5	4
Rancho Palos Verdes	---	249	2	2	1	Black	---	59	65	3	2	1
White	---	230	2	2	1	Atwater	---	---	140	4	1	2
All other	---	19	-	-	-	White	---	---	125	3	1	2
Black	---	2	-	-	-	All other	---	---	15	1	-	
Redondo Beach	---	386	10	9	3	Black	---	---	8	1	-	
White	---	374	9	8	3	Los Banos	---	---	138	2	2	1
All other	---	12	1	1	-	White	---	---	131	1	1	1
Black	---	2	-	-	-	All other	---	---	7	1	1	
Rosemead	---	356	3	2	10	Black	---	---	6	1	1	
White	---	282	2	2	7	Merced	---	---	507	13	8	25
All other	---	74	1	-	3	White	---	---	451	10	5	22
Black	---	5	-	-	-	All other	---	---	56	3	3	3
San Dimas	---	269	1	1	1	Black	---	---	32	1	1	
White	---	258	1	1	1	Balance of county	---	---	414	8	7	11
All other	---	11	-	-	-	White	---	---	382	7	6	10
Black	---	4	-	-	-	All other	---	---	32	1	1	1
San Fernando	---	159	6	4	6	Black	---	---	19	-	-	1
White	---	148	6	4	6	Modoc	---	92	107	1	-	1
All other	---	11	-	-	-	Mono	---	45	37	1	-	-
Black	---	8	-	-	-	Monterey	---	2,248	2,323	53	31	47
San Gabriel	---	448	5	4	7	White	---	2,030	2,084	48	28	39
White	---	376	2	1	4	All other	---	218	239	5	3	8
All other	---	72	3	3	3	Black	---	87	99	4	2	6
Black	---	-	-	-	-	Marina	---	---	101	3	2	1
San Marino	---	81	-	-	-	White	---	---	70	1	1	-
Santa Fe Springs	---	123	2	2	1	All other	---	---	31	2	1	1
White	---	121	2	2	1	Black	---	---	10	1	-	1
All other	---	2	-	-	-	Monterey	---	---	265	2	-	2
Black	---	-	-	-	-	White	---	---	253	2	-	2
Santa Monica	---	966	12	11	3	All other	---	---	12	-	-	-
White	---	899	9	8	3	Black	---	---	3	-	-	-
All other	---	67	3	3	-	Pacific Grove	---	---	186	2	2	1
Black	---	44	2	2	-	Salinas	---	---	846	27	15	17
Sierra Madre	---	92	-	-	-	White	---	---	782	27	15	15
South El Monte	---	85	3	2	-	All other	---	---	64	-	-	2
White	---	83	3	2	-	Black	---	---	19	-	-	-
All other	---	2	-	-	-	Seaside	---	---	208	7	5	12
Black	---	-	-	-	-	White	---	---	113	4	3	7
South Gate	---	491	17	9	15	All other	---	---	95	3	2	5
White	---	482	17	9	15	Black	---	---	63	3	2	5
All other	---	9	-	-	-	Balance of county	---	---	717	12	7	14
Black	---	5	-	-	-	White	---	---	687	12	7	14
South Pasadena	---	178	-	-	3	All other	---	---	30	-	-	-
White	---	156	-	-	3	Black	---	---	2	-	-	-
All other	---	22	-	-	-	Napa	---	1,161	1,184	11	8	10
Black	---	5	-	-	-							
Temple City	---	281	4	3	3							
White	---	263	3	2	3							
All other	---	18	1	1	-							
Black	---	3	-	-	-							

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 10

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 10 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
California-Con.					California-Con.						
Napa	---	746	9	7	6	Balance of county	---	2,212	19	10	25
Balance of county	---	438	2	1	4	White	---	2,136	15	7	22
White	---	427	2	1	4	All other	---	76	4	3	3
All other	---	11	-	-	-	Black	---	13	1	-	1
Black	---	5	-	-	-	Placer	1,443	1,450	20	11	13
Nevada	710	769	3	3	5	Roseville	---	482	8	6	2
Orange	15,329	15,250	303	193	300	Balance of county	---	968	12	5	11
White	14,321	14,276	264	170	269	Plumas	168	210	1	-	1
All other	1,008	974	39	23	31	Riverside	9,824	10,490	193	116	113
Black	183	170	11	6	10	White	9,197	9,809	149	90	97
Anaheim	---	1,753	35	21	47	All other	---	681	44	26	16
White	---	1,641	33	20	44	Black	---	518	41	26	12
All other	---	112	2	1	3	Banning	---	332	4	2	1
Black	---	25	-	-	2	White	---	301	3	1	1
Brea	---	196	2	2	2	All other	---	31	1	1	1
Buena Park	---	447	15	10	10	Black	---	20	1	1	-
White	---	406	13	9	7	Corona	---	512	24	16	13
All other	---	41	2	1	3	White	---	484	18	12	10
Black	---	6	1	-	1	All other	---	28	6	4	3
Costa Mesa	---	607	11	7	13	Black	---	18	5	4	2
White	---	571	10	7	13	Hemet	---	1,543	13	7	7
All other	---	36	1	-	-	Indio	---	258	11	10	7
Black	---	6	1	-	-	White	---	247	11	10	6
Cypress	---	228	7	4	2	All other	---	11	-	-	1
White	---	201	6	4	2	Black	---	9	-	-	-
All other	---	27	1	-	-	Norco	---	122	-	-	1
Black	---	4	-	-	-	White	---	119	-	-	1
Fountain Valley	---	295	3	1	-	All other	---	3	-	-	-
White	---	260	2	1	-	Black	---	1	-	-	-
All other	---	35	1	-	-	Palm Desert	---	413	2	1	1
Black	---	4	-	-	-	Palm Springs	---	655	5	2	2
Fullerton	---	786	12	7	17	White	---	623	3	-	1
White	---	741	12	7	15	All other	---	32	2	2	1
All other	---	45	-	-	2	Black	---	23	2	2	1
Black	---	7	-	-	1	Riverside	---	2,105	55	33	30
Garden Grove	---	1,010	26	16	18	White	---	1,887	39	26	24
White	---	872	15	10	15	All other	---	218	16	7	6
All other	---	138	11	6	3	Black	---	168	79	45	5
Black	---	14	3	3	-	Balance of county	---	4,550	79	45	47
Huntington Beach	---	1,117	14	11	19	White	---	4,203	62	34	41
White	---	1,064	11	9	18	All other	---	347	17	11	4
All other	---	53	3	2	1	Black	---	275	17	11	3
Black	---	5	2	1	-	Sacramento	8,681	8,067	139	77	120
Irvine	---	420	12	9	9	White	---	7,512	90	51	89
White	---	387	11	8	8	All other	---	1,159	49	26	31
All other	---	33	1	1	1	Black	---	680	39	21	23
Black	---	6	-	-	-	Folsom	---	154	2	-	5
Laguna Beach	---	229	2	1	7	White	---	151	1	-	5
La Habra	---	409	5	2	8	All other	---	3	1	-	-
White	---	398	5	2	7	Black	---	1	-	-	-
All other	---	11	-	-	1	Sacramento	---	5,286	98	48	78
Black	---	4	-	-	1	White	---	4,293	60	31	52
La Palma	---	78	1	-	1	All other	---	993	38	17	26
White	---	55	-	-	-	Black	---	589	31	14	19
All other	---	23	1	-	-	Balance of county	---	2,627	39	29	37
Black	---	4	-	-	-	White	---	2,464	29	20	32
Los Alamitos	---	179	3	3	1	All other	---	163	10	9	5
White	---	174	3	3	1	Black	---	90	8	7	4
All other	---	5	-	-	-	San Benito	185	245	3	-	4
Black	---	2	-	-	-	Hollister	---	210	2	-	3
Newport Beach	---	607	4	2	3	White	---	204	2	-	3
Orange	---	670	15	9	12	All other	---	6	-	-	-
White	---	637	14	8	10	Black	---	2	-	-	-
All other	---	33	1	1	2	Balance of county	---	35	1	-	1
Black	---	3	-	-	-	White	---	34	1	-	1
Placentia	---	250	9	6	10	All other	---	1	-	-	-
White	---	239	8	6	8	Black	---	-	-	-	-
All other	---	11	1	-	2	San Bernardino	10,746	10,291	256	168	202
Black	---	2	-	-	1	White	---	9,719	9,322	196	115
San Clemente	---	298	8	5	4	All other	---	1,027	969	60	43
San Juan Capistrano	---	190	1	1	5	Black	---	805	751	54	40
Santa Ana	---	1,564	73	51	62	Barstow	---	241	4	3	3
White	---	1,411	68	48	57	White	---	212	3	2	2
All other	---	153	5	3	5	All other	---	29	1	1	1
Black	---	47	1	1	1	Black	---	24	1	1	-
Seal Beach	---	52	1	1	1	Chino	---	424	9	7	18
Stanton	---	167	3	-	2	White	---	368	7	5	14
White	---	154	3	-	2	All other	---	56	2	2	4
All other	---	13	-	-	-	Black	---	31	1	1	3
Black	---	1	-	-	-	Colton	---	296	7	5	10
Tustin	---	283	7	2	9	White	---	275	5	3	9
White	---	269	7	2	7	All other	---	21	2	2	1
All other	---	14	-	-	2	Black	---	15	2	2	1
Black	---	6	-	-	5	Fontana	---	681	27	19	16
Westminster	---	533	8	4	4	White	---	598	22	14	13
White	---	454	3	2	1	All other	---	83	5	5	3
All other	---	79	1	-	-	Black	---	62	5	5	3
Black	---	7	-	-	-						
Yorba Linda	---	200	7	7	8						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 11

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 11 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
California-Con.					California-Con.						
Loma Linda	---	175	2	1	2	San Francisco, coext. with	---	---	---	---	---
White	---	146	1	---	1	San Francisco city	8,183	8,059	45	29	61
All other	---	29	1	1	1	White	5,774	5,665	14	8	14
Black	---	11	---	---	---	All other	2,409	2,394	31	21	47
Montclair	---	197	4	4	5	Black	1,120	1,085	19	12	22
White	---	181	4	4	4	San Joaquin	3,900	3,946	81	38	67
All other	---	16	---	---	1	White	3,341	3,372	61	30	45
Black	---	10	---	---	1	All other	559	574	20	8	22
Ontario	---	806	29	16	23	Black	260	260	11	5	9
White	---	733	25	14	18	Lodi	---	596	9	2	6
All other	---	73	4	2	5	Manteca	---	327	4	3	3
Black	---	54	3	2	4	White	---	318	4	3	3
Rancho Cucamonga	---	409	13	9	3	All other	---	9	---	---	---
White	---	367	11	8	3	Black	---	4	---	---	---
All other	---	42	2	1	---	Stockton	---	2,346	51	23	48
Black	---	24	2	1	---	White	---	1,850	31	15	28
Redlands	---	555	3	---	10	All other	---	496	20	8	20
White	---	536	2	---	9	Black	---	245	11	5	9
All other	---	19	1	---	1	Tracy	---	272	7	3	7
Black	---	9	---	---	---	White	---	257	7	3	6
Rialto	---	475	20	12	10	All other	---	15	---	---	1
White	---	374	11	7	7	Black	---	5	---	---	---
All other	---	101	9	5	3	Balance of county	---	405	10	7	3
Black	---	87	8	4	7	White	---	372	10	7	2
San Bernardino	---	1,642	59	32	38	All other	---	33	---	---	1
White	---	1,334	36	16	26	Black	---	4	---	---	---
All other	---	308	23	16	12	San Luis Obispo	1,703	1,811	21	13	20
Black	---	279	22	16	12	Arroyo Grande	---	230	3	3	5
Upland	---	465	7	7	2	Atascadero	---	202	2	1	2
White	---	438	6	6	1	San Luis Obispo	---	330	1	1	2
All other	---	27	1	1	1	Balance of county	---	1,049	15	8	11
Black	---	18	1	1	1	White	---	1,028	14	8	11
Victorville	---	483	7	6	11	All other	---	21	1	---	---
White	---	431	4	3	9	Black	---	11	---	---	---
All other	---	52	3	3	2	San Mateo	5,060	4,956	41	24	51
Black	---	46	3	3	2	White	4,400	4,266	27	17	37
Balance of county	---	3,442	65	37	51	All other	---	660	60	7	14
White	---	3,329	59	33	46	Black	---	227	7	3	2
All other	---	113	6	4	5	Belmont	---	160	1	1	1
Black	---	81	6	4	4	Burlingame	---	300	---	---	---
San Diego	18,510	18,042	304	187	245	Daly City	---	611	10	5	14
White	16,938	16,491	234	142	206	White	---	410	4	2	5
All other	1,572	1,551	70	45	39	All other	---	201	6	3	9
Black	865	850	53	35	24	Black	---	36	1	---	1
Carlsbad	---	453	5	3	3	Foster City	---	107	---	---	2
White	---	446	5	3	3	White	---	85	---	---	2
All other	---	7	---	---	---	All other	---	22	---	---	---
Black	---	---	---	---	---	Black	---	6	---	---	---
Chula Vista	---	1,039	16	13	18	Hillsborough	---	74	---	---	---
White	---	961	12	10	15	White	---	71	---	---	---
All other	---	78	4	3	3	All other	---	3	---	---	---
Black	---	30	2	2	2	Black	---	---	---	---	---
Coronado	---	172	2	2	2	Menlo Park	---	360	2	1	2
El Cajon	---	1,194	22	13	18	White	---	311	2	1	2
Escondido	---	1,158	15	8	16	All other	---	49	---	---	---
White	---	1,132	15	8	16	Black	---	42	---	---	---
All other	---	26	---	---	---	Millbrae	---	201	---	---	1
Black	---	8	---	---	---	White	---	194	---	---	1
Imperial Beach	---	144	6	3	4	All other	---	7	---	---	---
White	---	131	5	2	4	Black	---	---	---	---	---
All other	---	13	1	1	1	Pacific	---	240	---	---	3
Black	---	4	---	---	---	White	---	206	---	---	3
La Mesa	---	695	4	3	7	All other	---	34	---	---	---
Lemon Grove	---	243	5	3	6	Black	---	11	---	---	---
White	---	218	2	1	4	Redwood City	---	614	8	5	7
All other	---	25	3	2	2	White	---	571	7	5	6
Black	---	18	3	2	1	All other	---	43	1	---	1
National City	---	340	6	3	7	Black	---	25	1	---	---
White	---	275	4	3	7	San Bruno	---	246	---	---	1
All other	---	65	2	---	---	White	---	224	---	---	1
Black	---	21	1	---	---	All other	---	22	---	---	---
Oceanside	---	1,086	37	23	20	Black	---	7	---	---	---
White	---	1,023	28	18	14	San Carlos	---	238	2	2	1
All other	---	63	9	5	6	San Mateo	---	877	3	1	6
Black	---	35	9	5	3	White	---	773	3	1	4
San Diego	---	7,685	126	73	95	All other	---	104	---	---	2
White	---	6,585	86	47	74	Black	---	34	---	---	---
All other	---	1,100	40	26	21	South San Francisco	---	440	1	---	3
Black	---	665	27	18	15	White	---	374	---	---	3
San Marcos	---	422	5	3	5	All other	---	66	1	---	---
Vista	---	645	12	7	13	Black	---	9	---	---	---
White	---	621	8	3	12	Balance of county	---	488	14	9	10
All other	---	24	4	4	1	White	---	375	8	5	8
Black	---	9	4	4	---	All other	---	113	6	4	2
Balance of county	---	2,766	43	30	32	Black	---	92	5	3	1
White	---	2,673	40	28	29	Santa Barbara	2,898	2,895	43	28	56
All other	---	93	3	2	3	White	2,775	2,719	41	27	52
Black	---	28	3	2	1	All other	123	116	2	1	4
						Black	52	52	---	---	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 12

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 12 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
California-Con.						California-Con.					
Carpinteria	107	3	-	2	Benicia	142	4	2	2		
White	105	3	-	2	White	134	4	2	2		
All other	2	-	-	-	All other	8	-	-	-		
Black	2	-	-	-	Black	3	-	-	-		
Lompoc	342	8	6	5	Fairfield	425	10	5	15		
White	313	7	5	5	White	342	10	5	12		
All other	29	1	1	-	All other	83	-	-	3		
Black	15	-	-	-	Black	56	-	-	1		
Santa Barbara	1,244	11	7	25	Suisun City	90	2	1	2		
White	1,212	10	7	22	White	71	-	-	1		
All other	32	1	-	3	All other	19	2	1	1		
Black	18	-	-	1	Black	14	2	1	1		
Santa Maria	730	16	11	14	Vacaville	485	7	5	2		
White	688	16	11	14	White	442	7	5	2		
All other	42	-	-	-	All other	43	-	-	-		
Black	13	-	-	-	Black	34	-	-	-		
Balance of county	412	5	4	10	Vallejo	911	18	13	10		
White	401	5	4	9	White	617	7	5	6		
All other	11	-	-	1	All other	294	11	8	4		
Black	4	-	-	-	Black	186	6	4	3		
Santa Clara	9,250	144	91	134	Balance of county	132	3	2	1		
White	8,087	7,650	98	62	White	126	2	1	1		
All other	1,163	1,027	46	29	All other	6	1	1	-		
Black	325	240	20	10	Black	2	-	-	-		
Campbell	244	3	3	2	Sonoma	3,540	32	22	37		
White	228	2	2	1	White	3,444	32	22	37		
All other	16	1	1	1	All other	96	-	-	-		
Black	2	-	-	1	Black	35	33	-	-		
Cupertino	274	2	1	2	Petaluma	418	4	3	3		
White	254	1	1	1	Rohnert Park	193	3	3	4		
All other	20	1	-	1	Santa Rosa	1,602	20	15	18		
Black	2	-	-	-	Balance of county	1,331	5	1	12		
Gilroy	213	1	-	3	White	1,306	5	1	12		
White	200	1	-	3	All other	25	-	-	-		
All other	13	-	-	-	Black	8	-	-	-		
Black	1	-	-	-	Stanislaus	3,162	2,916	44	21		
Los Altos	271	1	-	-	White	3,030	2,794	41	21		
Los Gatos	299	2	-	-	All other	132	3	-	3		
Milpitas	210	6	4	3	Black	45	39	1	2		
White	149	1	1	-	Ceres	209	2	1	1		
All other	61	5	3	3	White	202	2	1	1		
Black	12	1	1	1	All other	7	-	-	-		
Morgan Hill	201	2	2	3	Black	-	-	-	-		
White	192	2	2	3	Modesto	1,626	27	9	20		
All other	9	-	-	-	White	1,530	25	9	19		
Black	2	-	-	-	All other	96	2	-	1		
Mountain View	417	8	5	12	Black	36	-	-	1		
White	370	7	4	9	Turlock	432	5	4	9		
All other	47	1	1	3	White	420	5	4	8		
Black	15	-	-	1	All other	12	-	-	1		
Palo Alto	443	2	-	7	Black	1	-	-	1		
White	404	1	-	7	Balance of county	649	10	7	13		
All other	39	1	-	-	White	642	9	7	12		
Black	12	-	-	-	All other	7	1	-	1		
San Jose	4,406	104	66	81	Black	2	1	-	-		
White	3,755	72	47	59	Sutter	435	576	12	9		
All other	651	32	19	22	Yuba City	457	8	5	8		
Black	168	18	10	7	White	408	7	4	8		
Santa Clara	594	6	4	-	All other	49	1	1	-		
White	545	4	2	-	Black	8	-	-	-		
All other	49	2	2	-	Balance of county	119	4	4	1		
Black	11	1	1	-	White	116	4	4	-		
Saratoga	215	-	-	1	All other	3	-	-	1		
Sunnyvale	760	5	5	14	Black	1	-	-	-		
White	681	2	2	11	Tehama	440	575	5	5		
All other	79	3	3	3	Trinity	110	151	1	-		
Black	13	-	-	-	Tulare	2,289	2,432	42	26		
Balance of county	130	2	1	6	White	2,164	2,313	36	21		
White	124	2	1	5	All other	105	119	6	5		
All other	6	-	-	1	Black	49	54	3	2		
Black	2	-	-	-	Porterville	472	5	3	9		
Santa Cruz	1,699	24	16	24	White	457	4	2	8		
White	703	4	3	5	All other	15	1	1	1		
All other	408	12	9	13	Black	1	-	-	-		
Black	377	12	9	13	Tulare	355	9	6	7		
All other	31	-	-	-	White	321	6	4	6		
Balance of county	615	8	4	6	All other	34	3	2	1		
White	603	8	4	6	Black	30	3	2	1		
All other	12	-	-	-	Visalia	680	14	10	25		
Black	2	-	-	-	White	665	12	8	24		
Shasta	1,666	12	7	9	All other	15	2	2	1		
Redding	952	7	5	2	Black	8	-	-	-		
Balance of county	611	5	2	7	Balance of county	925	14	7	21		
Sierra	23	42	-	1	White	870	14	7	21		
All other	-	-	-	-	All other	55	-	-	-		
Black	-	-	-	-	Black	15	-	-	-		
Siskiyou	434	486	3	-	Tuolumne	430	469	3	2		
Solano	2,161	2,185	44	28							
White	1,708	1,732	30	18							
All other	453	453	14	10							
Black	294	295	8	5							

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 13

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 13 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
California-Con.					Colorado-Con.						
Ventura	3,845	4,149	67	46	81	Aurora, part	---	986	38	23	31
White	3,678	3,970	60	39	75	White	---	876	25	13	25
All other	167	179	7	7	6	All other	---	110	13	10	6
Black	75	84	7	7	2	Black	---	81	11	9	6
Camarillo	---	480	2	2	5	Aurora, total	---	1,183	40	23	32
White	---	467	1	1	5	White	---	1,035	26	13	26
All other	---	13	1	1	---	All other	---	148	14	10	6
Black	---	5	1	1	---	Black	---	116	12	9	6
Oxnard	---	855	23	14	31	Englewood	---	458	6	3	9
White	---	765	19	10	28	Littleton, part	---	434	6	6	5
All other	---	90	4	4	3	Littleton, total	---	441	6	6	5
Black	---	48	4	4	1	Balance of county	---	248	6	1	4
Port Hueneme	---	148	---	---	5	Archuleta	21	37	2	2	1
White	---	136	---	---	3	Baca	49	55	---	---	---
All other	---	12	---	---	2	Bent	---	51	41	---	---
Black	---	6	---	---	---	Boulder	1,176	1,239	12	7	24
San Buenaventura (Ventura)	---	782	14	10	10	Boulder	---	515	6	4	7
White	---	769	13	9	9	Broomfield, part	---	70	---	---	2
All other	---	13	1	1	1	Broomfield, total	---	111	2	1	3
Black	---	7	1	1	1	Longmont	---	408	4	2	7
Santa Paula	---	221	2	---	6	Balance of county	---	246	2	1	8
White	---	220	2	---	6	Chaffee	---	149	165	---	1
All other	---	1	---	---	---	Cheyenne	---	19	---	---	1
Black	---	---	---	---	---	Clear Creek	---	21	41	1	---
Simi Valley	---	462	12	10	8	Conejos	---	64	79	---	1
Thousand Oaks	---	661	5	4	3	Costilla	---	14	31	2	1
Balance of county	---	540	9	6	13	Crowley	---	26	51	---	1
White	---	530	9	6	13	Custer	---	12	19	---	---
All other	---	10	---	---	---	Della	---	229	269	1	2
Black	---	3	---	---	---	Denver, coext. with Denver city	---	5,942	4,858	76	41
Yolo	861	1,042	14	8	14	White	---	5,284	4,240	55	34
Davis	---	216	5	3	3	All other	---	658	618	21	7
White	---	200	5	3	2	Black	---	561	558	20	11
All other	---	16	---	---	1	Dolores	---	11	11	---	---
Black	---	7	---	---	---	Douglas	---	122	228	7	4
Woodland	---	392	5	3	4	Littleton, part	---	---	7	---	---
White	---	378	5	3	4	Balance of county	---	221	7	4	4
All other	---	14	---	---	---	Eagle	---	50	63	4	---
Black	---	8	---	---	---	Elbert	---	42	66	1	---
Balance of county	---	434	4	2	7	El Paso	---	2,424	2,338	67	36
White	---	409	3	2	6	White	---	2,280	2,187	52	27
All other	---	25	1	---	1	All other	---	144	151	15	9
Black	---	11	1	---	1	Black	---	121	128	12	7
Yuba	561	530	8	4	13	Colorado Springs	---	1,968	53	26	41
Colorado	24,264	23,746	426	229	342	White	---	1,835	40	18	31
White	23,082	22,603	364	199	307	All other	---	133	13	8	10
All other	1,182	1,143	62	30	35	Black	---	114	10	6	10
Black	909	896	50	25	32	Balance of county	---	370	14	10	10
Adams	1,442	1,687	42	18	29	White	---	352	12	9	7
White	1,375	1,613	38	17	29	All other	---	18	2	1	3
All other	67	74	4	1	---	Black	---	14	2	1	3
Black	43	48	3	---	---	Fremont	---	380	415	7	3
Arvada, part	---	12	---	---	---	Canon City	---	250	1	---	2
White	---	11	---	---	---	Balance of county	---	165	6	3	2
All other	---	1	---	---	---	Garfield	---	228	220	---	4
Black	---	---	---	---	---	Gilpin	---	17	15	---	---
Aurora, part	---	197	2	---	1	Grand	---	29	38	---	---
White	---	159	1	---	1	Gunnison	---	51	44	1	---
All other	---	38	1	---	---	Hinsdale	---	---	1	---	---
Black	---	35	1	---	---	Huerfano	---	77	88	1	---
Brighton, part	---	119	2	2	6	Jackson	---	16	21	2	---
White	---	117	2	2	6	Jefferson	---	2,588	2,629	46	27
All other	---	2	---	---	---	Arvada, part	---	519	9	3	7
Black	---	---	---	---	---	Arvada, total	---	531	9	3	7
Brighton, total	---	125	3	2	6	Broomfield, part	---	14	---	---	---
White	---	123	3	2	6	Golden	---	147	2	1	3
All other	---	2	---	---	---	Lakewood	---	1,024	11	8	11
Black	---	---	---	---	---	Westminster, part	---	55	6	4	3
Broomfield, part	---	27	2	1	1	Wheat Ridge	---	342	3	2	3
Commerce City	---	196	7	2	3	Balance of county	---	528	15	9	15
White	---	187	6	2	3	Kiowa	---	16	20	---	---
All other	---	9	1	---	---	Kit Carson	---	41	65	---	1
Black	---	7	1	---	---	Lake	---	31	30	---	1
Northglenn	---	160	4	2	2	La Plata	---	245	217	6	3
Thornton	---	291	9	6	6	Durango	---	109	---	---	2
Westminster, part	---	258	7	2	4	White	---	106	---	---	---
Westminster, total	---	313	13	6	7	All other	---	3	---	---	---
Balance of county	---	427	9	3	6	Black	---	---	---	---	---
White	---	420	8	3	6	Balance of county	---	108	6	3	1
All other	---	7	1	---	---	White	---	98	4	3	1
Black	---	1	1	---	---	All other	---	10	2	---	---
Alamogosa	124	87	3	2	1	Black	---	---	---	---	---
Arapahoe	2,211	2,126	56	33	49	Balance of county	---	---	---	---	---
White	2,095	1,998	42	22	41	Larimer	1,157	1,139	13	5	17
All other	116	128	14	11	8	Fort Collins	---	505	8	3	7
Black	88	94	12	10	8	Loveland	---	324	1	---	5

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 14

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 14 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Colorado-Con.					Connecticut-Con.						
Balance of county	---	310	4	2	5	Balance of county	---	984	15	10	17
Las Animas	136	168	2	2	1	White	---	969	15	10	16
Lincoln	40	43	-	-	-	All other	---	15	-	-	1
Logan	133	137	2	1	1	Black	---	11	-	-	1
Sterling	---	105	1	1	1	Hartford	7,989	7,841	100	73	62
Balance of county	---	32	1	1	-	White	---	7,237	62	46	50
Mesa	1,032	926	6	4	7	All other	---	621	604	38	27
Grand Junction	---	493	4	3	4	Black	---	586	573	35	26
Balance of county	---	433	2	1	3	Bristol	---	547	3	-	3
Mineral	7	7	-	-	-	East Hartford town#	---	535	6	4	-
Moffat	63	62	1	1	-	Enfield town#	---	338	3	2	6
Montezuma	190	181	3	-	1	Hartford	1,295	37	23	17	
White	168	163	1	-	1	White	---	864	14	7	11
All other	22	18	2	-	-	All other	---	431	23	16	6
Black	---	-	-	-	-	Black	---	425	23	16	6
Montrose	242	258	2	1	1	Manchester town#	---	506	8	8	7
Morgan	257	264	7	4	1	New Britain	---	807	6	5	3
Otero	237	234	3	2	1	White	---	777	4	3	3
Ouray	9	14	-	-	-	All other	---	30	2	2	-
Park	26	41	2	1	-	Black	---	25	1	1	-
Phillips	51	62	-	-	2	Newington town#	---	257	2	2	-
Pitkin	47	48	1	1	-	Plainville town#	---	149	3	3	-
Prowers	106	126	-	-	-	Rocky Hill town#	---	163	2	2	-
Pueblo	1,286	1,224	16	8	14	Southington town#	---	293	2	2	-
White	---	1,115	15	8	14	West Hartford town#	---	748	8	6	3
All other	---	1,083	14	8	14	Wethersfield town#	---	345	-	-	-
Black	---	32	1	-	-	Windsor town#	---	218	-	-	1
Balance of county	---	109	1	-	-	White	---	200	-	-	1
White	---	105	1	-	-	All other	---	18	-	-	-
All other	---	4	-	-	-	Black	---	17	-	-	-
Black	---	4	-	-	-	Windsor Locks town#	---	105	-	-	1
Rio Blanco	32	43	4	3	1	Balance of county	---	1,535	20	16	21
Rio Grande	79	100	2	1	-	White	---	1,465	16	14	16
Routt	53	57	1	-	1	All other	---	70	4	2	5
Saguache	11	36	1	1	1	Black	---	63	3	2	4
San Juan	2	2	-	-	-	Litchfield	1,328	1,454	11	10	9
San Miguel	10	15	1	-	-	Torrington	---	341	3	3	3
Sedgwick	27	39	1	-	-	Balance of county	---	1,113	8	7	6
Summit	53	40	3	2	6	Middlesex	1,156	1,175	12	7	6
Teller	48	68	3	1	-	Middletown	---	336	7	5	2
Washington	24	56	-	-	1	White	---	307	3	2	2
Weld	909	952	15	8	7	All other	---	29	4	3	-
Brighton, part	---	6	-	-	-	Black	---	28	4	3	-
Greeley	---	493	5	3	5	Balance of county	---	839	5	2	4
White	---	493	5	3	5	New Haven	8,361	7,665	74	48	79
All other	---	-	-	-	-	White	---	6,978	48	30	58
Black	---	-	-	-	-	All other	---	721	687	26	18
Balance of county	---	453	9	5	2	Black	---	695	667	25	18
White	---	449	9	5	2	Ansonia	---	186	1	1	4
All other	---	4	-	-	-	Branford town#	---	262	-	-	2
Black	---	-	-	-	-	Derby	---	127	-	-	3
Yuma	79	91	-	-	3	East Haven town#	---	258	1	-	4
Connecticut	29,221	29,037	331	233	282	Hamden town#	---	569	3	1	1
White	27,063	26,883	230	161	213	Meriden	---	569	7	5	3
All other	2,158	2,154	101	72	69	Milford	---	453	6	4	3
Black	2,035	2,038	93	69	59	Naugatuck	---	248	3	3	4
Fairfield	7,001	7,194	95	65	92	New Haven	1,240	19	11	21	
White	6,344	6,498	66	45	60	White	---	854	3	-	13
All other	657	696	29	20	32	All other	---	386	16	11	8
Black	624	661	26	19	27	Black	---	384	16	11	8
Bridgeport	---	1,505	33	21	28	North Haven town#	---	219	2	1	-
White	---	1,176	18	10	13	Orange town#	---	96	-	-	-
All other	---	329	15	11	15	Wallingford town#	---	394	5	3	1
Black	---	323	14	10	13	Waterbury	---	1,189	12	9	18
Danbury	---	509	6	4	4	White	---	1,047	6	4	10
Darien town#	---	131	-	-	7	All other	---	142	6	5	8
Fairfield town#	---	610	1	1	1	Black	---	139	6	5	8
Greenwich town#	---	510	1	1	3	West Haven	---	549	6	4	3
Norwalk	---	638	14	12	7	White	---	499	4	3	2
White	---	518	8	8	2	All other	---	50	2	1	1
All other	---	120	6	4	5	Black	---	49	2	1	1
Black	---	119	6	4	5	Balance of county	---	1,306	9	6	12
Shelton	---	302	1	-	3	New London	1,883	2,041	17	12	18
Stamford	---	898	14	8	19	White	---	1,793	15	10	15
White	---	761	9	5	10	All other	---	90	2	2	3
All other	---	137	5	3	9	Black	---	77	68	1	2
Black	---	132	4	3	8	Groton	---	266	4	3	5
Stratford town#	---	611	4	4	1	New London	---	292	4	1	4
Trumbull town#	---	292	5	4	1	White	---	258	4	1	3
Westport town#	---	204	1	-	1	All other	---	34	-	-	1
						Black	---	29	-	-	3
						Balance of county	---	405	2	2	3
						Tolland	663	1,078	7	6	5
						Balance of county	---	786	11	8	6
						Vernon town#	---	210	5	4	2
						Balance of county	---	576	6	4	3
						White	---	567	6	4	3
						All other	---	9	-	-	-
						Black	---	6	-	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 15

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 15 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Connecticut-Con.					Florida-Con.						
Windham	840	881	11	10	11	Melbourne	---	670	7	4	5
Williamantic *	---	---	---	---	---	White	---	619	6	3	4
Balance of county	---	881	11	10	11	All other	---	51	1	1	1
Delaware	6,278	6,150	93	68	46	Black	---	49	1	1	5
White	5,138	5,057	45	33	29	Palm Bay	---	509	11	6	1
All other	1,140	1,093	48	35	17	Rockledge	---	166	1	1	---
Black	1,114	1,067	48	35	16	White	---	154	---	---	---
Kent	820	920	10	5	8	All other	---	12	1	1	---
White	655	746	4	1	4	Black	---	12	1	1	---
All other	165	174	6	4	4	Titusville	---	471	4	3	5
Black	159	168	6	4	4	White	---	429	3	2	3
Dover	---	281	4	2	4	All other	---	42	1	1	2
White	---	205	1	2	2	Black	---	42	1	1	---
All other	---	76	3	2	2	Balance of county	---	1,828	5	4	10
Black	---	70	3	2	2	White	---	1,764	4	3	9
Balance of county	---	639	6	3	4	All other	---	64	1	1	1
White	---	541	3	1	2	Black	---	59	1	1	---
All other	---	98	3	2	2	Broward	15,060	15,863	195	131	127
Black	---	98	3	2	2	White	13,584	14,312	100	72	70
New Castle	4,029	3,809	68	56	25	All other	1,476	1,551	95	59	57
White	3,276	3,108	33	28	15	Black	1,438	1,512	95	59	55
All other	753	701	35	28	10	Cooper City	---	100	2	1	1
Black	743	691	35	28	9	Coral Springs	---	438	8	4	5
Newark	---	142	2	2	2	Dania	---	193	3	2	3
Wilmington	---	1,060	25	18	8	White	---	145	2	1	1
White	---	587	5	3	3	All other	---	48	1	1	3
All other	---	473	20	15	5	Black	---	48	1	1	3
Black	---	472	20	15	5	Davie	---	289	7	6	7
Balance of county	---	2,607	41	36	15	Deerfield Beach	---	734	2	2	5
White	---	2,394	26	23	10	White	---	683	1	1	2
All other	---	213	15	13	5	All other	---	51	1	1	3
Black	---	204	15	13	4	Black	---	51	1	1	3
Sussex	1,429	1,421	15	7	13	Fort Lauderdale	2,791	58	38	28	
White	1,207	1,203	8	4	10	White	2,309	23	16	9	
All other	222	218	7	3	3	All other	482	35	22	19	
Black	212	208	7	3	3	Black	478	35	22	19	
District of Columbia	8,959	7,191	185	130	110	Hallandale, part	754	7	2	2	
White	2,739	1,588	10	7	4	White	688	3	2	2	
All other	6,220	5,603	175	123	106	All other	66	4	---	---	
Black	6,169	5,569	175	123	105	Black	66	4	---	---	
Florida	147,634	146,699	1,658	1,072	1,430	Hallandale, total	755	7	2	2	
White	131,263	130,477	960	614	855	White	689	3	2	2	
All other	16,371	16,222	698	458	574	All other	66	4	---	---	
Black	15,965	15,836	682	445	551	Black	66	4	---	---	
Alachua	2,419	1,314	36	25	23	Hollywood	---	1,811	21	15	14
White	1,948	1,008	15	11	12	Lauderdale Lakes	391	2	1	5	
All other	471	306	21	14	11	White	350	1	1	5	
Black	460	299	17	12	11	All other	41	1	1	5	
Gainesville	---	704	25	17	15	Black	41	1	1	5	
White	---	514	11	8	6	Lauderhill	565	10	7	6	
All other	---	190	14	9	9	White	498	2	1	1	
Black	---	184	10	7	8	All other	67	2	1	5	
Balance of county	---	610	11	8	9	Black	64	8	6	5	
White	---	494	4	3	2	Lighthouse Point	172	2	2	1	
All other	---	116	7	5	2	Margate	633	2	2	2	
Black	---	115	7	5	2	Miramar	309	10	8	5	
Baker	95	150	4	3	3	North Lauderdale	145	3	2	---	
White	84	133	3	2	---	Oakland Park	170	2	1	3	
All other	11	17	1	1	3	Pembroke Pines	687	7	7	4	
Black	11	17	1	1	3	Plantation	680	7	4	1	
Bay	1,281	1,134	17	14	15	Pompano Beach	1,410	12	7	14	
White	1,109	989	12	10	9	White	1,184	12	7	6	
All other	172	145	5	4	6	All other	225	12	7	8	
Black	164	136	5	4	6	Black	225	12	7	8	
Panama City	---	517	9	8	9	Sunrise	813	8	5	6	
White	---	410	5	5	4	Tamarac	886	3	1	2	
All other	---	107	4	3	5	Wilton Manors	150	---	---	---	
Black	---	101	4	3	5	Balance of county	1,742	18	13	13	
Balance of county	---	617	8	6	6	White	1,423	3	2	9	
Bradford	227	244	1	---	2	All other	319	15	11	4	
White	204	210	1	---	2	Black	312	15	11	4	
All other	23	34	---	---	---	Calhoun	129	2	2	---	
Black	23	33	---	---	---	White	131	1	1	---	
Brevard	3,882	4,040	33	20	28	All other	106	1	1	---	
White	3,629	3,765	23	12	21	Black	23	1	1	---	
All other	253	275	10	8	7	Charlotte	1,774	1,857	5	3	
Black	243	263	10	8	7	Citrus	1,441	1,575	9	5	
Cocoa	---	211	5	2	3	Clay	868	855	21	12	
White	---	151	2	1	2	Collier	1,754	1,725	8	7	
All other	---	60	3	1	2	Naples	---	472	1	1	
Black	---	60	3	1	2	Balance of county	---	1,253	7	6	
Cocoa Beach	---	185	---	---	---	White	---	1,209	6	5	
						All other	---	44	1	1	
						Black	---	39	1	1	
						Columbia	596	428	4	2	
						White	484	350	1	1	
						All other	112	78	3	1	
						Black	110	77	3	1	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 16

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 16 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Florida-Con.					Florida-Con.						
Dade	20,010	18,926	253	167	272	Hamilton	74	105	3	1	2
White	16,505	15,566	116	79	130	White	39	64	2	1	2
All other	3,505	3,360	137	88	142	All other	35	41	1	-	-
Black	3,434	3,297	135	86	141	Black	35	41	1	-	-
Coral Gables	1	364	-	-	2	Hardee	108	209	2	-	5
Hallandale, part	1	1	-	-	-	Hendry	157	205	6	5	7
Hialeah	1,796	22	18	22	20	White	123	164	4	4	3
White	1,770	20	17	20	20	All other	34	41	2	1	4
All other	26	2	1	2	2	Black	32	38	2	1	4
Black	20	2	1	2	10	Herando	1,475	1,632	7	3	3
Homestead	192	6	3	10	6	Highlands	1,168	1,195	14	7	5
White	154	2	1	4	4	White	1,091	1,081	8	3	2
All other	38	4	2	4	4	All other	77	74	6	4	3
Black	37	4	2	4	106	Black	76	73	6	4	3
Miami	5,246	84	61	106	39	Hillsborough	8,472	7,563	117	77	101
White	4,094	33	24	37	67	White	7,405	6,542	67	43	67
All other	1,152	51	37	67	67	All other	1,067	1,021	50	34	34
Black	1,137	51	37	67	10	Black	1,035	993	50	34	32
Miami Beach	1,506	5	4	10	5	Plant City	239	239	4	1	4
Miami Springs	163	2	-	-	-	White	190	190	3	1	2
North Miami	667	6	6	5	-	All other	49	49	1	-	2
North Miami Beach	972	4	2	8	3	Black	49	49	1	-	2
Opa-locka	138	5	4	3	3	Tampa	3,434	53	34	36	36
White	59	2	2	2	3	White	2,663	21	14	18	18
All other	79	3	2	3	3	All other	771	32	20	18	18
Black	79	3	2	3	1	Black	756	32	20	18	18
South Miami	72	-	-	-	1	Temple Terrace	82	-	-	-	-
White	43	-	-	-	1	Balance of county	3,808	60	42	61	61
All other	29	-	-	-	50	White	3,609	43	28	47	47
Black	29	-	-	-	55	All other	199	17	14	14	14
Balance of county	7,809	119	69	105	54	Black	186	17	14	12	12
White	5,931	47	28	50	1	Holmes	151	204	2	1	2
All other	1,878	72	41	55	1	Indian River	1,310	1,249	12	7	8
Black	1,849	71	40	54	1	White	1,230	1,172	6	3	5
De Soto	222	282	1	1	1	All other	80	77	6	4	3
White	184	239	1	1	1	Black	74	6	4	3	3
All other	38	43	-	-	2	Vero Beach	78	74	6	4	3
Black	37	43	-	-	2	Balance of county	376	6	4	1	1
Dixie	54	125	3	2	2	White	873	6	3	7	7
White	50	115	2	2	2	All other	806	2	1	4	4
All other	4	10	1	-	-	Black	67	4	2	3	3
Black	4	10	1	-	-	Black	65	4	2	3	3
Duval	6,357	5,939	126	86	103	Jackson	384	457	6	3	7
White	4,692	4,310	62	39	54	White	312	366	3	2	4
All other	1,665	1,629	64	47	49	All other	72	91	3	1	3
Black	1,639	1,606	63	46	48	Black	72	91	3	1	3
Jacksonville	5,481	111	77	96	66	Jefferson	72	123	1	-	2
White	3,915	52	33	49	47	White	46	73	-	-	2
All other	1,566	59	44	47	46	All other	26	50	1	-	-
Black	1,544	58	43	46	4	Black	26	50	1	-	-
Jacksonville Beach	243	6	4	3	3	Lafayette	14	46	1	1	2
Balance of county	215	9	5	4	4	Lake	2,264	2,369	19	11	21
White	182	6	3	3	1	White	2,100	2,209	17	11	15
All other	33	3	2	1	1	All other	164	160	2	-	6
Black	32	3	2	1	6	Black	162	159	2	-	6
Escambia	2,795	2,404	43	28	27	Leesburg	322	322	1	-	5
White	2,218	1,858	23	15	13	White	264	-	-	-	4
All other	577	546	20	13	14	All other	58	1	-	1	1
Black	557	528	20	13	13	Black	58	1	-	1	1
Pensacola	770	14	9	6	6	Balance of county	2,047	18	11	16	16
White	503	5	4	6	6	White	1,945	17	11	11	11
All other	267	9	5	6	-	All other	102	1	-	5	5
Black	262	9	5	5	21	Black	101	1	-	5	5
Balance of county	1,634	29	19	21	13	Lee	4,287	4,264	28	20	25
White	1,355	18	11	13	8	White	4,063	4,041	22	17	19
All other	279	11	8	8	8	All other	224	223	6	3	6
Black	266	11	8	8	3	Black	218	218	6	3	6
Flagler	324	387	3	1	3	Cape Coral	878	5	5	6	6
White	298	348	2	-	3	Fort Myers	646	8	6	7	7
All other	26	39	1	1	-	White	490	4	4	2	5
Black	26	38	1	1	-	All other	156	4	2	5	5
Franklin	88	133	1	-	-	Black	156	4	2	5	5
White	70	112	1	-	-	Balance of county	2,740	15	9	12	12
All other	18	21	-	-	-	Leon	1,749	1,263	23	18	22
Black	18	21	-	-	-	White	1,211	897	7	4	11
Gadsden	242	401	9	4	11	All other	538	366	16	14	11
White	138	191	3	2	4	Black	533	361	15	13	11
All other	104	210	6	2	7	Tallahassee	955	18	14	17	17
Black	104	210	6	2	7	White	646	4	2	7	7
Gilchrist	74	118	-	-	-	All other	309	14	12	10	10
Glades	31	69	-	-	1	Black	304	13	11	10	10
White	26	62	-	-	1	Balance of county	308	5	4	5	5
All other	5	7	-	-	-	White	251	3	2	4	4
Black	4	6	-	-	-	All other	57	2	2	1	1
Gulf	100	136	1	-	2	Black	57	2	2	1	1
White	88	111	1	-	1	Levy	243	309	4	3	1
All other	12	25	-	-	1	White	217	277	2	2	1
Black	11	24	-	-	1	All other	26	32	2	1	-
						Black	25	31	2	1	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 17

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 17 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more.]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Florida-Con.					Florida-Con.						
Liberty	12	44	3	2	-	Delray Beach	---	962	3	1	6
White	11	39	3	2	-	White	---	831	-	-	-
All other	1	5	-	-	-	All other	---	131	3	1	6
Black	1	5	-	-	-	Black	---	131	3	1	6
Madison	87	171	4	2	2	Lake Worth	---	608	7	4	11
White	52	106	-	-	-	North Palm Beach	---	168	-	-	-
All other	35	65	4	2	2	Palm Beach Gardens	---	287	2	2	1
Black	34	65	4	2	2	Riviera Beach	---	324	9	5	9
Manatee	2,920	2,969	35	21	17	White	---	130	1	1	-
White	2,761	2,802	22	11	13	All other	---	194	8	4	9
All other	159	167	13	10	4	Black	---	194	8	4	9
Black	156	165	12	9	4	West Palm Beach	---	1,374	23	16	18
Bradenton	---	922	12	8	6	White	---	1,064	8	5	9
White	---	848	6	3	4	All other	---	310	15	11	9
All other	---	74	6	5	2	Black	---	307	15	11	9
Black	---	74	6	5	2	Balance of county	---	5,816	34	21	38
Balance of county	---	2,047	23	13	11	White	---	5,630	22	15	30
Marion	2,469	2,670	33	24	12	All other	---	186	12	6	8
White	2,238	2,393	20	14	6	Black	---	182	12	6	6
All other	231	277	13	10	6	Pasco	4,161	4,751	23	13	13
Black	230	274	12	9	6	New Port Richey	---	550	2	2	2
Ocala	---	739	9	8	4	Balance of county	---	4,201	21	11	11
White	---	617	4	3	1	Pinellas	13,380	12,857	92	60	63
All other	---	116	5	5	3	White	12,659	12,179	55	38	43
Black	---	116	5	5	3	All other	721	678	37	22	20
Balance of county	---	1,937	24	16	8	Black	698	659	35	20	20
White	---	1,776	16	11	5	Clearwater	---	1,813	9	5	10
All other	---	161	8	5	3	Dunedin	---	637	2	2	5
Black	---	158	7	4	3	Gulfport	---	216	-	-	-
Martin	1,339	1,361	8	5	12	Largo	---	1,119	7	3	1
Monroe	652	671	6	4	3	Pinellas Park	---	565	3	2	3
Key West	---	255	3	3	1	St. Petersburg	---	4,039	40	27	26
White	---	230	1	1	-	White	---	3,529	12	10	11
All other	---	25	2	2	-	All other	---	510	28	17	15
Black	---	24	1	1	-	Black	---	505	28	17	15
Balance of county	---	416	3	1	2	Tarpon Springs	---	317	4	3	1
Nassau	213	374	10	4	6	White	---	294	3	3	1
White	179	311	6	2	5	All other	---	23	1	-	-
All other	34	63	4	2	1	Black	---	21	1	-	-
Black	34	63	4	2	1	Balance of county	---	4,151	27	18	17
Okaloosa	1,051	1,019	19	17	8	Polk	4,526	4,652	76	40	46
White	955	935	14	12	5	White	4,016	4,102	52	25	35
All other	86	84	5	5	3	All other	510	550	24	15	11
Black	75	73	5	5	3	Black	503	543	24	15	11
Fort Walton Beach	---	246	7	7	2	Bartow	---	188	7	6	1
White	---	217	4	4	-	White	---	131	4	3	-
All other	---	29	3	3	2	All other	---	57	3	3	1
Black	---	28	3	3	2	Black	---	57	3	3	1
Balance of county	---	773	12	10	6	Haines City	---	139	1	-	4
White	---	718	10	8	5	White	---	96	-	-	4
All other	---	55	2	2	1	All other	---	43	1	-	-
Black	---	45	2	2	1	Black	---	41	1	-	-
Okeechobee	271	324	6	1	4	Lakeland	---	1,075	14	5	12
Orange	5,952	5,200	69	43	109	White	---	932	8	2	12
White	5,110	4,418	38	22	61	All other	---	143	6	3	-
All other	842	782	31	21	48	Black	---	142	6	3	-
Black	804	750	31	21	40	Winter Haven	---	477	8	8	5
Orlando	---	1,804	26	15	65	White	---	402	4	4	1
White	---	1,403	11	4	31	All other	---	75	4	4	4
All other	---	401	15	11	34	Black	---	75	4	4	4
Black	---	393	15	11	29	Balance of county	---	2,773	46	21	24
Winter Park	---	417	2	2	-	White	---	2,541	36	16	18
White	---	371	2	2	-	All other	---	232	10	5	6
All other	---	46	-	-	-	Black	---	228	10	5	6
Black	---	45	-	-	-	Putnam	628	801	11	8	8
Balance of county	---	2,979	41	26	44	White	528	669	6	4	5
White	---	2,644	25	16	30	All other	100	132	5	4	3
All other	---	335	16	10	14	Black	100	131	5	4	3
Black	---	312	16	10	11	Palatka	---	152	2	2	3
Osceola	1,067	1,046	8	4	13	White	---	101	-	-	1
White	---	278	2	2	7	All other	---	51	2	2	2
All other	---	254	2	2	3	Black	---	51	2	2	2
Black	---	23	-	-	4	Balance of county	---	649	9	6	5
Balance of county	---	768	6	2	6	White	---	568	6	4	4
Palm Beach	11,433	11,600	94	60	97	All other	---	81	3	2	1
White	10,349	10,519	49	33	55	Black	---	80	3	2	1
All other	1,084	1,081	45	27	42	St. Johns	807	908	11	8	8
Black	1,068	1,069	45	27	40	White	709	813	8	3	6
Belle Glade	---	184	-	-	6	All other	98	95	3	2	2
White	---	60	-	-	2	Black	97	94	3	2	1
All other	---	124	-	-	4	St. Augustine	---	210	3	3	2
Black	---	124	-	-	4	White	---	167	2	1	1
Boca Raton	---	1,005	9	6	1	All other	---	43	1	-	-
White	---	872	7	5	7	Black	---	43	1	-	-
All other	---	798	4	3	4	Balance of county	---	698	8	4	7
Black	---	74	3	2	3	White	---	646	6	2	5
Boynton Beach	---	73	3	2	3	All other	---	52	2	2	2
White	---	73	3	2	3	Black	---	51	2	2	2
All other	---	73	3	2	3						
Black	---	73	3	2	3						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 18

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 18 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Florida-Con.					Georgia						
St. Lucie	1,587	1,798	27	21	12	White	56,810	56,099	1,153	751	1,126
White	1,361	1,524	12	10	8	All other	40,560	40,071	498	311	454
All other	226	274	15	11	4	Black	16,250	16,028	655	440	672
Black	224	272	15	11	3	Black	18,049	15,836	650	436	661
Fort Pierce	589	589	19	15	3	Appling	115	150	3	1	2
White	360	360	5	4	1	White	95	116	2	-	2
All other	229	229	14	11	2	All other	20	34	1	1	-
Black	228	228	14	11	2	Black	20	34	1	1	-
Port St. Lucie	595	595	5	4	5	Atkinson	12	65	3	3	-
Balance of county	614	614	3	2	4	White	11	54	1	1	-
White	590	590	2	2	3	All other	1	11	2	2	-
All other	24	24	1	-	1	Black	1	11	2	2	-
Black	24	24	1	-	-	Bacon	77	102	1	1	1
Santa Rosa	522	665	12	5	7	White	66	89	1	1	-
Sarasota	4,575	4,426	20	16	23	All other	11	13	-	-	1
White	4,462	4,301	16	12	19	Black	11	13	-	-	1
All other	113	125	4	4	4	Baker	13	30	1	-	-
Black	107	119	4	4	4	White	7	16	1	-	-
Sarasota	899	899	6	5	6	All other	6	14	-	-	-
White	812	812	4	3	4	Black	6	14	-	-	-
All other	87	87	2	2	2	Baldwin	374	320	9	4	5
Black	85	85	2	2	2	White	250	211	1	-	2
Venice	501	501	-	-	-	All other	124	109	8	4	3
Balance of county	3,026	3,026	14	11	17	Black	124	109	8	4	3
Seminole	1,881	2,001	13	9	34	Milledgeville	-	141	2	-	3
White	1,671	1,759	12	8	26	White	-	82	-	-	-
All other	210	242	1	1	8	All other	-	59	2	-	3
Black	198	229	1	1	7	Black	-	59	2	-	3
Altamonte Springs	267	267	4	4	3	Balance of county	-	179	7	4	2
Casselberry	153	153	3	2	3	White	-	129	1	-	2
Longwood	171	171	-	-	-	All other	-	50	6	4	-
Sanford	348	348	-	-	12	Black	-	50	6	4	-
White	241	241	-	-	8	Banks	10	90	2	2	2
All other	107	107	-	-	4	Barrow	212	299	6	3	2
Black	105	105	-	-	4	White	196	268	6	3	-
Winter Springs	120	120	-	-	1	All other	16	31	-	-	2
Balance of county	942	942	6	3	15	Black	16	30	-	-	2
Sumter	219	420	4	3	3	Bartow	437	522	7	5	12
White	193	368	3	2	1	White	398	469	6	4	7
All other	26	52	1	1	2	All other	39	53	1	1	5
Black	26	51	1	1	2	Black	39	53	1	1	5
Suwannee	304	382	2	1	2	Ben Hill	212	238	9	5	1
White	252	333	2	1	1	White	154	167	4	3	-
All other	52	49	-	-	1	All other	58	71	5	2	1
Black	52	48	-	-	1	Black	58	71	5	2	1
Taylor	144	218	1	-	1	Fitzgerald, part	-	160	7	4	1
White	120	180	1	-	-	White	-	100	2	2	-
All other	24	38	-	-	1	All other	-	60	5	2	1
Black	23	37	-	-	1	Black	-	60	5	2	1
Union	96	138	-	-	1	Fitzgerald, total	-	160	7	4	1
White	59	105	-	-	-	White	-	100	2	2	-
All other	37	33	-	-	1	All other	-	60	5	2	1
Black	37	33	-	-	1	Black	-	60	5	2	1
Volusia	5,089	5,161	47	32	37	Balance of county	-	78	2	1	-
White	4,700	4,798	37	26	26	White	-	67	2	1	-
All other	389	363	10	6	11	All other	-	11	-	-	-
Black	383	358	10	6	10	Black	-	11	-	-	-
Daytona Beach	978	978	12	7	7	Berrien	93	148	2	1	-
White	774	774	6	4	2	White	81	132	2	1	-
All other	204	204	6	3	5	All other	12	16	-	-	-
Black	203	203	6	3	5	Black	12	16	-	-	-
De Land	398	398	4	4	3	Bibb	2,239	1,662	51	35	35
White	352	352	3	3	1	White	1,308	957	16	11	12
All other	46	46	1	1	2	All other	931	705	35	24	23
Black	46	46	1	1	2	Black	928	704	35	24	23
New Smyrna Beach	375	375	3	1	3	Macon, part	-	1,357	41	28	33
White	351	351	2	1	3	White	-	701	10	8	11
All other	24	24	1	-	-	All other	-	656	31	20	22
Black	24	24	1	-	-	Black	-	655	31	20	22
Ormond Beach	581	581	-	-	4	Macon, total	-	1,360	42	29	33
Port Orange	402	402	2	2	1	White	-	702	11	9	11
South Daytona	166	166	3	1	-	All other	-	658	31	20	22
Balance of county	2,261	2,261	23	17	19	Black	-	657	31	20	22
Wakulla	75	129	1	1	2	Balance of county	-	305	10	7	2
White	64	110	1	1	1	White	-	256	6	3	1
All other	11	19	-	-	1	All other	-	49	4	4	1
Black	11	19	-	-	1	Black	-	49	4	4	1
Walton	237	349	3	2	-	Bleckley	75	120	1	1	1
White	218	319	3	2	-	White	51	87	1	1	1
All other	19	30	-	-	-	All other	24	33	-	-	-
Black	17	30	-	-	-	Black	24	33	-	-	-
Washington	186	225	-	-	3	Brantley	19	84	2	2	1
White	159	196	-	-	2	Brooks	145	167	1	1	5
All other	27	29	-	-	1	White	112	113	1	1	3
Black	27	29	-	-	1	All other	33	54	-	-	2
						Black	33	54	-	-	2

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 19

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 19 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Georgia-Con.					Georgia-Con.						
Bryan	33	117	3	2	5	Clayton	1,071	1,125	30	15	23
White	29	99	3	2	3	White	899	925	12	3	9
All other	4	18	-	-	2	All other	172	200	18	12	14
Black	4	18	-	-	1	Black	156	186	18	12	13
Bulloch	324	339	2	2	5	College Park, part	-	34	5	3	3
White	237	256	2	2	1	White	-	10	-	-	-
All other	87	83	-	-	4	All other	-	24	5	3	3
Black	87	83	-	-	4	Black	-	21	5	3	3
Statesboro	-	154	-	-	4	Forest Park	-	197	2	-	1
White	-	112	-	-	1	Balance of county	-	894	23	12	19
All other	-	42	-	-	3	Clinch	56	64	-	-	1
Black	-	42	-	-	3	White	37	40	-	-	1
Balance of county	-	185	2	2	1	All other	19	24	-	-	-
White	-	144	2	2	1	Black	18	24	-	-	-
All other	-	41	-	-	1	Cobb	2,320	2,418	54	38	45
Black	-	41	-	-	5	White	2,197	2,197	26	17	27
Burke	139	211	7	5	1	All other	182	221	28	21	18
White	71	101	1	1	1	Black	169	204	28	21	18
All other	68	110	6	4	5	Marietta	-	466	20	17	9
Black	68	110	6	4	5	White	-	361	8	7	7
Butts	127	176	2	2	2	All other	-	105	12	10	2
White	92	123	1	1	1	Black	-	99	12	10	2
All other	35	53	1	1	2	Smyrna	-	210	2	1	6
Black	34	52	1	1	2	Balance of county	-	1,742	32	20	30
Calhoun	56	73	1	-	-	Coffee	244	281	5	5	4
White	27	30	-	-	-	White	192	225	5	5	2
All other	29	43	1	-	-	All other	52	56	-	-	2
Black	29	43	1	-	-	Black	52	56	-	-	2
Camden	107	130	7	6	1	Douglas	-	120	2	2	1
White	71	95	6	5	1	White	-	84	2	2	-
All other	36	35	1	1	-	All other	-	36	-	-	1
Black	33	32	1	1	-	Black	-	36	-	-	1
Candler	165	108	1	1	1	Balance of county	-	161	3	3	3
White	100	76	-	-	1	White	-	141	3	3	2
All other	65	32	1	1	1	All other	-	20	-	-	1
Black	65	32	1	1	1	Black	-	20	-	-	1
Carroll	560	593	4	2	12	Colquitt	383	432	6	5	3
White	486	512	2	2	9	White	292	342	4	4	1
All other	74	81	2	2	3	All other	91	90	2	1	2
Black	74	81	2	2	3	Black	91	90	2	1	2
Carrollton	-	169	2	2	5	Moultrie	-	214	5	4	3
White	-	135	-	-	3	White	-	143	3	3	1
All other	-	34	2	2	2	All other	-	71	2	1	2
Black	-	34	2	2	2	Black	-	71	2	1	2
Balance of county	-	424	2	2	7	Balance of county	-	218	1	1	-
White	-	377	2	-	6	White	-	199	1	1	-
All other	-	47	-	-	1	All other	-	19	-	-	-
Black	-	47	-	-	1	Black	-	19	-	-	-
Catoosa	631	357	4	3	6	Columbia	126	384	5	2	7
Chariton	64	86	1	-	1	White	101	316	5	2	6
White	43	58	-	-	1	All other	25	68	-	-	1
All other	21	28	1	-	-	Black	25	66	-	-	1
Black	21	28	1	-	-	Cook	111	153	1	-	1
Chatham	2,610	2,080	55	34	48	White	72	105	-	-	1
White	1,605	1,214	13	9	11	All other	39	48	1	-	-
All other	1,005	866	42	25	37	Black	39	48	1	-	-
Black	999	862	42	25	37	Coweta	519	519	9	8	5
Savannah	-	1,665	49	28	39	White	404	391	5	4	2
White	-	835	8	4	8	All other	115	128	4	4	3
All other	-	830	41	24	31	Black	115	127	4	4	3
Black	-	826	41	24	31	Newnan	-	221	6	6	2
Balance of county	-	415	6	6	9	White	-	146	2	2	2
White	-	379	5	5	3	All other	-	75	4	4	2
All other	-	36	1	1	6	Black	-	74	4	4	2
Black	-	36	1	1	6	Balance of county	-	298	3	2	3
Chattahoochee	91	27	3	3	1	White	-	245	3	2	1
White	66	14	1	1	1	All other	-	53	-	-	1
All other	25	13	2	2	1	Black	-	53	-	-	1
Black	24	12	2	2	1	Crawford	49	82	1	1	2
Chattooga	171	258	3	2	3	White	32	61	-	-	2
Cherokee	312	520	3	2	11	All other	17	21	1	1	2
Clarke	1,051	550	8	5	18	Black	17	21	1	1	2
White	763	349	8	5	10	Crisp	251	235	6	5	4
All other	288	201	8	5	8	White	171	159	3	3	1
Black	288	201	8	5	8	All other	80	76	3	3	3
Athens	-	367	7	5	14	Black	80	76	3	3	3
White	-	201	7	5	7	Cordele	-	157	4	4	3
All other	-	166	-	-	7	White	-	86	-	-	3
Black	-	166	7	5	7	All other	-	71	3	3	3
Balance of county	-	183	1	-	4	Black	-	71	3	3	3
White	-	148	-	-	3	Balance of county	-	78	2	2	2
All other	-	35	1	-	1	White	-	73	2	2	1
Black	-	35	1	-	1	All other	-	5	-	-	1
Clay	38	48	1	1	-	Black	-	5	-	-	1
White	20	19	-	-	-	Dade	35	98	1	-	-
All other	18	27	1	1	-	Dawson	22	86	4	2	1
Black	18	27	1	1	-						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 20

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 20 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Georgia-Con.					Georgia-Con.						
Decatur	220	282	4	3	2	Franklin	218	205	1	1	3
White	141	173	2	2	2	White	191	192	1	1	3
All other	79	109	2	1	2	All other	27	13	-	-	-
Black	79	109	2	1	2	Black	27	13	-	-	-
Bainbridge	157	3	3	1	1	Fulton	9,167	6,376	146	96	184
White	90	2	2	-	-	White	4,957	3,091	36	29	28
All other	67	1	1	1	1	All other	4,210	3,285	110	67	156
Black	67	1	1	1	1	Black	4,150	3,256	108	65	153
Balance of county	125	1	-	-	1	Atlanta, part	4,391	97	58	124	124
White	83	-	-	-	-	White	1,561	11	8	8	8
All other	42	1	-	1	1	All other	2,830	86	50	116	116
Black	42	1	-	1	1	Black	2,818	85	49	116	116
De Kalb	3,839	4,070	114	83	131	Atlanta, total	5,067	117	70	149	149
White	2,912	2,590	21	12	22	White	1,797	12	8	11	11
All other	927	1,480	93	71	109	All other	3,270	105	62	138	138
Black	896	1,440	92	70	106	Black	3,252	104	61	138	138
Atlanta, part	676	20	12	25	25	College Park, part	199	6	3	8	8
White	236	1	-	3	3	White	59	2	2	1	1
All other	440	19	12	22	22	All other	140	4	1	7	7
Black	434	19	12	22	22	Black	140	4	1	6	6
Decatur	689	21	15	24	24	College Park, total	233	11	6	11	11
White	220	1	1	2	2	White	69	2	2	1	1
All other	469	20	14	22	22	All other	164	9	4	10	10
Black	468	20	14	22	22	Black	161	9	4	9	9
Balance of county	2,705	73	56	82	82	East Point	340	11	9	11	11
White	2,134	19	11	17	17	White	187	1	1	1	1
All other	571	54	45	65	65	All other	153	10	8	10	10
Black	538	53	44	62	62	Black	152	10	8	10	10
Dodge	196	213	5	2	1	Roswell	257	4	3	5	5
White	139	156	-	-	-	Balance of county	1,189	28	23	36	36
All other	57	57	5	2	1	White	1,038	18	15	14	14
Black	57	57	5	2	1	All other	151	10	8	22	22
Dooly	84	130	3	-	1	Black	137	9	7	20	20
White	43	73	-	-	-	Gilmer	90	140	1	-	2
All other	41	57	3	-	1	Glascock	8	37	-	-	1
Black	41	57	3	-	1	White	7	34	-	-	1
Dougherty	1,248	813	28	19	28	All other	1	3	-	-	-
White	667	418	6	5	5	Black	1	3	-	-	-
All other	581	395	22	14	23	Glynn	734	640	11	9	7
Black	580	395	22	14	23	White	537	461	6	4	1
Albany	719	27	18	26	26	All other	197	179	5	5	6
White	347	6	5	4	4	Black	197	179	5	5	6
All other	372	21	13	22	22	Brunswick	270	3	3	5	5
Black	372	21	13	22	22	White	140	1	1	-	-
Balance of county	94	1	1	2	2	All other	130	2	2	5	5
White	71	-	-	1	1	Black	130	2	2	5	5
All other	23	1	1	1	1	Balance of county	370	8	6	2	2
Black	23	1	1	1	1	White	321	5	3	1	1
Douglas	446	464	8	4	15	All other	49	3	3	1	1
Early	103	143	3	2	2	Black	49	3	3	1	1
White	57	80	-	-	-	Gordon	250	339	4	3	6
All other	46	63	3	2	2	Grady	179	238	2	1	3
Black	45	62	3	2	2	White	112	164	2	1	-
Echols	7	17	-	-	-	All other	67	74	-	-	3
White	6	16	-	-	-	Black	67	74	-	-	3
All other	1	1	-	-	-	Greene	102	139	2	1	2
Black	1	1	-	-	-	White	58	77	2	1	-
Effingham	110	193	6	3	5	All other	44	62	-	-	2
White	91	156	5	3	5	Black	44	62	-	-	2
All other	19	37	1	-	-	Gwinnett	1,261	1,628	46	34	59
Black	19	37	1	-	-	Habersham	185	250	7	6	1
Elbert	186	244	2	2	2	Hall	933	776	15	11	11
White	133	172	1	1	1	Gainesville	205	6	6	3	3
All other	53	72	1	1	1	White	160	1	1	1	1
Black	53	72	1	1	1	All other	45	5	5	2	2
Emanuel	176	239	5	2	4	Black	45	5	5	1	1
White	123	171	2	1	1	Balance of county	571	9	5	8	8
All other	53	68	3	1	3	Hancock	65	88	6	3	2
Black	53	68	3	1	3	White	17	21	-	-	-
Evans	92	101	1	-	2	All other	48	67	6	3	2
White	59	66	1	-	1	Black	48	67	6	3	2
All other	33	35	-	-	1	Haralson	165	216	2	1	3
Black	33	35	-	-	1	Harris	72	156	4	4	1
Fannin	150	204	1	-	5	White	50	112	3	3	1
Fayette	125	335	4	2	5	All other	22	44	1	1	-
Floyd	1,377	978	3	2	11	Black	22	44	1	1	-
White	1,202	833	1	1	6	Hart	162	236	2	-	1
All other	175	145	2	1	5	White	134	197	2	-	-
Black	173	143	2	1	5	All other	28	39	-	-	1
Rome	517	-	-	-	5	Black	28	39	-	-	1
White	398	-	-	-	4	Balance of county	28	97	2	2	1
All other	119	-	-	-	1	White	25	88	2	2	1
Black	118	-	-	-	4	All other	3	9	-	-	-
Balance of county	461	3	2	6	4	Black	2	8	-	-	-
Forsyth	237	340	3	2	4	Henry	418	475	7	4	8
						White	345	402	6	4	4
						All other	73	73	1	-	4
						Black	72	71	1	-	4

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 21

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 21 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Georgia-Con.					Georgia-Con.						
Houston	555	619	14	13	15	Balance of county	---	131	6	2	8
White	425	473	5	4	7	White	---	68	5	2	4
All other	130	146	9	9	8	All other	---	63	1	-	4
Black	130	144	9	9	8	Black	---	62	1	-	4
Warner Robins	---	358	7	6	8	Lincoln	25	86	1	-	2
White	---	276	2	1	1	White	14	55	-	-	2
All other	---	82	5	5	7	All other	11	31	1	-	-
Black	---	80	5	5	7	Black	11	31	1	-	-
Balance of county	---	261	7	7	7	Long	---	9	43	2	-
White	---	197	3	3	6	White	---	8	38	-	-
All other	---	64	4	4	1	All other	---	1	5	2	-
Black	---	64	4	4	1	Black	---	1	5	2	-
Irwin	81	103	2	2	1	Lowndes	737	649	17	11	16
White	59	75	1	1	-	White	514	430	9	7	7
All other	22	28	1	1	1	All other	223	219	8	4	9
Black	22	28	1	1	1	Black	223	218	8	4	9
Fitzgerald, part	---	---	---	---	---	Valdosta	---	388	11	6	11
Balance of county	---	103	2	2	1	White	---	215	5	3	3
White	---	75	1	1	-	All other	---	173	6	3	8
All other	---	28	1	1	1	Black	---	173	6	3	8
Black	---	28	1	1	1	Balance of county	---	261	6	5	5
Jackson	208	259	2	2	4	White	---	215	4	4	4
White	187	233	2	2	2	All other	---	46	2	1	1
All other	21	26	-	-	2	Black	---	45	2	1	1
Black	21	26	-	-	2	Lumpkin	117	131	3	2	-
Jasper	44	74	1	1	1	McDuffie	238	201	5	4	3
White	35	53	1	1	-	White	145	124	3	3	-
All other	9	21	-	-	1	All other	93	77	2	1	3
Black	9	21	-	-	1	Black	93	77	2	1	3
Jeff Davis	91	113	-	-	2	McIntosh	18	93	1	1	2
White	69	100	-	-	-	White	8	46	1	1	1
All other	22	13	-	-	2	All other	10	47	-	-	1
Black	22	13	-	-	2	Black	10	47	-	-	1
Jefferson	133	210	5	5	-	Macon	181	157	2	-	1
White	46	91	-	-	-	White	82	72	1	-	-
All other	87	119	5	5	-	All other	99	85	1	-	1
Black	87	119	5	5	-	Black	99	85	1	-	1
Jenkins	57	101	2	2	2	Madison	40	215	1	-	5
White	39	66	-	-	2	White	38	191	1	-	2
All other	18	35	2	2	-	All other	2	24	-	-	3
Black	18	35	2	2	-	Black	2	24	-	-	3
Johnson	42	111	3	1	1	Marion	23	53	-	-	1
White	25	79	2	-	-	White	13	25	-	-	-
All other	17	32	1	1	1	All other	10	28	-	-	1
Black	17	32	1	1	1	Black	10	28	-	-	1
Jones	90	149	5	4	2	Meriwether	159	254	4	2	1
White	65	102	1	1	2	White	104	152	2	1	-
All other	25	47	4	3	-	All other	55	102	2	1	1
Black	25	47	4	3	-	Black	55	102	2	1	1
Macon, part	---	3	1	1	-	Miller	65	80	-	-	-
White	---	1	1	1	-	White	47	60	-	-	-
All other	---	2	-	-	-	All other	18	20	-	-	-
Black	---	2	-	-	-	Black	18	20	-	-	-
Balance of county	---	146	4	3	2	Mitchell	142	235	5	2	4
White	---	101	-	-	2	White	96	138	-	-	1
All other	---	45	4	3	-	All other	46	97	5	2	3
Black	---	45	4	3	-	Black	46	97	5	2	3
Lamar	51	132	4	1	4	Monroe	213	181	4	2	-
White	35	90	2	1	1	White	155	121	2	1	-
All other	16	42	2	-	3	All other	58	60	2	1	-
Black	16	42	2	-	3	Black	57	59	2	1	-
Lanier	34	50	1	1	1	Montgomery	6	73	-	-	-
White	28	38	-	-	-	White	6	53	-	-	-
All other	6	12	1	1	1	All other	-	20	-	-	-
Black	6	12	1	1	1	Black	-	20	-	-	-
Laurens	598	415	4	1	7	Vidalia, part	---	---	---	---	---
White	415	275	1	-	3	Balance of county	---	73	-	-	-
All other	183	140	3	1	4	White	---	53	-	-	-
Black	182	139	3	1	4	All other	---	20	-	-	-
Dublin	---	221	2	1	5	Black	---	20	-	-	-
White	---	122	-	-	1	Morgan	66	122	2	-	1
All other	---	99	2	1	4	White	48	84	-	-	1
Black	---	98	2	1	4	All other	18	38	2	-	-
Balance of county	---	194	2	1	2	Black	18	38	2	-	-
White	---	153	1	-	2	Murray	134	181	-	-	-
All other	---	41	1	-	-	Muscogee	1,902	1,645	39	27	31
Black	---	41	1	-	-	White	1,201	1,051	10	4	9
Lee	25	78	2	-	1	All other	701	594	29	23	22
White	21	60	1	-	1	Black	695	587	28	23	22
All other	4	18	1	-	-	Balance of county	---	1,608	38	26	28
Black	4	17	1	-	-	White	---	1,021	9	3	9
Liberty	179	222	13	6	20	All other	---	587	29	23	19
White	95	117	6	3	12	Black	---	580	28	23	19
All other	84	105	7	3	8	Newton	285	403	11	7	9
Black	82	101	7	3	8	White	223	313	6	3	6
Hinesville	---	91	7	4	12	All other	62	90	5	4	3
White	---	49	1	1	8	Black	62	90	5	4	3
All other	---	42	6	3	4						
Black	---	39	6	3	4						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 22

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 22 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Georgia-Con.					Georgia-Con.						
Covington	---	186	5	4	3	Stephens	255	252	7	5	4
White	---	130	2	2	1	White	225	219	4	2	1
All other	---	56	3	2	2	All other	30	33	3	3	3
Black	---	56	3	2	2	Black	30	33	3	3	3
Balance of county	---	217	6	3	6	Stewart	61	76	1	--	--
White	---	183	4	1	5	White	19	26	--	--	--
All other	---	34	2	2	1	All other	42	50	1	--	--
Black	---	34	2	2	1	Black	42	50	1	--	--
Oconee	21	107	5	5	1	Sumter	298	341	7	4	10
White	21	97	5	5	--	White	183	199	4	1	1
All other	--	10	--	--	--	All other	115	142	3	3	9
Black	--	10	--	--	--	Black	115	142	3	3	9
Oglethorpe	36	92	2	--	1	Americus	---	220	6	4	9
White	28	69	2	--	1	White	---	127	9	1	8
All other	8	23	--	--	--	All other	---	93	3	3	8
Black	8	23	--	--	--	Black	---	93	3	3	8
Paulding	183	301	3	2	5	Balance of county	---	121	1	--	1
Peach	126	180	3	2	7	White	---	72	1	--	--
White	68	99	1	--	2	All other	---	49	--	--	1
All other	58	81	2	2	5	Black	---	49	--	--	1
Black	58	81	2	2	5	Talbot	21	77	2	2	1
Pickens	117	156	3	2	3	White	11	35	--	--	--
Pierce	55	149	4	2	3	All other	10	42	2	2	--
White	51	135	4	2	2	Black	10	42	2	2	--
All other	4	14	--	--	1	Taliaferro	5	29	--	--	--
Black	4	14	--	--	1	White	3	11	--	--	--
Pike	38	105	--	--	--	All other	2	18	--	--	--
White	32	77	--	--	--	Black	2	18	--	--	--
All other	6	28	--	--	--	Tattnall	109	202	3	1	4
Black	6	28	--	--	--	White	78	141	3	1	1
Polk	263	454	8	4	1	All other	31	61	--	--	3
White	221	389	5	4	--	Black	31	61	--	--	3
All other	42	65	3	--	1	Taylor	32	85	--	--	1
Black	42	65	3	--	1	White	22	56	--	--	--
Pulaski	118	101	2	2	2	All other	10	29	--	--	1
White	87	68	1	1	1	Black	10	29	--	--	1
All other	31	33	1	1	1	Telfair	104	145	1	1	2
Black	31	33	1	1	1	White	76	92	--	--	1
Putnam	109	139	4	1	--	All other	28	53	1	1	1
White	78	95	--	--	--	Black	28	53	1	1	1
All other	31	44	4	1	--	Terrell	50	138	1	1	1
Black	31	44	4	1	--	White	20	64	--	--	--
Quitman	12	29	--	--	--	All other	30	74	1	1	--
White	3	14	--	--	--	Black	30	74	1	1	--
All other	9	15	--	--	--	Thomas	543	437	7	4	8
Black	9	15	--	--	--	White	328	248	1	1	1
Rabun	161	159	1	1	1	All other	215	189	6	3	7
Randolph	102	122	5	5	5	Black	214	189	6	3	7
White	54	56	--	--	2	Thomasville	---	241	3	2	5
All other	48	66	5	5	3	White	---	119	1	1	1
Black	48	66	5	5	3	All other	---	122	2	1	4
Richmond	3,335	1,907	31	20	38	Black	---	122	2	1	4
White	2,096	1,113	13	9	12	Balance of county	---	196	4	2	3
All other	1,239	794	18	11	26	White	---	129	--	--	--
Black	1,225	789	18	11	26	All other	---	67	4	2	3
Augusta	---	822	10	5	22	Black	---	67	4	2	3
White	---	390	5	3	5	Tift	403	319	8	7	--
All other	---	432	5	2	17	White	304	239	3	3	--
Black	---	431	5	2	17	All other	99	80	5	4	--
Balance of county	---	1,085	21	15	16	Black	99	80	5	4	--
White	---	723	8	6	7	Tifton	---	170	4	4	--
All other	---	362	13	9	9	White	---	141	1	1	--
Black	---	358	13	9	9	All other	---	29	3	3	--
Rockdale	436	353	10	5	6	Black	---	29	3	3	--
Schley	8	33	--	--	--	Balance of county	---	149	4	3	--
White	2	18	--	--	--	White	---	98	2	2	--
All other	6	15	--	--	--	All other	---	51	2	1	--
Black	6	15	--	--	--	Black	---	51	2	1	--
Screven	121	163	3	2	--	Toombs	289	264	5	3	6
White	72	98	--	--	--	White	228	201	3	1	2
All other	49	65	3	2	--	All other	61	63	2	2	4
Black	49	65	3	2	--	Black	61	62	2	2	4
Seminole	99	117	--	--	1	Vidalia, part	---	117	4	3	2
White	63	81	--	--	1	White	---	84	2	1	--
All other	36	36	--	--	1	All other	---	33	2	2	2
Black	36	36	--	--	1	Black	---	32	2	2	2
Spalding	514	514	6	3	15	Vidalia, total	---	117	4	3	2
White	374	385	4	2	7	White	---	84	2	1	--
All other	140	129	2	1	8	All other	---	33	2	2	2
Black	138	126	2	1	8	Black	---	32	2	2	2
Griffin	---	256	1	1	6	Balance of county	---	147	1	--	4
White	---	164	--	--	1	White	---	117	1	--	2
All other	---	92	1	1	5	All other	---	30	--	--	2
Black	---	91	1	1	5	Black	---	30	--	--	2
Balance of county	---	258	5	2	9	Towns	111	112	1	1	2
White	---	221	4	2	6	Treutlen	22	64	3	3	--
All other	---	37	1	--	3	White	18	53	2	2	--
Black	---	35	1	--	3	All other	4	11	1	1	--
						Black	4	11	1	1	--

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 23

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 23 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Georgia-Con.					Hawaii-Con.						
Troup	778	687	20	10	4	Hawaii	915	983	23	16	17
White	533	472	8	3	2	White	367	376	4	4	5
All other	245	215	12	7	2	All other	548	607	19	12	12
Black	244	214	12	7	2	Black	5	4	-	-	-
La Grange	-	355	8	6	4	Hilo#	-	356	5	3	6
White	-	216	2	2	2	White	-	111	1	1	-
All other	-	139	6	4	2	All other	-	245	4	2	6
Black	-	139	6	4	2	Black	-	1	-	-	-
Balance of county	-	332	12	4	-	Balance of county	-	627	18	13	11
White	-	256	6	1	-	White	-	265	3	3	5
All other	-	76	6	3	-	All other	-	362	15	10	6
Black	-	95	6	3	-	Black	-	3	-	-	-
Turner	52	99	4	3	-	Honolulu	5,678	5,276	99	76	93
White	33	67	1	1	-	White	1,602	1,468	12	10	31
All other	19	32	3	2	-	All other	4,076	3,808	87	66	62
Black	19	32	3	2	-	Black	37	35	6	5	7
Twiggs	56	105	2	2	2	Aiea#	-	166	5	3	2
White	27	58	-	-	1	White	-	27	-	-	1
All other	29	47	2	2	1	All other	-	139	5	3	1
Black	29	47	2	2	1	Black	-	2	1	-	1
Union	98	113	1	-	2	Ewa Beach#	-	142	10	9	7
Upson	349	319	4	2	9	White	-	30	-	-	1
White	268	249	1	-	4	All other	-	112	10	9	6
All other	81	70	3	2	5	Black	-	1	-	-	-
Black	81	70	3	2	5	Honolulu#	-	2,986	33	28	30
Walker	156	593	9	2	9	White	-	849	1	1	11
Walton	237	328	9	4	9	All other	-	2,137	32	27	19
White	194	264	4	2	5	Black	-	21	1	1	2
All other	43	64	5	2	4	Kailua#	-	276	7	5	7
Black	42	64	5	2	4	White	-	141	1	1	3
Ware	493	428	7	3	6	All other	-	135	6	4	4
White	385	329	4	2	3	Black	-	-	-	-	-
All other	108	99	3	1	3	Kaneohe#	-	370	4	2	5
Black	107	99	3	1	3	White	-	132	2	1	2
Waycross	-	264	4	1	4	All other	-	238	2	1	3
White	-	167	1	-	1	Black	-	-	-	-	-
All other	-	97	3	1	3	Mililani Town#	-	116	2	1	7
Black	-	97	3	1	3	White	-	41	-	-	2
Balance of county	-	164	3	2	2	All other	-	75	2	1	5
Warren	8	74	5	5	1	Black	-	1	-	-	1
White	5	34	1	1	1	Mokapu#	-	6	3	2	-
All other	3	40	4	4	-	White	-	4	1	-	-
Black	3	40	4	4	-	All other	-	2	2	2	-
Washington	197	221	3	2	6	Black	-	2	2	2	-
White	105	109	2	1	2	Pearl City#	-	190	4	4	4
All other	92	112	1	1	4	White	-	34	2	2	4
Black	92	112	1	1	4	All other	-	156	2	2	4
Wayne	248	228	5	1	1	Black	-	1	-	-	-
White	203	195	4	1	1	Schofield Barracks#	-	5	1	1	3
All other	45	33	1	-	-	White	-	3	1	1	1
Black	45	33	1	-	-	All other	-	2	-	-	2
Webster	3	24	-	-	-	Black	-	1	-	-	2
White	3	15	-	-	-	Wahiawa#	-	154	2	2	5
All other	-	9	-	-	-	White	-	22	1	1	2
Black	-	9	-	-	-	All other	-	132	1	1	3
Wheeler	49	47	-	-	-	Black	-	1	-	-	1
White	32	33	-	-	-	Waipahu#	-	255	10	7	5
All other	17	14	-	-	-	White	-	36	2	2	5
Black	17	14	-	-	-	All other	-	219	8	5	5
White	45	138	2	2	-	Black	-	2	-	-	-
Whitfield	671	614	10	6	12	Balance of county	-	610	18	12	18
White	-	269	5	3	4	White	-	149	1	1	8
All other	-	245	5	3	3	All other	-	461	17	11	10
Black	-	24	-	-	1	Black	-	3	2	2	-
Balance of county	-	345	5	3	8	Kalawao	-	-	-	-	-
Wilcox	35	98	2	2	1	White	-	-	-	-	-
White	26	79	1	1	-	All other	-	-	-	-	-
All other	9	19	1	1	1	Black	-	-	-	-	-
Black	9	19	1	1	1	Kauai	358	406	11	5	9
Wilkes	157	163	1	1	2	White	105	109	2	1	3
White	84	88	-	-	1	All other	253	297	9	4	6
All other	73	75	1	1	1	Black	2	1	-	-	-
Black	73	75	1	1	1	Maui	619	664	9	7	12
Wilkinson	47	115	1	-	1	White	233	208	3	3	1
White	27	68	1	-	1	All other	386	456	6	4	11
All other	20	47	-	-	-	Black	-	1	-	-	-
Black	20	47	-	-	-	Kahului#	-	160	4	3	4
Worth	94	198	4	2	8	White	-	27	1	1	-
White	68	133	1	1	4	All other	-	133	3	2	4
All other	26	65	3	1	4	Black	-	1	-	-	-
Black	26	65	3	1	4	Wailuku#	-	116	1	1	2
Hawaii	7,570	7,329	142	104	131	White	-	22	-	-	-
White	2,307	2,161	21	18	40	All other	-	94	1	1	2
All other	5,263	5,168	121	86	91	Black	-	-	-	-	-
Black	44	41	6	5	7	Balance of county	-	388	4	3	6
						White	-	159	2	2	1
						All other	-	229	2	1	5
						Black	-	-	-	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 24

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 24 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Idaho	8,132	8,395	125	62	106	Illinois-Con.					
White	7,990	8,257	119	61	100	Adams	929	846	7	3	3
All other	142	138	6	1	6	Quincy		625	3	2	
Black	24	21	1			Balance of county		221	4	1	3
Ada	1,791	1,485	27	12	17	Alexander	58	137	3	1	3
Boise City	1,176	1,176	19	8	13	White	41	99	1	1	
Balance of county		309	8	4	4	All other	17	38	2		3
Adams	27	34	1			Black	17	38	2		3
Bannock	471	449	7	1	6	Bond	141	185	1	1	1
Pocatello		339	5	1	5	Boone	234	250	7	4	1
Balance of county		110	2		1	Belvidere		168	4	3	
Bear Lake	35	49			1	Balance of county		82	3	1	1
Benewah	71	94	1		1	Brown	25	55			
Bingham	190	262	4	3	7	Bureau	401	378	3	2	3
Blackfoot		107	2	1	3	Calhoun	30	78			
Balance of county		155	2	2	4	Carroll	95	182			
White		131	2	2	4	Cass	86	153	1		
All other		24				Champaign	1,409	1,089	17	12	12
Black						White	1,288	966	7	3	5
Blaine	60	58	1		1	All other	121	123	10	9	7
Boise	26	26			1	Black	116	115	8	8	3
Bonner	219	281	5	3	2	Champaign		389	10	10	7
Bonneville	605	457	7	6	10	White		312	2	2	4
Idaho Falls		375	6	5	8	All other		77	8	8	3
Balance of county		82	1	1	2	Black		74	8	8	1
Boundary	58	66				Rantoul		71			2
Butte	27	30				White		64			2
Camas	1	9				All other		7			1
Canyon	786	865	17	7	16	Black		7			1
Caldwell		229	8	4	4	Urbana		294	3	1	3
White		226	8	4	4	White		260	1		1
All other		3				All other		34	2	1	2
Black		1				Black		31			1
Nampa		355	4	2	7	Balance of county		335	4	1	
Balance of county		281	5	1	5	Christian	337	423	3	2	5
Caribou	50	60			3	Taylorville		179	1		2
Cassia	158	159	1	1	1	Balance of county		244	2	2	3
Clark	5	5				Clark	91	189			1
Clearwater	60	87				Clay	150	175	1		
Custer	24	37			1	Clinton	202	295	5	4	3
Elmore	105	142	2	2	4	Centralia, part		36			
Franklin	66	88			2	Balance of county		259	5	4	3
Fremont	57	89				Coles	516	469	4	2	4
Gem	102	133	1		1	Charleston		145	2		
Gooding	93	135	2	2		Mattoon		247	2	2	3
Idaho	134	148			2	Balance of county		77			1
Jefferson	61	125	2	1		Cook	49,160	49,511	1,155	747	847
Jerome	92	137	2	1	3	White	34,476	34,732	446	297	365
Kootenai	676	669	13	4	2	All other	14,684	14,779	709	450	482
Coeur d'Alene		336	5	1	1	Black	14,143	14,251	694	438	467
Balance of county		333	8	3	1	Alsip		91	5	4	2
Latah	212	220	3	2	6	Arlington Heights, part		638	3	2	8
Moscow		146	1	1	4	Arlington Heights, total		638	3	2	8
Balance of county		74	2	1	2	Bartlett, part		51			1
Lemhi	74	87	2	1		Bellwood		140	9	2	5
Lewis	14	33				White		75	2		
Lincoln	17	27				All other		65	7	2	5
Madison	125	93	2	1	5	Black		64	7	2	5
Rexburg		51	2	1	4	Bensenville, part		8			
Balance of county		42			1	Berwyn		598	3	2	6
Minidoka	98	142	3	3	2	Blue Island		214	6	6	2
Nez Perce	403	361	5	3	4	White		194	5	5	
Lewiston		312	4	2	3	All other		20	1	1	2
Balance of county		49	1	1	1	Black		20	1	1	2
White		41	1	1	1	Bridgeview		209	1		3
All other		8			1	Brookfield		209	2	2	1
Black						Buffalo Grove, part		94			5
Oneida	34	40			1	Buffalo Grove, total		138	2	1	10
Owyhee	51	84	2			Burbank		285	3	3	4
Payette	95	152	3	1	1	Calumet City		401	5	3	7
Power	51	56				Chicago, part		28,366	807	501	607
Shoshone	125	167	1	1	1	White		15,543	215	137	204
Teton	11	19	3	3		All other		12,823	592	354	403
Twin Falls		556	7	4	3	Black		12,460	582	356	391
Twin Falls		360	4	2	2	Chicago, total		28,366	807	501	607
Balance of county		196	3	2	1	White		15,543	215	137	204
Valley	66	65			1	All other		12,823	592	354	403
Washington	107	114	1		1	Black		12,460	582	356	391
Illinois	104,267	107,193	1,880	1,206	1,447	Chicago Heights		370	9	5	11
White	86,603	89,242	1,016	655	849	White		270	3	1	5
All other	17,664	17,951	864	551	598	All other		100	6	4	6
Black	16,959	17,238	842	535	571	Black		99	6	4	6
						Chicago Ridge		150	1	1	2
						Cicero		675	10	7	8
						Country Club Hills		86	4	2	4
						White		38			4
						All other		48	4	2	4
						Black		47	4	2	4

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 25

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 25 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Illinois-Con.					Illinois-Con.						
Crestwood	113	1	1	-	Rolling Meadows	133	5	3	2		
Deerfield, part	9	-	-	-	Roselle, part	27	2	2	-		
Des Plaines	698	5	3	3	Sauk Village	64	5	2	1		
Dolton	237	3	2	2	Schaumburg, part	422	4	4	1		
Elgin, part	90	5	3	3	Schaumburg, total	427	4	4	1		
White	81	3	1	3	Schiller Park	59	3	2	1		
All other	9	2	2	-	Skokie	649	5	5	3		
Black	6	2	2	-	South Holland	277	1	1	1		
Elk Grove Village, part	189	7	4	1	Streamwood	138	3	1	2		
Elk Grove Village, total	190	7	4	1	Summit	89	3	1	3		
Elmwood Park	306	2	1	-	White	73	1	-	3		
Evanston	609	5	4	6	All other	16	2	1	-		
White	475	2	1	2	Black	16	2	1	-		
All other	134	3	3	4	Tinley Park, part	243	3	2	3		
Black	127	3	3	3	Tinley Park, total	245	3	2	3		
Evergreen Park	316	2	1	-	Westchester	224	-	-	1		
Forest Park	173	3	3	3	Western Springs	99	1	-	-		
White	156	2	2	2	Wheeling, part	202	5	1	3		
All other	17	1	1	1	Wheeling, total	204	5	1	3		
Black	15	1	1	1	Wilmette	219	2	1	-		
Franklin Park	203	-	-	6	Winnetka	87	2	2	1		
Glenview	374	3	3	3	Worth	122	1	-	3		
Glenwood	97	-	-	3	Balance of county	2,805	99	82	46		
White	80	-	-	1	White	2,412	53	42	24		
All other	17	-	-	2	All other	393	46	40	22		
Black	16	-	-	2	Black	377	45	40	22		
Hanover Park, part	81	4	2	-	Crawford	235	292	5	2		
Hanover Park, total	120	5	3	4	Cumberland	49	94	-	-		
Harvey	287	15	9	4	De Kalb	581	588	8	5		
White	75	1	-	-	De Kalb	179	3	1	1		
All other	212	14	9	4	Balance of county	409	5	4	1		
Black	211	13	8	4	De Witt	132	190	1	-		
Hazel Crest	130	-	-	1	Douglas	82	190	-	-		
White	95	-	-	1	Du Page	4,755	4,930	74	53		
All other	35	1	-	-	White	4,603	4,772	70	50		
Black	35	1	-	-	All other	152	158	4	3		
Hickory Hills	115	5	3	-	Black	78	66	3	2		
Hinsdale, part	7	-	-	-	Addison	179	5	5	-		
Hoffman Estates	208	4	3	4	Aurora, part	25	1	1	-		
Homewood	198	-	-	-	Bartlett, part	51	4	3	2		
Justice	90	3	2	2	Bartlett, total	102	4	3	3		
White	85	2	1	2	Batavia, part	-	-	-	-		
All other	5	1	1	-	Bensenville, part	148	2	-	1		
Black	5	1	1	-	Bensenville, total	156	2	-	1		
La Grange	169	2	1	2	Bloomington	164	-	-	-		
La Grange Park	161	2	1	1	Bolingbrook, part	7	-	-	-		
Lansing	276	4	3	1	White	3	-	-	-		
Lincolnwood	135	1	-	-	All other	4	-	-	-		
Markham	117	1	-	8	Black	3	-	-	-		
White	29	-	-	2	Carol Stream	135	4	2	6		
All other	88	1	-	6	Chicago, part	-	-	-	-		
Black	88	1	-	6	White	-	-	-	-		
Matteson	99	-	-	1	All other	-	-	-	-		
White	78	-	-	-	Black	-	-	-	-		
All other	21	-	-	1	Darien	123	2	1	2		
Black	21	-	-	-	Downers Grove	395	-	-	8		
Maywood	256	8	5	4	Elk Grove Village, part	1	-	-	-		
White	71	2	2	-	Elmhurst	392	4	3	6		
All other	185	6	3	4	Glendale Heights	95	3	2	3		
Black	184	6	3	4	White	87	2	1	5		
Melrose Park	197	1	1	8	All other	8	1	1	1		
Midlothian	116	2	1	-	Black	-	-	-	-		
Morton Grove	231	-	-	1	Glen Ellyn	159	1	1	3		
Mount Prospect	362	10	9	4	Hanover Park, part	39	1	1	4		
Niles	464	1	-	2	Hinsdale, part	122	1	1	-		
Norridge	201	-	-	-	Hinsdale, total	129	1	1	-		
Northbrook	367	-	-	2	Lisle	126	1	-	-		
Northlake	179	3	3	1	Lombard	372	4	4	4		
Oak Forest	175	2	1	3	Naperville, part	388	8	6	5		
Oak Lawn	721	8	6	1	Naperville, total	396	8	6	5		
Oak Park	452	8	7	-	Roselle, part	82	2	2	-		
White	369	5	5	-	Roselle, total	109	4	4	-		
All other	83	3	2	-	St. Charles, part	-	-	-	-		
Black	82	3	2	-	Schaumburg, part	5	3	3	3		
Orland Park	301	3	1	2	Villa Park	173	3	3	3		
Palatine	315	4	3	7	West Chicago	82	5	3	3		
Palos Heights	148	-	-	1	White	80	5	3	3		
Palos Hills	147	1	1	1	All other	2	-	-	-		
Park Forest, part	154	3	3	4	Black	1	-	-	-		
White	124	2	2	1	Westmont	198	5	4	3		
All other	30	1	1	3	Wheaton	352	6	4	5		
Black	29	1	1	3	Wood Dale	106	-	-	1		
Park Forest, total	169	3	3	4	Woodridge	103	1	-	2		
White	136	2	2	1	Balance of county	908	11	7	14		
All other	33	1	1	3	Edgar	195	273	2	1		
Black	32	1	1	3	Edwards	27	88	4	2		
Park Ridge	408	4	2	2	Effingham	376	300	5	4		
Prospect Heights	74	-	-	-	White	165	1	1	1		
Riverdale	121	3	2	2	All other	135	4	3	2		
River Forest	88	1	1	1							
River Grove	103	3	3	-							

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 26

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 26 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal		
Illinois-Con.						Illinois-Con.						
Fayette	195	276	2	1	3	Lake Forest	---	120	1	---	1	
Ford	168	191	3	2	1	Libertyville	---	193	---	---	1	
Franklin	392	543	5	3	4	Mundelein	---	121	5	4	7	
Fulton	411	532	3	3	1	North Chicago	---	121	8	2	9	
Canton	---	219	2	2	1	White	---	53	2	2	5	
Balance of county	---	313	1	1	---	All other	---	68	6	5	4	
Gallatin	36	100	1	---	---	Black	---	68	6	5	4	
Greene	110	191	2	2	1	Round Lake Beach	---	74	---	---	4	
Grundy	238	281	1	---	4	Waukegan	---	585	19	11	10	
Hamilton	70	100	---	---	---	White	---	453	12	8	6	
Hancock	182	254	---	---	3	All other	---	112	7	3	2	
Hardin	41	57	---	---	---	Black	---	109	7	3	2	
Henderson	58	99	1	---	---	Wheeling, part	---	2	---	---	---	
Henry	435	548	1	1	6	Zion	---	174	3	3	3	
Kewanee	---	181	---	---	3	White	---	141	1	1	3	
Balance of county	---	367	1	1	3	All other	---	33	2	2	---	
Iroquois	294	395	---	---	7	Black	---	33	2	2	---	
Jackson	488	460	3	2	5	Balance of county	---	1,426	28	18	22	
White	454	423	1	1	2	La Salle	1,121	1,236	14	7	8	
All other	34	37	---	---	3	La Salle	---	153	---	---	---	
Black	33	37	---	---	3	Ottawa	---	260	2	2	---	
Carbondale	---	133	2	1	1	Peru	---	106	---	---	2	
White	---	107	---	---	---	Streator, part	---	213	4	3	2	
All other	---	26	---	---	1	Streator, total	---	218	4	3	2	
Black	---	26	---	---	1	Balance of county	---	504	7	---	5	
Balance of county	---	327	1	1	4	Lawrence	---	242	287	3	2	---
Jasper	53	120	1	1	---	Lee	---	349	387	1	1	3
Jefferson	454	418	3	2	3	Dixon	---	188	---	---	---	
Mount Vernon	---	255	2	1	2	Balance of county	---	189	1	1	2	
Balance of county	---	163	1	1	1	Livingston	---	357	447	6	3	5
Jersey	203	221	2	---	2	Pontiac	---	124	3	2	1	
Jo Daviess	117	224	---	---	1	White	---	121	3	2	---	
Johnson	42	107	---	---	---	All other	---	3	---	---	---	
Kane	2,462	2,225	53	32	51	Black	---	3	---	---	---	
White	2,355	2,119	42	28	44	Streator, part	---	5	---	---	1	
All other	107	106	11	4	7	Balance of county	---	318	3	1	3	
Black	94	99	11	4	7	Logan	---	318	356	2	---	2
Aurora, part	---	744	18	11	26	Lincoln	---	204	2	---	---	
White	---	687	12	8	20	Balance of county	---	152	---	---	2	
All other	---	57	6	3	6	McDonough	---	332	330	6	4	2
Black	---	57	6	3	6	Macomb	---	186	3	2	1	
Aurora, total	---	769	19	12	26	Balance of county	---	144	3	2	1	
White	---	710	13	9	20	McHenry	---	1,085	1,337	20	10	16
All other	---	59	6	3	6	Crystal Lake	---	192	6	4	2	
Black	---	58	6	3	6	McHenry	---	247	3	1	3	
Batavia, part	---	145	2	1	4	Woodstock	---	153	1	---	1	
Batavia, total	---	145	2	1	4	Balance of county	---	745	10	5	10	
Carpentersville	---	103	5	2	7	McLean	---	949	935	12	10	7
Elgin, part	---	515	8	4	5	Bloomington	---	432	7	5	5	
White	---	487	4	3	4	Normal	---	200	1	1	---	
All other	---	28	4	1	1	Balance of county	---	303	4	4	2	
Black	---	27	4	1	1	Macon	---	1,308	1,202	13	12	9
Elgin, total	---	605	13	7	8	White	---	1,192	1,079	8	8	6
White	---	568	7	4	7	All other	---	116	123	5	4	3
All other	---	37	6	3	1	Black	---	114	123	5	4	3
Black	---	33	6	3	1	Decatur	---	1,003	10	9	8	
St. Charles, part	---	146	5	3	2	White	---	880	5	5	5	
St. Charles, total	---	146	5	3	2	All other	---	123	5	4	3	
Balance of county	---	572	15	11	7	Black	---	123	5	4	3	
Kankakee	1,077	1,029	17	11	10	Balance of county	---	199	3	3	1	
White	932	870	8	4	6	Macoupin	---	381	617	6	2	6
All other	145	159	9	7	4	Madison	---	2,373	2,591	29	20	20
Black	143	158	9	7	4	White	---	2,230	2,439	22	14	13
Bourbonnais	115	115	2	2	3	All other	---	143	152	7	6	7
Bradley	119	400	9	6	6	Black	---	139	147	6	5	7
Kankakee	---	315	4	2	3	Alton	---	---	433	5	4	4
White	---	85	5	4	3	White	---	363	3	2	2	
All other	---	84	5	4	3	All other	---	70	2	2	2	
Black	---	84	5	4	3	Black	---	70	2	2	2	
Balance of county	---	395	6	3	1	Collinsville, part	---	281	2	1	1	
White	---	329	2	---	---	Collinsville, total	---	295	2	1	1	
All other	---	66	4	3	1	Edwardsville	---	185	2	1	1	
Black	---	66	4	3	1	Granite City	---	426	11	9	7	
Kendall	123	241	5	3	6	Wood River	---	138	1	1	---	
Knox	673	602	6	4	4	Balance of county	---	1,128	8	4	7	
Galesburg	---	398	3	2	1	Marion	---	536	520	6	5	2
Balance of county	---	204	3	2	3	Centralia, part	---	---	198	2	2	---
Lake	3,349	3,144	71	47	67	White	---	179	2	2	---	
White	3,083	2,901	52	35	60	All other	---	19	---	---	---	
All other	266	243	19	12	7	Black	---	19	---	---	---	
Black	254	227	17	12	7	Centralia, total	---	234	2	2	---	
Arlington Heights, part	---	---	---	---	---	White	---	215	2	2	---	
Buffalo Grove, part	---	44	2	1	5	All other	---	19	---	---	---	
Deerfield, part	---	129	3	2	---	Black	---	19	---	---	---	
Deerfield, total	---	138	3	2	---	Balance of county	---	322	4	3	2	
Highland Park	---	175	1	---	5	Marshall	---	115	169	1	---	
						Mason	---	138	200	1	---	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 27

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 27 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Illinois-Con.					Illinois-Con.						
Massac	210	231	-	-	1	East Peoria	---	233	-	-	1
Menard	65	123	2	2	1	Morton	---	163	1	1	-
Mercer	130	184	1	-	4	Pekin, part	---	377	3	2	1
Monroe	129	220	2	2	1	Pekin, total	---	377	3	2	1
Montgomery	411	378	4	2	4	Washington	---	106	-	-	6
Morgan	450	410	2	1	1	Balance of county	---	283	2	2	-
Jacksonville	---	292	2	1	1	Union	185	209	1	-	-
Balance of county	---	118	-	-	1	Vermilion	1,167	1,030	10	8	10
Moultrie	151	224	1	1	1	Danville	---	537	6	5	5
Ogle	286	420	7	2	5	White	---	485	4	3	3
Peoria	2,508	1,777	30	21	18	All other	---	52	2	2	3
White	2,319	1,586	13	9	9	Black	---	52	2	2	5
All other	189	191	17	12	9	Balance of county	---	493	4	3	-
Black	185	188	17	12	9	Wabash	129	133	3	1	-
Pekin, part	---	-	-	-	-	Warren	192	259	1	-	-
Peoria	---	1,119	25	18	14	Monmouth	---	158	-	-	-
White	---	932	8	6	5	Balance of county	---	101	1	-	-
All other	---	187	17	12	9	Washington	114	161	1	1	-
Black	---	184	17	12	9	Wayne	---	134	210	1	-
Balance of county	---	658	5	3	4	White	---	180	3	2	-
Perry	229	291	4	1	1	All other	---	670	8	6	5
Piatt	93	148	4	3	1	Black	---	558	2	1	-
Pike	170	213	1	-	3	Rock Falls	---	135	2	1	-
Pope	18	50	-	-	1	Sterling	---	213	5	4	-
Pulaski	45	104	1	-	1	Balance of county	---	322	1	1	5
White	23	63	1	-	-	Will	2,109	2,522	34	26	40
All other	22	41	-	-	-	White	1,906	2,276	26	20	28
Black	22	41	-	-	-	All other	---	203	8	6	12
Pulnam	8	55	-	-	1	Black	---	196	237	8	10
Randolph	414	384	3	2	5	Bolingbrook, part	---	176	1	1	3
Richland	239	216	2	2	2	White	---	143	1	1	2
Rock Island	1,630	1,621	25	18	12	All other	---	33	-	-	1
White	1,533	1,519	18	12	10	Black	---	29	-	-	1
All other	97	102	7	6	2	Bolingbrook, total	---	163	1	1	2
Black	96	100	7	6	2	White	---	146	1	1	2
East Moline	---	248	3	2	-	All other	---	37	-	-	1
White	---	223	1	-	-	Black	---	32	-	-	1
All other	---	25	2	2	-	Joliet	---	993	17	13	16
Black	---	25	2	2	-	White	---	847	10	8	9
Moline	---	434	10	9	1	All other	---	146	7	5	7
Rock Island	---	524	7	4	7	Black	---	145	7	5	7
White	---	462	5	3	5	Naperville, part	---	8	-	-	-
All other	---	62	2	1	2	Park Forest, part	---	15	-	-	-
Black	---	61	2	1	2	White	---	12	-	-	-
Balance of county	---	415	5	3	4	All other	---	3	-	-	-
St. Clair	2,514	2,665	42	23	38	Black	---	66	1	-	4
White	1,907	1,917	15	8	15	Romeoville	---	2	-	-	-
All other	607	748	27	15	23	Tinley Park, part	---	2	-	-	-
Black	603	743	27	15	23	Balance of county	---	1,262	15	12	17
Belleveille	---	559	8	4	4	White	---	1,200	14	11	16
Cahokia	---	201	3	1	6	All other	---	62	1	1	1
Collinsville, part	---	14	-	-	-	Black	---	51	1	1	1
East St. Louis	---	553	16	12	18	Williamson	789	691	6	5	2
White	---	31	-	-	-	Herrin	---	201	-	-	-
All other	---	522	16	12	18	Marion	---	178	2	2	-
Black	---	521	16	12	18	Balance of county	---	312	4	3	2
Fairview Heights	---	141	2	1	-	Winnebago	2,691	2,366	30	19	23
O'Fallon	---	95	1	-	1	White	2,491	2,167	22	15	13
Balance of county	---	1,102	12	5	9	All other	---	200	8	4	10
White	---	944	5	4	6	Black	---	186	7	3	10
All other	---	158	7	1	3	Loves Park	---	128	4	2	-
Black	---	155	7	1	3	Rockford	---	1,722	23	16	20
Saline	431	384	2	1	3	White	---	1,540	16	12	10
Harrisburg	---	140	1	-	2	All other	---	182	7	4	10
Balance of county	---	244	1	1	1	Black	---	171	6	3	10
Sangamon	2,386	1,743	27	11	20	Balance of county	---	516	3	1	3
White	2,240	1,611	20	8	15	Woodford	211	314	3	2	2
All other	146	132	7	3	5	Indiana	52,957	52,311	769	464	567
Black	140	126	7	3	5	White	48,648	48,078	593	358	444
Springfield	---	1,205	17	7	13	All other	4,309	4,233	176	106	123
White	---	1,078	10	4	8	Black	4,217	4,150	172	104	117
All other	---	127	7	3	5	Adams	225	259	5	1	4
Black	---	123	7	3	5	Allen	3,204	2,541	47	26	31
Balance of county	---	538	10	4	7	White	2,971	2,312	28	14	20
Schuyler	127	100	-	-	-	All other	233	229	19	12	11
Scott	39	81	-	-	-	Black	223	221	18	11	11
Shelby	175	264	1	1	2	Fort Wayne	---	1,959	42	22	27
Stark	39	73	-	-	-	White	---	1,735	23	10	16
Stephenson	550	525	4	2	5	All other	---	224	19	12	11
Freeport	---	358	4	2	5	Black	---	219	18	11	11
White	---	337	3	2	4	Balance of county	---	582	5	4	4
All other	---	21	1	-	1	Bartholomew	607	579	7	5	5
Black	---	21	1	-	1	Columbus	---	366	5	3	5
Balance of county	---	167	-	-	-	Balance of county	---	213	2	2	1
Tazewell	790	1,162	6	5	10						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 28

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 28 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more.]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Indiana-Con.					Indiana-Con.						
Benton	42	102	3	2	1	Madison	---	182	3	3	1
Blackford	132	181	3	1	1	Balance of county	---	145	1	--	--
Boone	276	367	2	2	3	Jennings	178	228	1	--	3
Lebanon	---	160	--	--	1	Johnson	577	748	12	6	11
Balance of county	---	207	2	2	2	Franklin	---	259	4	4	--
Brown	69	95	1	1	2	Greenwood	---	308	4	2	7
Carroll	92	171	--	--	--	Balance of county	---	181	4	--	4
Cass	357	415	2	1	4	Knox	563	469	8	7	6
Logansport	---	266	2	1	1	Vincennes	---	271	5	4	4
Balance of county	---	149	--	--	3	Balance of county	---	198	3	3	2
Clark	876	906	14	8	9	Kosciusko	386	550	7	5	8
Clarksville	---	258	3	1	2	Warsaw	---	133	2	1	1
Jeffersonville	---	289	6	4	2	Balance of county	---	417	5	4	7
White	---	252	6	4	--	Lagrange	---	174	203	4	3
All other	---	37	--	--	2	Lake	---	5,141	4,642	89	60
Black	---	37	--	--	2	White	---	3,888	3,392	40	26
Balance of county	---	359	5	3	5	All other	---	1,253	1,250	49	34
Clay	224	303	5	3	2	Black	---	1,242	1,240	49	34
Clinton	273	379	5	3	3	Crown Point	---	305	3	1	5
Frankfort	---	206	5	3	2	East Chicago	---	321	13	10	4
Balance of county	---	173	--	--	1	White	---	201	4	3	1
Crawford	37	116	5	1	1	All other	---	120	9	7	3
Daviess	279	288	5	2	2	Black	---	119	9	7	3
Washington	---	172	1	1	1	Gary	---	1,324	32	22	33
Balance of county	---	116	4	1	1	White	---	321	--	--	3
Dearborn	328	334	3	1	2	All other	---	1,003	32	22	30
Decatur	215	240	5	2	2	Black	---	1,003	32	22	30
De Kalb	264	310	10	6	9	Griffith	---	120	2	1	3
Delaware	1,369	1,184	18	13	11	Hammond	---	849	20	13	16
Muncie	---	858	15	10	8	White	---	788	14	10	14
White	---	783	12	8	7	All other	---	61	6	3	2
All other	---	75	3	2	1	Black	---	59	6	3	2
Black	---	75	3	2	1	Highland	---	178	1	--	1
Balance of county	---	326	3	3	3	Hobart	---	244	--	--	1
Dubois	421	325	4	2	7	Lake Station	---	115	1	1	1
Elkhart	1,422	1,366	24	16	20	Merrillville	---	325	3	2	3
White	---	493	5	2	3	Munster	---	209	4	3	--
All other	---	43	2	2	--	Schererville	---	95	1	--	--
Black	---	42	2	2	--	Balance of county	---	557	9	7	8
Goshen	---	289	10	8	5	La Porte	---	1,014	1,053	10	8
Balance of county	---	541	7	4	12	La Porte	---	269	2	1	--
Fayette	248	286	2	--	5	Michigan City	---	420	6	5	7
Connersville	---	215	2	--	4	White	---	347	3	3	3
Balance of county	---	71	--	--	1	All other	---	73	3	2	4
Floyd	618	611	10	5	6	Black	---	72	3	2	4
New Albany	---	466	8	4	4	Balance of county	---	364	2	2	2
Balance of county	---	145	2	1	2	Lawrence	---	494	499	5	5
Fountain	73	200	--	--	--	Bedford	---	235	3	3	--
Franklin	83	170	--	--	3	Balance of county	---	264	2	2	2
Fulton	176	202	--	--	--	Madison	---	1,256	1,416	24	14
Gibson	264	321	1	1	2	White	---	1,187	1,334	16	12
Grant	682	761	5	3	3	All other	---	69	82	8	2
Marion	---	461	4	3	3	Black	---	66	80	8	2
White	---	430	3	2	3	Anderson	---	795	17	10	4
All other	---	31	1	1	--	White	---	716	9	8	1
Black	---	31	1	1	--	All other	---	79	8	2	3
Balance of county	---	300	1	--	--	Black	---	78	8	2	3
Greene	271	361	1	--	3	Elwood, part	---	121	--	--	--
Hamilton	605	683	10	7	7	Elwood, total	---	121	--	--	--
Carmel	---	205	1	1	1	Balance of county	---	500	7	4	2
Noblesville	---	180	4	4	3	Marion	---	9,402	7,340	153	91
Balance of county	---	298	5	2	3	White	---	7,693	5,682	92	57
Hancock	314	351	9	7	5	All other	---	1,709	1,658	61	34
Greenfield	---	177	1	1	2	Black	---	1,639	61	34	42
Balance of county	---	174	8	6	3	Beech Grove	---	137	5	4	2
Harrison	213	257	4	2	--	Indianapolis	---	6,995	147	86	93
Hendricks	509	550	7	6	9	White	---	5,246	86	52	49
Henry	420	526	4	3	4	All other	---	1,649	61	34	44
New Castle	---	309	3	3	3	Black	---	1,631	61	34	42
Balance of county	---	217	1	--	1	Lawrence	---	28	1	1	1
Howard	799	751	10	5	10	White	---	28	1	1	1
Kokomo	---	547	8	5	8	All other	---	--	--	--	--
Balance of county	---	204	2	--	2	Black	---	--	--	--	--
Huntington	299	369	1	1	4	Speedway	---	96	--	--	--
Huntington	---	197	1	1	1	Balance of county	---	84	--	--	1
Balance of county	---	172	--	--	3	Marshall	---	352	382	5	1
Jackson	348	404	6	2	6	Martin	---	31	101	2	--
Seymour	---	202	4	1	2	Miami	---	224	328	9	6
Balance of county	---	202	2	1	4	Peru	---	---	185	3	1
Jasper	177	203	3	1	--	Balance of county	---	---	143	6	5
Jay	148	233	2	1	3	Monroe	---	794	658	8	6
Jefferson	432	327	4	3	1	Bloomington	---	---	405	4	3
						Balance of county	---	---	253	4	3
						Montgomery	---	335	378	5	1
						Crawfordsville	---	---	236	3	1
						Balance of county	---	---	142	2	2
						Morgan	---	278	452	6	5

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 29

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 29 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Indiana-Con.					Iowa-Con.						
Martinsville	---	164	1	1	2	Appanoose	147	200	2	1	-
Balance of county	---	288	5	4	3	Audubon	78	107	-	-	2
Newton	67	148	1	1	2	Benton	126	207	4	2	3
Noble	269	342	7	4	3	Black Hawk	1,377	1,195	22	15	18
Ohio	27	55	-	-	-	Cedar Falls	---	281	2	1	4
Orange	163	206	1	1	1	Waterloo	---	770	18	12	11
Owen	53	139	3	2	1	White	---	695	11	7	9
Parke	75	184	2	1	1	All other	---	75	7	5	2
Perry	151	195	1	-	2	Black	---	72	7	5	2
Pike	57	144	1	-	2	Balance of county	---	144	2	2	3
Porter	994	985	11	4	7	Boone	280	307	1	1	1
Portage	---	274	4	-	2	Boone	---	177	-	-	1
Valparaiso	---	309	6	3	3	Balance of county	---	130	1	1	-
Balance of county	---	402	1	1	2	Bremer	222	266	2	2	3
Posey	107	220	4	1	4	Buchanan	148	231	1	-	-
Pulaski	104	150	3	2	2	Buena Vista	195	216	-	-	2
Pulnam	202	247	2	1	3	Butler	102	195	1	-	1
Randolph	194	318	2	1	-	Calhoun	180	171	1	-	1
Ripley	188	262	-	-	3	Carroll	202	229	2	2	2
Rush	144	172	-	-	-	Cass	166	180	-	-	1
St. Joseph	2,591	2,387	31	18	23	Cedar	73	156	3	1	1
White	2,337	2,153	20	13	18	Cerro Gordo	720	504	6	2	4
All other	254	234	11	5	5	Mason City	---	339	2	1	1
Black	247	230	11	5	5	Balance of county	---	165	4	1	3
Mishawaka	---	452	5	4	4	Cherokee	151	157	-	-	-
South Bend	---	1,250	23	12	12	Chickasaw	137	156	1	-	1
White	---	1,029	12	7	7	Clarke	70	106	-	-	-
All other	---	221	11	5	5	Clay	196	182	-	-	1
Black	---	220	11	5	5	Spencer	---	135	-	-	1
Balance of county	---	685	3	2	2	Balance of county	---	47	-	-	-
Scott	159	216	3	3	1	Clayton	167	214	1	-	2
Shelby	264	349	3	1	4	Clinton	496	549	8	6	2
Shelbyville	---	185	1	-	1	Clinton	---	345	4	3	2
Balance of county	---	164	2	1	3	Balance of county	---	204	4	3	-
Spencer	102	212	3	2	1	Crawford	140	179	1	1	2
Starke	178	240	1	-	-	Dallas	171	275	2	2	2
Steuben	177	264	2	2	-	Davis	116	107	1	1	-
Sullivan	170	233	1	-	1	Decatur	102	118	1	-	1
Switzerland	47	96	-	-	2	Delaware	155	175	1	1	-
Tippecanoe	1,263	972	21	13	14	Des Moines	483	428	3	2	3
Lafayette	---	510	13	9	11	Burlington	---	320	2	2	3
West Lafayette	---	131	3	1	3	Balance of county	---	108	1	-	-
Balance of county	---	331	5	3	1	Dickinson	146	172	2	1	-
Tipton	153	176	-	-	1	Dubuque	994	855	2	2	4
Elwood, part	---	-	-	-	-	Dubuque	---	679	2	2	3
Balance of county	---	176	-	-	1	Balance of county	---	176	-	-	1
Union	30	60	1	-	-	Emmet	131	146	-	-	-
Vanderburgh	2,426	1,825	20	15	14	Fayette	223	257	1	-	-
White	2,277	1,683	14	10	8	Floyd	202	221	1	1	-
All other	149	142	6	5	6	Franklin	122	144	1	1	-
Black	147	139	6	5	5	Fremont	85	115	-	-	1
Balance of county	---	1,703	19	15	13	Greene	114	116	1	-	-
Vermillion	253	245	2	2	2	Grundy	90	127	-	-	2
Vigo	1,370	1,186	22	12	12	Guthrie	101	145	-	-	1
Terra Haute	---	882	15	9	10	Hamilton	119	171	1	1	3
Balance of county	---	304	7	3	2	Hancock	96	136	-	-	-
Wabash	308	345	3	2	1	Hardin	181	245	-	-	-
Wabash	---	145	1	1	1	Harrison	186	231	1	1	-
Balance of county	---	200	2	1	-	Henry	186	233	4	3	2
Warren	83	85	1	-	-	Howard	110	124	1	-	-
Warrick	268	362	4	3	5	Humboldt	120	141	-	-	1
Washington	229	258	2	1	4	Ida	104	117	2	2	1
Wayne	829	765	10	8	6	Iowa	116	172	-	-	-
Richmond	---	535	6	5	6	Jackson	204	228	2	2	2
Balance of county	---	230	4	3	-	Jasper	232	364	5	1	3
Wells	281	274	1	1	3	Newton	---	187	2	-	-
White	151	252	3	1	1	Balance of county	---	177	3	1	3
Whitley	240	268	2	1	5	Jefferson	153	167	3	3	-
Iowa	27,737	27,973	261	155	234	Johnson	1,358	455	3	1	7
White	27,290	27,545	232	138	222	Iowa City	---	252	3	1	2
All other	447	428	29	17	12	Balance of county	---	203	-	-	5
Black	368	357	25	15	10	Jones	116	177	1	1	1
Adair	73	122	-	-	-	Keokuk	74	139	-	-	2
Adams	70	61	-	-	-	Kossuth	145	223	-	-	1
Allamakee	148	172	3	2	1	Lee	481	463	3	3	12
						Fort Madison	---	133	-	-	4
						Keokuk	---	177	3	3	4
						Balance of county	---	153	-	-	4
						Linn	1,494	1,355	19	12	16

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 30

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 30 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Iowa-Con.					Kansas-Con.						
Cedar Rapids	---	972	17	11	8	Allen	185	216	2	2	2
Marion	---	166	2	1	2	Anderson	88	114	-	-	3
Balance of county	---	217	2	1	6	Atchison	207	207	3	2	1
Louisa	70	147	2	1	-	Atchison	---	165	1	-	1
Lucas	83	107	-	-	-	White	---	146	-	-	1
Lyon	97	136	2	1	2	All other	---	19	1	-	-
						Black	---	18	1	-	-
Madison	104	143	-	-	1	Balance of county	---	42	2	2	-
Mahaska	172	222	1	-	1	Barber	68	83	2	1	-
Oskaloosa	---	137	1	-	1	Barton	310	317	7	6	-
Balance of county	---	85	-	-	-	Great Bend	---	181	5	4	-
Marion	331	309	2	1	4	Balance of county	---	136	2	2	-
Marshall	479	498	4	2	2	Bourbon	224	205	4	3	1
Marshalltown	---	376	2	1	2						
Balance of county	---	122	2	1	-	Brown	111	140	-	-	-
Mills	53	149	2	1	-	Butler	432	484	8	6	4
						El Dorado	---	160	1	-	1
Mitchell	144	158	1	1	1	Balance of county	---	324	7	6	3
Monona	136	158	2	1	3	Chase	27	41	-	-	-
Monroe	66	96	-	-	-	Chautauqua	---	62	78	-	-
Montgomery	173	184	2	-	1	Cherokee	130	293	2	1	1
Muscatine	332	381	3	1	3	Cheyenne	34	48	-	-	-
Muscatine	---	252	3	1	2						
Balance of county	---	129	-	-	1	Clark	33	34	-	-	-
O'Brien	146	186	3	1	3	Clay	136	130	2	1	-
Osceola	61	72	-	-	1	Cloud	167	190	1	1	1
Page	190	212	4	2	3	Coffey	60	112	1	1	-
Palo Alto	126	154	2	1	-	Comanche	31	34	-	-	-
Plymouth	181	224	3	2	1	Cowley	375	423	4	3	2
						Arkansas City	---	177	2	1	1
Pocahontas	92	119	-	-	-	Winfield	---	141	2	2	-
Polk	3,571	2,620	48	24	34	Balance of county	---	105	-	-	1
White	3,404	2,459	43	23	31	Crawford	425	458	2	2	3
All other	167	161	5	1	3	Pittsburg	---	223	1	1	1
Black	148	143	5	1	2	Balance of county	---	235	1	1	2
Ankeny	---	70	1	1	2	Decatur	70	65	-	-	1
Des Moines	---	1,866	33	17	25	Dickinson	189	234	2	1	3
White	---	1,718	29	16	22	Doniphan	46	98	-	-	-
All other	---	148	4	1	3	Douglas	462	481	6	3	10
Black	---	135	4	1	2	Lawrence	---	355	6	3	8
Urbandale	---	109	-	-	2	White	---	328	4	3	8
West Des Moines	---	234	5	3	2	All other	---	27	2	-	-
Balance of county	---	341	9	3	3	Black	---	22	2	-	-
Pottawattamie	719	769	7	4	7	Balance of county	---	126	-	-	2
Council Bluffs	---	561	5	2	5	Edwards	49	59	1	-	1
Balance of county	---	208	2	2	2						
Poweshiek	191	185	1	-	1	Elk	26	64	-	-	-
Ringgold	73	83	-	-	-	Ellis	280	232	4	2	-
						Hays	---	148	4	2	-
Sac	123	175	-	-	-	Balance of county	---	84	-	-	-
Scott	1,427	1,307	12	9	17	Ellsworth	63	83	-	-	-
Bettendorf	---	220	-	-	3	Finney	229	205	4	2	7
Davenport	---	919	11	8	13	Garden City	---	174	3	2	5
Balance of county	---	168	1	1	1	White	---	171	3	2	5
Shelby	122	147	-	-	1	All other	---	3	-	-	-
Sioux	197	243	2	2	2	Black	---	1	-	-	-
Story	454	420	6	4	4	Balance of county	---	31	1	-	2
Ames	---	175	5	3	1	Ford	222	226	3	2	5
Balance of county	---	245	1	1	3	Dodge City	---	152	3	2	5
						Balance of county	---	74	-	-	-
Tama	122	222	1	-	3	Franklin	215	257	6	2	-
Taylor	43	95	-	-	2	Ottawa	---	158	4	1	-
Union	160	163	-	-	-	Balance of county	---	99	2	1	-
Van Buren	86	106	1	1	-						
Wapello	446	462	3	2	1	Geary	201	200	13	10	7
Ottumwa	---	360	1	-	1	White	---	171	6	6	4
Balance of county	---	102	2	2	-	All other	---	30	36	7	3
Warren	146	286	4	4	2	Black	---	24	33	7	3
Indianola	---	132	1	1	1	Junction City	---	169	9	7	3
Balance of county	---	154	3	3	1	White	---	137	3	3	1
Washington	193	236	1	1	3	All other	---	32	6	4	2
Wayne	82	101	-	-	-	Black	---	29	6	4	2
Webster	478	483	4	3	1	Balance of county	---	31	4	3	4
Fort Dodge	---	380	4	3	-	White	---	27	3	3	3
Balance of county	---	103	-	-	1	All other	---	4	1	-	1
						Black	---	4	1	-	1
Winnebago	99	149	2	2	1	Gove	25	45	2	-	-
Winneshiek	121	171	-	-	2	Graham	41	39	-	-	-
Woodbury	1,272	983	13	7	13	Grant	38	47	-	-	1
Sioux City	---	821	13	7	9	Gray	31	52	2	1	-
Balance of county	---	162	-	-	4	Greeley	17	14	-	-	-
Worth	50	97	-	-	1						
Wright	152	211	3	1	-	Greenwood	82	108	1	1	-
						Hamilton	27	103	-	-	-
Kansas	22,941	23,631	330	205	224	Harper	105	109	-	-	-
White	21,589	22,242	247	155	188	Harvey	375	306	4	3	4
All other	1,352	1,389	83	50	36	Newton	---	170	-	-	3
Black	1,187	1,221	76	47	30	Balance of county	---	136	4	3	1
						Haskell	20	19	-	-	2

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 31

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993--Con.

(Page 31 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Kansas-Con.					Kansas-Con.						
Hodgeman	20	19	-	-	-	Manhattan, part	---	211	3	3	2
Jackson	76	124	1	1	-	Manhattan, total	---	213	3	3	2
Jefferson	123	189	3	2	2	Balance of county	---	70	2	1	1
Jewell	46	68	-	-	1	White	---	69	1	-	1
Johnson	2,011	2,174	30	24	26	All other	---	1	1	1	-
Leawood	111	111	2	2	1	Black	---	1	1	1	-
Lenexa	---	204	3	3	1	Rooks	43	76	1	1	1
Merriam	---	83	1	-	2	Rush	42	65	1	-	-
Olathe	---	296	8	7	5	Russell	87	112	-	-	1
Overland Park	---	695	7	5	8	Salina	536	475	3	1	7
Prairie Village	---	156	-	-	1	Salina	---	438	3	1	6
Shawnee	---	229	8	6	5	Balance of county	---	37	-	-	1
Balance of county	---	400	1	1	3	Scott	54	60	-	-	-
Kearny	26	28	1	-	-	Sedgwick	3,981	3,268	81	52	41
Kingman	95	111	1	-	2	White	---	3,619	2,918	54	33
Kiowa	32	35	-	-	-	All other	---	362	350	27	19
Labette	282	332	-	-	1	Black	---	310	308	23	17
Parsons	---	186	-	-	-	Wichita	---	2,849	69	45	38
White	---	175	-	-	-	White	---	2,503	42	26	28
All other	---	11	-	-	-	All other	---	346	27	19	10
Black	---	10	-	-	-	Black	---	305	23	17	8
Balance of county	---	146	-	-	1	Balance of county	---	419	12	7	3
Lane	17	31	1	-	-	Seward	162	141	4	2	6
Leavenworth	485	480	15	9	4	Liberal	---	125	4	2	6
White	443	438	11	7	4	White	---	118	3	2	3
All other	42	42	4	2	-	All other	---	7	1	-	3
Black	42	39	4	2	-	Black	---	7	1	-	2
Balance of county	---	301	11	6	2	Balance of county	---	16	-	-	-
Leavenworth	---	263	8	5	2	Shawnee	1,932	1,588	18	6	15
White	---	38	3	1	-	White	---	1,768	1,435	11	4
All other	---	35	3	1	-	All other	---	164	153	7	2
Black	---	179	4	3	2	Black	---	146	137	5	2
Balance of county	---	61	-	-	1	Topeka	---	1,400	17	6	13
Lincoln	46	129	-	-	2	White	---	1,254	10	4	11
Linn	62	42	-	-	1	All other	---	146	7	2	2
Logan	36	288	4	2	1	Black	---	131	5	2	2
Lyon	312	222	3	2	-	Balance of county	---	188	1	-	2
Emporia	---	66	1	-	1	Sheridan	29	32	-	-	1
Balance of county	---	302	2	1	2	Sherman	84	99	-	-	1
McPherson	270	118	2	1	1	Smith	82	98	1	1	-
McPherson	---	184	-	-	1	Stafford	67	85	3	2	-
Balance of county	---	147	182	-	2	Stanton	16	19	-	-	-
Marion	147	170	-	-	-	Stevens	27	40	-	-	-
Marshall	146	43	-	-	-	Sumner	252	292	2	2	1
Meade	37	253	2	1	3	Thomas	65	77	-	-	-
Miami	193	95	-	-	-	Trego	43	46	1	1	-
Mitchell	105	519	-	-	3	Wabaunsee	26	65	1	1	-
Montgomery	490	205	-	-	-	Wallace	7	20	-	-	-
Coffeyville	---	180	-	-	-	Washington	81	122	1	-	2
White	---	25	-	-	-	Wichita	16	27	1	1	-
All other	---	18	-	-	-	Wilson	135	165	3	1	-
Black	---	149	-	-	3	Woodson	26	66	-	-	-
Independence	---	140	-	-	3	Wyandotte	1,820	1,640	41	25	25
White	---	9	-	-	-	White	---	1,368	1,184	16	9
All other	---	9	-	-	-	All other	---	452	456	25	16
Black	---	165	-	-	-	Black	---	445	453	25	16
Balance of county	---	85	1	1	-	Kansas City	---	1,506	41	25	25
Morris	62	38	-	-	-	White	---	1,060	16	9	12
Morton	38	161	2	2	2	All other	---	446	25	16	13
Nemaha	149	217	-	-	2	Black	---	443	25	16	13
Neosho	196	134	-	-	1	Balance of county	---	134	-	-	-
Chanute	---	83	-	-	1	Kentucky	36,239	36,869	432	270	376
Balance of county	---	44	-	-	1	White	---	33,669	34,234	360	226
Ness	36	97	-	-	1	All other	---	2,570	72	44	56
Norton	78	185	-	-	-	Black	---	2,519	2,584	69	42
Osage	132	84	-	-	1	Adair	143	177	2	-	-
Osborne	65	93	1	1	-	Allen	117	156	1	-	2
Ottawa	77	117	2	-	-	Anderson	43	121	2	1	-
Pawnee	84	102	-	-	-	Ballard	33	115	2	1	1
Phillips	85	141	2	1	1	Barren	483	391	2	2	6
Pottawatomie	132	2	-	-	-	Glasgow	---	221	1	1	2
Manhattan, part	---	139	2	1	1	Balance of county	---	170	1	1	4
Balance of county	---	125	-	-	1	Bath	39	111	2	2	1
Pratt	111	35	1	-	-	Bell	363	356	3	3	7
Rawlins	23	657	7	3	1	Middlesborough	---	154	2	2	3
Reno	620	457	4	3	1	Balance of county	---	202	1	1	4
Hutchinson	---	200	3	-	-	Boone	382	423	8	6	9
Balance of county	---	101	-	-	-	Florence	---	219	3	1	4
Republic	116	132	1	1	-	Balance of county	---	204	5	5	5
Rice	95	281	5	4	3	Bourbon	134	189	4	3	1
Riley	256	266	4	3	3	White	---	122	168	4	3
White	---	15	1	1	-	All other	---	12	21	-	-
All other	---	10	-	-	-	Black	---	12	21	-	-
Black	---	13	1	1	-						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 32

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 32 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Kentucky-Con.					Kentucky-Con.						
Boyd	637	591	2	2	2	Hardin	691	571	10	7	8
Ashland	368	368	—	—	1	White	649	523	6	4	6
Balance of county	223	223	2	2	1	All other	42	48	4	3	2
Boyle	325	264	1	1	—	Black	38	39	2	1	3
Danville	158	158	—	—	—	Elizabethtown	184	184	3	3	3
White	138	138	—	—	—	Radcliff	108	108	2	1	—
All other	20	20	—	—	—	White	88	88	1	1	—
Black	20	20	—	—	—	All other	20	20	1	—	—
Balance of county	106	106	1	1	—	Black	16	16	1	—	—
Bracken	35	94	—	—	2	Balance of county	279	279	5	3	5
Breathitt	176	161	1	—	1	White	268	268	4	2	4
Breckinridge	141	200	1	—	—	All other	11	11	1	1	1
Bullitt	100	271	4	2	2	Black	10	10	1	1	1
Butler	51	127	1	—	—	Harlan	308	429	5	3	6
Caldwell	117	171	3	2	1	Harrison	191	193	1	—	1
Calloway	303	313	2	2	1	Hart	119	189	1	1	2
Murray	140	140	1	1	—	Henderson	349	362	5	3	5
Balance of county	173	173	1	1	1	White	273	273	4	2	3
Campbell	757	859	9	1	5	Black	37	37	1	—	—
Fort Thomas	175	175	2	1	1	Balance of county	37	37	1	—	—
Newport	225	4	—	—	3	White	89	89	1	1	2
Balance of county	459	3	—	—	—	Henry	63	177	4	4	1
Carlisle	26	67	—	—	2	Hickman	55	77	—	—	1
Carroll	130	128	1	1	—	White	52	71	—	—	1
Carter	114	252	2	2	3	All other	3	6	—	—	—
Casey	58	159	2	—	—	Black	3	6	—	—	—
Christian	504	532	19	9	9	Hopkins	729	536	5	5	7
White	390	396	11	5	5	Madisonville	295	3	3	5	5
All other	114	136	8	4	4	White	253	2	2	4	4
Black	114	135	8	4	3	All other	42	1	1	1	1
Hopkinsville	375	375	9	5	2	Black	41	1	1	1	1
White	264	264	4	3	2	Balance of county	241	2	2	2	2
All other	111	111	5	2	2	Jackson	36	103	2	2	—
Black	111	111	5	2	2	Jefferson	7,857	6,814	86	57	57
Balance of county	157	10	4	7	7	White	6,701	5,692	56	38	35
White	132	7	2	5	5	All other	1,156	1,122	30	19	22
All other	25	3	2	2	2	Black	1,137	1,108	30	19	22
Black	24	3	2	2	2	Jeffersontown	54	—	—	—	—
Clark	268	298	2	2	4	Louisville	4,609	4,609	58	36	48
Winchester	213	213	2	2	3	White	3,576	32	20	26	26
White	192	192	2	2	2	All other	1,033	26	16	20	20
All other	21	21	—	—	1	Black	1,024	26	16	20	20
Black	21	—	—	—	1	St. Matthews	32	—	—	—	—
Balance of county	85	—	—	—	1	Shively	8	—	—	—	—
Clay	166	196	—	—	2	Balance of county	2,111	28	21	11	11
Clinton	74	109	2	2	—	White	2,030	24	18	9	9
Crittenden	97	117	—	—	—	All other	81	4	3	2	2
Cumberland	81	98	—	—	1	Black	76	4	3	2	2
Daviess	1,044	834	12	11	7	Jessamine	141	254	4	3	3
Owensboro	656	656	10	9	4	Nicholasville	139	—	—	—	2
Balance of county	178	2	2	3	3	Balance of county	115	4	3	1	1
Edmonson	42	98	2	2	4	Johnson	189	251	4	4	1
Elliott	41	76	2	—	—	Kenton	1,289	1,230	19	10	17
Estill	108	188	—	—	2	Covington	576	9	2	2	2
Fayette, coext. with Lexington-Fayette	3,685	1,844	27	16	21	Erlanger	102	2	2	2	2
White	3,339	1,575	18	12	13	Balance of county	552	8	6	13	13
All other	346	269	9	4	8	Knox	68	181	5	2	3
Black	342	264	9	4	6	Knox	224	338	4	2	6
Fleming	135	167	1	1	—	Larue	66	139	3	2	2
Floyd	468	486	8	4	7	Laurel	321	403	3	1	6
Franklin	375	408	4	4	5	Lawrence	186	153	1	1	2
Frankfort	312	312	3	3	4	Lee	31	87	—	—	2
White	291	291	3	3	3	Leslie	80	110	1	1	—
All other	21	21	—	—	1	Letcher	275	316	6	4	2
Black	21	21	—	—	1	Lewis	63	150	2	—	1
Balance of county	96	96	1	1	1	Lincoln	148	229	5	3	1
Fulton	117	113	—	—	1	Livingston	96	126	—	—	—
White	104	99	—	—	1	Logan	194	293	4	3	2
All other	13	14	—	—	—	Lyon	36	82	—	—	—
Black	13	14	—	—	—	McCracken	1,218	746	9	5	12
Gallatin	32	57	1	—	—	White	1,132	673	7	4	9
Garrard	100	135	1	1	—	All other	86	73	2	1	3
Grant	80	156	3	2	4	Black	86	73	2	1	3
Graves	288	428	6	5	4	Paducah	473	473	5	2	10
Mayfield	166	166	2	1	1	White	405	3	1	7	7
White	152	152	1	1	—	All other	68	2	1	3	3
All other	14	14	—	—	1	Black	68	2	1	3	3
Black	14	14	—	—	1	Balance of county	273	4	3	2	2
Balance of county	262	4	4	3	3	McCreary	76	167	3	—	2
Grayson	189	236	—	—	5	McLean	61	134	1	1	1
Green	83	142	1	1	1	Madison	407	463	8	4	6
Greenup	411	356	1	1	7	Richmond	191	6	3	4	4
Hancock	13	70	—	—	1	White	170	6	3	4	4
						All other	21	—	—	—	—
						Black	21	—	—	—	—

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 33

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 33 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal				Total deaths	Infant	Neonatal	
Kentucky-Con.					Louisiana-Con.						
Balance of county	---	272	2	1	2	Acadia	397	594	15	12	9
Magoffin	37	113	3	3	2	White	319	484	9	8	4
Marion	172	163	1	1	4	All other	78	110	6	4	5
Marshall	181	259	-	-	2	Black	78	109	6	4	5
Martin	48	124	-	-	2	Crowley	---	214	7	7	4
Mason	263	195	2	1	-	White	---	161	3	3	1
Meade	53	139	1	1	3	All other	---	53	4	4	3
Menifee	18	46	-	-	-	Black	---	52	4	4	3
Mercer	182	227	1	1	1	Eunice, part	---	-	-	-	-
Metcalfe	28	122	-	-	-	Balance of parish	---	380	8	5	5
Monroe	106	140	1	-	1	White	---	323	6	5	3
Montgomery	165	201	-	-	5	All other	---	57	2	2	2
Morgan	85	107	1	1	3	Black	---	57	2	2	2
Muhlenberg	288	336	3	3	-	Allen	196	260	5	5	7
Nelson	176	247	5	4	5	White	155	206	3	3	5
Nicholas	54	80	-	-	1	All other	41	54	2	2	2
Ohio	201	272	1	-	3	Black	38	51	2	2	2
Oldham	217	197	3	1	4	Ascension	375	434	7	4	8
Owen	75	113	1	1	1	White	256	308	4	1	4
Owsley	22	67	-	-	-	All other	119	126	3	3	4
Pendleton	57	143	-	-	1	Black	119	126	3	3	4
Perry	429	311	-	-	5	Assumption	103	210	5	4	3
Pike	676	719	3	2	8	White	67	130	3	2	1
Powell	51	105	2	1	2	All other	36	80	2	2	2
Pulaski	582	533	2	1	5	Black	36	79	2	2	2
Somerset	---	167	-	-	-	Avoyelles	323	486	2	2	6
Balance of county	---	366	2	1	3	White	246	385	1	1	6
Robertson	19	24	-	-	-	All other	77	101	1	1	6
Rockcastle	128	154	4	1	-	Black	77	101	1	1	6
Rowan	321	162	3	1	2	Beauregard	212	269	-	-	2
Russell	129	176	1	1	2	White	178	230	-	-	1
Scott	151	200	2	-	3	All other	34	39	-	-	1
Georgetown	---	117	2	-	3	Black	34	39	-	-	1
White	---	102	2	-	2	De Ridder, part	---	111	-	-	1
All other	---	15	-	-	1	White	---	78	-	-	-
Black	---	15	-	-	-	All other	---	33	-	-	1
Balance of county	---	83	-	-	-	Black	---	33	-	-	1
Shelby	287	262	1	1	1	De Ridder, total	---	111	-	-	1
White	266	240	1	1	1	White	---	78	-	-	-
All other	21	22	-	-	-	All other	---	33	-	-	1
Black	21	22	-	-	-	Black	---	33	-	-	1
Simpson	123	159	6	3	2	Balance of parish	---	158	-	-	1
White	111	139	5	3	2	Bienville	96	228	2	1	2
All other	12	20	1	-	-	White	59	130	2	1	1
Black	12	20	1	-	-	All other	37	98	-	-	1
Spencer	37	75	-	-	-	Black	37	98	-	-	1
Taylor	193	217	4	1	2	Bossier	495	650	9	2	11
Todd	39	132	1	-	2	White	395	500	7	1	7
White	37	118	1	-	1	All other	100	150	2	1	4
All other	2	14	-	-	-	Black	100	150	2	1	4
Black	2	14	-	-	-	Bossier City	---	389	4	2	8
Trigg	79	139	1	1	-	White	---	333	3	1	5
White	72	124	-	-	-	All other	---	56	1	1	3
All other	7	15	1	1	-	Black	---	56	1	1	3
Black	7	15	1	1	-	Shreveport, part	---	1	-	-	-
Trimble	28	71	1	1	2	Balance of parish	---	260	5	-	3
Union	99	165	3	2	-	White	---	166	4	-	2
White	92	152	2	1	-	All other	---	94	1	-	1
All other	7	13	1	1	-	Black	---	94	1	-	1
Black	7	13	1	1	-	Caddo	3,619	2,589	47	27	33
Warren	970	705	12	6	4	White	2,285	1,589	8	3	7
Bowling Green	---	451	9	5	2	All other	1,334	1,000	39	24	26
White	---	399	9	5	1	Black	1,330	997	39	24	26
All other	---	52	-	-	1	Shreveport, part	---	2,260	43	25	32
Black	---	49	-	-	1	White	---	1,340	7	3	6
Balance of county	---	254	3	1	2	All other	---	920	36	22	26
Washington	41	102	1	1	1	Black	---	917	36	22	26
White	39	92	1	1	1	Shreveport, total	---	2,261	43	25	32
All other	2	10	-	-	-	White	---	1,341	7	3	6
Black	2	10	-	-	-	All other	---	920	36	22	26
Wayne	107	192	3	3	5	Black	---	917	36	22	26
Webster	75	182	-	-	1	Balance of parish	---	329	4	2	1
Whitley	397	390	5	1	2	White	---	249	1	-	1
Wolfe	43	83	3	3	1	All other	---	80	3	2	-
Woodford	132	178	3	2	-	Black	---	80	3	2	-
Louisiana *	39,807	39,593	751	471	558	Calcasieu	1,717	1,590	32	19	30
White	26,958	26,678	284	173	231	White	1,319	1,189	13	6	14
All other	12,839	12,915	467	298	327	All other	398	401	19	13	16
Black	12,806	12,784	464	296	320	Black	397	400	19	13	16
						Lake Charles	---	819	18	11	19
						White	---	504	2	-	5
						All other	---	315	16	11	14
						Black	---	314	16	11	14
						Sulphur	---	236	5	2	1
						Balance of parish	---	535	9	6	10
						White	---	469	6	4	8
						All other	---	66	3	2	2
						Black	---	66	3	2	2

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 34

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 34 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Louisiana-Con.					Louisiana-Con.						
Caldwell	99	132	3	2	1	Kenner	---	430	5	3	10
White	75	103	3	2	1	White	---	342	4	3	5
All other	24	29	0	0	0	All other	---	88	1	0	5
Black	24	29	0	0	0	Black	---	86	1	0	5
Cameron	38	71	2	1	1	Westwego	---	130	5	2	2
Catahoula	33	103	0	0	0	White	---	103	5	2	1
White	17	66	0	0	0	All other	---	27	0	0	1
All other	16	37	0	0	0	Black	---	27	0	0	1
Black	16	37	0	0	0	Balance of parish	---	2,696	45	26	48
Claiborne	183	236	1	1	2	White	---	2,285	24	13	31
White	109	139	0	0	1	All other	---	411	21	13	17
All other	74	97	1	1	1	Black	---	397	21	13	16
Black	74	97	1	1	1	Jefferson Davis	265	328	4	2	9
Concordia	182	223	6	6	3	White	225	289	4	2	7
White	105	134	3	3	2	All other	40	59	0	0	2
All other	77	89	3	3	1	Black	39	58	0	0	2
Black	77	89	3	3	1	Jennings	---	147	1	0	3
De Soto	195	305	9	5	4	White	---	111	1	0	2
White	97	142	1	1	1	All other	---	36	0	0	1
All other	98	163	8	5	3	Black	---	36	0	0	1
Black	98	163	8	5	3	Balance of parish	---	181	3	2	6
East Baton Rouge	3,862	2,979	88	64	51	White	---	158	3	2	5
White	2,497	1,843	29	18	16	All other	---	23	0	0	1
All other	1,365	1,136	59	46	35	Black	---	22	0	0	1
Black	1,352	1,124	59	46	34	Lafayette	1,788	1,193	21	17	26
Baker	---	105	5	5	1	White	1,291	888	12	10	9
White	---	79	3	3	1	All other	497	305	9	7	17
All other	---	26	2	2	0	Black	491	301	9	7	17
Black	---	26	2	2	0	Lafayette	---	845	14	11	23
Baton Rouge	---	2,408	72	53	45	White	---	598	5	4	8
White	---	1,398	20	13	12	All other	---	247	9	7	15
All other	---	1,010	52	40	33	Black	---	245	9	7	15
Black	---	1,000	52	40	32	Balance of parish	---	348	7	6	3
Balance of parish	---	466	11	6	5	White	---	290	7	6	1
White	---	366	6	2	3	All other	---	58	0	0	2
All other	---	100	5	4	2	Black	---	56	0	0	2
Black	---	98	5	4	2	Lafourche	589	636	12	6	9
East Carroll	68	105	6	3	3	White	509	548	6	3	7
White	21	36	0	0	0	All other	80	88	6	3	2
All other	47	69	6	3	3	Black	76	84	6	3	1
Black	47	69	6	3	3	Thibodaux	---	192	2	0	2
East Feliciana	90	201	2	1	2	White	---	142	1	0	2
White	52	110	1	1	0	All other	---	50	1	0	0
All other	38	91	1	0	2	Black	---	50	1	0	0
Black	38	91	1	0	2	Balance of parish	---	444	10	6	7
Evangeline	372	402	2	0	1	La Salle	132	173	2	1	0
White	284	313	1	0	1	White	124	163	2	1	0
All other	88	89	1	0	0	All other	8	10	0	0	0
Black	87	88	1	0	0	Black	8	10	0	0	0
Franklin	229	279	4	3	4	Lincoln	436	332	7	4	3
White	151	192	1	1	1	White	285	214	3	3	0
All other	78	87	3	2	3	All other	151	118	4	1	3
Black	78	87	3	2	3	Black	151	118	4	1	3
Grant	74	218	3	3	2	Ruston	---	147	4	2	2
White	65	176	1	1	1	White	---	98	1	1	0
All other	9	42	2	2	1	All other	---	49	3	1	2
Black	9	42	2	2	1	Black	---	49	3	1	2
Iberia	540	581	8	4	17	Balance of parish	---	185	3	2	1
White	371	392	2	1	6	White	---	116	2	2	0
All other	169	189	6	3	11	All other	---	69	1	0	1
Black	167	187	5	2	10	Black	---	69	1	0	1
New Iberia	---	346	6	4	10	Livingston	192	512	14	9	9
White	---	234	1	1	5	Madison	116	175	6	3	4
All other	---	112	5	3	5	White	52	78	1	3	1
Black	---	111	4	2	5	All other	64	97	5	3	3
Balance of parish	---	235	2	0	7	Black	64	97	5	3	3
White	---	158	1	0	1	Tallulah	---	133	5	3	2
All other	---	77	1	0	6	White	---	50	0	0	0
Black	---	76	1	0	5	All other	---	83	5	3	2
Iberville	207	280	8	7	3	Black	---	83	5	3	2
White	108	154	1	1	1	Balance of parish	---	42	1	0	2
All other	99	126	7	6	3	White	---	28	1	0	1
Black	99	126	7	6	3	All other	---	14	0	0	1
Jackson	87	175	1	1	2	Black	---	14	0	0	1
White	57	130	0	0	0	Morehouse	308	373	12	10	4
All other	30	45	1	1	2	White	206	225	4	4	0
Black	30	45	1	1	2	All other	102	148	8	6	4
Jefferson	3,947	3,665	58	31	70	Black	102	148	8	6	4
White	3,208	3,067	34	18	41	Bastrop	---	208	6	4	2
All other	739	598	24	13	29	White	---	121	0	0	0
Black	722	578	24	13	27	All other	---	87	6	4	2
Gretna	---	347	3	0	10	Black	---	87	6	4	2
White	---	275	1	0	4	Balance of parish	---	165	6	6	2
All other	---	72	2	0	6	White	---	104	4	4	0
Black	---	68	2	0	5	All other	---	61	2	2	2
Harahan	---	62	0	0	0	Black	---	61	2	2	2
						Natchitoches	257	376	6	2	2
						White	138	212	2	1	2
						All other	119	164	4	1	0
						Black	119	164	4	1	0

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 35

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 35 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more.]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Louisiana-Con.					Louisiana-Con.						
Natchitoches	---	175	4	1	1	Eunice, part	---	145	4	3	1
White	---	75	-	-	1	White	---	108	3	3	-
All other	---	100	4	1	-	All other	---	37	1	-	1
Black	---	100	4	1	-	Black	---	37	1	-	1
Balance of parish	---	201	2	1	1	Eunice, total	---	145	4	3	1
White	---	137	2	1	1	White	---	108	3	3	-
All other	---	64	-	-	-	All other	---	37	1	-	1
Black	---	64	-	-	-	Black	---	37	1	-	1
Orleans, coext. with New Orleans city	6,358	5,777	114	65	66	Qpelousas	---	295	7	4	6
White	2,999	2,518	8	5	9	White	---	124	-	-	1
All other	3,359	3,259	106	60	57	All other	---	171	7	4	5
Black	3,323	3,229	106	60	56	Black	---	171	7	4	5
Balance of parish	---	---	---	---	---	Balance of parish	---	436	7	6	7
White	1,865	1,422	33	22	17	White	---	271	2	1	2
All other	1,240	956	13	10	5	All other	---	165	5	5	5
Black	625	466	20	12	12	Black	---	163	5	5	5
Balance of parish	624	465	20	12	12	St. Martin	160	340	4	1	4
White	---	720	18	13	11	White	117	224	3	-	3
All other	---	369	3	3	2	All other	43	116	1	-	1
Black	---	351	15	10	9	Black	42	114	1	-	1
Balance of parish	---	350	15	10	9	St. Mary	402	504	12	9	10
White	---	269	2	1	1	White	267	332	8	5	3
All other	---	242	1	1	-	All other	135	172	4	4	7
Black	---	27	1	-	1	Black	134	170	4	4	7
Balance of parish	---	433	13	8	5	Morgan City	---	142	4	3	4
White	---	345	9	6	3	White	---	115	4	3	2
All other	---	88	4	2	2	All other	---	27	-	-	2
Black	---	88	4	2	2	Black	---	27	-	-	2
Plaquemines	80	167	2	2	-	Balance of parish	---	362	8	6	6
White	60	120	2	2	-	White	---	217	4	2	1
All other	20	47	-	-	-	All other	---	145	4	4	5
Black	19	46	-	-	-	Black	---	143	4	4	5
Pointe Coupee	170	231	1	-	4	St. Tammany	1,171	1,130	22	18	11
White	100	143	1	-	2	White	1,026	982	14	11	11
All other	70	88	-	-	2	All other	145	148	8	7	-
Black	70	88	-	-	2	Black	144	148	8	7	-
Rapides	1,845	1,317	23	12	9	Slidell	---	293	5	4	3
White	1,301	886	5	3	5	Balance of parish	---	837	17	14	8
All other	544	431	18	9	4	White	---	720	11	9	8
Black	539	427	17	9	4	All other	---	117	6	5	-
Balance of parish	---	640	13	7	4	Black	---	117	6	5	-
White	---	335	1	1	1	Tangipahoa	882	903	25	15	12
All other	---	305	12	6	3	White	601	615	10	4	4
Black	---	304	12	6	3	All other	281	288	15	11	8
Balance of parish	---	168	5	3	-	Black	280	287	15	11	7
White	---	130	-	-	-	Hammond	---	232	5	3	2
All other	---	38	5	3	-	White	---	137	3	2	1
Black	---	37	4	3	-	All other	---	95	2	1	1
Balance of parish	---	509	5	2	5	Black	---	95	2	1	1
White	---	421	4	2	4	Balance of parish	---	671	20	12	10
All other	---	88	1	-	1	White	---	478	7	2	3
Black	---	86	1	-	1	All other	---	193	13	10	7
Red River	110	134	2	-	-	Black	---	192	13	10	6
White	70	78	-	-	-	Tensas	39	83	1	-	2
All other	40	56	2	-	-	White	18	36	-	-	-
Black	40	56	2	-	-	All other	21	47	1	-	2
Balance of parish	---	---	---	---	---	Black	21	47	1	-	2
Richland	185	233	8	5	6	Terrebonne	855	706	15	7	7
White	125	142	4	2	3	White	657	544	9	3	4
All other	60	91	4	3	3	All other	198	162	6	4	3
Black	60	91	4	3	3	Black	174	136	5	3	3
Sabine	178	240	1	1	2	Houma	---	349	3	2	5
White	139	201	-	-	1	White	---	258	1	1	3
All other	39	39	1	1	1	All other	---	91	2	1	2
Black	39	39	1	1	1	Black	---	85	2	1	2
St. Bernard	519	648	6	2	5	Balance of parish	---	357	12	5	2
St. Charles	210	258	5	5	5	White	---	286	8	2	1
White	142	184	2	2	3	All other	---	71	4	3	1
All other	68	74	3	3	2	Black	---	51	3	2	1
Black	68	74	3	3	2	Union	201	315	3	2	3
St. Helena	68	98	-	-	1	White	140	221	-	-	2
White	48	59	-	-	1	All other	61	94	3	2	1
All other	20	39	-	-	-	Black	61	94	3	2	1
Black	20	39	-	-	-	Vermilion	403	501	6	5	2
St. James	83	161	5	3	4	White	345	429	1	1	1
White	50	77	2	2	2	All other	58	72	5	4	1
All other	33	84	3	1	2	Black	52	68	5	4	1
Black	33	84	3	1	2	Abbeville	---	142	3	3	-
St. John the Baptist	195	266	6	3	7	White	---	105	-	-	-
White	111	139	2	2	4	All other	---	37	3	3	-
All other	84	127	4	1	3	Black	---	35	3	3	-
Black	84	127	4	1	3	Balance of parish	---	359	3	2	2
St. Landry	759	876	18	13	14	Vernon	202	328	9	5	10
White	462	503	5	4	3	White	169	287	6	3	8
All other	297	373	13	9	11	All other	33	41	3	2	2
Black	296	371	13	9	11	Black	32	39	3	3	2
Balance of parish	---	---	---	---	---	De Ridder, part	---	---	---	---	---

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 36

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 36 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more.]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Louisiana-Con.					Maine-Con.						
Balance of parish	---	328	9	5	10	Balance of county	---	1,095	14	9	7
White	---	287	6	2	8	Maryland	39,688	40,373	738	510	668
All other	---	41	3	3	2	White	29,480	29,633	295	203	322
Black	---	39	3	3	2	All other	10,208	10,740	443	307	346
Washington	394	490	9	6	6	Black	9,793	10,320	434	302	330
White	291	356	5	5	3	Allegany	1,175	1,006	11	7	3
All other	103	134	4	1	3	Cumberland	---	270	2	1	1
Black	103	134	4	1	3	Balance of county	---	736	9	6	2
Bogalusa	---	211	4	2	2	Anne Arundel	2,455	2,936	42	27	40
White	---	147	1	1	1	White	2,140	2,576	27	18	27
All other	---	64	3	1	1	All other	315	360	15	9	13
Black	---	64	3	1	1	Black	294	339	15	9	12
Balance of parish	---	279	5	4	4	Annapolis	---	471	7	3	7
White	---	209	4	4	2	White	---	351	4	1	4
All other	---	70	1	2	2	All other	---	120	3	2	3
Black	---	70	1	2	2	Black	---	113	3	2	3
Webster	416	517	3	1	3	Balance of county	---	2,465	35	24	33
White	268	344	2	1	1	White	---	2,225	23	17	23
All other	148	173	1	1	3	All other	---	240	12	7	10
Black	148	173	1	1	3	Black	---	226	12	7	9
Minden	---	188	1	1	1	Baltimore	5,603	6,560	74	52	92
White	---	97	1	1	1	White	5,012	5,954	50	36	70
All other	---	91	1	1	1	All other	591	606	24	16	22
Black	---	91	1	1	1	Black	566	568	24	16	19
Balance of parish	---	329	3	1	2	Baltimore city	11,695	9,719	178	109	182
White	---	247	2	1	2	White	6,103	4,269	27	17	41
All other	---	82	1	2	2	All other	5,592	5,450	151	92	141
Black	---	82	1	2	2	Black	5,465	5,346	147	91	140
West Baton Rouge	42	149	4	3	3	Calvert	296	327	1	1	6
White	25	75	1	1	2	White	240	264	1	1	4
All other	17	74	3	2	1	All other	56	63	1	1	2
Black	17	74	3	2	1	Black	55	63	1	1	2
West Carroll	69	133	1	1	1	Caroline	123	271	4	2	4
White	60	120	1	1	1	White	109	225	1	1	2
All other	9	13	1	1	1	All other	14	46	3	2	2
Black	9	13	1	1	1	Black	14	46	3	2	2
West Feliciana	56	86	1	1	1	Carroll	764	960	9	6	11
White	28	45	1	1	1	Cecil	587	604	8	6	6
All other	28	41	1	1	1	Charles	488	625	18	12	11
Black	28	41	1	1	1	White	385	488	9	5	6
Winn	168	217	3	1	1	All other	103	137	9	7	5
White	119	157	2	1	1	Black	99	131	9	7	5
All other	49	60	1	1	1	Dorchester	356	381	5	3	2
Black	49	60	1	1	1	White	256	277	2	1	1
Maine	11,628	11,695	102	66	80	All other	100	104	3	2	1
White	11,558	11,624	102	66	80	Black	100	104	3	2	1
All other	70	71	1	1	1	Cambridge	---	195	2	2	2
Black	12	11	1	1	1	White	---	135	1	1	1
Androscoggin	1,130	1,039	10	6	4	All other	---	60	2	2	1
Auburn	---	284	2	2	2	Black	---	60	2	2	1
Lewiston	---	469	4	1	2	Balance of county	---	186	3	1	1
Balance of county	---	286	4	3	2	White	---	142	2	1	1
Aroostook	757	780	6	5	5	All other	---	44	1	1	1
Presque Isle	---	94	1	1	1	Black	---	44	1	1	1
Balance of county	---	686	5	4	5	Frederick	1,045	1,097	23	10	19
Cumberland	2,707	2,197	18	11	16	White	---	478	16	8	10
Portland	---	695	8	4	5	All other	---	436	11	5	6
South Portland	---	215	1	1	1	Black	---	42	5	3	4
Westbrook	---	152	1	1	1	Balance of county	---	619	7	2	9
Balance of county	---	1,135	9	6	10	White	---	580	6	2	8
Franklin	237	243	2	1	4	All other	---	39	1	1	1
Hancock	476	561	1	2	2	Black	---	37	1	1	1
Kennebec	1,287	1,100	14	9	12	Garrett	295	273	1	1	4
Augusta	---	277	4	1	3	Harford	1,103	1,224	13	9	19
Waterville	---	220	1	1	3	White	1,003	1,102	8	6	14
Balance of county	---	603	9	8	6	All other	---	100	122	5	3
Knox	428	416	2	1	3	Black	---	98	118	5	3
Lincoln	260	350	1	1	6	Aberdeen	---	102	1	1	1
Oxford	403	545	5	3	2	White	---	81	1	1	1
Penobscot	1,449	1,310	10	7	11	All other	---	21	1	1	1
Bangor	---	348	1	1	5	Black	---	21	1	1	1
Balance of county	---	962	9	6	6	Balance of county	---	1,122	12	8	18
Piscataquis	214	206	1	1	1	White	---	1,021	7	5	13
Sagadahoc	201	292	4	3	1	All other	---	101	5	3	5
Bath	---	99	4	3	1	Black	---	97	5	3	5
Balance of county	---	193	1	1	1	Howard	744	894	12	11	20
Somerset	419	493	7	4	2	White	647	775	8	8	17
Waldo	212	315	2	2	2	All other	---	97	119	4	3
Washington	328	400	2	2	2	Black	---	83	101	4	3
York	1,120	1,448	19	13	7	Kent	224	222	1	1	1
Biddeford	---	228	2	2	2	White	---	177	167	1	1
Saco	---	125	3	2	1	All other	---	47	55	1	1
						Black	---	47	55	1	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 37

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 37 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more.]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Maryland-Con.					Maryland-Con.						
Montgomery	5,172	4,802	98	76	88	Balance of county	---	366	5	4	6
White	4,305	4,128	55	40	46	White	---	259	3	2	3
All other	867	674	43	36	42	All other	---	107	2	2	3
Black	716	527	39	32	35	Black	---	105	2	2	3
Gaithersburg	---	332	21	17	15	Worcester	295	449	4	3	4
White	---	266	11	8	7	White	240	350	3	3	2
All other	---	66	10	9	8	All other	55	99	1	-	2
Black	---	49	8	7	6	Black	54	94	1	-	2
Rockville	---	747	5	4	7	Massachusetts	56,394	55,634	524	377	519
White	---	676	4	3	3	White	53,954	53,227	416	295	418
All other	---	71	1	1	4	All other	2,440	2,407	108	82	101
Black	---	54	1	1	1	Black	2,026	2,011	95	73	100
Takoma Park, part	---	54	1	1	4	Barnstable	2,278	2,363	8	7	18
White	---	35	-	-	4	Barnstable town#	---	479	3	3	4
All other	---	19	1	1	3	Balance of county	---	1,884	5	4	14
Black	---	19	1	1	3	White	---	1,866	5	4	14
Takoma Park, total	---	126	3	3	6	All other	---	18	-	-	-
White	---	84	-	-	5	Black	---	14	-	-	-
All other	---	42	3	3	1	Berkshire	1,700	1,539	11	10	8
Black	---	39	3	3	4	North Adams	---	182	1	-	1
Balance of county	---	3,669	71	54	62	Pittsfield	---	566	2	2	3
White	---	3,151	40	29	35	Balance of county	---	791	8	8	4
All other	---	518	31	25	27	Bristol	4,519	4,971	40	28	38
Black	---	405	29	23	25	White	4,420	4,848	35	24	36
Prince George's	3,734	4,769	192	148	115	All other	99	123	5	4	2
White	2,193	2,537	34	29	27	Black	112	124	4	3	1
All other	1,541	2,232	158	119	88	Attleboro	---	342	4	3	-
Black	1,491	2,169	158	119	86	Fairhaven town#	---	239	-	-	1
Bowie	---	229	4	2	2	Fall River	---	1,119	6	3	5
College Park	---	104	1	1	1	New Bedford	---	1,202	8	6	11
White	---	91	1	1	1	White	---	1,128	5	4	11
All other	---	13	-	-	3	All other	---	74	3	2	-
Black	---	11	-	-	2	Black	---	71	3	2	-
Greenbelt	---	79	2	1	3	North Attleborough town#	---	186	2	1	6
White	---	60	1	1	2	Somerset town#	---	176	1	1	1
All other	---	19	1	-	1	Taunton	---	436	7	5	4
Black	---	16	1	-	9	Balance of county	---	1,271	12	9	10
Hyattsville	---	427	17	13	13	Dukes	110	124	3	3	-
White	---	272	4	3	4	Essex	5,966	6,307	59	41	49
All other	---	155	13	10	9	White	5,890	6,223	55	39	47
Black	---	149	13	10	8	All other	76	84	4	2	2
Laurel	---	196	10	9	8	Black	53	61	3	2	2
White	---	153	3	3	4	Amesbury town#	---	146	-	-	2
All other	---	43	7	6	4	Andover town#	---	214	1	1	1
Black	---	41	7	6	2	Beverly	---	374	2	1	1
New Carrollton	---	44	-	-	2	Danvers town#	---	265	2	1	-
White	---	34	-	-	2	Gloucester	---	289	2	2	-
All other	---	10	-	-	2	Haverhill	---	552	4	2	3
Black	---	10	-	-	2	Lawrence	---	589	16	14	7
Takoma Park, part	---	72	2	2	1	White	---	577	15	13	7
White	---	49	-	-	1	All other	---	12	1	1	-
All other	---	23	2	2	1	Black	---	9	1	1	-
Black	---	20	2	2	1	Lynn	---	864	10	6	11
Balance of county	---	3,618	156	120	84	Lynnfield town#	---	82	-	-	-
White	---	1,675	23	20	13	Marblehead town#	---	179	3	3	-
All other	---	1,943	133	100	71	Methuen town#	---	437	6	4	4
Black	---	1,897	133	100	69	Newburyport	---	184	1	1	3
Queen Anne's	131	261	2	2	3	Peabody	---	384	3	1	5
White	118	220	1	1	2	Salem	---	396	4	2	4
All other	13	41	1	1	1	Saugus town#	---	242	-	-	1
Black	12	41	1	1	1	Swampscott town#	---	146	1	-	2
St. Mary's	407	479	16	13	6	Balance of county	---	964	4	3	5
White	341	396	7	6	5	Franklin	585	682	7	4	9
All other	66	83	9	7	1	Hampden	4,931	4,724	58	40	48
Black	63	81	8	7	1	White	4,667	4,461	49	33	30
Somerset	158	261	1	-	1	All other	264	263	9	7	18
White	119	188	1	-	1	Black	240	238	8	6	18
All other	39	73	-	-	1	Agawam town#	---	258	3	2	1
Black	39	73	-	-	1	Chicopee	---	626	2	2	3
Talbot	557	382	3	1	4	Holyoke	---	546	7	5	2
White	429	292	2	-	3	White	---	536	7	5	2
All other	128	90	1	1	1	All other	---	10	-	-	-
Black	127	89	1	1	1	Black	---	9	-	-	-
Washington	1,157	1,129	12	5	19	Longmeadow town#	---	150	-	-	1
Hagerstown	---	581	8	2	10	Springfield	---	1,665	28	18	28
Balance of county	---	548	4	3	9	White	---	1,435	20	12	14
White	---	544	4	3	8	All other	---	230	8	6	14
All other	---	4	-	-	1	Black	---	217	8	6	14
Black	---	4	-	-	1	Westfield	---	349	3	3	-
Wicomico	1,124	742	10	7	9	West Springfield town#	---	318	4	3	8
White	854	547	5	3	6	Balance of county	---	812	11	7	5
All other	270	195	5	4	3	Hampshire	1,019	1,156	13	8	10
Black	263	191	5	4	3	Amherst town#	---	127	2	1	2
Salisbury	---	376	5	3	3	Easthampton town#	---	156	1	1	1
White	---	288	2	1	3	Northampton	---	322	3	3	1
All other	---	88	3	2	-	Balance of county	---	551	7	3	6
Black	---	86	3	2	-						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 38

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 38 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Massachusetts-Con.					Massachusetts-Con.						
Middlesex	11,037	11,611	105	78	101	Gardner	---	219	1	1	---
White	10,751	11,285	92	68	86	Leominster	---	364	2	1	1
All other	286	326	13	10	15	Milford town#	---	212	3	2	4
Black	199	229	9	6	15	Shrewsbury town#	---	211	---	---	---
Arlington town#	---	469	2	2	---	Webster town#	---	239	1	1	1
Belmont town#	---	228	1	1	1	Worcester	---	2,033	17	11	17
Billerica town#	---	245	6	5	1	Balance of county	---	2,790	18	11	32
Burlington town#	---	138	2	2	3						
Cambridge	---	710	7	6	6						
White	---	605	6	5	4	Michigan	81,383	82,570	1,326	862	727
All other	---	105	1	1	2	White	68,234	69,350	778	499	527
Black	---	99	1	1	2	All other	13,149	13,220	548	363	200
Chelmsford town#	---	219	3	3	3	Black	12,472	12,546	532	355	188
Dracut town#	---	192	4	3	1	Alcona	---	80	193	1	---
Everett	---	411	2	2	3	Alger	---	92	110	---	---
Framingham town#	---	502	3	2	3	Allegan	---	574	807	11	4
Hudson town#	---	144	---	---	3	Holland, part	---	95	---	---	---
Lexington town#	---	238	---	---	---	Balance of county	---	712	11	4	3
Lowell	---	932	21	14	15	Alpena	---	364	323	4	3
Malden	---	575	4	3	8	Alpena	---	---	178	3	2
Marlborough	---	253	5	4	5	Balance of county	---	---	145	1	1
Medford	---	624	2	1	6	Antrim	---	129	228	2	---
Melrose	---	276	1	1	4	Arenac	---	127	186	2	---
Natick town#	---	281	6	4	5	Baraga	---	107	121	---	---
Newton	---	702	1	1	1	Barry	---	300	411	8	4
Reading town#	---	175	1	1	2	Bay	---	994	1,030	16	12
Somerville	---	657	9	5	4	Bangor twp#	---	---	139	1	---
Stoneham town#	---	205	---	---	1	Bay City	---	---	463	11	8
Tewksbury town#	---	193	2	2	---	Midland, part	---	---	---	---	---
Wakefield town#	---	239	---	---	2	Balance of county	---	---	428	4	3
Waltham	---	505	4	3	3	Benzie	---	121	160	---	---
Watertown town#	---	323	1	---	3	Berrien	---	1,536	1,621	20	11
Wilmington town#	---	125	1	1	---	White	---	1,298	1,385	9	6
Winchester town#	---	191	2	2	5	All other	---	238	236	11	5
Woburn	---	310	1	1	2	Black	---	225	222	11	5
Balance of county	---	1,549	14	10	13	Benton Harbor	---	---	140	8	5
White	---	1,530	14	10	13	White	---	---	33	1	1
All other	---	19	---	---	---	All other	---	---	107	7	4
Black	---	11	---	---	---	Black	---	---	106	7	4
Nantucket	71	74	---	---	3	Niles	---	---	213	3	2
Norfolk	4,825	5,540	38	29	55	White	---	---	194	3	2
White	4,752	5,444	34	25	45	All other	---	---	19	---	---
All other	73	96	4	4	10	Black	---	---	15	---	---
Black	50	52	4	4	10	Balance of county	---	---	1,288	9	4
Braintree town#	---	413	1	1	1	White	---	---	1,158	5	3
Brookline town#	---	477	2	2	3	All other	---	---	110	4	1
Dedham town#	---	247	4	4	1	Black	---	---	101	4	1
Holbrook town#	---	103	1	1	2	Branch	---	356	382	8	1
Milton town#	---	247	---	---	2	Calhoun	---	1,354	1,345	29	17
Needham town#	---	245	---	---	6	White	---	1,186	1,167	18	10
Norwood town#	---	337	1	1	2	All other	---	168	178	11	7
Quincy	---	917	5	3	13	Black	---	147	156	9	5
Randolph town#	---	294	5	5	3	Albion	---	---	89	5	1
Stoughton town#	---	223	---	---	1	White	---	---	58	2	---
Wellesley town#	---	210	1	1	2	All other	---	---	31	3	1
Westwood town#	---	133	1	1	1	Black	---	---	31	3	1
Weymouth town#	---	487	4	2	3	Battle Creek	---	---	614	15	10
Balance of county	---	1,207	13	10	15	White	---	---	489	8	5
White	---	1,192	13	10	12	All other	---	---	125	7	5
All other	---	15	---	---	3	Black	---	---	113	6	4
Black	---	7	---	---	3	Balance of county	---	---	642	9	6
Plymouth	3,083	3,616	37	25	37	Cass	---	280	480	12	5
White	2,988	3,494	28	20	29	Charlevoix	---	165	220	2	1
All other	95	122	9	5	8	Cheboygan	---	236	240	7	4
Black	87	110	8	5	8	Chippewa	---	261	302	1	---
Abington town#	---	125	2	1	---	Sault Ste. Marie	---	---	163	---	---
Brockton	---	889	15	9	13	Balance of county	---	---	139	1	---
Plymouth town#	---	365	4	2	7	White	---	---	127	1	---
Rockland town#	---	133	1	1	2	All other	---	---	12	---	---
Scituate town#	---	144	1	1	3	Black	---	---	3	---	---
Whitman town#	---	79	---	---	---	Clare	---	289	352	4	---
Balance of county	---	1,881	14	11	12	Clinton	---	249	385	2	---
Suffolk	9,574	6,337	100	74	83	Lansing, part	---	---	---	---	---
White	8,221	5,120	41	29	40	Balance of county	---	---	385	2	1
All other	1,353	1,217	59	45	40	White	---	---	383	2	1
Black	1,147	1,064	55	43	40	All other	---	---	2	---	---
Boston	---	5,333	88	66	78	Black	---	---	1	---	---
White	---	4,137	31	23	39	Crawford	---	230	146	4	4
All other	---	1,196	57	43	39	Delta	---	328	388	7	5
Black	---	1,050	41	39	39	Escanaba	---	---	196	3	2
Chelsea	---	316	3	2	4	Balance of county	---	---	192	4	3
Revere	---	483	5	3	1	Dickinson	---	371	316	1	1
Winthrop town#	---	205	4	3	---	Eaton	---	480	660	5	5
Worcester	6,696	6,590	45	30	60						
White	6,612	6,510	43	28	55						
All other	84	80	2	2	5						
Black	65	64	2	2	5						
Clinton town#	---	125	2	2	1						
Fitchburg	---	397	1	1	4						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 39

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 39 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more.]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal		
Michigan-Con.					Michigan-Con.							
Lansing, part	---	15	-	-	-	Grandville	---	80	3	2	2	
White	---	11	-	-	-	Kentwood	---	138	-	-	2	
All other	---	4	-	-	-	Walker	---	113	2	-	-	
Black	---	4	-	-	-	Wyoming	---	395	9	6	6	
Balance of county	---	645	5	1	5	Balance of county	---	1,105	29	19	11	
Emmet	488	251	4	3	3	Keweenaw	5	27	2	2	-	
Genesee	3,777	3,649	72	43	30	Lake	56	130	1	-	-	
White	---	2,958	31	19	20	White	---	42	90	1	-	
All other	---	674	41	24	10	All other	---	14	40	-	-	
Black	---	670	41	24	10	Black	---	12	34	-	-	
Burton	---	253	4	4	1	Lapeer	436	533	5	4	7	
Flint	---	1,406	50	30	12	Leelanau	103	167	4	2	-	
White	---	800	9	6	5	Lenawee	723	842	14	10	7	
All other	---	606	41	24	7	Adrian	---	261	1	1	3	
Black	---	600	41	24	7	Balance of county	---	581	13	9	4	
Flint twp#	---	356	3	2	1	Livingston	546	709	17	14	11	
Genesee twp#	---	104	-	-	-	Luce	64	55	-	-	-	
Mount Morris twp#	---	177	1	1	2	Macomb	93	125	-	-	-	
White	---	143	1	1	1	White	---	4,860	6,201	63	44	
All other	---	34	-	-	2	All other	---	4,737	6,061	54	40	
Black	---	33	-	-	13	Black	---	123	140	9	4	
Balance of county	---	1,353	14	6	12	Clinton twp#	---	98	95	8	3	
White	---	1,320	14	6	12	East Detroit	---	710	8	6	8	
All other	---	33	-	-	1	Fraser	---	453	3	1	4	
Black	---	26	-	-	1	Harrison twp#	---	150	-	-	2	
Gladwin	143	242	-	-	1	Mount Clemens	---	137	1	1	-	
Gogebic	218	254	1	-	1	White	---	235	4	2	3	
Grand Traverse	836	502	8	6	3	All other	---	205	1	-	2	
Traverse City	---	162	3	2	2	Black	---	30	3	2	1	
Balance of county	---	340	5	4	2	Roseville	---	28	3	2	1	
Gratiot	382	397	6	5	3	St. Clair Shores	---	506	7	6	1	
Hillsdale	274	397	2	1	6	Shelby twp#	---	742	5	4	4	
Houghton	357	404	2	1	1	Sterling Heights	---	250	5	4	-	
Huron	328	432	3	2	2	Warren	---	697	4	2	7	
Ingham	2,264	1,861	33	21	26	Balance of county	---	1,534	17	10	13	
White	---	2,088	22	15	19	Manistee	257	275	1	-	4	
All other	---	176	11	6	7	Marquette	757	601	8	4	3	
Black	---	158	11	6	3	Marquette	---	192	1	-	-	
East Lansing	---	183	2	2	6	Balance of county	---	409	7	4	3	
Lansing, part	---	977	25	18	14	Mason	253	273	3	2	1	
White	---	831	15	13	8	Mecosta	265	300	2	2	3	
All other	---	146	10	5	6	Big Rapids	---	74	-	-	1	
Black	---	140	10	5	6	Balance of county	---	226	2	2	2	
Lansing, total	---	992	25	18	14	Menominee	170	303	2	2	1	
White	---	842	15	13	8	Menominee	---	132	1	1	1	
All other	---	150	10	5	6	Balance of county	---	171	1	1	-	
Black	---	144	10	5	6	Midland	597	534	7	3	2	
Meridian twp#	---	216	3	1	1	Midland, part	---	319	2	1	1	
Balance of county	---	485	3	-	8	Midland, total	---	319	2	1	2	
Ionia	294	445	8	4	3	Balance of county	---	215	5	2	1	
Iosco	314	338	2	1	3	Missaukee	69	126	2	1	-	
Iron	181	211	-	-	-	Monroe	696	1,002	13	9	7	
Isabella	339	341	5	3	3	Monroe	---	238	1	1	2	
Mount Pleasant	---	135	3	2	1	Balance of county	---	764	12	8	5	
Balance of county	---	206	2	1	3	Montcalm	425	473	6	2	5	
Jackson	1,308	1,383	19	13	18	Montmorency	74	140	1	-	-	
White	---	1,193	16	11	16	Muskegon	1,526	1,542	13	4	11	
All other	---	115	3	2	2	White	---	1,334	1,338	4	2	8
Black	---	105	3	2	1	All other	---	192	204	9	2	3
Jackson	---	83	3	2	1	Black	---	192	9	2	2	
White	---	401	8	6	9	Muskegon	---	487	5	2	3	
All other	---	337	5	4	8	White	---	407	1	-	2	
Black	---	64	3	2	1	All other	---	80	4	2	1	
Balance of county	---	63	3	2	1	Black	---	76	4	2	1	
Balance of county	---	982	11	7	9	Muskegon Heights	---	163	4	-	-	
Kalamazoo	2,137	1,725	27	14	16	White	---	59	-	-	-	
White	---	1,579	17	7	12	All other	---	104	4	-	-	
All other	---	185	10	7	4	Black	---	104	4	-	-	
Black	---	167	10	7	4	Norton Shores	---	161	1	1	2	
Kalamazoo	---	693	16	11	7	Balance of county	---	731	3	1	6	
White	---	574	7	5	5	Newaygo	288	385	7	5	2	
All other	---	119	9	6	2	Oakland	9,091	8,353	115	87	80	
Black	---	116	9	6	2	White	---	8,212	7,713	86	66	
Kalamazoo twp#	---	182	2	1	2	All other	---	879	640	29	21	
Portage	---	258	6	1	2	Black	---	800	558	26	19	
Balance of county	---	592	3	1	5	Avon twp#	---	---	---	---	---	
Kalkaska	88	130	2	2	2	Berkley	---	132	1	1	-	
Kent	4,480	3,794	91	53	43	Beverly Hills	---	75	-	-	-	
White	---	4,143	67	39	31	Birmingham	---	173	3	2	2	
All other	---	337	24	14	12	Bloomfield twp#	---	283	-	-	1	
Black	---	302	20	14	9	Clawson	---	126	3	3	1	
East Grand Rapids	---	48	1	-	-	Farmington	---	144	1	1	1	
Grand Rapids	---	1,915	47	26	22	Farmington Hills	---	575	5	4	9	
White	---	1,632	23	12	13	Ferdale	---	271	1	-	1	
All other	---	283	24	14	9	Hazel Park	---	175	1	1	1	
Black	---	264	23	14	8							

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 40

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 40 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	
		Total deaths	Infant	Neonatal				Total deaths	Infant	Neonatal		
Michigan-Con.					Michigan-Con.							
Madison Heights	---	315	9	5	5	Dearborn Heights	---	605	7	6	2	
Novi	---	184	4	3	1	Detroit	---	11,643	348	244	113	
Oak Park	---	258	2	2	4	White	---	3,249	29	17	13	
White	---	201	1	1	3	All other	---	8,394	319	227	100	
All other	---	57	1	1	1	Black	---	8,333	318	227	100	
Black	---	55	1	1	1	Ecorse	---	144	3	2	-	
Pontiac	---	613	21	16	3	White	---	82	1	1	-	
White	---	362	6	5	2	All other	---	62	2	2	-	
All other	---	251	15	11	1	Black	---	61	1	1	-	
Black	---	248	15	11	1	Garden City	---	29	-	-	2	
Royal Oak	---	598	3	3	4	Grosse Pointe Farms	---	108	-	-	-	
Southfield	---	811	10	8	4	Grosse Pointe Park	---	96	-	-	-	
White	---	652	1	1	3	Grosse Pointe Woods	---	178	2	2	-	
All other	---	159	9	7	1	Hantramck	---	272	2	2	1	
Black	---	151	8	6	1	White	---	239	2	2	1	
Troy	---	422	4	4	4	All other	---	33	-	-	-	
West Bloomfield twp#	---	333	1	1	4	Black	---	33	-	-	-	
Balance of county	---	2,865	46	33	35	Harper Woods	---	218	-	-	-	
White	---	2,811	44	32	32	Highland Park	---	272	6	5	2	
All other	---	54	2	1	3	White	---	38	-	-	-	
Black	---	32	1	-	3	All other	---	234	6	5	2	
Oceanaw	151	220	5	3	4	Black	---	232	6	5	2	
Ogemaw	339	276	1	1	1	Inkster	---	312	5	5	3	
White	---	110	1	-	1	White	---	116	2	2	-	
Osceola	173	196	1	-	2	All other	---	186	3	2	3	
Oscoda	83	141	1	1	2	Black	---	194	3	2	3	
Otsego	200	177	1	-	1	Lincoln Park	---	397	2	2	2	
Ottawa	1,141	1,229	19	12	13	Livonia	---	944	6	6	2	
Georgetown twp#	---	158	1	-	2	Melvindale	---	123	-	-	-	
Grand Haven	---	175	1	1	1	Plymouth twp#	---	156	1	-	1	
Holland, part	---	225	6	4	6	Redford twp#	---	512	-	-	4	
Holland, total	---	320	6	4	6	River Rouge	---	136	5	3	2	
Balance of county	---	671	11	7	5	White	---	75	3	2	2	
White	---	171	1	1	-	All other	---	61	2	1	1	
Presque Isle	73	142	4	3	2	Black	---	59	2	1	1	
Roscommon	142	334	1	3	2	Riverview	---	181	2	1	1	
Saginaw	2,300	1,999	38	27	1	Romulus	---	178	2	2	3	
White	---	1,964	15	10	1	White	---	141	2	2	2	
All other	---	336	23	17	-	All other	---	37	-	-	1	
Black	---	337	22	16	-	Black	---	34	-	-	1	
Saginaw	---	778	25	17	-	Southgate	---	262	-	-	4	
White	---	501	4	2	-	Taylor	---	493	10	5	9	
All other	---	277	21	15	-	Trenton	---	206	3	3	2	
Black	---	276	21	15	-	Wayne	---	216	4	2	2	
Saginaw twp#	---	363	3	3	-	Westland	---	771	7	4	9	
Balance of county	---	858	10	7	1	Woodhaven	---	49	1	1	1	
White	---	800	9	6	1	Wyandotte	---	332	3	14	28	
All other	---	58	1	1	-	Balance of county	---	967	22	1	2	
Black	---	52	-	-	-	Wexford	334	256	2	1	1	
St. Clair	1,273	1,361	19	13	8	Cadillac	---	112	1	1	1	
Port Huron	---	381	3	2	4	Balance of county	---	144	1	1	1	
Balance of county	---	980	16	11	4	Minnesota	---	36,598	36,450	486	295	332
St. Joseph	476	565	6	4	8	White	---	35,536	35,400	416	256	269
Sanilac	301	432	2	2	1	All other	---	1,062	1,050	70	39	63
Schoolcraft	99	118	-	-	-	Black	---	588	573	40	22	39
Shiawassee	440	520	5	3	6	Aitkin	---	143	190	2	1	1
Owassee	---	159	3	1	2	Anoka	1,045	1,077	29	17	16	
Balance of county	---	361	2	2	4	Anoka	---	146	2	2	2	
Tuscola	324	527	11	6	-	Blaine, part	---	134	5	2	-	
Van Buren	502	648	8	3	3	Blaine, total	---	134	5	2	-	
Washtenaw	3,069	1,602	23	18	26	Columbia Heights	---	213	1	-	1	
White	---	2,699	15	12	17	Coon Rapids	---	200	6	4	4	
All other	---	370	8	6	9	Fridley	---	163	2	2	2	
Black	---	344	8	6	9	Ramsey	---	19	1	1	1	
Ann Arbor	---	511	7	7	5	Balance of county	---	202	12	6	7	
White	---	446	6	6	5	Becker	---	255	310	3	1	3
All other	---	65	1	1	-	Beltrami	---	306	302	5	4	8
Black	---	57	1	1	-	White	---	265	255	4	3	3
Ypsilanti	---	178	4	4	11	All other	---	41	1	1	1	
White	---	90	1	1	5	Black	---	-	-	-	-	
All other	---	88	3	3	6	Bemidji	---	122	1	1	1	
Black	---	87	3	3	6	Balance of county	---	180	4	3	2	
Ypsilanti twp#	---	236	4	3	3	White	---	141	3	2	2	
White	---	207	2	2	2	All other	---	39	1	1	1	
All other	---	29	2	1	1	Black	---	-	-	-	-	
Black	---	28	2	1	1	Benton	---	200	252	2	2	2
Balance of county	---	677	8	6	7	St. Cloud, part	---	36	1	1	1	
White	---	649	6	5	5	Balance of county	---	216	1	1	1	
All other	---	28	2	1	2	Big Stone	---	90	101	-	-	-
Black	---	26	2	1	2	Blue Earth	---	456	407	9	7	4
Wayne	21,313	21,490	460	320	206	Mankato, part	---	211	3	3	4	
White	---	12,256	119	80	79	Mankato, total	---	212	3	3	4	
All other	---	8,813	341	240	127	Balance of county	---	196	6	4	1	
Black	---	8,666	339	239	125	Brown	---	248	255	3	1	-
Allen Park	---	365	2	2	-	New Ulm	---	117	2	1	-	
Canton twp#	---	225	1	1	4	Balance of county	---	138	1	1	1	
Dearborn	---	886	12	9	8							

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 41

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 41 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal				Total deaths	Infant	Neonatal	
Minnesota-Con.					Minnesota-Con.						
Carlton	282	313	4	3	1	Mahnomen	43	65	-	-	1
Cloquet	126	126	2	1	1	White	34	52	-	-	-
Balance of county	187	187	2	2	-	All other	9	13	-	-	1
Carver	267	275	10	5	3	Black	-	-	-	-	-
Cass	188	307	3	2	2	Marshall	61	101	-	-	-
Chippewa	132	142	-	-	1	Martin	231	238	3	2	1
Chisago	270	273	1	-	3	Fairmont	120	120	1	1	-
Clay	206	370	2	1	-	Balance of county	118	2	1	1	1
Moorhead	241	241	1	1	-	Meeker	225	223	1	1	1
Balance of county	129	129	1	-	-	Mille Lacs	169	215	-	-	3
Clearwater	89	108	-	-	1	Morrison	263	299	3	2	1
Cook	36	36	-	-	-	Mower	348	460	4	3	5
Cottonwood	130	156	-	-	-	Austin	317	3	3	3	3
Crow Wing	473	462	10	5	4	Balance of county	143	1	-	-	2
Brainerd	197	197	5	1	1	Murray	74	112	1	-	-
Balance of county	265	265	5	4	3	Nicollet	130	166	4	3	1
Dakota	948	1,297	29	16	29	Mankato, part	1	1	-	-	-
Apple Valley	126	3	2	2	2	Balance of county	165	4	3	1	1
Burnsville	172	5	1	4	4	Nobles	184	228	2	1	1
Eagan	108	7	4	11	2	Worthington	127	1	1	1	1
Hastings, part	144	1	1	-	-	Balance of county	101	1	-	-	-
Hastings, total	144	1	1	-	-	Norman	94	133	1	-	-
Inver Grove Heights	113	4	4	4	4	Olmsted	1,562	702	15	8	12
Lakeville	55	3	1	4	4	Rochester	579	11	5	5	9
Northfield, part	1	-	-	-	-	Balance of county	123	4	3	3	3
South St. Paul	176	2	1	2	2	Otter Tail	487	585	4	3	1
West St. Paul	230	1	1	-	-	Fergus Falls	195	2	2	2	-
Balance of county	172	3	1	2	2	Balance of county	390	2	1	1	1
Dodge	70	119	1	1	1	Pennington	173	148	1	-	2
Douglas	317	300	2	1	1	Pine	126	256	1	-	2
Faribault	177	226	2	1	2	Pipestone	102	123	-	-	2
Fillmore	201	272	1	1	1	Polk	295	369	3	1	1
Freeborn	362	355	2	-	4	Pope	136	142	-	-	1
Albert Lea	271	1	-	2	2	Ramsey	4,424	3,948	46	27	38
Balance of county	84	1	-	2	2	White	4,211	3,725	33	19	24
Goodhue	420	457	5	4	4	All other	213	223	13	8	14
Red Wing	188	4	3	2	2	Black	134	146	4	1	7
Balance of county	269	1	1	2	2	Blaine, part	-	-	-	-	-
Grant	70	85	-	-	1	Maplewood	286	3	2	2	2
Hennepin	9,447	8,250	153	96	87	Mounds View	56	1	-	-	2
White	8,864	7,712	106	71	55	New Brighton	151	1	-	-	5
All other	583	538	47	25	32	North St. Paul	80	1	1	1	5
Black	404	380	35	21	28	Roseville	309	1	1	1	23
Bloomington	612	5	3	3	3	St. Paul	2,475	24	12	5	10
Brooklyn Center	229	4	2	3	3	White	2,271	12	7	13	13
Brooklyn Park	177	10	6	2	2	All other	204	12	7	6	6
Crystal	182	1	3	3	3	Black	140	4	1	1	6
Eden Prairie	123	7	5	2	2	Shoreview	86	1	1	-	-
Edina	448	5	3	2	2	White Bear Lake, part	185	4	3	3	3
Golden Valley	191	1	1	1	1	White Bear Lake, total	186	4	3	3	3
Hopkins	198	6	2	1	1	Balance of county	320	10	7	2	2
Maple Grove	85	8	7	2	2	Red Lake	23	49	-	-	1
Minneapolis	3,773	68	40	48	48	Redwood	183	215	-	-	1
White	3,323	29	18	21	21	Renville	171	217	-	-	1
All other	450	39	22	27	27	Rice	419	434	6	3	5
Black	331	30	18	24	24	Faribault	212	4	2	3	3
Minnetonka	221	4	4	2	2	Northfield, part	132	2	2	-	-
New Hope	327	4	2	1	1	Northfield, total	133	2	2	-	-
Plymouth	151	6	3	5	5	Balance of county	90	-	-	-	2
Richfield	287	10	8	2	2	Rock	106	112	2	2	-
Robbinsdale	175	1	1	2	2	Roseau	109	132	2	1	-
St. Louis Park	497	5	3	5	5	St. Louis	2,516	2,194	12	8	13
Balance of county	574	8	5	4	4	Duluth	1,019	8	6	8	8
Houston	139	203	2	1	-	Hibbing	225	1	-	-	-
Hubbard	187	164	4	2	-	Virginia	155	3	2	5	5
Isanti	204	206	2	2	2	Balance of county	795	8	6	6	7
Itasca	396	446	2	2	4	Scott	348	325	8	6	7
Jackson	93	120	-	-	1	Sherburne	235	282	6	3	7
Kanabec	96	110	1	4	1	St. Cloud, part	86	-	-	-	1
Kandiyohi	365	357	6	2	4	Balance of county	194	6	3	6	6
Willmar	202	5	1	1	1	Sibley	102	158	-	-	2
Balance of county	155	1	1	3	3	Stearns	935	733	14	10	3
Kittson	89	88	1	1	-	St. Cloud, part	329	7	3	4	4
Koochiching	118	151	1	2	2	St. Cloud, total	329	8	7	1	1
Lac qui Parle	89	114	1	1	1	Balance of county	528	8	7	1	-
Lake	100	125	-	-	-	Steele	231	258	3	1	-
Lake of the Woods	49	42	-	-	-	Owatonna	160	3	1	-	-
Le Sueur	127	211	3	-	-	Balance of county	98	1	-	-	1
Lincoln	111	112	1	1	-	Stevens	93	97	1	-	-
Lyon	225	251	1	-	1	Swift	104	142	-	-	-
Marshall	106	106	-	-	-	Todd	131	232	1	1	2
Balance of county	145	1	-	1	1	Traverse	53	62	-	-	-
McLeod	271	302	5	5	2	Wabasha	171	194	-	-	2

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 42

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 42 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Minnesota-Con.					Mississippi-Con.						
Wadena	212	185	2	-	1	Claiborne	99	138	-	-	2
Waseca	117	160	2	1	3	White	19	31	-	-	-
Washington	525	779	13	11	6	All other	80	107	-	-	2
Cottage Grove	---	61	5	4	-	Black	80	107	-	-	2
Hastings, part	---	---	---	---	---	Clarke	146	231	3	2	-
Oakdale	---	70	1	1	1	White	95	164	3	2	-
Stillwater	---	177	-	-	1	All other	51	67	-	-	-
White Bear Lake, part	---	1	-	-	-	Black	51	67	-	-	-
Woodbury	---	133	1	1	1	Clay	192	227	3	2	3
Balance of county	---	337	6	5	3	White	122	139	2	1	-
Watonwan	130	127	1	1	1	All other	70	88	1	1	3
Wilkin	141	100	-	-	-	Black	70	88	1	1	3
Winona	410	450	5	2	4	Coahoma	385	398	12	9	7
Winona	---	309	-	-	2	White	145	161	-	-	-
Balance of county	---	141	5	2	2	All other	240	237	12	9	7
Wright	366	454	9	6	6	Black	240	237	12	9	7
Yellow Medicine	143	147	2	1	-	Clarksdale	---	278	9	7	1
						White	---	122	-	-	-
Mississippi	25,668	26,399	484	300	471	All other	---	156	9	7	1
White	16,541	17,090	179	112	155	Black	---	156	9	7	1
All other	9,127	9,309	305	188	316	Balance of county	---	120	3	2	6
Black	9,045	9,228	300	186	315	White	---	39	-	-	-
All other	---	---	---	---	---	All other	---	81	3	2	6
Black	---	---	---	---	---	Black	---	81	3	2	6
Adams	510	434	6	5	6	Copiah	198	305	4	3	3
White	237	198	-	-	3	White	114	165	2	2	-
All other	273	236	6	5	3	All other	84	140	2	1	3
Black	273	236	6	5	3	Black	84	140	2	1	3
Natchez	---	318	1	1	3	Covington	105	180	4	3	2
White	---	143	-	-	3	White	72	119	1	-	2
All other	---	175	1	1	-	All other	33	61	3	3	-
Black	---	175	1	1	-	Black	33	61	3	3	-
Balance of county	---	116	5	4	3	De Soto	398	507	7	5	12
White	---	55	-	-	-	White	311	427	6	4	7
All other	---	61	5	4	3	All other	87	80	1	1	5
Black	---	61	5	4	3	Black	87	79	1	1	5
Alcorn	352	388	7	5	1	Forrest	1,051	709	19	12	14
White	322	351	7	5	-	White	741	493	8	5	6
All other	30	37	-	-	1	All other	310	216	11	7	8
Black	30	36	-	-	1	Black	307	215	11	7	8
Corinth	---	200	1	1	-	Hattiesburg, part	---	516	14	9	11
White	---	170	1	1	-	White	---	322	4	3	3
All other	---	30	-	-	-	All other	---	194	10	6	8
Black	---	29	-	-	-	Black	---	193	10	6	8
Balance of county	---	188	6	4	1	Hattiesburg, total	---	531	15	10	11
Amite	54	136	-	-	1	White	---	335	4	3	8
White	31	83	-	-	-	All other	---	196	11	7	8
All other	23	53	-	-	1	Black	---	195	11	7	8
Black	23	53	-	-	1	Balance of county	---	193	5	3	3
Attala	178	248	2	1	3	White	---	171	4	2	3
White	123	164	-	-	2	All other	---	22	1	1	-
All other	55	84	2	1	1	Black	---	22	1	1	-
Black	55	84	2	1	1	Franklin	70	111	4	2	5
Benton	33	84	1	1	-	White	48	76	-	-	1
White	24	55	-	-	-	All other	22	35	4	2	4
All other	9	29	1	1	-	Black	22	35	4	2	4
Black	9	29	1	1	-	George	133	168	4	3	3
Bolivar	431	477	10	4	12	Greene	35	103	-	-	4
White	175	207	3	1	-	White	30	83	-	-	2
All other	256	270	7	3	12	All other	5	20	-	-	2
Black	254	267	7	3	12	Black	5	20	-	-	2
Cleveland	---	168	3	2	4	Grenada	247	249	3	1	2
White	---	92	2	1	-	White	149	153	-	-	-
All other	---	76	1	1	4	All other	98	96	3	1	2
Black	---	76	1	1	4	Black	97	95	3	1	2
Balance of county	---	309	7	2	8	Grenada	---	189	2	1	2
White	---	115	1	-	-	White	---	111	-	-	-
All other	---	194	6	2	8	All other	---	78	2	1	2
Black	---	191	6	2	8	Black	---	78	2	1	2
Calhoun	122	190	10	7	3	Balance of county	---	60	1	-	-
White	85	139	6	6	1	White	---	42	-	-	-
All other	37	51	4	1	2	All other	---	18	1	-	-
Black	37	51	4	1	2	Black	---	17	1	-	-
Carroll	37	79	1	-	1	Hancock	237	331	4	1	2
White	25	44	-	-	-	White	212	301	2	1	2
All other	12	35	1	-	1	All other	25	30	2	-	-
Black	12	35	1	-	1	Black	25	30	2	-	-
Chickasaw	130	183	5	5	5	Harrison	1,873	1,606	22	13	45
White	86	115	2	2	4	White	1,518	1,291	16	10	29
All other	44	68	3	3	1	All other	355	315	6	3	16
Black	44	67	3	3	1	Black	344	306	6	3	15
Choctaw	66	103	-	-	4	Biloxi	---	431	8	5	14
White	41	69	-	-	2	White	---	366	6	5	5
All other	25	34	-	-	2	All other	---	65	2	-	9
Black	25	34	-	-	2	Black	---	59	2	-	8
						Guilford	---	545	7	4	16
						White	---	407	5	3	10
						All other	---	138	2	1	6
						Black	---	136	2	1	6

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 43

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 43 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more.]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Mississippi-Con.					Mississippi-Con.						
Balance of county	---	630	7	4	15	Balance of county	---	217	4	3	3
White	---	518	5	2	14	White	---	176	3	2	3
All other	---	112	2	2	1	All other	---	41	1	1	-
Black	---	111	2	2	1	Black	---	41	1	1	-
Hinds	4,094	2,416	50	37	77	Lauderdale	1,179	803	6	3	14
White	2,238	1,251	9	5	16	White	793	532	-	-	2
All other	1,856	1,165	41	32	61	All other	386	271	6	3	12
Black	1,849	1,164	41	32	61	Black	373	271	6	3	12
Clinton	---	167	5	5	4	Meridian	---	554	3	1	10
Jackson, part	---	1,992	39	27	60	White	---	343	-	-	1
White	---	1,022	5	2	10	All other	---	211	3	1	9
All other	---	970	34	25	50	Black	---	211	3	1	9
Black	---	969	34	25	50	Balance of county	---	249	3	2	4
Jackson, total	---	1,994	39	27	60	White	---	189	-	-	1
White	---	1,024	5	2	10	All other	---	60	3	2	3
All other	---	970	34	25	50	Black	---	60	3	2	3
Black	---	969	34	25	50	Lawrence	80	121	3	3	-
Balance of county	---	257	6	5	13	White	---	56	89	2	2
White	---	109	2	1	4	All other	---	24	32	1	-
All other	---	148	4	4	9	Black	---	24	32	1	-
Black	---	148	4	4	9	Leake	186	243	6	2	1
Holmes	242	324	6	3	9	White	135	160	1	-	-
White	80	103	-	-	-	All other	51	83	5	2	1
All other	162	221	6	3	9	Black	48	76	3	1	1
Black	162	221	6	3	9	Lee	1,314	717	22	14	12
Humphreys	80	115	1	-	10	White	1,031	547	11	6	5
White	31	46	-	-	-	All other	283	170	11	8	7
All other	49	69	1	-	10	Black	280	168	11	8	7
Black	47	67	1	-	10	Tupelo	---	348	8	5	5
Issaquena	5	13	-	-	-	White	---	262	2	1	2
White	1	6	-	-	-	All other	---	86	6	4	4
All other	4	7	-	-	-	Black	---	84	6	6	5
Black	4	7	-	-	-	Balance of county	---	369	14	9	5
Itawamba	83	197	2	-	1	White	---	285	9	5	3
Jackson	813	912	17	11	12	All other	---	84	5	4	2
White	657	732	11	7	7	Black	---	84	5	4	2
All other	156	180	6	4	5	Leflore	451	443	9	6	5
Black	150	174	6	4	5	White	192	202	-	-	1
Moss Point	---	181	3	2	1	All other	259	241	9	6	4
White	---	82	-	-	-	Black	258	241	9	6	4
All other	---	99	3	2	1	Greenwood	---	263	7	4	2
Black	---	99	3	2	1	White	---	118	-	-	2
Ocean Springs	---	153	3	3	-	All other	---	145	7	4	4
Pascagoula	---	253	5	3	3	Black	---	145	7	4	4
White	---	211	4	2	2	Balance of county	---	180	2	2	3
All other	---	42	1	1	1	White	---	84	-	-	1
Black	---	40	1	1	1	All other	---	96	2	2	2
Balance of county	---	325	6	3	8	Black	---	96	2	2	2
Jasper	75	162	-	-	5	Lincoln	284	343	3	3	3
White	44	93	-	-	1	White	195	237	-	-	2
All other	31	69	-	-	4	All other	89	106	-	-	4
Black	31	69	-	-	4	Black	89	106	-	-	4
Jefferson	49	91	4	3	-	Brookhaven	---	182	1	1	-
White	7	13	-	-	-	White	---	115	1	1	-
All other	42	78	4	3	-	All other	---	67	-	-	1
Black	42	78	4	3	-	Black	---	67	-	-	1
Jefferson Davis	107	169	1	1	5	Balance of county	---	161	2	2	5
White	52	79	-	-	-	White	---	122	2	2	2
All other	55	90	1	1	5	All other	---	39	-	-	3
Black	55	90	1	1	5	Black	---	39	-	-	3
Jones	602	697	11	6	7	Lowndes	545	510	21	16	8
White	434	529	3	1	5	White	333	310	5	5	1
All other	168	168	8	5	2	All other	212	200	16	11	7
Black	167	167	8	5	2	Black	212	200	16	11	7
Laurel	---	305	4	1	3	Columbus	---	340	18	14	2
White	---	186	1	1	1	White	---	172	4	4	2
All other	---	119	3	1	2	All other	---	168	14	10	2
Black	---	118	3	1	2	Black	---	168	14	10	2
Balance of county	---	392	7	5	4	Balance of county	---	170	3	2	1
White	---	343	2	1	4	White	---	138	1	1	5
All other	---	49	5	4	-	All other	---	32	2	1	5
Black	---	49	5	4	-	Black	---	32	2	1	5
Kemper	65	120	-	-	2	Madison	211	443	13	5	9
White	37	60	-	-	1	White	81	213	4	4	1
All other	28	60	-	-	1	All other	130	230	9	5	8
Black	27	58	-	-	1	Black	130	229	9	5	8
Lafayette	358	234	5	3	1	Canton	---	162	7	4	7
White	249	157	1	1	-	White	---	52	1	1	7
All other	109	77	4	2	1	All other	---	110	6	4	4
Black	108	76	3	2	1	Black	---	109	6	4	7
Lamar	334	232	5	4	3	Balance of county	---	281	6	1	2
White	267	189	3	2	3	White	---	161	3	3	1
All other	67	43	2	2	-	All other	---	120	3	1	1
Black	67	43	2	2	-	Black	---	120	3	1	1
Hattiesburg, part	---	15	1	1	-	Marion	215	298	1	1	3
						White	161	213	1	1	1
						All other	54	85	-	-	2
						Black	54	85	-	-	2

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 44

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 44 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Mississippi-Con.					Mississippi-Con.						
Marshall	187	307	7	4	3	Balance of county	---	545	7	5	11
White	85	157	2	1	1	White	---	419	5	4	5
All other	102	150	5	3	2	All other	---	126	2	1	6
Black	102	150	5	3	2	Black	---	125	2	1	6
Monroe	279	360	3	2	2	Scott	213	283	8	2	6
White	217	271	3	2	1	White	144	180	2	1	4
All other	62	89	—	—	1	All other	69	103	6	1	2
Black	62	89	—	—	1	Black	68	103	6	1	2
Montgomery	135	159	1	1	1	Sharkey	65	97	2	1	1
White	81	98	1	1	1	White	24	33	—	—	—
All other	54	61	—	—	—	All other	41	64	2	1	1
Black	53	61	—	—	—	Black	41	64	2	1	1
Neshoba	153	284	5	4	2	Simpson	209	263	10	7	5
White	108	200	3	3	—	White	147	188	4	3	1
All other	45	84	2	1	2	All other	62	75	6	4	4
Black	29	54	—	—	2	Black	62	74	6	4	4
Newton	191	220	3	2	1	Smith	62	152	4	2	—
White	131	154	1	1	1	White	51	132	3	1	—
All other	60	66	2	1	—	All other	11	20	1	1	—
Black	55	61	—	—	—	Black	11	20	1	1	—
Noxubee	117	141	5	2	2	Stone	54	123	—	—	—
White	52	58	1	1	—	White	48	101	—	—	—
All other	65	83	4	1	2	All other	6	22	—	—	—
Black	65	83	4	1	2	Black	6	22	—	—	—
Oktibbeha	235	251	2	1	6	Sunflower	275	344	7	5	9
White	128	141	1	1	3	White	121	141	—	—	—
All other	107	110	1	1	3	All other	154	203	7	5	9
Black	107	110	1	1	3	Black	154	203	7	5	9
Starkville	---	120	2	1	2	Tallahatchie	78	145	4	1	5
White	---	67	1	1	1	White	35	71	—	—	1
All other	---	53	1	1	1	All other	43	74	4	1	4
Black	---	53	1	1	1	Black	43	74	4	1	4
Balance of county	---	131	—	—	4	Tate	129	228	2	2	2
White	---	74	—	—	2	White	78	144	1	1	—
All other	---	57	—	—	2	All other	51	84	1	1	2
Black	---	57	—	—	2	Black	51	84	1	1	2
Panola	218	347	9	5	4	Tippah	170	242	1	—	3
White	133	218	1	—	—	White	144	207	1	—	—
All other	85	129	8	5	4	All other	26	35	—	—	—
Black	85	129	8	5	4	Black	26	35	—	—	—
Pearl River	290	408	6	2	6	Tishomingo	139	233	3	3	3
White	230	331	4	2	2	White	45	88	3	2	1
All other	60	77	2	—	4	All other	16	22	—	—	—
Black	60	77	2	—	4	Black	29	66	3	2	1
Picayune	---	169	1	—	4	Black	29	66	3	2	1
White	---	108	—	—	—	Union	219	235	6	3	2
All other	---	61	1	—	4	White	179	200	4	1	1
Black	---	61	1	—	4	All other	40	35	2	2	1
Balance of county	---	239	5	2	2	Black	40	35	2	2	1
Perry	77	103	4	2	1	Walthall	109	146	—	—	—
White	62	81	2	2	1	White	65	89	—	—	1
All other	15	22	2	—	—	All other	44	57	—	—	—
Black	15	22	2	—	—	Black	44	57	—	—	—
Pike	418	413	5	3	6	Warren	575	534	12	8	13
White	266	259	—	—	1	White	303	300	6	4	2
All other	152	154	5	3	5	All other	272	234	6	4	11
Black	151	154	5	3	5	Black	272	234	6	4	11
McComb	---	172	1	—	2	Vicksburg	---	407	11	8	11
White	---	121	—	—	—	White	---	201	5	4	—
All other	---	51	1	—	2	All other	---	206	6	4	11
Black	---	51	1	—	2	Black	---	206	6	4	11
Balance of county	---	241	4	3	4	Balance of county	---	127	1	—	2
White	---	138	—	—	1	White	---	99	1	—	2
All other	---	103	4	3	3	All other	---	28	—	—	—
Black	---	103	4	3	3	Black	---	28	—	—	—
Pontotoc	149	240	3	2	—	Washington	795	771	15	9	22
White	132	212	1	1	—	White	324	323	3	2	3
All other	17	28	2	1	—	All other	471	448	12	7	19
Black	17	28	2	1	—	Black	469	446	12	7	19
Prentiss	148	195	1	1	1	Greenville	---	539	9	4	20
White	134	172	1	1	1	White	---	229	3	2	2
All other	14	23	—	—	—	All other	---	310	6	2	18
Black	14	23	—	—	—	Black	---	310	6	2	18
Quitman	72	119	6	4	2	Balance of county	---	232	6	5	2
White	24	44	1	—	—	White	---	94	—	—	1
All other	48	75	5	4	2	All other	---	138	6	5	1
Black	48	75	5	4	2	Black	---	138	6	5	1
Rankin	528	674	9	5	14	Wayne	180	176	2	—	5
White	403	536	7	4	7	White	123	123	2	—	3
All other	125	138	2	1	7	All other	57	53	—	—	2
Black	125	137	2	1	7	Black	57	53	—	—	2
Jackson, part	---	2	—	—	—	Webster	89	119	1	1	—
Pearl	---	127	2	—	3	White	71	99	—	—	—
White	---	115	2	—	2	All other	18	20	1	1	—
All other	---	12	—	—	1	Black	18	20	1	1	—
Black	---	12	—	—	1	Wilkinson	133	122	2	2	1
						White	55	43	1	1	—
						All other	78	79	1	1	1
						Black	78	79	1	1	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 45

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 45 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Mississippi-Con.					Missouri-Con.						
Winston	179	232	4	3	2	Jefferson City, part	---	404	8	6	5
White	116	151	1	1	1	White	---	394	7	5	1
All other	63	81	3	2	1	All other	---	10	1	1	---
Black	62	79	3	2	1	Black	---	10	1	1	5
Yalobusha	70	156	2	1	2	Jefferson City, total	---	405	8	6	5
White	57	111	---	---	1	White	---	394	7	5	5
All other	13	45	2	1	1	All other	---	11	1	1	---
Black	13	45	2	1	1	Black	---	11	1	1	---
Yazoo	229	301	10	3	7	Balance of county	---	117	3	1	2
White	125	150	3	1	1	Cooper	141	165	3	3	1
All other	104	151	7	2	6	Crawford	179	245	1	1	---
Black	104	151	7	2	6	Dade	55	79	1	---	1
Yazoo City	---	193	8	3	3	Dallas	79	145	1	---	3
White	---	88	1	1	---	Daviess	55	128	1	1	1
All other	---	105	7	2	3	De Kalb	54	138	1	1	---
Black	---	105	7	2	3	Dent	131	165	1	1	---
Balance of county	---	108	2	---	4	Douglas	78	139	---	---	2
White	---	62	2	---	1	Dunklin	351	473	5	3	8
All other	---	46	---	---	3	Kennett	---	168	1	---	4
Black	---	46	---	---	3	Balance of county	---	305	4	3	4
Missouri	55,322	53,746	633	388	488	Franklin	651	785	4	1	11
White	49,328	47,983	436	269	328	Gasconade	135	195	1	1	2
All other	5,994	5,763	197	119	160	Gentry	109	107	---	---	---
Black	5,819	5,608	193	116	156	Greene	3,322	2,102	21	13	20
Adair	341	235	2	---	---	Springfield	---	1,692	14	8	15
Kirkville	---	190	1	---	---	Balance of county	---	410	7	5	5
Balance of county	---	45	1	---	---	Grundy	180	192	3	3	---
Andrew	104	166	4	4	---	Harrison	97	153	1	---	1
Atchison	124	120	---	---	---	Henry	312	294	4	2	2
Audrain	325	296	4	3	---	Hickory	65	133	---	---	---
Mexico	---	192	2	1	---	Holt	42	96	---	---	---
Balance of county	---	104	2	2	---	Howard	82	124	---	---	1
Barry	269	376	7	6	1	Howell	522	414	4	3	4
Barton	114	164	---	---	1	Iron	154	185	1	1	1
Bates	177	225	2	1	2	Jackson	7,511	6,464	102	55	63
Benton	129	238	---	---	2	White	6,102	5,078	48	28	31
Bollinger	65	140	---	---	2	All other	1,409	1,386	54	27	32
Boone	1,753	770	14	10	13	Black	1,373	1,356	54	27	32
Columbia	---	528	13	9	8	Blue Springs	---	254	7	4	2
White	---	460	9	5	5	Grandview	---	163	3	2	3
All other	---	68	4	4	3	Independence, part	---	1,094	5	4	7
Black	---	56	4	4	3	Independence, total	---	1,094	5	4	7
Balance of county	---	242	1	1	5	Kansas City, part	---	3,903	77	43	45
Buchanan	1,209	1,063	13	10	12	White	---	2,579	25	17	14
St. Joseph	---	956	12	10	12	All other	---	1,324	52	26	31
Balance of county	---	107	1	---	---	Black	---	1,305	52	26	31
Butler	825	529	9	5	3	Kansas City, total	---	4,564	88	46	53
Poplar Bluff	---	296	4	1	1	White	---	3,227	35	20	22
Balance of county	---	233	5	4	2	All other	---	1,337	53	26	31
Caldwell	50	129	---	---	---	Black	---	1,314	53	26	31
Callaway	195	303	1	1	3	Lee's Summit, part	---	463	5	1	1
Fulton	---	146	---	---	1	Lee's Summit, total	---	463	5	1	1
White	---	139	---	---	1	Raytown	---	345	2	1	4
All other	---	7	---	---	---	Balance of county	---	242	3	1	4
Black	---	7	---	---	---	Jasper	1,171	1,081	12	9	11
Jefferson City, part	---	1	---	---	---	Carthage	---	173	1	1	2
Balance of county	---	156	1	1	2	Joplin, part	---	508	9	6	3
Camden	269	316	2	2	---	Joplin, total	---	582	9	6	4
Cape Girardeau	1,134	588	7	4	3	Balance of county	---	400	2	5	6
Cape Girardeau	---	369	4	2	3	Jefferson	881	1,263	12	5	19
Balance of county	---	219	3	2	---	Arnold	---	127	---	---	4
Carroll	99	152	2	1	---	Balance of county	---	1,136	12	5	15
Carter	29	81	1	---	---	Johnson	261	301	3	1	---
Cass	435	558	7	3	7	Warrensburg	---	143	2	1	---
Belton	---	136	2	2	4	Balance of county	---	158	1	---	---
Lee's Summit, part	---	---	---	---	---	Knox	21	59	---	---	---
Balance of county	---	422	5	1	3	Laclede	261	341	3	1	4
Cedar	150	199	4	---	1	Lafayette	275	390	3	2	4
Chariton	72	135	---	---	1	Lawrence	342	403	6	4	3
Christian	192	297	2	2	2	Lewis	93	144	---	---	1
Clark	45	114	2	1	---	Lincoln	198	258	3	1	3
Clay	1,483	1,226	16	4	15	Linn	147	197	---	---	2
Excelsior Springs, part	---	122	1	---	4	Livingston	211	202	---	---	1
Excelsior Springs, total	---	126	1	---	4	McDonatd	66	189	1	---	4
Gladstone	---	226	2	1	4	Macon	175	294	6	4	---
Independence, part	---	---	---	---	---	Madison	144	167	2	1	1
Kansas City, part	---	480	8	1	6	Maries	104	1	---	---	---
Liberty	---	177	4	1	1	Marion	378	355	6	5	4
Balance of county	---	221	1	1	1	Hannibal, part	---	232	6	5	3
Clinton	220	202	1	1	2	Hannibal, total	---	238	6	5	3
Cole	815	521	11	7	7	Balance of county	---	123	---	---	1
						Mercer	20	54	1	1	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 46

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 46 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more.]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Missouri-Con.					Missouri-Con.						
Miller	99	228	2	1	2	Hazelwood	---	95	--	--	1
Mississippi	88	208	2	2	1	Jennings	---	184	--	--	2
White	70	164	2	2	1	White	---	138	--	--	--
All other	18	44	--	--	1	All other	---	46	--	--	2
Black	18	44	--	--	1	Black	---	46	--	--	2
Moniteau	70	137	--	--	1	Kirkwood	---	284	1	1	1
Monroe	52	122	--	--	1	Maplewood	---	103	3	1	--
Montgomery	90	162	--	--	--	Overland	---	146	1	1	1
Morgan	136	200	1	--	--	Richmond Heights	---	108	1	1	2
New Madrid	116	267	5	4	1	White	---	86	1	1	1
White	97	230	4	3	1	All other	---	22	--	--	1
All other	19	37	1	1	--	Black	---	22	--	--	1
Black	19	37	1	1	--	St. Ann	---	145	2	2	2
Sikeston, part	---	6	--	--	--	University City	---	399	6	5	6
Balance of county	---	261	5	4	1	White	---	225	1	1	2
White	---	225	4	3	1	All other	---	174	5	4	4
All other	---	36	1	1	--	Black	---	171	5	4	4
Black	---	36	1	1	--	Webster Groves	---	225	2	2	1
Newton	747	470	6	4	6	Balance of county	---	5,850	63	42	50
Joplin, part	---	74	--	--	1	White	---	5,188	38	27	23
Balance of county	---	396	6	4	5	All other	---	662	25	15	27
Nodaway	163	199	1	1	1	Black	---	640	23	13	25
Oregon	48	143	2	1	1	St. Louis city	6,575	5,303	90	54	72
Osage	54	120	1	--	2	White	3,924	2,891	13	7	11
Ozark	57	110	--	--	--	All other	2,651	2,412	77	47	61
Pemiscot	228	311	8	5	5	Black	2,629	2,396	77	47	61
White	165	243	4	3	3	Saline	237	294	1	--	1
All other	63	68	4	2	2	Marshall	---	132	1	--	--
Black	63	68	4	2	2	Balance of county	---	162	--	--	1
Perry	128	175	4	4	4	White	---	151	--	--	1
Pettis	439	451	3	3	3	All other	---	11	--	--	--
Sedalia	---	300	1	1	2	Black	---	11	--	--	--
Balance of county	---	151	2	2	1	Schuyler	33	65	--	--	--
Pheps	503	385	4	1	4	Scotland	66	75	1	--	--
Rolla	---	170	3	--	1	Scott	447	410	10	7	3
Balance of county	---	215	1	1	3	Sikeston, part	---	200	6	5	2
Pike	135	188	3	2	2	White	---	180	4	3	1
Platte	316	380	7	4	3	All other	---	20	2	2	1
Kansas City, part	---	181	3	2	2	Black	---	20	2	2	1
Balance of county	---	199	4	2	1	Sikeston, total	---	206	6	5	2
Polk	280	275	3	2	1	White	---	185	4	3	1
Pulaski	158	266	3	2	1	All other	---	21	2	2	1
White	152	257	3	2	1	Black	---	21	2	2	1
All other	6	9	--	--	--	Balance of county	---	210	4	2	1
Black	5	7	--	--	--	White	---	205	4	2	1
Putnam	51	73	--	--	--	All other	---	5	--	--	--
Ralls	45	85	--	--	--	Black	---	4	--	--	--
Hannibal, part	---	6	--	--	--	Shannon	46	94	--	--	1
Balance of county	---	79	--	--	--	Shelby	68	103	--	--	--
Randolph	274	309	3	3	2	Stoddard	267	354	--	--	--
Moberly	---	223	2	2	1	Stone	130	258	2	1	1
Balance of county	---	86	1	1	1	Sullivan	76	115	--	--	1
Ray	151	242	2	2	3	Taney	324	348	2	1	--
Excelsior Springs, part	---	4	--	--	--	Texas	205	266	1	1	2
Balance of county	---	238	2	2	3	Vernon	210	248	3	--	2
Reynolds	56	78	--	--	--	Warren	72	202	2	1	1
Ripley	94	179	2	1	--	Washington	166	222	5	2	3
St. Charles	1,152	1,176	19	14	12	Wayne	76	160	4	4	1
St. Charles	---	459	4	3	7	Webster	142	250	2	1	2
St. Peters	---	153	3	2	2	Worth	21	44	--	--	--
Balance of county	---	564	12	9	3	Wright	101	227	1	1	3
St. Clair	116	129	--	--	1	Montana	7,434	7,472	84	51	75
St. Genevieve	88	123	1	--	--	White	7,087	7,125	69	44	68
St. Francois	589	604	4	1	6	All other	347	347	15	7	7
St. Louis	9,936	9,107	96	67	79	Black	14	12	1	--	--
White	8,901	8,016	56	41	33	Beaverhead	88	82	1	--	1
All other	1,035	1,091	40	26	46	Big Horn	74	102	1	--	2
Black	1,000	1,058	38	24	44	White	49	56	--	--	1
Ballwin	---	98	--	--	1	All other	25	46	1	--	1
Bellefontaine Neighbors	---	129	1	1	--	Black	---	1	--	--	--
Berkeley	---	110	3	2	5	Blaine	29	73	2	1	1
White	---	52	--	--	--	White	17	50	--	--	--
All other	---	58	3	2	5	All other	12	23	2	1	1
Black	---	58	3	2	5	Black	---	---	--	--	--
Bridgeton	---	148	1	--	2	Broadwater	37	41	--	--	--
Clayton	---	115	1	1	--	Carbon	75	94	2	1	1
Crestwood	---	97	--	--	1	Carter	7	20	--	--	--
Creve Coeur	---	116	1	1	--	Cascade	796	716	7	3	10
Ferguson	---	228	3	2	2	Great Falls	---	610	6	3	10
White	---	195	2	2	--	Balance of county	---	106	1	--	--
All other	---	33	1	--	2	Chouteau	62	77	--	--	--
Black	---	33	1	--	2	Custer	186	148	2	1	--
Florissant	---	527	7	5	2	Daniels	32	38	--	--	--

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 47

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 47 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more.]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Montana-Con.					Nebraska						
Dawson	83	94	1	1	1	White	15,178	15,026	212	123	152
Deer Lodge, coext. with Anaconda-Deer Lodge	105	139	-	-	1	All other	14,641	14,492	176	101	132
Fallon	30	37	-	-	-	Black	537	534	36	22	20
Fergus	184	195	-	-	1	Adams	435	435	33	19	11
Flathead	590	582	4	3	4	Hastings	321	310	3	2	3
Kallispell	---	224	3	3	2	Balance of county	---	261	3	2	1
Balance of county	---	358	1	-	2	Antelope	91	106	1	-	2
Gallatin	267	296	4	3	4	Arthur	---	7	-	-	-
Bozeman	---	157	3	3	2	Banner	2	4	-	-	-
Balance of county	---	139	1	-	2	Blaine	1	2	-	-	-
Garfield	5	10	1	-	-	Boone	82	85	1	1	1
Glacier	72	83	2	2	-	Box Butte	110	127	1	1	1
White	37	44	-	-	-	Boyd	43	47	-	-	-
All other	35	39	2	2	-	Brown	40	44	1	1	-
Black	1	4	-	-	-	Buffalo	427	309	6	4	3
Golden Valley	1	21	-	-	-	Kearney	---	179	5	4	2
Granite	13	21	-	-	-	Balance of county	---	130	1	-	1
Hill	149	131	3	-	-	Burt	77	114	-	-	-
White	123	112	2	-	-	Butler	105	117	1	-	2
All other	26	19	1	-	-	Cass	86	212	4	4	2
Black	---	---	-	-	-	Cedar	64	105	1	1	-
Havre	---	94	2	-	-	Chase	59	51	-	-	-
Balance of county	---	37	1	-	-	Cherry	62	67	-	-	-
White	---	20	-	-	-	Cheyenne	103	98	1	1	2
All other	---	17	1	-	-	Clay	47	96	1	-	1
Black	---	---	-	-	-	Colfax	77	89	2	2	1
Jefferson	41	59	-	-	-	Cuming	90	104	1	1	2
Judith Basin	5	17	-	-	-	Custer	149	170	-	-	1
Lake	153	203	3	3	5	Dakota	94	157	8	5	1
White	129	164	1	1	4	Dawes	113	110	-	-	-
All other	24	39	2	2	1	Dawson	226	234	4	3	3
Black	---	---	-	-	-	Deuel	15	35	-	-	-
Lewis and Clark	422	395	8	4	6	Dixon	38	79	-	-	-
Helena	---	259	5	3	5	Dodge	386	399	4	2	1
Balance of county	---	136	3	1	1	Fremont	---	288	3	2	1
Liberty	25	23	-	-	-	Balance of county	---	111	1	-	-
Lincoln	122	152	2	2	2	Douglas	4,440	3,489	69	40	44
McCone	13	20	1	-	-	White	4,029	3,076	43	25	31
Madison	69	65	1	1	-	All other	411	413	26	15	13
Meagher	18	16	-	-	1	Black	389	392	26	15	11
Mineral	29	30	-	-	1	Omaha	---	3,205	61	37	38
Missoula	751	611	8	6	9	White	---	2,796	35	22	25
Balance of county	---	474	4	3	6	All other	---	409	26	15	13
Musselshell	36	62	-	-	-	Black	---	389	26	15	11
Park	117	132	1	1	2	Balance of county	---	284	8	3	6
Petroleum	---	5	-	-	-	Dundy	26	35	-	-	-
Phillips	36	43	-	-	2	Fillmore	102	104	1	-	-
Pondera	47	55	-	-	1	Franklin	51	67	-	-	-
Powder River	12	17	-	-	-	Frontier	18	27	-	-	-
Powell	81	87	1	1	2	Furnas	85	97	-	-	-
Prairie	10	13	-	-	-	Gage	264	290	2	2	1
Ravall	225	265	2	2	1	Beatrice	---	190	2	2	1
Richland	107	122	3	1	1	Balance of county	---	100	-	-	-
Roosevelt	103	110	3	2	1	Garden	34	42	-	-	1
White	60	64	1	1	-	Garfield	18	38	-	-	-
All other	43	46	2	1	1	Gosper	20	29	-	-	-
Black	---	---	-	-	-	Grant	5	8	-	-	-
Rosebud	57	73	1	1	3	Greeley	16	30	-	-	-
White	48	56	-	-	1	Hall	587	481	7	5	4
All other	9	17	1	1	2	Grand Island	---	414	5	4	4
Black	1	---	-	-	-	Balance of county	---	67	2	1	-
Sanders	74	101	2	-	-	Hamilton	105	112	-	-	1
Sheridan	43	50	-	-	1	Harlan	51	55	-	-	-
Silver Bow	405	397	4	3	-	Hayes	---	9	-	-	-
Butte-Silver Bow	---	385	2	1	-	Hitchcock	19	41	2	1	-
Balance of county	---	12	2	2	-	Holt	112	130	1	-	1
Stillwater	73	76	-	-	1	Hooker	19	23	-	-	-
Sweet Grass	23	34	-	-	-	Howard	61	77	2	1	-
Teton	55	72	1	-	1	Jefferson	99	125	-	-	-
Toole	40	48	1	-	-	Johnson	53	62	-	-	-
Treasure	1	14	-	-	-	Kearney	58	80	-	-	1
Valley	99	107	-	-	-	Keith	60	71	-	-	1
Wheatland	23	28	-	-	-	Keya Paha	3	14	1	1	-
Wibaux	9	11	-	-	-	Kimball	56	54	-	-	-
Yellowstone	1,225	976	12	9	9	Knox	99	158	1	1	1
Billings	---	789	8	6	6						
Balance of county	---	187	4	3	3						
Yellowstone National Park	---	---	-	-	-						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 48

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 48 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more.]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Nebraska-Con.					Nevada-Con.						
Lancaster	1,829	1,516	31	19	25	Douglas	161	231	-	-	3
Lincoln	---	1,414	29	19	23	Elko	141	159	5	1	6
Balance of county	---	102	2	-	2	Esmeralda	11	11	-	-	1
Lincoln	300	293	4	2	3	Eureka	5	9	-	-	-
North Platte	---	233	4	2	2	Humboldt	73	85	1	-	-
Balance of county	---	60	-	-	1	Lander	20	25	-	-	-
Logan	1	5	-	-	1	Lincoln	42	41	1	1	-
Loup	4	13	-	-	-	Lyon	128	262	2	1	11
McPherson	4	7	-	-	-	Mineral	41	61	-	-	3
Madison	411	389	10	4	5	White	36	53	-	-	1
Norfolk	---	252	8	3	3	All other	5	8	-	-	2
Balance of county	---	137	2	1	2	Black	2	3	-	-	1
Merrick	85	103	1	-	1	Nye	105	195	-	-	-
Morrill	65	83	-	-	-	Pershing	34	30	-	-	-
Nance	39	62	-	-	1	Storey	6	9	-	-	-
Nemaha	80	87	-	-	-	Washoe	2,709	2,192	42	18	28
Nuckolls	76	82	-	-	-	White	2,575	2,087	39	18	23
Otoe	174	184	-	-	1	All other	134	105	3	-	5
Pawnee	41	58	-	-	-	Black	50	41	-	-	3
Perkins	31	33	-	-	-	Reno	---	1,446	26	10	21
Phelps	119	109	3	1	1	Sparks	---	473	8	3	6
Pierce	84	101	1	-	1	Balance of county	---	273	8	5	1
Platte	190	222	4	2	3	White	---	260	8	5	-
Columbus	---	169	2	1	2	All other	---	13	-	-	-
Balance of county	---	53	2	1	1	Black	---	1	-	-	-
Polk	61	82	3	3	-	White Pine	83	80	2	2	2
Red Willow	98	132	-	-	2	New Hampshire	8,820	8,856	87	56	89
Richardson	129	161	-	-	3	White	8,765	8,806	86	56	88
Rock	22	23	-	-	-	All other	55	50	1	-	1
Saline	168	165	2	-	1	Black	22	21	1	-	-
Sarpy	315	401	16	10	17	Belknap	467	486	6	5	1
Belleveue	---	151	9	6	-	Laconia	---	172	9	5	1
Balance of county	---	250	7	4	17	Balance of county	---	314	3	3	1
Saunders	90	184	1	-	-	Carroll	370	392	1	-	6
Scotts Bluff	450	399	3	2	2	Cheshire	498	603	7	3	7
Scottsbluff	---	171	1	-	1	Keene	---	246	2	2	1
Balance of county	---	228	2	2	1	Balance of county	---	357	5	3	6
Seward	156	170	-	-	-	Coos	383	398	2	2	1
Sheridan	91	102	1	1	1	Berlin	---	153	-	-	1
Sherman	21	50	-	-	-	Balance of county	---	245	2	2	1
Sioux	3	11	-	-	-	Grafton	1,009	642	6	4	3
Stanton	28	55	-	-	-	Lebanon	---	88	1	3	1
Thayer	71	91	-	-	-	Balance of county	---	554	5	-	-
Thomas	3	13	-	-	-	Hillsborough	2,648	2,488	27	18	28
Thurston	65	76	1	-	2	Manchester	---	918	5	5	11
White	46	50	1	-	-	Nashua	---	614	6	2	4
All other	19	26	-	-	2	Balance of county	---	956	16	11	13
Black	-	-	-	-	-	Merimack	1,114	1,107	13	7	14
Valley	69	67	-	-	-	Concord	---	384	4	2	9
Washington	152	150	2	-	-	Balance of county	---	723	9	5	5
Wayne	82	77	1	-	1	Rockingham	1,337	1,638	18	13	16
Webster	51	70	-	-	-	Portsmouth	---	236	1	1	1
Wheeler	3	8	1	-	-	Balance of county	---	1,402	17	12	15
York	148	166	1	-	-	Strafford	752	736	5	4	10
						Dover	---	239	2	1	3
						Rochester	---	215	1	1	3
						Somersworth	---	79	-	-	1
						Balance of county	---	203	2	2	3
Nevada	11,896	11,173	150	76	142	Sullivan	244	366	2	-	3
White	10,987	10,354	119	63	113	Claremont	---	166	1	-	1
All other	899	819	31	13	29	Balance of county	---	200	1	-	2
Black	608	573	28	12	19	New Jersey	71,090	72,705	977	653	859
Carson City city	520	468	2	2	4	White	60,712	62,117	545	376	541
Churchill	175	188	1	1	2	All other	10,378	10,588	432	277	318
Clark	7,642	7,127	94	50	81	Black	9,816	9,994	404	259	281
White	6,946	6,490	66	37	62	Atlantic	2,745	2,468	38	29	29
All other	637	637	28	13	19	White	2,236	1,963	20	16	16
Black	550	522	28	12	15	All other	509	503	18	13	13
Henderson	---	585	12	9	5	Black	478	475	18	13	11
Las Vegas	---	3,276	31	17	33	Atlantic City	---	675	15	10	12
White	---	2,923	18	11	27	White	---	363	4	3	5
All other	---	353	13	6	6	All other	---	312	11	7	7
Black	---	287	11	5	6	Black	---	299	11	7	7
North Las Vegas	---	428	12	4	9	Hammonton	---	167	2	1	-
White	---	318	6	3	4	Pleasantville	---	228	8	6	4
All other	---	110	6	1	5	White	---	134	3	2	2
Black	---	104	6	1	5	All other	---	94	5	4	2
Balance of county	---	2,838	39	20	34	Black	---	92	5	4	2
White	---	2,691	31	15	28	Somers Point	---	124	1	1	1
All other	---	147	8	5	6	Ventnor City	---	131	1	1	1
Black	---	112	8	5	4						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 49

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 49 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
New Jersey-Con.					New Jersey-Con.						
Balance of county	---	1,141	11	10	11	Camden	---	848	41	31	30
Bergen	6,622	7,611	50	33	60	White	---	349	7	6	9
White	6,207	7,162	41	28	50	All other	---	499	34	25	21
All other	415	449	9	5	10	Black	---	494	33	24	21
Black	331	355	7	4	9	Cherry Hill twp#	---	644	4	4	5
Bergenfield	---	211	1	---	1	Collingswood	---	161	1	---	2
Cliffside Park	---	218	2	2	1	Gloucester twp#	---	243	4	2	4
Dumont	---	165	1	---	2	Gloucester City	---	126	1	1	1
Elmwood Park	---	192	3	3	3	Haddon twp#	---	159	1	1	1
Englewood	---	247	2	1	5	Haddonfield	---	122	---	---	---
White	---	122	---	---	2	Lindenwood	---	146	6	5	3
All other	---	125	2	1	3	White	---	129	3	3	2
Black	---	124	2	1	3	All other	---	17	3	2	1
Fair Lawn	---	297	1	1	3	Black	---	16	3	2	1
Fairview	---	149	1	---	---	Pennsauken twp#	---	386	2	1	3
Fort Lee	---	321	2	2	3	Voorhees twp#	---	213	4	3	1
White	---	312	2	2	2	White	---	201	3	2	---
All other	---	9	---	---	1	All other	---	12	1	1	1
Black	---	1	---	---	---	Black	---	8	1	1	---
Garfield	---	267	4	1	---	Balance of county	---	1,378	16	9	11
Glen Rock	---	91	---	---	---	White	---	1,229	14	9	7
Hackensack	---	353	4	4	4	All other	---	149	2	---	4
White	---	271	3	3	2	Black	---	142	2	---	3
All other	---	82	1	1	2	Cape May	1,070	1,295	14	11	6
Black	---	80	1	1	2	Ocean City	---	243	2	2	2
Hasbrouck Heights	---	136	---	---	1	Balance of county	---	1,052	12	9	4
Hillsdale	---	57	---	---	---	Cumberland	1,362	1,405	23	17	21
Lodi	---	211	1	1	1	White	1,166	1,186	11	9	11
Lyndhurst twp#	---	220	---	---	6	All other	196	219	12	8	10
New Milford	---	155	---	---	1	Black	181	199	10	6	10
North Arlington	---	184	1	1	1	Bridgeton	---	318	6	2	9
Oakland	---	87	---	---	1	White	---	205	2	1	2
Palisades Park	---	118	1	---	1	All other	---	113	4	1	7
Paramus	---	264	---	---	1	Black	---	103	4	1	7
Ramsey	---	93	---	---	1	Millville	---	309	9	9	7
Ridgefield	---	114	---	---	---	Vineland	---	519	5	3	3
Ridgefield Park	---	97	2	2	1	White	---	480	3	2	3
Ridgewood	---	180	---	---	1	All other	---	39	2	1	---
River Edge	---	110	---	---	---	Black	---	37	1	---	---
Rutherford	---	171	1	1	---	Balance of county	---	259	3	3	2
Saddle Brook twp#	---	124	---	---	---	White	---	216	1	1	1
Teaneck twp#	---	373	3	3	2	All other	---	43	2	2	1
White	---	275	1	1	1	Black	---	36	2	2	1
All other	---	98	2	2	1	Essex	9,026	8,176	166	113	151
Black	---	95	2	2	1	White	5,424	4,642	35	19	40
Tenafly	---	93	---	---	---	All other	3,602	3,534	131	94	111
Waldwick	---	60	1	---	---	Black	3,547	3,482	127	90	106
Wallington	---	109	2	1	2	Belleville	---	316	1	1	4
Westwood	---	117	1	1	1	Bloomfield	---	478	5	3	2
Wyckoff twp#	---	133	2	2	---	Cedar Grove twp#	---	150	---	---	1
Balance of county	---	1,894	14	7	17	East Orange	---	844	23	10	20
White	---	1,850	13	7	16	White	---	155	1	---	---
All other	---	44	1	---	1	All other	---	689	22	10	20
Black	---	13	---	---	---	Black	---	689	22	10	20
Burlington	2,858	3,072	41	30	28	Irvington	---	609	25	19	23
White	2,543	2,682	26	18	19	White	---	286	---	---	2
All other	315	390	15	12	9	All other	---	323	25	19	21
Black	289	365	13	10	7	Black	---	320	25	19	21
Burlington	---	110	3	3	---	Livingston twp#	---	190	1	1	---
White	---	89	2	2	---	Maplewood twp#	---	204	2	2	1
All other	---	21	1	1	---	Millburn twp#	---	150	---	---	2
Black	---	21	1	1	---	Montclair	---	419	5	4	3
Cinnaminson twp#	---	136	1	1	1	White	---	256	1	1	2
Delran twp#	---	107	3	2	1	All other	---	163	4	3	1
Maple Shade twp#	---	205	2	2	---	Black	---	162	4	3	1
Moorestown twp#	---	184	---	---	1	Newark	3,012	90	63	76	
Mount Holly twp#	---	150	2	1	4	White	---	974	20	11	17
White	---	127	1	---	4	All other	---	2,038	70	52	59
All other	---	23	1	1	---	Black	---	2,032	69	51	58
Black	---	23	1	1	---	Nutley	---	262	---	---	3
Pemberton twp#	---	163	4	2	---	Orange	---	321	7	6	6
White	---	127	2	1	---	White	---	133	1	---	1
All other	---	36	2	1	---	All other	---	188	6	6	5
Black	---	32	2	1	---	Black	---	184	6	6	5
Willingboro twp#	---	237	11	9	3	South Orange Village twp#	---	135	1	1	---
White	---	120	6	6	---	White	---	114	---	---	---
All other	---	117	5	3	3	All other	---	21	1	1	---
Black	---	115	5	3	3	Black	---	21	1	1	---
Balance of county	---	1,780	15	10	18	Verona	---	165	---	---	---
White	---	1,650	10	5	14	West Caldwell	---	101	1	1	1
All other	---	130	5	5	4	West Orange	---	479	1	---	5
Black	---	114	4	4	2	Balance of county	---	341	4	2	4
Camden	4,633	4,565	84	60	63	Gloucester	1,638	1,838	27	18	18
White	3,817	3,796	44	32	34	White	1,473	1,644	20	14	13
All other	816	769	40	28	29	All other	165	194	7	4	5
Black	789	739	39	27	26	Black	160	188	7	4	4
Bellmawr	---	139	4	3	2						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 50

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 50 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal		
New Jersey-Con.					New Jersey-Con.							
Deptford twp#	---	197	---	---	---	Perth Amboy	---	411	6	5	13	
White	---	189	---	---	---	White	---	362	4	3	12	
All other	---	8	---	---	---	All other	---	49	2	2	1	
Black	---	8	---	---	---	Black	---	47	2	2	1	
Glassboro	---	114	3	2	1	Piscataway twp#	---	263	2	2	4	
White	---	69	2	1	1	White	---	203	1	1	---	
All other	---	45	1	1	---	All other	---	60	1	1	4	
Black	---	45	1	1	---	Black	---	51	1	1	4	
Washington twp#	---	144	1	1	1	Sayreville	---	316	4	3	5	
West Deptford twp#	---	97	1	1	---	South Plainfield	---	172	2	1	3	
Woodbury	---	174	1	1	1	South River	---	146	3	3	---	
White	---	154	---	---	1	Woodbridge twp#	---	784	7	5	7	
All other	---	20	1	1	---	Balance of county	---	942	4	3	15	
Black	---	20	1	1	---	White	---	907	3	3	12	
Balance of county	---	1,112	21	13	15	All other	---	35	1	---	3	
White	---	998	16	11	10	Black	---	24	1	---	1	
All other	---	114	5	2	5	Monmouth	---	5,082	5,234	61	42	49
Black	---	109	5	2	4	White	---	4,574	4,683	43	28	38
Hudson	---	4,834	5,386	72	43	All other	---	508	551	18	14	11
White	---	4,115	4,584	44	26	Black	---	470	502	16	13	9
All other	---	719	802	28	17	Aberdeen twp#	---	121	1	1	3	
Black	---	664	735	26	17	White	---	105	1	1	2	
Bayonne	---	820	5	3	5	All other	---	16	---	---	1	
Harrison	---	108	1	1	1	Black	---	15	---	---	1	
Hoboken	---	322	1	---	1	Asbury Park	---	260	7	6	2	
White	---	292	---	---	1	White	---	138	2	1	---	
All other	---	30	1	---	---	All other	---	122	5	5	2	
Black	---	27	1	---	---	Black	---	122	5	5	2	
Jersey City	---	2,226	45	30	39	Eatontown	---	96	1	1	3	
White	---	1,540	22	14	15	White	---	82	---	---	3	
All other	---	686	23	16	24	All other	---	14	1	1	---	
Black	---	633	22	16	19	Black	---	14	1	1	---	
Kearny	---	368	1	1	2	Freehold	---	88	---	---	---	
North Bergen twp#	---	493	6	2	10	White	---	70	---	---	---	
Secaucus	---	145	2	1	---	All other	---	18	---	---	---	
Union City	---	387	6	3	10	Black	---	15	---	---	---	
White	---	375	6	3	9	Hazlet twp#	---	204	2	---	4	
All other	---	12	---	---	1	Howell twp#	---	229	4	3	1	
Black	---	9	---	---	---	Keansburg	---	129	1	---	1	
Weehawken twp#	---	106	---	---	---	Long Branch	---	314	4	1	4	
West New York	---	305	5	2	3	White	---	259	3	---	2	
White	---	293	5	2	3	All other	---	55	1	1	2	
All other	---	12	---	---	---	Black	---	51	1	1	2	
Black	---	12	---	---	---	Middletown twp#	---	509	8	7	3	
Balance of county	---	106	---	---	1	Neptune twp#	---	400	6	4	1	
Hunterdon	---	571	682	5	5	White	---	281	2	1	1	
Mercer	---	3,294	2,996	43	31	All other	---	119	4	3	---	
White	---	2,657	2,405	21	17	Black	---	118	4	3	---	
All other	---	637	591	22	14	Ocean twp#	---	186	3	1	4	
Black	---	620	574	21	15	Red Bank	---	207	2	2	---	
East Windsor twp#	---	106	---	---	---	White	---	173	1	1	---	
Ewing twp#	---	322	---	---	2	All other	---	34	1	1	---	
White	---	278	---	---	---	Black	---	33	1	1	---	
All other	---	44	---	---	---	Balance of county	---	2,491	22	16	23	
Black	---	44	---	---	---	White	---	2,348	19	14	20	
Hamilton twp#	---	821	8	7	2	All other	---	143	3	2	3	
Princeton	---	103	3	2	1	Black	---	115	2	1	3	
White	---	89	1	1	1	Morris	---	3,351	2,934	36	27	42
All other	---	14	2	1	---	White	---	3,206	2,807	29	20	36
Black	---	12	1	1	---	All other	---	145	127	7	7	6
Trenton	---	1,067	27	19	20	Black	---	116	101	6	6	2
White	---	621	8	7	6	Denville twp#	---	89	---	---	2	
All other	---	446	19	12	14	Dover	---	140	4	3	3	
Black	---	446	19	12	14	Hanover twp#	---	77	1	1	---	
Balance of county	---	577	5	3	6	Madison	---	129	2	1	---	
White	---	530	5	3	5	Morris twp#	---	94	2	1	---	
All other	---	47	---	---	1	Morristown	---	247	3	3	6	
Black	---	36	---	---	1	White	---	198	2	2	5	
Middlesex	---	4,899	5,441	72	53	All other	---	49	1	1	1	
White	---	4,415	4,993	43	32	Black	---	45	1	1	1	
All other	---	484	448	29	21	Parsippany-Troy Hills twp#	---	285	6	4	5	
Black	---	408	359	21	14	Pegannock twp#	---	118	1	---	2	
Carteret	---	191	---	---	2	Balance of county	---	1,755	17	14	24	
East Brunswick twp#	---	274	---	---	2	White	---	1,714	16	13	21	
Edison twp#	---	681	14	9	6	All other	---	41	1	1	3	
Highland Park	---	78	---	---	2	Black	---	25	1	1	1	
White	---	73	---	---	---	Ocean	---	5,690	6,071	37	23	37
All other	---	5	---	---	---	White	---	5,549	5,939	33	22	35
Black	---	3	---	---	---	All other	---	141	12	4	1	2
Metuchen	---	130	---	---	---	Black	---	121	4	1	2	
Middlesex	---	126	2	2	3	Brick twp#	---	719	6	2	3	
New Brunswick	---	358	18	15	12	Dover twp#	---	1,099	7	6	2	
White	---	226	8	6	8	Jackson twp#	---	276	2	1	7	
All other	---	132	10	9	4	Lakewood twp#	---	746	7	4	5	
Black	---	129	9	8	3	White	---	681	4	3	4	
North Brunswick twp#	---	204	3	2	2	All other	---	65	3	1	1	
Old Bridge twp#	---	365	7	3	2	Black	---	64	3	1	1	
						Manchester twp#	---	814	---	---	---	
						Point Pleasant	---	270	3	2	3	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 51

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 51 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
New Jersey-Con.					New Jersey-Con.						
Balance of county	---	2,147	12	8	17	Springfield twp#	---	154	-	-	1
White	---	2,114	11	8	16	Summit	---	170	4	4	2
All other	---	33	1	-	1	Union twp#	---	610	3	3	2
Black	---	29	1	-	1	Westfield	---	211	1	1	3
Passaic	4,452	4,326	82	46	65	Balance of county	---	271	2	1	1
White	3,800	3,684	44	29	48	White	---	258	2	1	1
All other	652	642	38	17	17	All other	---	13	-	-	-
Black	613	613	38	17	17	Black	---	12	-	-	-
Clifton	---	961	7	4	9	Warren	847	893	3	3	8
Hawthorne	---	183	-	-	1	Phillipsburg	---	230	-	-	2
Little Falls twp#	---	123	-	-	-	Balance of county	---	663	3	3	6
Passaic	---	501	16	9	12	New Mexico *					
White	---	382	9	6	9	White	11,692	11,731	235	129	109
All other	---	119	7	3	3	All other	10,581	10,710	169	99	92
Black	---	111	7	3	3	Black	1,111	1,021	66	30	17
Paterson	---	1,230	41	20	29	Black	208	200	12	8	4
White	---	761	11	7	17	Bernalillo	4,686	3,610	83	45	20
All other	---	469	30	13	12	White	4,346	3,439	66	36	18
Black	---	459	30	13	12	All other	340	171	17	9	2
Pompton Lakes	---	76	2	1	1	Black	104	84	9	5	2
Ringwood	---	48	-	-	1	Albuquerque	---	3,439	77	41	19
Totowa	---	110	-	-	-	White	---	3,288	63	34	17
Wanaque	---	127	1	1	-	All other	---	151	14	7	2
Wayne twp#	---	432	4	3	5	Black	---	82	9	5	2
West Paterson	---	87	4	2	-	Balance of county	---	171	6	4	1
Balance of county	---	448	7	6	7	White	---	151	3	2	1
Salem	693	694	15	8	10	All other	---	20	3	2	-
White	579	568	5	3	6	Black	---	2	-	-	-
All other	114	126	10	5	4	Catron	12	21	-	-	-
Black	113	126	10	5	4	Chaves	554	560	13	10	2
Somerset	1,589	1,850	28	16	32	Roswell	---	487	9	6	1
White	1,505	1,709	19	12	27	White	---	476	9	6	1
All other	84	141	9	4	5	All other	---	11	-	-	-
Black	71	115	7	3	2	Black	---	11	-	-	-
Bridgewater twp#	---	232	-	-	2	Balance of county	---	73	4	4	1
Franklin twp#	---	279	7	4	7	Cibola	147	164	2	-	1
White	---	234	4	2	4	White	94	102	1	-	-
All other	---	45	3	2	3	All other	53	62	1	-	1
Black	---	39	3	2	3	Black	3	-	-	-	-
Manville	---	100	-	-	1	Colfax	113	118	2	1	3
North Plainfield	---	163	2	1	3	Curry	288	309	4	2	5
Somerville	---	256	4	2	7	White	---	271	2	2	5
White	---	199	2	2	7	All other	---	256	1	1	4
All other	---	57	2	-	-	Black	---	15	1	1	1
Black	---	53	2	-	-	Balance of county	---	38	2	-	-
Balance of county	---	820	15	9	12	White	---	35	1	-	-
White	---	790	11	7	11	All other	---	3	1	-	-
All other	---	30	4	2	1	Black	---	2	-	-	-
Black	---	19	2	1	1	De Baca	19	27	-	-	-
Sussex	814	942	13	8	12	Dona Ana	756	810	13	7	10
Hopatcong	---	75	-	-	1	Las Cruces	---	510	9	4	5
Balance of county	---	867	13	8	11	White	---	500	9	4	5
Union	5,020	4,828	67	37	44	All other	---	10	-	-	-
White	4,235	3,956	34	25	25	Black	---	6	-	-	-
All other	785	872	33	12	19	Balance of county	---	300	4	3	5
Black	750	852	32	12	18	White	---	296	4	3	5
Berkeley Heights twp#	---	98	-	-	1	All other	---	4	-	-	-
Clark twp#	---	156	4	3	-	Black	---	3	-	-	-
Cranford twp#	---	211	-	-	2	Eddy	449	498	11	7	6
Elizabeth	---	991	19	11	8	White	---	96	3	2	1
White	---	776	11	8	1	All other	---	94	3	2	1
All other	---	215	8	3	7	Black	---	2	-	-	-
Black	---	211	8	3	6	Carlsbad	---	335	7	5	5
Hillside twp#	---	200	3	2	-	White	---	323	7	5	5
White	---	148	2	2	-	All other	---	12	-	-	-
All other	---	52	1	-	-	Black	---	11	-	-	-
Black	---	50	1	-	-	Balance of county	---	67	1	-	-
Linden	---	460	4	3	4	White	---	65	1	-	-
White	---	391	2	2	2	All other	---	2	-	-	-
All other	---	69	2	1	2	Black	---	1	-	-	-
Black	---	68	2	1	2	Grant	266	261	2	-	2
New Providence	---	79	3	1	2	Guadalupe	---	29	38	-	-
Plainfield	---	455	14	3	10	Harding	---	1	10	-	-
White	---	177	2	-	3	Hidalgo	---	33	53	1	1
All other	---	278	12	3	7	Lea	337	444	3	2	7
Black	---	278	12	3	7	White	---	256	2	1	4
Rahway	---	263	8	4	1	All other	---	242	2	1	4
White	---	203	1	1	1	Black	---	14	-	-	-
All other	---	60	7	3	1	Balance of county	---	188	1	1	3
Black	---	58	7	3	1	White	---	182	1	1	3
Roselle	---	213	1	1	3	All other	---	6	-	-	-
White	---	155	-	-	3	Black	---	5	-	-	-
All other	---	58	1	1	-						
Black	---	58	1	1	-						
Roselle Park	---	106	1	-	4						
Scotch Plains twp#	---	180	-	-	-						
White	---	158	-	-	-						
All other	---	22	-	-	-						
Black	---	22	-	-	-						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 52

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 52 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
New Mexico-Con.					New York-Con.						
Lincoln	123	135	-	-	-	Albany	3,518	2,837	22	16	28
Los Alamos	83	93	2	2	-	White	3,287	2,633	12	8	17
Luna	192	220	1	1	2	All other	231	204	10	8	11
Mckinley	387	401	24	12	4	Black	220	194	9	7	9
White	112	115	1	1	-	Albany	-	1,159	11	8	16
All other	275	286	23	11	4	White	-	990	2	1	9
Black	1	-	-	-	-	All other	-	169	9	7	7
Gallup	-	124	4	2	2	Black	-	165	9	7	6
White	-	89	1	1	-	Cohoes	-	201	-	-	2
All other	-	35	3	1	2	Watervliet	-	118	4	2	1
Black	-	-	-	-	-	Balance of county	-	1,359	7	6	9
Balance of county	-	277	20	10	2	Allegany	407	489	5	3	6
White	-	26	-	-	-	Broome	2,253	2,133	22	16	15
All other	-	251	20	10	2	Binghamton	-	705	4	4	6
Black	-	-	-	-	-	Endicott	-	221	3	1	-
Mora	15	32	-	-	-	Johnson City	-	233	3	2	-
Otero	316	367	13	8	8	Vestal town#	-	225	2	2	1
White	294	336	10	6	7	Balance of county	-	749	10	7	8
All other	22	31	3	2	1	Cattaraugus	711	844	5	2	13
Black	12	14	1	1	1	Olean	-	197	1	-	2
Alamogordo	-	236	7	4	5	Balance of county	-	647	4	2	11
White	-	220	6	3	4	Cayuga	700	771	7	4	10
All other	-	16	1	1	1	Auburn	-	379	1	-	2
Black	-	13	1	1	1	Balance of county	-	392	6	4	8
Balance of county	-	131	6	4	3	Chautauqua	1,535	1,556	16	11	19
White	-	116	4	3	3	Dunkirk	-	166	2	1	3
All other	-	15	2	1	-	Fredonia	-	70	-	-	2
Black	-	1	-	-	-	Jamestown	-	455	8	6	6
Quay	97	109	-	-	1	Balance of county	-	865	6	4	8
Rio Arriba	212	267	5	2	7	Chemung	1,074	1,061	5	4	8
White	197	229	1	1	6	Elmira	-	415	3	3	4
All other	15	38	4	1	1	White	-	384	2	2	3
Black	-	-	-	-	-	All other	-	31	1	1	1
Roosevelt	82	138	2	1	1	Black	-	31	1	1	1
Sandoval	195	465	7	5	3	Balance of county	-	646	2	1	4
White	158	375	4	3	-	Chenango	422	533	5	2	5
All other	37	90	3	2	3	Clinton	710	640	8	6	11
Black	3	8	1	1	-	Plattsburgh	-	214	4	2	7
San Juan	576	594	16	7	6	Balance of county	-	426	4	4	4
White	372	402	6	4	4	Columbia	722	690	4	-	5
All other	204	192	10	3	2	Cortland	490	452	5	2	6
Black	5	7	-	-	-	Cortland	-	222	1	-	2
Farmington	-	223	5	4	3	Balance of county	-	230	4	2	4
White	-	199	3	3	2	Delaware	442	499	1	1	7
All other	-	24	2	1	1	Dutchess	2,079	2,184	19	12	25
Black	-	6	-	-	-	White	1,929	2,040	17	10	19
Balance of county	-	371	11	3	3	All other	150	144	2	2	6
White	-	203	3	1	1	Black	142	136	2	2	5
All other	-	168	8	2	2	Beacon	-	190	3	2	2
Black	-	1	-	-	-	White	-	116	3	2	2
San Miguel	230	226	6	5	3	All other	-	14	-	-	-
Las Vegas	-	149	4	4	2	Black	-	14	-	-	-
White	-	145	4	4	2	Poughkeepsie	-	390	3	3	5
All other	-	4	-	-	-	White	-	324	2	2	2
Black	-	3	-	-	-	All other	-	66	1	1	3
Balance of county	-	77	2	1	1	Black	-	65	1	1	3
White	-	77	2	1	1	Balance of county	-	1,664	13	7	18
All other	-	-	-	-	-	White	-	1,600	12	6	15
Black	-	-	-	-	-	All other	-	64	1	1	3
Santa Fe	788	727	10	4	9	Black	-	57	1	1	2
White	-	560	4	1	6	Erie	10,558	10,224	123	87	93
All other	-	552	4	1	6	White	9,360	9,053	71	51	69
Black	-	8	-	-	-	All other	1,171	1,171	52	36	24
Balance of county	-	167	6	3	3	Black	1,198	1,127	51	36	22
White	-	155	6	3	2	Buffalo	1,157	4,017	83	61	45
All other	-	12	-	-	1	White	-	2,943	33	25	25
Black	-	2	-	-	-	All other	-	1,074	50	36	20
Sierra	214	218	1	-	1	Black	-	1,065	49	36	20
Socorro	85	122	2	1	2	Depew	-	198	2	2	1
White	79	113	1	1	1	Hamburg	-	86	-	-	-
All other	6	9	1	-	1	Kenmore	-	176	1	1	1
Black	-	-	-	-	-	Lackawanna	-	251	3	-	1
Taos	144	180	3	2	2	White	-	231	1	-	1
Torrance	40	101	1	1	1	All other	-	20	2	-	-
Union	52	60	-	-	1	Black	-	20	2	-	-
Valencia	171	353	8	3	1	Lancaster	-	117	-	-	-
White	166	345	8	3	1	Tonawanda	-	159	3	3	-
All other	5	8	-	-	-	West Seneca town#	-	424	3	3	4
Black	1	4	-	-	-	Balance of county	-	4,802	28	17	41
New York	169,995	171,232	2,371	1,623	3,127	White	-	4,735	28	17	37
White	142,295	143,465	1,377	959	1,839	All other	-	67	-	-	4
All other	27,700	27,767	994	664	1,294	Black	-	38	-	-	2
Black	25,495	25,573	925	616	1,195	Essex	277	416	4	3	2
						Franklin	446	448	5	4	7
						Fulton	462	577	9	5	6
						Gloversville	-	220	4	2	3
						Balance of county	-	357	5	3	3

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 53

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 53 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
New York-Con.					New York-Con.						
Genesee	550	583	4	4	3	Queens borough, Queens county	---	18,989	279	185	452
Batavia	---	208	1	1	2	White	---	14,682	135	84	225
Balance of county	---	375	3	3	1	All other	---	4,307	144	101	227
Greene	174	467	1	---	4	Black	---	3,584	113	82	187
Hamilton	25	69	---	---	1	Staten Island borough, Richmond county	---	3,486	41	29	68
Herkimer	533	703	7	7	6	White	---	3,197	29	21	48
Jefferson	878	943	19	16	14	All other	---	289	12	8	20
Watertown	---	316	4	3	5	Black	---	229	10	7	18
Balance of county	---	527	15	13	9	Niagara	2,148	2,302	24	15	16
Lewis	194	237	3	3	7	White	2,044	2,189	19	12	15
Livingston	389	497	5	3	6	All other	104	113	5	3	1
Madison	486	575	11	7	8	Black	84	92	5	3	1
Oneida	---	124	2	1	1	Lockport	---	305	4	3	2
Balance of county	---	451	9	6	7	Niagara Falls	---	804	10	6	4
Monroe	6,761	6,273	83	63	94	White	---	716	5	3	3
White	6,138	5,648	35	28	55	All other	---	88	5	3	1
All other	623	625	48	35	39	Black	---	79	5	3	1
Black	604	608	48	35	38	North Tonawanda	---	340	4	3	1
Brighton town#	---	351	---	---	---	Balance of county	---	853	6	3	9
Gates town#	---	250	2	2	3	White	---	836	6	3	9
Greece town#	---	669	7	6	---	All other	---	17	---	---	---
Henrietta town#	---	149	2	2	3	Black	---	5	---	---	---
Irondequoit town#	---	596	4	3	2	Oneida	2,673	2,608	32	26	28
Penfield town#	---	268	4	3	---	Rome	---	479	7	4	5
Rochester	---	2,666	52	40	66	Utica	---	987	13	11	10
White	---	2,092	9	8	29	Balance of county	---	1,142	12	11	13
All other	---	574	43	32	37	White	---	1,134	12	11	13
Black	---	565	43	32	36	All other	---	8	---	---	---
Balance of county	---	1,324	12	7	20	Black	---	5	---	---	---
White	---	1,305	9	6	18	Onondaga	4,680	4,129	69	52	52
All other	---	19	3	1	2	White	4,373	3,833	41	34	40
Black	---	19	3	1	2	All other	307	296	28	18	12
Montgomery	601	631	7	6	7	Black	272	282	28	18	10
Amsterdam	---	278	2	2	1	Syracuse	---	1,796	35	25	24
Balance of county	---	353	5	4	6	White	---	1,546	12	9	15
Nassau	11,334	11,353	98	78	131	All other	---	250	23	16	9
White	10,343	10,371	62	48	105	Black	---	235	23	16	9
All other	991	982	36	30	26	Balance of county	---	2,333	34	27	28
Black	893	894	35	30	22	White	---	2,287	29	25	25
East Rockaway	---	107	---	---	2	All other	---	46	5	2	3
Floral Park	---	168	1	1	2	Black	---	27	5	2	1
Freeport	---	313	5	5	6	Ontario	1,066	870	6	6	4
White	---	204	---	---	5	Canandaigua	---	153	---	---	2
All other	---	109	5	5	1	Geneva, part	---	157	1	1	1
Black	---	108	5	5	1	Geneva, total	---	157	1	1	1
Garden City	---	155	---	---	1	Balance of county	---	560	5	5	1
Glen Cove	---	285	4	4	6	White	---	559	5	5	1
White	---	263	4	4	5	All other	---	1	---	---	---
All other	---	22	---	---	1	Black	---	---	---	---	---
Black	---	21	---	---	1	Orange	2,379	2,359	46	30	28
Hempstead	---	432	16	10	7	White	2,244	2,195	33	20	21
White	---	188	4	1	4	All other	135	164	13	10	7
All other	---	244	12	9	3	Black	130	155	13	10	7
Black	---	240	12	9	3	Middletown	---	267	7	6	6
Long Beach	---	500	1	---	5	White	---	245	5	5	5
White	---	468	---	---	4	All other	---	22	2	1	1
All other	---	32	1	---	1	Black	---	22	2	1	1
Black	---	31	1	---	1	Newburgh	---	253	9	7	4
Lynbrook	---	218	4	2	2	White	---	174	2	1	3
Massapequa Park	---	178	1	---	2	All other	---	79	7	6	1
Minola	---	176	---	---	4	Black	---	79	7	6	1
Rockville Centre	---	237	---	---	2	Balance of county	---	1,839	30	17	18
Valley Stream	---	368	2	1	2	White	---	1,776	26	14	13
Westbury	---	142	3	3	1	All other	---	63	4	3	5
White	---	105	1	1	1	Black	---	54	4	3	5
All other	---	37	2	2	---	Orleans	291	376	3	2	11
Black	---	34	2	2	---	Oswego	796	1,022	12	6	12
Balance of county	---	8,074	61	52	90	Fulton	---	165	3	1	---
White	---	7,574	46	39	71	Oswego	---	261	1	---	5
All other	---	500	15	13	19	Balance of county	---	596	8	5	7
Black	---	432	14	13	15	White	---	592	8	5	7
New York city	73,383	73,407	1,284	857	1,976	All other	---	4	---	---	---
White	51,972	51,978	599	405	905	Black	---	3	---	---	---
All other	21,411	21,429	685	452	1,071	Otsego	757	602	5	3	9
Black	19,662	19,704	627	412	996	Oneonta	---	131	1	---	4
Bronx borough, Bronx county	---	12,891	264	153	412	Balance of county	---	471	4	3	5
White	---	8,820	135	78	213	White	---	467	4	3	5
All other	---	4,071	129	75	199	All other	---	4	---	---	---
Black	---	3,962	121	68	193	Black	---	4	---	---	---
Brooklyn borough, Kings county	---	22,575	467	321	761	Putnam	381	527	3	3	8
White	---	14,871	171	128	257	Carmel town#	---	189	---	---	2
All other	---	7,704	296	193	504	Balance of county	---	338	3	3	6
Black	---	7,363	286	185	488	White	---	333	3	3	5
Manhattan borough, New York county	---	15,466	233	169	283	All other	---	5	---	---	1
White	---	10,408	129	94	162	Black	---	5	---	---	1
All other	---	5,058	104	75	121	Rensselaer	1,412	1,484	17	12	22
Black	---	4,566	97	70	110	Troy	---	614	11	8	14

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 56

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 56 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more.]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
North Carolina-Con.					North Carolina-Con.						
Gaston	1,455	1,690	22	12	18	Jackson	220	251	1	1	1
White	1,254	1,469	15	7	10	White	208	215	1	1	1
All other	201	221	7	5	8	All other	12	36	-	-	-
Black	200	221	7	5	8	Black	6	9	-	-	-
Gastonia	---	676	12	8	9	Johnston	538	856	9	8	7
White	---	544	6	4	3	White	414	663	6	5	4
All other	---	132	6	4	6	All other	124	193	3	3	3
Black	---	132	6	4	6	Black	123	192	3	3	3
Balance of county	---	1,014	10	4	7	Jones	43	103	-	-	2
White	---	925	9	3	9	White	31	58	-	-	2
All other	---	89	1	1	2	All other	12	45	-	-	-
Black	---	89	1	1	2	Black	12	45	-	-	-
Gates	45	122	1	1	1	Lee	423	425	10	7	5
White	21	73	1	1	1	White	324	314	3	3	2
All other	24	49	-	-	1	All other	99	111	7	4	3
Black	24	49	-	-	1	Black	98	110	7	4	3
Graham	43	91	-	-	-	Sanford	---	232	6	6	1
Granville	323	405	7	4	9	White	---	157	2	2	-
White	193	239	2	1	1	All other	---	75	4	4	1
All other	130	166	5	3	8	Black	---	74	4	4	1
Black	129	165	5	3	8	Balance of county	---	193	4	4	4
Greene	39	132	5	2	2	White	---	157	1	1	2
White	23	80	1	-	1	All other	---	36	3	-	2
All other	16	52	4	2	1	Black	---	36	3	-	2
Black	16	52	4	2	1	Lenoir	649	668	10	8	8
Guilford	3,541	3,203	47	37	46	White	420	417	3	3	2
White	2,682	2,365	19	17	24	All other	229	251	7	5	6
All other	859	838	28	20	22	Black	228	251	7	5	6
Black	839	817	27	20	22	Kinston	---	373	8	6	4
Greensboro	---	1,750	24	18	31	White	---	195	2	2	-
White	---	1,186	7	5	12	All other	---	178	6	4	4
All other	---	564	17	13	19	Black	---	178	6	4	4
Black	---	551	16	13	19	Balance of county	---	295	2	2	4
High Point, part	---	800	14	10	6	White	---	222	1	1	2
White	---	585	5	5	5	All other	---	73	1	1	2
All other	---	215	9	5	1	Black	---	73	1	1	2
Black	---	208	9	5	1	Lincoln	347	459	13	8	4
High Point, total	---	803	14	10	6	McDowell	310	370	2	1	2
White	---	588	5	5	5	Macon	282	308	3	2	1
All other	---	215	9	5	1	Madison	134	233	1	1	3
Black	---	208	9	5	1	Martin	195	264	4	2	5
Balance of county	---	653	9	9	7	White	104	140	4	2	1
White	---	594	7	7	7	All other	91	124	4	2	4
All other	---	59	2	2	2	Black	90	123	4	2	4
Black	---	58	2	2	2	Mecklenburg	4,925	4,030	86	63	76
Halifax	572	621	14	11	8	White	3,508	2,735	35	29	29
White	314	331	1	1	1	All other	1,417	1,295	51	34	47
All other	258	290	13	10	7	Black	1,385	1,263	49	33	43
Black	252	276	12	9	7	Charlotte	---	3,451	74	51	68
Roanoke Rapids	---	191	2	2	1	White	---	2,221	26	20	21
White	---	164	-	-	1	All other	---	1,230	48	31	47
All other	---	27	2	2	-	Black	---	1,202	47	31	43
Black	---	26	2	2	-	Balance of county	---	579	12	12	8
Balance of county	---	430	12	9	7	White	---	514	9	9	8
White	---	167	1	1	1	All other	---	65	3	3	-
All other	---	263	11	8	7	Black	---	61	2	2	-
Black	---	250	10	7	7	Mitchell	171	178	1	-	-
Harnett	464	646	10	9	11	Montgomery	169	216	4	3	6
White	357	502	5	4	8	White	132	158	1	-	2
All other	107	144	5	5	3	All other	37	58	3	3	4
Black	102	136	5	5	3	Black	37	58	3	3	4
Haywood	545	578	4	3	8	Moore	826	693	7	5	5
Henderson	941	940	3	2	11	White	647	585	3	2	2
Hertford	279	256	6	6	3	All other	179	108	4	3	3
White	135	112	-	-	3	Black	171	108	4	3	2
All other	144	144	6	6	3	Nash	974	803	12	9	7
Black	140	141	6	6	3	White	549	553	6	5	3
Hoke	108	190	6	5	5	All other	425	250	6	4	4
White	54	82	1	1	5	Black	417	250	6	4	4
All other	54	108	5	4	5	Rocky Mount, part	---	377	8	6	4
Black	49	92	5	4	2	White	---	264	2	2	2
Hyde	28	68	-	-	-	All other	---	113	6	4	2
White	17	49	-	-	-	Black	---	113	6	4	2
All other	11	19	-	-	-	Rocky Mount, total	---	609	16	12	10
Black	11	19	-	-	-	White	---	314	2	2	2
Iredell	907	940	18	11	8	All other	---	295	14	10	8
White	770	791	9	6	4	Black	---	295	14	10	8
All other	137	149	9	5	4	Balance of county	---	426	4	3	3
Black	137	148	9	5	4	White	---	289	4	3	1
Statesville	---	281	7	4	3	All other	---	137	-	-	2
White	---	210	1	1	3	Black	---	137	-	-	2
All other	---	71	6	3	3	New Hanover	1,582	1,182	12	4	20
Black	---	71	6	3	3	White	1,213	919	7	3	10
Balance of county	---	659	11	7	5	All other	369	263	5	1	10
White	---	581	8	5	4	Black	361	261	5	1	10
All other	---	78	3	2	1						
Black	---	77	3	2	1						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 58

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 58 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
North Carolina-Con.					North Dakota-Con.						
Union	552	650	14	10	11	Billings	1	2	-	-	-
White	443	532	8	5	7	Bottineau	46	69	1	1	-
All other	109	118	6	5	4	Bowman	32	43	-	-	-
Black	108	116	6	5	4	Burke	4	37	-	-	-
Monroe	---	222	5	4	5	Burleigh	696	435	8	5	6
White	---	157	2	1	3	Bismarck	---	392	7	4	6
All other	---	65	3	3	2	Balance of county	---	43	1	1	-
Black	---	65	3	3	2	Cass	1,394	710	8	6	16
Balance of county	---	428	9	6	6	Fargo	---	535	7	5	14
White	---	375	6	4	4	West Fargo	---	54	1	1	1
All other	---	53	3	2	2	Balance of county	---	121	-	-	1
Black	---	51	3	2	2	Cavalier	59	62	-	-	-
Vance	424	458	3	3	13	Dickey	90	83	-	-	-
White	236	252	1	1	2	Divide	36	40	-	-	-
All other	188	206	2	2	11	Dunn	26	38	-	-	-
Black	185	205	2	2	11	Eddy	16	37	-	-	1
Henderson	---	248	-	-	5	Emmons	59	68	-	-	-
White	---	126	-	-	4	Foster	86	58	1	1	-
All other	---	122	-	-	4	Golden Valley	8	15	-	-	-
Black	---	121	-	-	4	Grand Forks	635	445	9	4	6
Balance of county	---	210	3	3	8	Grand Forks	---	328	6	1	6
White	---	126	1	1	1	Balance of county	---	117	3	3	-
All other	---	84	2	2	7	Grant	31	35	-	-	-
Black	---	84	-2	2	7	Griggs	34	52	-	-	-
Wake	3,181	2,738	72	52	64	Hettinger	19	36	-	-	-
White	2,384	2,030	41	28	33	Kidder	7	31	-	-	-
All other	797	708	31	24	31	La Moure	14	52	1	-	1
Black	779	697	30	24	30	Logan	11	33	-	-	-
Cary	---	206	4	3	5	McHenry	32	79	1	1	-
Garner	---	104	1	1	3	McIntosh	86	80	1	1	-
Raleigh	---	1,563	40	29	39	McKenzie	47	56	1	-	1
White	---	1,089	19	13	16	White	37	46	-	-	-
All other	---	474	21	16	23	All other	10	10	1	-	1
Black	---	467	20	16	23	Black	---	---	-	-	-
Balance of county	---	865	27	19	17	McLean	102	137	2	-	1
White	---	662	18	11	12	Mercer	59	70	-	-	1
All other	---	203	9	8	5	Morton	151	209	3	1	3
Black	---	202	9	8	4	Mandan	---	115	2	1	1
Warren	87	196	4	4	1	Balance of county	---	94	1	-	2
White	38	94	2	2	-	Mountrail	69	90	-	-	-
All other	49	102	2	2	1	White	63	75	-	-	-
Black	47	96	2	2	1	All other	6	15	-	-	-
Washington	133	146	1	1	2	Black	---	---	-	-	-
White	74	84	-	-	-	Nelson	66	89	1	-	-
All other	59	62	1	1	2	Oliver	1	15	-	-	-
Black	59	62	1	1	2	Pembina	91	121	-	-	2
Watauga	245	225	4	2	3	Pierce	94	63	-	-	-
Boone	---	60	-	-	1	Ramsey	166	168	2	-	1
Balance of county	---	165	4	2	2	Ransom	75	98	-	-	-
Wayne	927	930	16	13	18	Renville	23	41	-	-	-
White	596	588	8	7	8	Richland	93	169	1	1	-
All other	331	342	8	6	10	Rolette	65	94	2	1	2
Black	327	337	8	6	10	White	30	42	-	-	-
Goldsboro	---	426	7	5	7	All other	35	52	2	1	2
White	---	217	3	2	1	Black	---	---	-	-	-
All other	---	209	4	3	6	Sargent	19	43	-	-	1
Black	---	206	4	3	6	Sheridan	5	16	-	-	1
Balance of county	---	504	9	8	11	Sioux	16	29	1	-	-
White	---	371	5	5	7	White	---	8	-	-	-
All other	---	133	4	3	4	All other	16	21	1	-	-
Black	---	131	4	3	4	Black	---	---	-	-	-
Wilkes	460	597	7	5	9	Slope	1	2	-	-	-
Wilson	779	726	14	10	15	Stark	178	181	4	4	1
White	495	440	6	4	4	Dickinson	---	145	2	2	-
All other	284	286	8	6	11	Balance of county	---	36	2	2	1
Black	284	285	8	6	11	Steele	3	31	3	2	1
Wilson	---	463	7	5	11	Stutsman	232	252	2	1	2
White	---	249	1	-	2	Jamestown	---	200	1	1	2
All other	---	214	6	5	9	Balance of county	---	52	1	-	-
Black	---	213	6	5	9	Towner	35	50	-	-	-
Balance of county	---	263	7	5	4	Trail	123	117	-	-	3
White	---	191	5	4	2	Walsh	128	180	3	2	-
All other	---	72	2	1	2	Ward	538	401	5	2	5
Black	---	72	2	1	2	Minot	---	314	4	1	3
Yadkin	168	291	3	3	-	Balance of county	---	87	1	1	2
Yancey	84	163	-	-	-	Wells	80	100	-	-	-
North Dakota	6,304	5,825	69	40	56	Williams	180	183	3	3	-
White	6,094	5,647	61	37	50	Williston	---	136	2	2	-
All other	210	178	8	3	6	Balance of county	---	47	1	1	-
Black	5	5	2	1	-						
Adams	80	44	1	-	-						
Barnes	142	170	3	3	-						
Benson	20	66	2	1	1						
White	16	47	1	1	-						
All other	4	19	1	-	1						
Black	---	---	-	-	-						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 64

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 64 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Oregon-Con.					Oregon-Con.						
Baker	185	207	-	-	-	Polk	342	485	4	1	4
Benton	444	403	6	3	3	Salem, part	-	153	-	-	3
Albany, part	-	19	1	-	-	Balance of county	-	332	4	1	1
White	-	19	1	-	-	Sherman	14	23	-	-	-
All other	-	-	-	-	-	Tillamook	237	265	2	1	1
Black	-	-	-	-	-	Umatilla	487	589	5	3	6
Corvallis	-	259	4	2	1	Pendleton	-	153	1	-	1
Balance of county	-	125	1	1	2	Balance of county	-	436	4	3	5
Clackamas	2,167	2,339	28	15	16	Union	239	244	1	1	2
Lake Oswego, part	-	210	1	1	2	La Grande	-	142	1	1	1
Lake Oswego, total	-	220	1	1	2	Balance of county	-	102	-	-	1
Milwaukie, part	-	489	6	5	1	Wallowa	69	84	-	-	1
Milwaukie, total	-	489	6	5	1	Wasco	295	284	4	2	-
Oregon City	-	191	2	-	1	City of the Dalles	-	187	2	1	-
Portland, part	-	3	-	-	-	Balance of county	-	97	2	1	-
West Linn	-	88	2	1	-	Washington	2,121	2,272	36	21	27
Balance of county	-	1,358	17	8	12	Beaverton	-	519	8	5	5
Clatsop	361	422	5	2	-	Forest Grove	-	178	2	2	1
Columbia	174	332	3	1	1	Hillsboro	-	292	10	3	6
Coos	733	743	7	2	3	Lake Oswego, part	-	1	-	-	-
Coos Bay	-	196	2	-	1	Portland, part	-	10	-	-	-
Balance of county	-	547	5	2	2	Tigard	-	288	4	3	5
Crook	160	183	5	4	2	Balance of county	-	984	12	8	10
Curry	178	273	4	1	-	Wheeler	14	26	1	1	-
Deschutes	761	692	4	2	4	Yamhill	486	547	4	3	4
Bend	-	241	-	-	-	McMinnville	-	196	-	-	-
Balance of county	-	451	4	2	4	Newberg	-	118	1	1	2
Douglas	1,068	1,060	7	3	5	Balance of county	-	233	3	2	2
Roseburg	-	274	-	-	-	Pennsylvania	127,335	126,471	1,375	930	1,314
Balance of county	-	786	7	3	5	White	114,443	113,726	876	620	978
Gilliam	8	18	-	-	-	All other	12,892	12,745	499	310	336
Grant	80	91	-	-	-	Black	12,479	12,360	482	305	320
Harney	65	70	1	1	1	Adams	590	733	3	2	10
Hood River	165	163	3	1	1	Allegheny	18,206	15,662	167	124	159
Jackson	1,555	1,484	13	5	10	White	16,210	13,765	86	67	94
Ashland	-	133	-	-	-	All other	1,996	1,897	81	57	65
Medford	-	583	9	2	3	Black	1,957	1,868	80	57	64
Balance of county	-	768	4	3	7	Baldwin	-	267	1	1	1
Jefferson	94	106	1	1	2	Bellevue	-	138	-	-	1
White	82	84	1	1	2	Bethel Park	-	310	3	3	1
All other	12	22	-	-	-	Brentwood	-	132	-	-	-
Black	1	1	-	-	-	Carnegie	-	148	3	1	1
Josephine	897	931	7	5	6	Castle Shannon	-	88	-	-	2
Grants Pass	-	380	1	1	3	Clairton	-	177	3	1	1
Balance of county	-	551	6	4	3	White	-	139	-	-	-
Klamath	637	648	11	7	6	All other	-	38	3	1	1
Klamath Falls	-	215	7	4	2	Black	-	37	3	1	1
Balance of county	-	433	4	3	4	Dormont	-	96	-	-	1
Lake	62	68	1	-	1	Duquesne	-	131	3	2	3
Lane	2,553	2,518	22	12	15	White	-	107	2	1	1
Eugene	-	1,055	8	5	4	All other	-	24	1	1	2
Springfield	-	407	6	2	4	Black	-	24	1	1	2
Balance of county	-	1,056	8	5	7	Elizabeth twp#	-	151	2	1	1
Lincoln	461	507	5	2	-	Harrison twp#	-	140	1	1	-
Linn	814	912	7	4	8	McCandless twp#	-	255	2	1	-
Albany, part	-	292	2	1	2	McKeesport	-	471	8	5	8
Albany, total	-	311	3	1	2	White	-	406	5	3	5
Lebanon	-	165	3	3	2	All other	-	65	3	2	3
Balance of county	-	455	2	-	4	Black	-	65	3	2	3
Malheur	313	284	8	2	4	Monroeville	-	275	2	-	1
Marion	2,284	2,301	16	10	18	Mount Lebanon twp#	-	363	2	2	2
Salem, part	-	1,101	4	2	10	Munhall	-	181	4	3	1
Salem, total	-	1,254	4	2	13	North Versailles twp#	-	139	1	1	1
Woodburn	-	257	2	1	1	Penn Hills twp#	-	535	2	2	4
White	-	256	2	1	1	White	-	475	-	-	3
All other	-	1	-	-	-	All other	-	60	2	2	1
Black	-	-	-	-	-	Black	-	60	2	2	1
Balance of county	-	943	10	7	7	Pittsburgh	-	4,896	74	57	84
Morrow	34	57	1	1	-	White	-	3,597	22	18	38
Multnomah	7,236	5,971	76	38	47	All other	-	1,299	52	39	46
White	6,744	5,514	57	29	39	Black	-	1,287	52	39	46
All other	-	492	19	9	8	Plum	-	168	1	1	1
Black	-	317	17	7	5	Ross twp#	-	384	-	-	2
Gresham	-	587	7	6	7	Scott twp#	-	201	1	-	-
Lake Oswego, part	-	9	-	-	-	Shaler twp#	-	324	5	5	3
Milwaukie, part	-	-	-	-	-	South Park twp#	-	94	-	-	1
Portland, part	-	-	-	-	-	Swissvale	-	135	1	1	-
White	-	4,719	62	30	37	Upper St. Clair twp#	-	132	2	2	-
All other	-	4,297	45	22	31	West Mifflin	-	289	-	-	3
Black	-	422	17	8	6	Whitehall	-	194	-	-	-
Balance of county	-	303	15	6	4	Wilkinsburg	-	278	7	5	3
Portland, total	-	4,732	62	30	37	White	-	163	-	-	-
White	-	4,309	45	22	31	All other	-	115	7	5	3
All other	-	423	17	8	6	Black	-	115	7	5	3
Black	-	303	15	6	4						
Balance of county	-	656	7	2	3						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 65

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993-Con.

(Page 65 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more.]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Pennsylvania-Con.					Pennsylvania-Con.						
Balance of county	---	4,570	39	29	33	Cumberland	1,773	1,752	18	13	22
White	---	4,370	30	24	26	Carlisle	---	263	2	2	3
All other	---	200	9	5	7	East Pennsboro twp#	---	157	---	---	3
Black	---	192	9	5	7	Lower Allen twp#	---	128	1	---	---
Armstrong	663	825	9	6	11	Balance of county	---	1,204	15	11	16
Beaver	1,680	2,043	16	11	15	Dauphin	3,129	2,431	33	24	25
White	1,568	1,914	11	9	14	White	2,777	2,064	20	15	13
All other	112	129	5	2	1	All other	---	367	13	9	12
Black	111	128	5	4	2	Black	---	355	13	9	11
Alliquippa	---	221	7	4	2	Harrisburg	---	709	16	9	15
White	---	147	4	2	1	White	---	408	4	1	4
All other	---	74	3	2	1	All other	---	301	12	8	11
Black	---	73	3	2	1	Black	---	294	12	8	11
Beaver Falls	---	155	2	1	---	Lower Paxton twp#	---	349	2	2	2
White	---	137	1	1	---	Middletown	---	140	2	1	1
All other	---	18	1	---	---	Susquehanna twp#	---	144	1	1	---
Black	---	18	1	---	---	White	---	138	1	1	---
Balance of county	---	1,667	7	6	13	All other	---	6	---	---	---
Bedford	308	461	3	1	7	Black	---	6	---	---	---
Berks	3,237	3,481	26	19	32	Swatara twp#	---	218	2	1	---
Muhlenberg twp#	---	182	1	1	---	Balance of county	---	871	10	10	7
Reading	---	858	14	9	18	Delaware	5,524	5,678	64	38	48
White	---	791	12	8	18	All other	4,821	5,023	33	20	29
All other	---	67	2	1	---	Black	703	655	31	18	19
Black	---	64	2	1	---	Aston twp#	---	632	27	17	18
Balance of county	---	2,441	11	9	14	White	---	159	2	1	1
Blair	1,751	1,515	13	8	17	Chester	---	568	19	9	13
Altoona	---	675	6	3	9	White	---	204	1	---	---
Balance of county	---	840	7	5	8	All other	---	364	18	9	13
Bradford	863	596	4	3	4	Black	---	364	18	9	13
Bucks	4,352	4,284	48	32	52	Darby	---	162	2	2	1
White	4,234	4,175	40	27	47	White	---	134	1	1	1
All other	118	109	8	5	5	All other	---	28	1	1	---
Black	101	89	7	4	5	Black	---	27	1	1	---
Bensalem twp#	---	386	9	7	6	Darby twp#	---	85	---	---	---
Bristol	---	131	3	2	4	White	---	46	---	---	---
Bristol twp#	---	442	5	2	7	All other	---	39	---	---	---
Falls twp#	---	267	4	3	1	Black	---	39	---	---	---
Lower Southampton twp#	---	137	---	---	1	Haverford twp#	---	498	3	3	2
Middletown twp#	---	264	4	4	---	Lansdowne	---	138	1	1	1
Northampton twp#	---	208	---	---	1	Marple twp#	---	267	2	1	---
Upper Southampton twp#	---	152	---	---	1	Middletown twp#	---	293	1	1	1
Warminster twp#	---	257	1	1	5	Nether Providence twp#	---	130	---	---	---
Balance of county	---	2,040	22	13	26	Newtown twp#	---	160	---	---	2
White	---	2,010	21	12	23	Radnor twp#	---	167	---	---	2
All other	---	30	1	1	3	Ridley twp#	---	281	6	6	---
Black	---	27	1	1	3	Ridley twp#	---	251	---	---	2
Butler	1,192	1,460	15	14	15	Springfield twp#	---	111	3	2	1
Butler	---	206	4	4	4	Upper Chichester twp#	---	755	12	5	5
Balance of county	---	1,254	11	10	11	Upper Darby twp#	---	114	3	2	1
Cambria	1,843	1,878	9	9	14	White	---	69	1	1	---
Johnstown	---	470	2	7	3	All other	---	45	2	2	---
Balance of county	---	1,408	7	---	11	Black	---	45	2	2	---
Cameron	22	63	---	---	---	Balance of county	---	1,539	10	5	15
Carbon	556	718	2	1	4	White	---	1,454	10	5	9
Centre	759	720	2	8	10	All other	---	85	---	---	6
State College	---	122	3	2	1	Black	---	80	---	---	5
Balance of county	---	598	5	3	9	Elk	302	348	6	2	3
Chester	2,599	2,724	42	30	23	Erie	2,939	2,689	40	22	32
White	2,386	2,512	28	19	19	All other	2,819	2,562	27	17	26
All other	203	212	14	11	4	Black	---	120	13	5	6
Black	192	202	13	11	4	Erie	---	112	119	13	5
Coatesville	---	159	5	3	---	White	---	1,336	26	14	9
White	---	112	---	---	---	All other	---	1,228	14	9	6
All other	---	47	5	3	---	Black	---	108	12	5	3
Black	---	47	5	3	---	Millcreek twp#	---	104	12	5	3
Phoenixville	---	178	3	2	---	Balance of county	---	360	5	4	3
Tredyffrin twp#	---	178	3	1	1	Fayette	1,474	1,841	18	13	19
West Chester	---	193	5	4	1	Connellsville	---	142	1	---	3
White	---	149	2	1	---	Uniontown	---	273	---	---	1
All other	---	44	3	3	1	Balance of county	---	1,426	17	13	15
Black	---	44	3	3	1	Forest	36	69	---	---	1
West Goshen twp#	---	98	---	---	1	Franklin	1,138	1,194	14	10	10
Balance of county	---	1,918	26	20	20	Chambersburg	---	255	3	2	---
White	---	1,817	22	17	18	Balance of county	---	939	11	8	10
All other	---	101	4	3	2	Fulton	---	87	111	---	3
Black	---	92	3	3	2	Greene	319	453	6	5	3
Clarion	329	397	---	---	4	Huntingdon	343	415	5	2	5
Clearfield	870	901	4	3	2	Indiana	657	858	11	9	7
Clinton	318	384	6	3	2	Indiana	---	88	1	---	---
Columbia	596	644	6	4	5	Balance of county	---	770	10	9	7
Berwick	---	152	2	1	1	Jefferson	473	561	4	2	3
Bloomsburg	---	116	---	---	1	Juniata	120	207	3	3	1
Balance of county	---	376	4	3	3	Lackawanna	3,003	2,799	17	11	15
Crawford	810	869	10	5	14	Carbondale	---	155	---	---	---
Meadville	---	178	2	2	1	Dunmore	---	208	3	2	2
Balance of county	---	691	8	3	13	Scranton	---	1,180	8	6	6

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 66

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 66 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Pennsylvania-Con.					Pennsylvania-Con.						
Balance of county	---	1,256	6	3	7	Balance of county	---	920	4	3	4
Lancaster	3,770	3,782	53	36	71	Perry	149	319	8	6	8
Columbia	---	139	---	---	---	Philadelphia, coext. with	20,040	19,712	361	227	291
Ephrata	---	118	3	3	---	Philadelphia city	12,339	11,803	86	54	109
Lancaster	---	543	9	3	16	White	7,701	7,909	275	173	182
White	---	499	7	3	12	All other	7,520	7,759	271	171	176
All other	---	44	2	---	4	Pike	---	288	1	---	5
Black	---	40	1	---	4	Potter	229	219	1	---	2
Lancaster twp#	---	204	1	1	---	Schuylkill	1,879	2,089	5	4	15
Manheim twp#	---	404	2	2	1	Pottsville	---	267	---	---	2
Balance of county	---	2,374	38	27	53	Balance of county	---	1,822	5	4	13
Lawrence	1,035	1,151	20	18	9	Snyder	152	338	5	1	4
New Castle	---	452	10	9	4	Somerset	743	841	5	4	5
Balance of county	---	699	10	9	5	Sullivan	---	68	---	---	1
Lebanon	1,199	1,137	6	3	12	Susquehanna	328	445	1	1	4
Lebanon	---	322	2	1	5	Tioga	377	425	2	2	4
Balance of county	---	815	4	2	7	Union	453	344	2	1	2
Lehigh	3,998	2,875	25	19	27	Venango	623	640	4	2	1
Allentown	---	1,193	18	13	14	Oil City	---	147	1	---	---
Bethlehem, part	---	315	2	2	2	Balance of county	---	493	3	2	1
Emmaus	---	107	---	---	---	Warren	423	477	4	3	3
Salisbury twp#	---	74	---	---	1	Warren	---	153	1	1	2
Whitehall twp#	---	233	3	3	2	Balance of county	---	324	3	2	1
Balance of county	---	953	2	1	8	Washington	2,312	2,428	13	8	27
Luzerne	4,389	4,270	25	17	25	Canonsburg	---	149	1	1	1
Hazleton	---	372	2	---	3	Washington	---	285	3	1	7
Kingston	---	222	---	---	1	White	---	262	2	---	2
Nanticoke	---	206	---	---	---	All other	---	23	1	1	5
Wilkes-Barre	---	723	9	9	1	Black	---	23	1	1	5
Balance of county	---	2,747	14	8	20	Balance of county	---	1,994	9	6	19
Lycoming	1,320	1,221	10	5	13	Wayne	400	492	---	---	4
Williamsport	---	338	6	2	6	Westmoreland	3,553	4,198	42	30	37
Balance of county	---	883	5	3	7	Greensburg	---	270	6	5	3
McKean	493	558	4	2	5	Hempfield twp#	---	423	5	1	3
Bradford	---	137	2	1	2	Jeannette	---	150	5	3	1
Balance of county	---	421	2	1	3	Latrobe	---	139	2	2	---
Mercer	1,436	1,357	9	7	9	Lower Burrell	---	164	1	1	2
Sharon	---	222	1	1	---	Monessen	---	168	2	2	4
Balance of county	---	1,135	8	6	9	White	---	149	1	1	3
Mifflin	501	490	3	2	6	All other	---	19	1	1	1
Monroe	880	908	18	11	6	Black	---	19	1	1	1
Montgomery	7,263	6,529	57	40	60	Municipality of Murrysville	---	120	1	1	---
White	6,662	6,159	44	34	49	New Kensington	---	235	2	2	4
All other	601	370	13	6	11	North Huntingdon twp#	---	296	2	2	---
Black	561	321	11	5	8	Balance of county	---	2,233	19	13	20
Abington twp#	---	606	8	6	4	Wyoming	214	247	3	3	---
Cheltenham twp#	---	401	5	4	---	York	2,996	3,049	35	23	38
East Norriton twp#	---	150	1	1	---	White	2,889	2,942	29	20	34
Hatfield twp#	---	92	1	1	2	All other	---	107	7	3	4
Lansdale	---	242	1	---	2	Black	---	98	7	3	1
Lower Merion twp#	---	587	4	3	2	Hanover	---	182	1	1	1
Lower Moreland twp#	---	81	1	1	---	Springettsbury twp#	---	305	1	---	---
Lower Providence twp#	---	111	---	---	1	Spring Garden twp#	---	191	3	---	---
Norristown	---	404	5	2	5	York	---	480	13	7	11
White	---	319	3	2	2	White	---	376	6	5	10
All other	---	85	2	---	3	All other	---	84	5	2	1
Black	---	82	2	---	3	Black	---	81	5	2	1
Plymouth twp#	---	140	2	1	2	Balance of county	---	1,911	17	14	25
Pottstown	---	267	3	3	5	Rhode Island	9,893	9,786	102	69	96
White	---	249	3	3	4	White	9,542	9,437	87	60	76
All other	---	18	---	---	---	All other	351	349	15	9	20
Black	---	17	---	---	---	Black	307	304	15	9	16
Springfield twp#	---	322	2	1	1	Bristol	259	499	2	2	2
Towamencin twp#	---	85	---	---	---	Barrington town#	---	110	1	1	1
Upper Dublin twp#	---	154	1	1	---	Bristol town#	---	240	1	1	---
Upper Merion twp#	---	168	2	1	1	Warren town#	---	149	---	---	---
Upper Moreland twp#	---	255	4	4	2	Balance of county	---	---	---	---	---
West Norriton twp#	---	116	1	---	1	Kent	1,420	1,533	13	11	12
Whitemarsh twp#	---	145	---	---	---	Coventry town#	---	254	1	1	---
Balance of county	---	2,203	16	11	31	Warwick	---	905	8	6	9
White	---	2,118	14	11	26	West Warwick town#	---	269	4	4	2
All other	---	85	2	---	5	Balance of county	---	105	---	---	---
Black	---	69	1	---	3	Newport	556	725	11	5	8
Montour	820	203	1	1	2	Middletown town#	---	140	2	1	1
Northampton	1,456	2,369	21	17	15	Newport	---	282	5	1	5
Bethlehem, part	---	477	4	3	2	White	---	256	3	1	3
Bethlehem, total	---	792	6	5	4	All other	---	26	2	---	2
Easton	---	289	6	4	6	Black	---	26	2	---	2
White	---	273	6	4	5	Balance of county	---	303	4	3	2
All other	---	16	---	---	1						
Black	---	16	---	---	1						
Palmer twp#	---	152	---	---	---						
Balance of county	---	1,451	11	10	7						
Northumberland	878	1,219	4	3	5						
Shamokin	---	140	---	---	---						
Sunbury	---	159	---	---	1						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 67

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 67 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more.]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Rhode Island-Con.					South Carolina-Con.						
Providence	6,807	6,100	66	41	64	Calhoun	57	123	1	1	1
White	6,502	5,803	54	33	53	White	30	61	1	1	-
All other	305	297	12	8	11	All other	27	62	-	-	1
Black	269	264	12	8	7	Black	27	62	-	-	1
Central Falls	-	218	7	4	2	Charleston	3,620	2,455	48	31	47
Cranston	-	730	11	6	5	White	2,258	1,506	11	7	23
Cumberland town#	-	271	3	2	3	All other	1,362	949	37	24	24
East Providence	-	648	4	3	5	Black	1,355	945	37	24	24
Johnston town#	-	296	1	1	1	Charleston	-	946	19	11	17
North Providence town#	-	343	3	3	3	White	-	540	3	1	11
Pawtucket	-	726	5	4	5	All other	-	406	16	10	6
Providence	-	1,564	29	16	26	Black	-	405	16	10	6
White	-	1,348	20	10	21	Mount Pleasant	-	268	1	1	5
All other	-	216	9	6	5	North Charleston, part	-	382	17	12	10
Black	-	200	9	6	2	White	-	294	5	4	1
Woonsocket	-	560	1	1	5	All other	-	88	12	8	9
Balance of county	-	744	2	1	9	Black	-	87	12	8	9
Washington	851	929	10	10	10	North Charleston, total	-	382	17	12	10
South Carolina	31,128	31,963	543	368	571	White	-	294	5	4	1
White	21,397	21,959	218	144	247	All other	-	88	12	8	9
All other	9,731	10,004	325	224	324	Black	-	87	12	8	9
Black	9,658	9,930	323	223	322	Balance of county	-	859	11	7	15
Abbeville	161	216	4	4	5	White	-	443	2	1	9
White	108	157	2	2	4	All other	-	416	9	6	6
All other	53	59	2	2	1	Black	-	415	9	6	6
Black	53	59	2	2	1	Cherokee	321	451	6	4	5
Alken	853	1,220	15	12	22	White	255	358	3	2	3
White	602	896	7	6	13	All other	66	93	3	2	2
All other	251	324	8	6	9	Black	66	92	3	2	2
Black	250	321	8	6	9	Gaffney	-	230	2	1	2
Alken	-	327	1	1	6	White	-	174	-	-	1
White	-	242	-	-	4	All other	-	56	2	1	1
All other	-	85	1	1	2	Black	-	56	2	1	1
Black	-	84	1	1	2	Balance of county	-	221	4	3	3
North Augusta	-	171	1	1	3	White	-	184	3	2	2
White	-	134	-	-	1	All other	-	37	1	1	1
All other	-	37	1	1	2	Black	-	36	1	1	1
Black	-	37	1	1	2	Chester	250	336	4	2	2
Balance of county	-	722	13	10	13	White	165	230	1	1	1
White	-	520	7	6	8	All other	85	106	3	1	1
All other	-	202	6	4	5	Black	84	105	3	1	1
Black	-	200	6	4	5	Chesterfield	306	453	9	6	6
Allendale	99	145	3	2	-	White	198	298	2	1	3
White	39	52	-	-	-	All other	108	155	7	5	3
All other	60	93	3	2	-	Black	108	155	7	5	3
Black	60	93	3	2	-	Clarendon	267	335	4	4	3
Anderson	1,415	1,480	29	23	12	White	109	150	-	-	-
White	1,166	1,233	19	14	7	All other	158	185	4	4	3
All other	249	247	10	9	5	Black	158	185	4	4	3
Black	247	245	10	9	5	Colleton	288	371	6	5	5
Anderson	-	491	8	7	3	White	157	196	1	1	1
White	-	364	1	1	3	All other	131	175	5	4	4
All other	-	127	7	6	3	Black	130	173	5	4	4
Black	-	127	7	6	3	Darlington	469	706	15	10	16
Balance of county	-	989	21	16	9	White	282	429	4	3	4
White	-	869	18	13	7	All other	187	277	11	7	12
All other	-	120	3	3	2	Black	187	277	11	7	12
Black	-	118	3	3	2	Dillon	252	298	4	2	5
Bamberg	116	163	2	1	5	White	133	157	-	-	2
White	58	89	1	1	5	All other	119	141	4	2	3
All other	58	74	1	-	5	Black	111	135	4	2	3
Black	58	73	1	-	5	Dorchester	281	540	7	6	10
Barnwell	128	191	4	2	5	White	213	391	3	2	5
White	76	111	2	-	2	All other	68	149	4	4	5
All other	52	80	2	2	3	Black	67	148	4	4	5
Black	52	79	2	2	3	Edgefield	126	202	1	1	1
Beaufort	659	700	20	11	19	White	80	121	-	-	1
White	423	453	9	5	8	All other	46	81	1	1	-
All other	236	247	11	6	11	Black	46	81	1	1	-
Black	235	246	10	6	11	Fairfield	198	281	3	2	4
Berkeley	357	756	24	14	16	White	101	136	-	-	1
White	252	520	12	5	12	All other	97	145	3	2	3
All other	105	236	12	9	4	Black	97	145	3	2	3
Black	103	231	12	9	4	Florence	1,707	1,132	23	17	25
Goose Creek	-	88	5	2	8	White	1,013	688	7	7	7
White	-	79	5	2	7	All other	694	444	16	10	18
All other	-	9	-	-	1	Black	690	443	16	10	18
Black	-	7	-	-	1	Florence	-	362	8	7	6
Hanahan	-	125	1	-	1	White	-	196	2	2	4
North Charleston, part	-	-	-	-	-	All other	-	166	6	5	2
Balance of county	-	543	18	12	7	Black	-	166	6	5	2
White	-	320	6	3	4	Balance of county	-	770	15	10	19
All other	-	223	12	9	3	White	-	492	5	5	3
Black	-	221	12	9	3	All other	-	278	10	5	16
						Black	-	277	10	5	16

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 68

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 68 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
South Carolina-Con.					South Carolina-Con.						
Georgetown	397	429	11	8	9	Lee	124	189	3	2	4
White	226	241	3	2	2	White	47	75	-	-	-
All other	171	188	8	6	7	All other	77	114	3	2	4
Black	171	188	8	6	7	Black	77	114	3	2	4
Georgetown	---	148	---	---	6	Lexington	1,126	1,250	21	11	30
White	---	83	---	---	5	White	963	1,092	16	7	21
All other	---	65	---	---	1	All other	163	158	5	4	9
Black	---	65	---	---	3	Black	160	156	5	4	8
Balance of county	---	281	11	8	3	Cayce	---	104	---	---	1
White	---	158	3	2	1	White	---	85	---	---	1
All other	---	123	8	6	2	All other	---	19	---	---	1
Black	---	123	8	6	2	Black	---	19	---	---	1
Greenville	3,185	2,789	27	17	39	West Columbia	---	156	---	---	7
White	2,618	2,284	13	7	25	White	---	140	---	---	5
All other	567	505	14	10	14	All other	---	16	---	---	2
Black	562	498	14	10	14	Black	---	16	---	---	1
Greenville	---	754	3	6	2	Balance of county	---	990	21	11	22
White	---	449	3	1	2	White	---	867	16	7	16
All other	---	305	6	5	6	All other	---	123	5	4	6
Black	---	305	6	5	6	Black	---	121	5	4	6
Greer, part	---	127	---	---	1	McCormick	50	88	1	1	1
White	---	11	---	---	1	White	27	43	1	1	1
All other	---	10	---	---	1	All other	23	45	1	1	1
Black	---	10	---	---	1	Black	23	45	1	1	1
Greer, total	---	178	---	---	1	Marion	339	383	6	5	13
White	---	143	---	---	1	White	154	180	1	1	3
All other	---	30	---	---	1	All other	185	203	5	4	10
Black	---	29	---	---	1	Black	182	201	5	4	10
Balance of county	---	1,908	18	11	30	Marlboro	229	301	2	3	7
White	---	1,719	10	6	22	White	107	143	2	3	2
All other	---	189	8	5	8	All other	122	156	3	3	5
Black	---	183	8	5	8	Black	118	151	3	3	5
Greenwood	740	619	10	10	7	Newberry	285	394	4	4	1
White	525	440	3	3	5	White	199	288	2	2	1
All other	215	179	7	7	2	All other	86	126	2	2	1
Black	215	179	7	7	2	Black	86	126	2	2	1
Greenwood	---	326	7	7	3	Oconee	479	562	3	3	7
White	---	226	2	2	2	White	422	503	3	3	3
All other	---	100	5	5	1	All other	57	59	---	---	4
Black	---	100	5	5	1	Black	54	56	---	---	4
Balance of county	---	293	3	3	3	Orangeburg	834	891	20	13	23
White	---	214	1	1	3	White	384	403	5	5	1
All other	---	79	2	2	1	All other	450	488	15	8	22
Black	---	79	2	2	1	Black	448	487	15	8	22
Hampton	86	165	8	5	3	Orangeburg	---	208	6	4	4
White	40	76	6	4	1	White	---	117	---	---	---
All other	46	89	2	1	2	All other	---	91	6	4	4
Black	46	89	2	1	2	Black	---	91	6	4	4
Horry	1,293	1,329	15	12	22	Balance of county	---	683	14	9	19
White	1,065	1,100	7	5	6	White	---	286	5	5	1
All other	228	229	8	7	16	All other	---	397	9	4	18
Black	222	223	8	7	16	Black	---	396	9	4	18
Conway	---	169	1	1	2	Pickens	614	814	16	10	9
White	---	129	---	---	1	White	---	206	5	3	2
All other	---	40	1	1	1	All other	---	173	5	3	2
Black	---	40	1	1	1	Black	---	33	---	---	2
Myrtle Beach	---	189	---	---	3	Balance of county	---	608	11	7	7
White	---	168	---	---	3	Richland	3,403	2,262	44	27	48
All other	---	21	---	---	3	White	---	1,271	7	4	14
Black	---	21	---	---	3	All other	---	991	37	23	34
Balance of county	---	971	14	11	17	Black	---	1,368	37	23	34
White	---	803	7	5	5	Columbia	---	1,120	24	17	24
All other	---	168	7	6	12	White	---	593	5	3	5
Black	---	162	7	6	12	All other	---	597	19	14	19
Jasper	112	150	6	4	1	Black	---	536	19	14	19
White	59	63	1	1	1	Balance of county	---	1,142	20	10	24
All other	53	87	5	4	1	White	---	688	2	1	9
Black	53	87	5	4	1	All other	---	454	18	9	15
Kershaw	294	392	5	3	8	Black	---	450	18	9	15
White	187	249	1	1	2	Saluda	108	217	2	2	6
All other	107	143	4	3	6	White	---	153	1	1	4
Black	107	143	4	3	6	All other	---	64	1	1	2
Lancaster	417	523	10	9	12	Black	---	27	1	1	2
White	320	404	7	6	7	Spartanburg	2,373	2,339	29	19	26
All other	97	119	3	3	5	White	---	1,875	21	15	13
Black	97	119	3	3	5	All other	---	498	8	4	13
Laurens	465	654	10	4	12	Black	---	491	7	3	13
White	335	469	4	1	6	Greer, part	---	46	---	---	---
All other	130	185	6	3	6	White	---	27	---	---	---
Black	130	184	6	3	6	All other	---	19	---	---	---
Laurens	---	190	2	1	1	Black	---	19	---	---	---
White	---	129	---	---	---	Spartanburg	---	658	6	2	6
All other	---	61	2	1	1	White	---	423	1	1	6
Black	---	60	2	1	1	All other	---	235	5	2	6
Balance of county	---	464	8	3	12	Black	---	235	5	2	6
White	---	340	4	1	6						
All other	---	124	4	2	6						
Black	---	124	4	2	6						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 69

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 69 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more.]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
South Carolina-Con.					South Dakota-Con.						
Balance of county	---	1,635	23	17	20	Corson	12	41	1	-	-
White	---	1,405	20	15	13	White	4	16	-	-	-
All other	---	230	3	2	7	All other	8	25	1	-	-
Black	---	225	2	1	7	Black	-	-	-	-	-
Sumter	730	810	18	15	29	Custer	59	67	2	1	1
White	380	408	5	4	10	Davison	216	182	4	4	1
All other	350	402	13	11	19	Mitchell	---	163	3	3	-
Black	349	400	13	11	18	Balance of county	---	19	1	1	1
Sumter	---	405	9	7	15	Day	74	105	1	1	-
White	---	193	2	2	8	Deuel	31	41	-	-	-
All other	---	212	7	5	7	Dewey	30	47	2	2	1
Black	---	211	7	5	6	White	3	13	-	-	-
Balance of county	---	405	9	8	14	All other	27	34	2	2	1
White	---	215	3	2	2	Black	---	-	-	-	-
All other	---	190	6	6	12	Douglas	31	38	-	-	-
Black	---	189	6	6	12	Edmunds	59	63	-	-	-
Union	273	330	5	1	8	Fall River	117	112	-	-	-
White	205	236	2	1	5	Faulk	26	37	-	-	-
All other	68	94	3	1	3	Grant	68	94	1	1	-
Black	68	94	3	1	3	Gregory	61	72	1	-	-
Union	---	144	3	1	1	Haakon	27	27	-	-	-
White	---	97	1	1	1	Hamlin	48	67	-	-	1
All other	---	47	2	-	-	Hand	56	55	-	-	-
Black	---	47	2	-	-	Hanson	4	17	-	-	-
Balance of county	---	186	2	-	7	Harding	1	2	-	-	1
White	---	139	1	-	4	Hughes	153	131	3	1	1
All other	---	47	1	-	3	Pierre	---	118	3	1	1
Black	---	47	1	-	3	Balance of county	---	13	-	-	-
Williamsburg	187	369	9	4	11	Hutchinson	113	125	-	-	-
White	58	131	1	1	1	Hyde	14	23	1	-	-
All other	129	238	8	3	10	Jackson	6	26	2	2	1
Black	129	238	8	3	10	White	3	17	-	-	-
York	1,055	1,160	23	16	21	All other	3	9	2	2	1
White	812	900	7	5	13	Black	---	-	-	-	-
All other	243	260	16	11	8	Jerauld	34	33	-	-	-
Black	240	257	16	11	8	Jones	7	14	-	-	-
Rock Hill	---	547	7	3	6	Kingsbury	89	108	-	-	-
White	---	389	-	-	1	Lake	100	118	1	1	-
All other	---	158	7	3	5	Lawrence	140	181	2	1	3
Black	---	157	7	3	5	Lincoln	118	145	-	-	2
Balance of county	---	613	16	13	15	Sioux Falls, part	---	2	-	-	-
White	---	511	7	5	12	Balance of county	---	143	-	-	2
All other	---	102	9	8	3	Lyman	5	32	2	2	-
Black	---	100	9	8	3	White	5	26	-	-	-
South Dakota *	6,904	6,782	102	53	46	All other	---	6	2	2	-
White	6,469	6,310	67	37	35	Black	---	-	-	-	-
All other	435	472	35	16	11	McCook	63	75	-	-	-
Black	4	3	-	-	-	McPherson	32	51	-	-	-
Aurora	23	43	1	1	-	Marshall	37	54	-	-	1
Beadle	218	227	2	1	-	Meade	183	133	4	4	2
Huron	---	182	2	1	-	Mellette	19	28	-	-	-
Balance of county	---	45	-	-	-	White	12	17	-	-	-
Bennett	38	32	2	-	-	All other	7	11	-	-	-
White	19	21	1	-	-	Black	---	-	-	-	-
All other	19	11	1	-	-	Miner	20	51	-	-	1
Black	---	-	-	-	-	Minnehaha	1,651	1,007	17	11	8
Bon Homme	77	94	1	-	-	Sioux Falls, part	---	845	16	10	6
Brookings	133	151	1	-	1	Sioux Falls, total	---	847	16	10	6
Brookings	---	98	-	-	1	Balance of county	---	162	1	1	2
Balance of county	---	53	1	-	-	Moody	47	63	-	-	1
Brown	398	356	3	-	1	Pennington	759	612	16	7	3
Aberdeen	---	259	3	-	-	Rapid City	---	493	13	6	3
Balance of county	---	97	-	-	-	Balance of county	---	119	3	1	-
Brule	53	50	-	-	-	Perkins	28	55	-	-	-
Buffalo	6	17	-	-	-	Potter	42	47	-	-	-
White	2	3	-	-	-	Roberts	85	108	-	-	-
All other	4	14	-	-	-	White	72	87	-	-	-
Black	---	-	-	-	-	All other	13	21	-	-	-
Butte	70	95	3	3	1	Black	---	-	-	-	-
Campbell	4	13	-	-	-	Sanborn	17	31	-	-	-
Charles Mix	89	109	1	-	4	Shannon	54	124	14	7	2
White	69	80	-	-	2	White	3	2	1	-	-
All other	20	29	1	-	2	All other	51	122	13	7	2
Black	---	-	-	-	-	Black	---	-	-	-	-
Clark	27	54	-	-	-	Spink	82	99	-	-	1
Clay	64	81	-	-	1	Stanley	5	17	-	-	-
Vermillion	---	46	-	-	-	Sully	1	8	-	-	-
Balance of county	---	35	-	-	1	Todd	35	60	7	2	3
Codrington	247	223	1	-	2	White	3	9	-	-	-
Watertown	---	156	1	-	1	All other	---	-	-	-	-
Balance of county	---	27	-	-	-	Black	---	-	-	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 70

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 70 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	
		Total deaths	Infant	Neonatal				Total deaths	Infant	Neonatal		
South Dakota-Con.					Tennessee-Con.							
Tripp	81	78	1	-	1	Dyersburg	---	229	7	4	-	
Turner	97	134	2	-	1	White	---	179	5	2	-	
Union	53	95	-	-	-	All other	---	50	2	2	-	
Walworth	106	101	1	-	-	Black	---	50	2	2	-	
Yankton	253	190	2	-	-	Balance of county	---	168	-	-	3	
Yankton	---	143	1	-	-	Fayette	200	290	5	3	-	
Balance of county	---	47	1	-	-	White	121	169	1	1	-	
Ziebach	8	13	-	-	-	All other	79	121	4	2	-	
White	2	3	-	-	-	Black	79	121	4	2	-	
All other	6	10	-	-	-	Fentress	130	178	-	-	-	
Black	-	-	-	-	-	Franklin	373	377	5	4	1	
Tennessee *	52,335	49,249	687	403	386	Tullahoma, part	---	7	-	-	-	
White	43,677	41,091	366	207	228	Balance of county	---	370	5	4	1	
All other	8,658	8,158	321	196	158	Gibson	456	621	10	6	7	
Black	8,548	8,060	315	193	156	White	378	514	9	5	5	
Anderson	850	696	4	3	1	All other	78	107	1	1	2	
Oak Ridge, part	---	254	4	3	-	Black	77	106	1	1	5	
Oak Ridge, total	---	262	4	3	-	Balance of county	---	136	3	2	3	
Balance of county	---	442	-	-	1	White	---	100	3	2	-	
Bedford	281	381	6	3	3	All other	---	36	-	-	3	
White	252	332	4	1	3	Black	---	36	-	-	3	
All other	29	49	2	2	-	Balance of county	---	485	7	4	4	
Black	28	48	2	2	-	White	---	414	6	3	2	
Shelbyville	---	256	6	3	3	All other	---	71	1	1	2	
White	---	213	4	1	3	Black	---	70	1	1	2	
All other	---	43	2	2	-	Giles	232	316	2	-	1	
Black	---	42	2	2	-	White	201	274	2	-	1	
Balance of county	---	125	-	-	-	All other	31	42	-	-	-	
Benton	143	176	2	2	2	Black	31	42	-	-	-	
Bledsoe	79	97	-	-	1	Grainger	80	180	-	-	-	
Blount	772	841	11	6	2	Greene	572	608	3	1	7	
Maryville	---	289	1	-	1	Greeneville	---	200	-	-	2	
Balance of county	---	552	10	6	1	Balance of county	---	408	3	1	5	
Bradley	760	720	16	8	7	Grundy	43	157	1	1	-	
Cleveland	---	468	11	6	4	Hamblen	460	509	7	2	3	
Balance of county	---	252	5	2	3	Morristown	---	306	5	1	2	
Campbell	391	391	4	1	-	Balance of county	---	203	2	1	1	
Cannon	97	140	-	-	-	Hamilton	3,425	2,933	40	23	32	
Carroll	303	375	-	-	1	White	2,800	2,308	25	16	17	
White	278	340	-	-	-	All other	625	625	15	7	15	
All other	25	35	-	-	1	Black	615	616	15	7	15	
Black	25	35	-	-	1	Chattanooga	---	1,912	31	15	23	
Carter	365	580	5	5	3	White	---	1,302	16	8	8	
Elizabethton	---	194	-	-	2	All other	---	610	15	7	15	
Johnson City, part	---	6	-	-	-	Black	---	601	15	7	15	
Balance of county	---	380	5	5	1	East Ridge	---	212	1	1	2	
Cheatham	129	218	4	3	2	Red Bank	---	90	-	-	-	
Chester	64	144	2	1	1	Balance of county	---	719	8	7	7	
White	61	131	2	1	1	Hancock	23	83	1	1	1	
All other	3	13	-	-	-	Hardeman	149	261	2	1	4	
Black	3	13	-	-	-	White	97	175	2	1	1	
Claiborne	292	296	2	1	1	All other	52	86	-	-	3	
Clay	66	95	-	-	-	Black	51	85	-	-	3	
Cooke	259	318	1	-	1	Hardin	215	272	3	2	1	
Coffee	400	443	2	1	4	Hawkins	243	472	2	1	3	
Tullahoma, part	---	176	1	1	1	Kingsport, part	---	14	-	-	-	
Tullahoma, total	---	183	1	1	1	White	---	14	-	-	-	
Balance of county	---	267	1	-	3	All other	---	-	-	-	-	
Crockett	73	178	1	1	3	Black	---	-	-	-	-	
White	63	150	1	1	1	Balance of county	---	458	2	1	3	
All other	10	28	-	-	2	White	155	238	7	2	3	
Black	10	28	-	-	2	All other	82	126	2	-	1	
Cumberland	421	415	3	2	-	Black	73	112	5	2	2	
Davidson	6,977	4,928	100	59	43	Henderson	163	267	2	2	-	
White	5,533	3,652	40	24	20	Henry	342	401	4	4	1	
All other	1,444	1,276	60	35	23	White	311	360	3	1	1	
Black	1,427	1,264	60	35	23	All other	31	41	1	1	-	
Nashville-Davidson	---	4,806	100	59	42	Black	31	41	1	1	-	
White	---	3,534	40	24	20	Paris	---	168	2	2	-	
All other	---	1,272	60	35	22	White	---	138	1	1	-	
Black	---	1,260	60	35	22	All other	---	30	1	1	-	
Balance of county	---	122	-	-	1	Black	---	30	1	1	-	
Decatur	148	142	1	1	-	Balance of county	---	233	2	-	1	
De Kalb	168	199	2	1	4	Hickman	115	175	3	1	1	
Dickson	373	378	5	5	2	Houston	93	93	1	-	1	
Dyer	412	397	7	4	3	Humphreys	138	190	2	-	2	
White	350	338	5	2	3	Jackson	82	116	1	-	1	
All other	62	59	2	2	-	Jefferson	304	373	4	2	3	
Black	62	59	2	2	-	Johnson	103	182	2	1	2	
Tennessee-Con.	4,419	3,219	28	18	13	Knox	4,067	2,886	20	15	11	
White	352	333	8	3	2	White	---	352	333	8	3	2
All other	344	328	8	3	2	All other	---	344	328	8	3	2
Black	---	---	---	---	---	Black	---	---	---	---	---	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 71

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 71 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more.]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Tennessee-Con.					Tennessee-Con.						
Knoxville	---	2,179	20	14	5	Cookeville	---	226	3	2	4
White	---	1,870	14	11	3	Balance of county	---	295	4	3	1
All other	---	309	6	3	2	Rhea	202	255	2	1	4
Black	---	306	6	3	2	Roane	437	498	1	1	1
Balance of county	---	1,040	8	4	8	Oak Ridge, part	---	8	---	---	---
Lake	24	110	1	---	1	Balance of county	---	490	1	1	1
White	22	99	---	---	---	Robertson	353	411	6	3	---
All other	2	11	1	---	---	White	303	354	---	---	---
Black	2	11	1	---	---	All other	50	57	3	3	---
Lauderdale	225	318	2	1	3	Black	50	57	3	3	---
White	162	236	1	1	---	Springfield	---	180	5	3	---
All other	63	82	1	---	3	White	---	134	2	3	---
Black	61	81	1	---	3	All other	---	46	3	3	---
Lawrence	325	402	2	1	5	Black	---	46	3	3	---
Lawrenceburg	---	151	---	---	2	Balance of county	---	231	1	---	---
Balance of county	---	251	2	1	3	Rutherford	981	852	23	10	8
Lewis	76	108	---	---	---	White	859	750	18	8	6
Lincoln	317	384	3	3	3	All other	122	102	5	4	---
White	279	337	3	3	3	Black	117	99	2	2	---
All other	38	47	---	---	---	Murfreesboro	---	419	13	8	6
Black	38	47	---	---	---	White	---	351	9	8	6
Loudon	210	374	5	3	---	All other	---	68	3	3	---
McMinn	427	448	5	1	1	Black	---	65	3	3	---
Athens	---	140	4	1	---	Balance of county	---	433	10	2	---
Balance of county	---	308	1	---	1	Scott	162	197	1	---	1
McNairy	187	288	4	3	2	Sequatchie	43	72	---	---	---
Macon	111	165	---	---	2	Sevier	367	455	---	---	6
Madison	1,548	830	17	8	3	Shelby	9,611	7,554	202	133	97
White	1,194	593	6	4	1	White	5,483	3,975	27	15	15
All other	354	247	11	4	2	All other	4,128	3,579	175	118	82
Black	354	247	11	4	2	Black	4,099	3,552	171	115	81
Balance of county	---	648	13	5	2	Bartlett	---	121	1	---	---
White	---	435	2	1	---	Germantown	---	160	1	---	---
All other	---	213	11	4	2	Memphis	---	6,692	194	127	91
Black	---	213	11	4	2	White	---	3,258	19	9	12
Balance of county	---	182	4	3	1	All other	---	3,434	175	118	79
White	---	148	4	3	1	Black	---	3,415	171	115	78
All other	---	34	---	---	---	Millington	---	99	1	---	---
Black	---	34	---	---	---	White	---	79	1	---	---
Marion	199	240	1	---	---	All other	---	20	---	---	---
Marshall	209	251	1	---	1	Black	---	17	---	---	---
White	183	236	1	---	---	Balance of county	---	482	5	3	---
All other	26	25	---	---	---	White	---	366	5	3	---
Black	26	25	---	---	---	All other	---	116	---	---	---
Maury	699	610	2	2	4	Black	---	113	---	---	---
White	595	498	2	2	4	Smith	125	155	---	---	---
All other	104	112	---	---	---	Stewart	45	120	1	1	---
Black	101	109	---	---	---	Sullivan	2,216	1,487	15	9	6
Balance of county	---	380	1	1	---	Bristol	---	313	5	4	---
White	---	303	1	1	---	Kingsport, part	---	530	4	2	---
All other	---	77	---	---	---	Kingsport, total	---	544	4	3	---
Black	---	75	---	---	---	Balance of county	---	644	6	3	---
Balance of county	---	230	1	1	4	Sumner	742	851	12	8	3
White	---	195	1	1	4	Gallatin	---	243	1	1	---
All other	---	35	---	---	---	White	---	209	1	---	---
Black	---	34	---	---	---	All other	---	34	1	1	---
Balance of county	---	34	---	---	---	Black	---	34	1	1	---
Meigs	46	75	1	---	---	Hendersonville	---	240	2	2	---
Monroe	246	308	1	---	1	Balance of county	---	368	8	5	---
Montgomery	676	662	14	7	9	Tipton	242	353	6	5	---
White	551	537	6	1	4	White	165	254	4	---	---
All other	125	125	8	6	5	All other	77	99	4	---	---
Black	118	118	8	6	5	Black	77	99	4	---	---
Balance of county	---	507	13	7	9	Trousdale	55	65	---	---	---
White	---	392	5	1	4	White	48	59	---	---	---
All other	---	115	8	6	5	All other	7	6	---	---	---
Black	---	109	8	6	5	Black	7	6	---	---	---
Balance of county	---	155	1	---	---	Unicoi	144	201	---	---	---
White	---	145	1	---	---	Union	44	136	---	---	1
All other	---	10	---	---	---	Van Buren	14	54	---	---	1
Black	---	9	---	---	---	Warren	345	381	3	2	5
Moore	32	58	---	---	---	McMinnville	---	178	1	1	1
Morgan	47	164	---	---	2	Balance of county	---	203	2	1	4
Obion	362	374	4	1	7	Washington	1,546	1,004	6	4	4
Union City	---	152	2	1	2	Johnson City, part	---	604	2	2	1
White	---	134	1	1	2	Johnson City, total	---	610	2	2	1
All other	---	18	1	---	---	Balance of county	---	400	4	4	3
Black	---	18	1	---	---	Wayne	93	146	3	2	---
Balance of county	---	222	2	---	5	Weakley	332	388	2	2	3
Overton	214	204	2	1	1	White	202	248	1	1	---
Perry	72	100	1	---	---						
Pickett	8	44	---	---	---						
Polk	107	170	3	1	4						
Pulnam	474	521	7	5	5						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 72

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 72 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Tennessee-Con.					Texas-Con.						
Williamson	408	511	2	2	4	Killeen	---	244	21	14	13
Franklin	---	218	1	1	1	White	---	193	10	6	8
White	---	170	1	1	---	All other	---	51	11	8	8
All other	---	48	---	---	1	Black	---	48	10	7	8
Black	---	47	---	---	1	Temple	---	571	4	2	5
Balance of county	---	293	1	1	3	White	---	497	3	1	3
Wilson	447	538	4	3	7	All other	---	74	1	1	2
Lebanon	---	226	1	1	---	Black	---	70	1	1	2
White	---	194	1	1	---	Balance of county	---	379	4	4	5
All other	---	32	---	---	---	White	---	356	2	2	4
Black	---	32	---	---	---	All other	---	23	2	2	1
Balance of county	---	312	3	2	7	Black	---	23	2	2	1
Texas	136,063	134,664	2,418	1,448	1,917	Bexar	10,411	9,141	185	109	113
White	117,415	116,135	1,775	1,077	1,476	White	9,509	8,311	161	93	95
All other	18,648	18,529	643	371	441	All other	---	830	24	16	18
Black	17,869	17,776	607	355	406	Black	858	793	24	16	16
Anderson	438	411	4	2	5	San Antonio	---	8,152	170	98	89
White	333	317	4	2	3	White	---	7,366	147	83	72
All other	105	94	---	---	2	All other	---	786	23	15	17
Black	105	94	---	---	2	Black	---	753	23	15	15
Palestine	---	202	3	2	3	Universal City	---	88	1	1	---
White	---	152	3	2	2	White	---	87	1	1	---
All other	---	50	---	---	1	All other	---	1	---	---	---
Black	---	50	---	---	1	Black	---	1	---	---	---
Balance of county	---	209	1	---	2	Balance of county	---	901	14	10	24
White	---	165	1	---	1	White	---	858	13	9	23
All other	---	44	---	---	1	All other	---	43	1	1	1
Black	---	44	---	---	1	Black	---	39	1	1	1
Andrews	98	110	1	---	3	Blanco	---	48	68	---	---
Andrews	---	87	1	---	3	Borden	---	2	3	---	---
White	---	85	1	---	3	Bosque	---	222	251	---	---
All other	---	2	---	---	---	Bowie	---	905	901	12	7
Black	---	1	---	---	---	White	---	696	713	4	3
Balance of county	---	23	---	---	---	All other	---	209	188	8	4
Angelina	826	683	8	4	10	Black	---	206	187	8	4
White	701	581	5	3	7	Texarkana *	---	481	7	2	3
All other	125	102	3	1	3	White	---	347	1	---	2
Black	123	101	3	1	3	All other	---	134	6	2	1
Lufkin	---	339	5	3	7	Black	---	134	6	2	1
White	---	256	2	2	4	Balance of county	---	420	5	5	6
All other	---	83	3	1	3	White	---	366	3	3	3
Black	---	82	3	1	3	All other	---	54	2	2	3
Balance of county	---	344	3	1	3	Black	---	53	2	2	3
White	---	325	3	1	3	Brazoria	942	1,240	20	14	30
All other	---	19	---	---	---	White	---	835	16	12	26
Black	---	19	---	---	---	All other	---	107	4	2	4
Aransas	132	255	6	4	1	Black	---	104	4	2	3
Archer	30	66	---	---	1	Alvin	---	166	1	1	7
Wichita Falls, part	---	4	---	---	---	Angleton	---	153	5	4	5
Balance of county	---	62	---	---	1	White	---	132	5	4	4
White	---	62	---	---	1	All other	---	21	---	---	1
All other	---	---	---	---	---	Black	---	21	---	---	---
Black	---	---	---	---	---	Freeport	---	97	2	2	2
Armstrong	22	24	---	---	1	White	---	85	1	1	1
Atascosa	180	258	1	---	4	All other	---	12	1	1	---
Austin	211	265	3	1	2	Black	---	12	1	1	---
White	172	219	2	1	---	Lake Jackson	---	107	4	3	3
All other	39	46	1	---	2	Pearland, part	---	122	4	2	3
Black	39	46	1	---	2	Pearland, total	---	133	4	2	3
Bailey	47	72	---	---	2	Balance of county	---	595	4	2	10
Bandera	60	122	1	1	1	White	---	526	4	2	7
Bastrop	235	355	5	4	1	All other	---	69	---	---	3
White	192	298	3	3	1	Black	---	68	---	---	3
All other	43	57	2	1	---	Brazos	782	619	7	4	9
Black	42	56	2	1	---	White	---	492	5	2	5
Baylor	75	77	---	---	---	All other	---	127	2	2	4
Bee	189	208	2	2	---	Black	---	150	127	2	4
Beeville	---	123	---	---	---	Bryan	---	419	5	2	7
White	---	116	---	---	---	White	---	320	4	1	4
All other	---	7	---	---	---	All other	---	99	1	1	3
Black	---	7	---	---	---	Black	---	99	1	1	3
Balance of county	---	85	2	2	---	College Station	---	131	1	1	2
White	---	84	2	2	---	Balance of county	---	69	1	1	---
All other	---	1	---	---	---	White	---	61	1	1	---
Black	---	1	---	---	---	All other	---	8	---	---	---
Bell	1,865	1,322	33	21	24	Black	---	8	---	---	---
White	1,635	1,167	18	9	13	Brewster	---	84	90	---	---
All other	230	155	15	12	11	Briscoe	---	12	33	1	2
Black	221	147	14	11	11	Brooks	---	59	77	1	1
Belton	---	128	4	1	1	Brown	---	459	433	1	1
White	---	121	3	1	1	Brownwood	---	252	---	---	1
All other	---	7	1	1	---	White	---	248	---	---	1
Black	---	6	1	1	---	All other	---	4	---	---	---
						Black	---	4	---	---	---
						Balance of county	---	181	1	1	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 73

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 73 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more.]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Texas-Con.					Texas-Con.						
Burleson	92	174	1	1	2	Comal	480	580	5	2	4
White	76	141	1	1	1	New Braunfels, part	362	362	2	—	4
All other	16	33	—	—	1	White	361	361	1	—	4
Black	16	33	—	—	1	All other	1	1	—	—	—
Burnet	226	311	2	2	4	Black	1	1	—	—	—
Caldwell	189	275	3	2	3	New Braunfels, total	362	362	2	—	4
White	171	245	2	2	3	White	361	361	1	—	4
All other	18	30	1	—	—	All other	1	1	—	—	—
Black	18	30	1	—	—	Black	1	1	—	—	—
Calhoun	131	156	1	1	—	Balance of county	218	218	3	2	—
Port Lavaca	—	92	—	—	—	Comanche	197	205	2	1	2
White	—	88	—	—	—	Concho	31	35	—	—	—
All other	—	4	—	—	—	Cooke	283	338	—	—	—
Black	—	4	—	—	—	Gainesville	214	214	—	—	—
Balance of county	—	64	1	1	—	White	209	209	—	—	—
Callahan	55	134	—	—	—	All other	5	5	—	—	—
White	—	—	—	—	—	Black	5	5	—	—	—
All other	—	—	—	—	—	Balance of county	124	124	—	—	—
Black	—	—	—	—	—	Coryell	167	263	7	1	6
Cameron	1,889	1,774	36	23	35	White	149	239	5	1	3
Brownsville	—	732	20	14	15	All other	18	24	2	—	3
White	—	728	20	14	15	Black	17	21	2	—	3
All other	—	4	—	—	—	Copperas Cove	102	102	6	1	5
Black	—	4	—	—	—	White	84	84	4	1	2
Harlingen	—	434	6	3	9	All other	18	18	2	—	3
White	—	428	6	3	9	Black	15	15	2	—	3
All other	—	6	—	—	—	Balance of county	161	161	1	—	1
Black	—	5	—	—	—	White	155	155	1	—	1
San Benito	—	153	1	1	4	All other	6	6	—	—	—
White	—	153	1	1	4	Black	6	6	—	—	—
All other	—	—	—	—	—	Cottle	1	22	—	—	—
Black	—	—	—	—	—	Crane	21	33	1	1	—
Balance of county	—	455	9	5	7	Crockett	30	36	—	—	—
White	—	453	9	5	7	Crosby	49	78	—	—	—
All other	—	2	—	—	—	Culberson	24	13	—	—	—
Black	—	—	—	—	—	Dallam	14	54	1	1	—
Camp	139	151	3	1	1	Dallas	14,495	13,544	281	164	225
White	97	103	3	—	1	White	11,365	10,542	175	103	151
All other	42	48	3	1	—	All other	3,130	3,002	106	61	74
Black	41	48	3	1	—	Black	3,004	2,881	98	59	68
Carson	34	53	1	—	—	Balch Springs	115	115	1	1	5
Cass	254	385	1	—	—	Carrollton, part	214	214	5	1	4
White	207	318	1	—	—	Carrollton, total	342	342	9	3	9
All other	47	67	—	—	—	Dallas, part	8,680	8,680	185	117	138
Black	47	67	—	—	—	White	6,031	6,031	98	66	84
Castro	47	69	1	—	1	All other	2,649	2,649	87	51	54
White	—	—	—	—	—	Black	2,589	2,589	82	50	51
All other	—	—	—	—	—	Dallas, total	8,717	8,717	186	118	139
Black	—	—	—	—	—	White	6,065	6,065	99	67	84
Chambers	94	137	1	1	1	All other	2,652	2,652	87	51	55
White	82	120	—	—	1	Black	2,591	2,591	82	50	52
All other	12	17	1	1	—	De Soto	189	—	—	—	3
Black	11	17	1	1	—	Duncanville	214	3	1	2	2
Baytown, part	—	11	—	—	—	Farmers Branch	167	3	2	1	1
Balance of county	—	126	1	1	1	Garland, part	909	18	8	23	23
White	—	113	—	—	1	White	825	14	6	16	16
All other	—	13	1	1	—	All other	84	4	2	7	7
Black	—	13	1	1	—	Black	62	2	2	7	7
Cherokee	434	522	7	5	2	Garland, total	911	18	8	23	23
White	359	436	7	5	2	White	827	14	6	16	16
All other	75	86	—	—	—	All other	84	4	2	7	7
Black	75	86	—	—	—	Black	62	2	2	7	7
Jacksonville	—	188	1	1	1	Grand Prairie, part	504	15	5	9	9
White	—	155	1	1	1	White	439	12	4	6	6
All other	—	33	—	—	—	All other	65	3	1	3	3
Black	—	33	—	—	—	Black	58	3	1	3	3
Balance of county	—	334	6	4	1	Grand Prairie, total	559	18	7	12	12
White	—	281	6	4	1	White	477	14	6	9	9
All other	—	53	—	—	—	All other	82	4	1	3	3
Black	—	53	—	—	—	Black	72	4	1	3	3
Childress	97	107	2	1	1	Grapevine, part	2	—	—	—	—
Clay	58	91	—	—	—	Irving	786	21	13	17	17
Cochran	17	37	—	—	1	Lancaster	160	4	1	2	2
Coke	33	64	—	—	—	White	138	2	—	1	1
Coleman	91	155	—	—	—	All other	22	2	1	1	1
Collin	1,155	1,125	14	6	31	Black	22	2	1	1	1
Carrollton, part	—	—	—	—	—	Mesquite	597	10	7	10	10
Dallas, part	—	24	—	—	—	Richardson, part	428	5	2	2	2
Garland, part	—	2	—	—	—	Richardson, total	451	5	2	2	2
McKinney	—	212	1	1	3	University Park	66	—	—	—	1
White	—	187	1	1	3	Balance of county	513	11	6	8	8
All other	—	25	—	—	—	White	462	10	5	7	7
Black	—	24	—	—	—	All other	51	1	1	1	1
Plano, part	—	430	8	5	15	Black	49	1	1	1	1
Plano, total	—	430	8	5	15	Dawson	81	143	1	1	1
Richardson, part	—	23	—	—	—						
Balance of county	—	434	5	—	13						
Collingsworth	32	55	2	1	1						
Colorado	289	283	1	—	—						
White	236	226	1	—	—						
All other	53	57	—	—	—						
Black	52	56	—	—	—						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 74

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 74 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Texas-Con.					Texas-Con.						
Lamesa	---	129	1	1	1	Floyd	67	95	-	-	1
White	---	122	1	1	1	Foard	15	41	-	1	-
All other	---	7	-	-	-	Fort Bend	765	999	22	19	25
Black	---	7	-	-	-	White	632	766	14	11	15
Balance of county	---	14	-	-	-	All other	133	233	8	8	7
White	---	14	-	-	-	Black	124	207	7	7	10
All other	---	-	-	-	-	Houston, part	---	21	2	2	-
Black	---	-	-	-	-	White	---	16	1	1	1
Deaf Smith	111	147	4	3	1	All other	---	5	1	1	1
Hereford	---	135	4	3	-	Black	---	3	1	1	1
White	---	133	4	3	-	Missouri City, part	---	174	4	3	4
All other	---	2	-	-	-	White	---	97	1	1	1
Black	---	2	-	-	-	All other	---	77	3	3	3
Balance of county	---	12	-	-	1	Black	---	75	3	3	3
White	---	12	-	-	1	Missouri City, total	---	188	4	3	5
All other	---	-	-	-	-	White	---	99	1	1	4
Black	---	-	-	-	-	All other	---	89	3	3	4
Delta	26	82	1	-	1	Black	---	85	3	3	4
Denton	1,195	1,237	29	22	30	Rosenberg	---	162	3	2	2
Carrollton, part	---	128	4	2	5	White	---	147	2	1	2
Dallas, part	---	13	1	1	1	All other	---	15	1	1	1
Denton	---	428	6	5	8	Black	---	15	1	1	1
White	---	386	6	5	7	Balance of county	---	642	13	12	17
All other	---	42	-	-	1	White	---	506	10	9	12
Black	---	41	-	-	1	All other	---	136	3	3	5
Lewisville	---	198	8	7	6	Black	---	114	2	2	2
Plano, part	---	-	-	-	-	Franklin	82	106	2	1	-
The Colony	---	52	4	2	1	Freestone	191	243	1	1	1
Balance of county	---	418	6	5	9	White	---	160	-	-	-
De Witt	217	273	2	1	3	All other	---	31	49	1	1
White	---	189	2	1	3	Black	---	30	49	1	-
All other	---	28	39	-	-	Frio	---	73	112	3	3
Black	---	28	39	-	-	Gaines	---	47	92	-	3
Dickens	5	40	-	-	-	Galveston	2,120	1,994	42	30	23
Dimmit	85	79	1	-	2	White	---	1,582	1,535	18	13
Donley	19	48	1	-	-	All other	---	538	459	24	17
Duval	28	119	2	-	1	Black	---	524	451	24	17
Eastland	204	292	8	6	3	Friendswood, part	---	89	1	1	1
Ector	918	899	21	7	19	Friendswood, total	---	130	2	1	3
Odessa	---	750	17	5	17	Galveston	---	695	17	13	8
White	---	693	14	5	16	White	---	457	6	5	5
All other	---	57	3	-	1	All other	---	238	11	8	3
Black	---	56	3	-	1	Black	---	236	11	8	2
Balance of county	---	149	4	2	2	La Marque	---	139	3	3	4
Edwards	7	12	-	-	1	White	---	102	1	1	2
Ellis	560	674	16	10	9	All other	---	37	2	2	2
White	---	577	14	8	5	Black	---	37	2	2	2
All other	---	82	2	2	4	League City	---	136	-	-	2
Black	---	97	2	2	4	Texas City	---	420	8	5	2
Ennis	82	97	2	2	4	White	---	302	1	1	1
White	---	131	4	3	-	All other	---	118	7	4	1
All other	---	103	4	3	-	Black	---	117	7	4	1
Black	---	28	-	-	-	Balance of county	---	515	13	8	6
Grand Prairie, part	---	28	-	-	-	White	---	454	9	4	3
Waxahachie	---	231	4	4	4	All other	---	61	4	3	-
White	---	186	3	3	1	Black	---	59	4	3	-
All other	---	45	1	1	3	Garza	37	69	1	1	1
Black	---	45	1	1	3	Gillespie	239	238	1	-	2
Balance of county	---	312	8	3	5	Glasscock	---	7	-	-	-
White	---	289	7	2	4	Goliad	---	66	2	2	-
All other	---	24	1	1	1	Gonzales	---	152	238	1	2
Black	---	24	1	1	1	White	---	135	206	-	1
El Paso	3,844	3,621	98	70	86	All other	---	17	27	1	1
White	---	3,483	87	61	76	Black	---	17	27	1	1
All other	---	144	11	9	10	Gray	247	311	5	3	-
Black	---	109	11	9	10	Pampa	---	262	3	1	-
El Paso	---	3,418	88	63	73	Balance of county	---	49	2	2	-
White	---	3,286	78	55	64	Grayson	1,260	1,123	12	7	6
All other	---	132	10	8	9	Denison	---	305	2	1	2
Black	---	105	10	8	9	White	---	272	2	1	1
Balance of county	---	203	10	7	13	All other	---	33	-	-	1
White	---	197	9	6	12	Black	---	33	-	-	1
All other	---	6	1	1	1	Sherman	---	361	4	2	3
Black	---	4	1	1	1	White	---	327	1	1	1
Erath	253	275	1	1	3	All other	---	34	3	2	2
Stephenville	---	148	1	1	1	Black	---	33	3	2	2
Balance of county	---	127	-	-	2	Balance of county	---	457	6	4	1
Falls	186	236	1	1	1	Gregg	1,369	1,120	20	11	14
White	---	144	1	1	1	White	---	1,093	886	12	7
All other	---	42	59	-	-	All other	---	276	234	8	4
Black	---	42	59	-	-	Black	---	275	233	8	4
Fannin	318	409	4	2	4	Kilgore, part	---	123	2	-	2
Fayette	218	309	2	2	2	White	---	101	1	-	-
Fisher	55	73	-	-	1	All other	---	22	1	-	-
						Black	---	22	1	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 75

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 75 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Texas-Con.					Texas-Con.						
Kilgore, total	---	153	2	-	2	Balance of county	---	2,992	84	46	56
White	---	131	1	-	2	White	---	2,751	66	35	47
All other	---	22	1	-	-	All other	---	241	18	11	9
Black	---	22	1	-	-	Black	---	193	16	10	7
Longview, part	---	693	11	7	5	Harrison	461	605	13	7	5
White	---	550	6	4	5	White	290	402	5	3	2
All other	---	143	5	3	-	All other	171	203	8	4	3
Black	---	142	5	3	-	Black	170	202	8	4	3
Longview, total	---	699	11	7	5	Longview, part	---	6	-	-	-
White	---	555	6	4	5	Marshall	---	342	10	7	5
All other	---	144	5	3	-	White	---	204	4	3	2
Black	---	143	5	3	-	All other	---	138	6	4	3
Balance of county	---	304	7	4	7	Black	---	137	6	4	3
White	---	235	5	3	4	Balance of county	---	257	3	-	-
All other	---	69	2	1	3	White	---	193	1	-	-
Black	---	69	2	1	3	All other	---	64	2	-	-
Grimes	147	211	3	2	2	Black	---	64	2	-	-
White	98	145	1	1	1	Hartley	50	30	-	-	-
All other	49	66	2	1	1	Haskell	79	100	1	-	-
Black	49	66	2	1	1	Hays	380	415	2	2	3
Guadalupe	454	561	10	4	7	San Marcos	---	183	2	2	1
New Braunfels, part	---	-	-	-	-	White	---	170	2	2	1
Seguin	---	262	6	4	5	All other	---	13	-	-	-
White	---	228	5	4	5	Black	---	13	-	-	-
All other	---	34	1	-	-	Balance of county	---	232	-	-	2
Black	---	34	1	-	-	White	---	232	-	-	2
Balance of county	---	299	4	-	2	All other	---	-	-	-	-
Hale	195	275	8	2	6	Black	---	-	-	-	-
Plainview	---	169	6	2	6	Hemphill	30	38	-	-	-
White	---	157	6	2	6	Henderson	592	762	2	1	5
All other	---	12	-	-	-	White	540	698	1	-	4
Black	---	12	-	-	-	All other	52	64	1	1	1
Balance of county	---	106	2	-	-	Black	52	64	1	1	1
White	---	104	2	-	-	Athens	---	187	1	1	2
All other	---	2	-	-	-	White	---	164	-	-	1
Black	---	2	-	-	-	All other	---	23	1	1	1
Hall	39	61	1	-	-	Black	---	23	1	1	1
Hamilton	113	150	1	1	-	Balance of county	---	575	1	-	3
Hansford	47	60	-	-	-	Hidalgo	2,381	2,331	78	36	49
Hardeman	60	70	-	-	-	Edinburg	---	200	6	2	4
Hardin	227	379	7	2	2	White	---	200	6	2	4
White	205	351	6	2	1	All other	---	-	-	-	-
All other	22	28	1	-	1	Black	---	-	-	-	-
Black	22	28	1	-	1	McAllen	---	532	18	6	5
Harris	20,909	18,432	464	270	338	White	---	528	18	6	5
White	15,721	13,602	266	158	213	All other	---	4	-	-	-
All other	5,188	4,830	198	112	125	Black	---	4	-	-	-
Black	4,859	4,526	184	106	114	Mercedes	---	100	3	1	2
Baytown, part	---	496	14	7	8	White	---	100	3	1	2
White	---	445	13	6	8	All other	---	-	-	-	-
All other	---	51	1	1	-	Black	---	-	-	-	-
Black	---	49	1	1	-	Mission	---	257	4	3	7
Baytown, total	---	507	14	7	8	Pharr	---	198	7	5	11
White	---	452	13	6	8	White	---	198	7	5	11
All other	---	55	1	1	-	All other	---	-	-	-	-
Black	---	53	1	1	-	Black	---	-	-	-	-
Bellaire	---	118	-	-	-	Weslaco	---	228	6	4	1
Deer Park	---	128	-	-	2	White	---	228	6	4	1
Friendswood, part	---	41	1	-	2	All other	---	-	-	-	-
Houston, part	---	13,558	348	209	254	Black	---	-	-	-	-
White	---	9,054	169	109	141	Balance of county	---	816	34	15	19
All other	---	4,504	179	100	113	White	---	815	34	15	19
Black	---	4,256	167	95	104	All other	---	1	-	-	-
Houston, total	---	13,579	350	211	255	Black	---	-	-	-	-
White	---	9,070	170	110	141	Hill	---	281	398	3	4
All other	---	4,509	180	101	114	White	---	258	360	2	3
Black	---	4,259	168	96	105	All other	---	23	38	1	1
La Porte	---	148	5	2	1	Black	---	23	38	1	1
White	---	135	5	2	1	Hockley	---	121	188	1	-
All other	---	13	-	-	-	Levelland	---	126	-	-	-
Black	---	12	-	-	-	White	---	117	-	-	-
Missouri City, part	---	14	-	-	1	All other	---	9	-	-	-
White	---	2	-	-	-	Black	---	9	-	-	-
All other	---	12	-	-	1	Balance of county	---	62	1	-	-
Black	---	10	-	-	1	White	---	61	1	-	-
Pasadena	---	844	11	6	13	All other	---	1	-	-	-
White	---	838	11	6	12	Black	---	1	-	-	-
All other	---	6	-	-	1	Hood	---	267	317	2	1
Black	---	4	-	-	1	Hopkins	---	295	355	2	3
Pearland, part	---	11	-	-	-	White	---	270	324	1	2
South Houston	---	77	1	-	1	All other	---	25	31	1	1
White	---	77	1	-	1	Black	---	25	31	1	1
All other	---	-	-	-	-	Sulphur Springs	---	197	-	-	2
Black	---	-	-	-	-	White	---	172	-	-	1
West University Place	---	5	-	-	-	All other	---	25	-	-	1
						Black	---	25	-	-	1
						Balance of county	---	158	2	1	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 76

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 76 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Texas-Con.					Texas-Con.						
Houston	250	325	6	4	4	Balance of county	---	405	2	2	5
White	195	254	4	2	2	White	---	382	2	2	5
All other	55	71	2	2	2	All other	---	23	-	-	-
Black	55	69	1	1	2	Black	---	23	-	-	-
Howard	332	351	4	2	4	Kendall	104	168	2	2	2
Big Spring	---	278	2	-	4	Kenedy	6	7	-	-	-
White	---	266	2	-	3	Kent	6	12	-	-	-
All other	---	12	-	-	1	Kerr	588	520	1	-	2
Black	---	12	-	-	1	Kerrville	---	315	1	-	1
Balance of county	---	73	2	2	-	White	---	306	1	-	1
White	---	72	2	2	-	All other	---	9	-	-	-
All other	---	1	-	-	-	Black	---	9	-	-	-
Black	---	1	-	-	-	Balance of county	---	205	-	-	1
Hudspeth	6	20	1	1	3	Kimble	62	52	-	-	-
Hunt	545	662	7	5	9	King	2	3	1	-	-
White	485	585	6	5	8	Kinney	13	31	-	-	1
All other	60	77	1	-	1	Kleberg	167	186	2	-	6
Black	59	75	1	-	1	Corpus Christi, part	---	---	-	-	-
Greenville	---	275	3	3	3	Kingsville	---	159	2	-	4
White	---	223	3	3	2	White	---	151	2	-	4
All other	---	52	-	-	1	All other	---	8	-	-	-
Black	---	51	-	-	1	Black	---	8	-	-	-
Balance of county	---	387	4	2	6	Balance of county	---	27	-	-	2
Hutchinson	192	284	-	-	1	White	---	27	-	-	2
Borger	---	188	-	-	1	All other	---	---	-	-	-
Balance of county	---	96	-	-	-	Black	---	---	-	-	-
Irion	3	12	-	-	-	Knox	27	61	-	-	-
Jack	53	87	2	1	-	Lamar	729	541	3	2	7
Jackson	90	148	1	1	1	White	626	458	2	2	5
White	74	119	1	1	1	All other	103	83	1	-	2
All other	16	29	-	-	-	Black	98	82	1	-	2
Black	16	29	-	-	-	Paris	---	376	2	1	6
Jasper	298	400	5	3	3	White	---	307	1	1	4
White	235	334	5	3	3	All other	---	69	1	-	2
All other	63	66	-	-	-	Black	---	68	1	-	2
Black	63	66	-	-	-	Balance of county	---	165	1	1	1
Jeff Davis	6	14	-	-	1	Lamb	105	185	2	-	-
Jefferson	2,943	2,429	40	26	25	Lampasas	115	162	3	2	3
White	2,163	1,622	12	7	9	La Salle	17	38	1	-	-
All other	780	807	28	19	16	Lavaca	228	269	1	-	1
Black	767	794	27	18	16	Lee	71	131	-	-	-
Beaumont	---	1,204	29	20	8	White	60	108	-	-	-
White	---	701	7	4	1	All other	11	23	-	-	-
All other	---	503	22	16	7	Black	11	23	-	-	-
Black	---	500	22	16	7	Leon	68	177	2	-	-
Groves	---	169	-	-	2	White	62	148	2	-	-
Nederland	---	147	-	-	2	All other	6	29	-	-	-
Port Arthur	---	672	9	4	12	Black	6	29	-	-	-
White	---	387	5	3	3	Liberty	431	585	10	4	2
All other	---	285	4	1	9	White	370	505	9	3	1
Black	---	277	3	-	9	All other	61	80	1	1	1
Port Neches	---	98	-	-	1	Black	59	79	1	1	1
Balance of county	---	139	2	2	-	Limestone	277	299	4	3	2
White	---	126	-	-	-	White	223	239	4	3	1
All other	---	13	2	2	-	All other	54	60	-	-	1
Black	---	13	2	2	-	Black	54	60	-	-	-
Jim Hogg	11	55	1	-	-	Lipscomb	9	29	1	-	-
Jim Wells	272	306	2	1	8	Live Oak	55	83	-	-	-
Alice	---	187	1	-	4	Llano	198	224	2	2	1
White	---	184	1	-	4	Loving	2	-	-	-	-
All other	---	3	-	-	-	Lubbock	2,595	1,705	35	16	26
Black	---	3	-	-	-	White	2,408	1,563	30	13	23
Balance of county	---	119	1	1	4	All other	187	142	5	3	3
White	---	119	1	1	4	Black	183	139	5	3	3
All other	---	-	-	-	-	Lubbock	---	1,417	31	14	20
Black	---	-	-	-	-	White	---	1,283	26	11	17
Johnson	586	846	12	10	12	All other	---	134	5	3	3
Burleson, part	---	116	1	1	-	Black	---	131	5	3	3
Burleson, total	---	139	3	3	-	Balance of county	---	288	4	2	6
Cleburne	---	280	4	3	3	White	---	280	4	2	6
Balance of county	---	450	7	6	9	All other	---	8	-	-	-
Jones	148	214	3	3	3	Black	---	8	-	-	-
Abilene, part	---	3	-	-	-	Lynn	43	77	-	-	1
Balance of county	---	211	3	3	3	McCulloch	115	140	1	1	3
White	---	202	3	3	3	McLennan	2,186	2,056	30	17	24
All other	---	9	-	-	-	White	1,802	1,703	24	14	17
Black	---	8	-	-	-	All other	384	353	6	3	7
Karnes	91	150	1	1	1	Black	377	349	6	3	7
Kaufman	584	576	2	2	10	Waco	---	1,354	21	12	16
White	520	498	2	2	8	White	---	1,071	15	9	10
All other	64	78	-	-	2	All other	---	283	6	3	6
Black	63	77	-	-	2	Black	---	282	6	3	6
Dallas, part	---	-	-	-	-	Balance of county	---	702	9	5	8
Terrell	---	171	-	-	5	White	---	632	9	5	7
White	---	116	-	-	3	All other	---	70	-	-	1
All other	---	55	-	-	2	Black	---	67	-	-	1
Black	---	54	-	-	2						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 77

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.
(Page 77 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal				Total deaths	Infant	Neonatal	
Texas-Con.					Texas-Con.						
McMullen	5	9	-	-	-	Newton	39	125	2	1	-
Madison	134	124	1	1	1	White	30	98	1	1	-
White	116	107	1	1	1	All other	9	27	1	-	-
All other	18	17	-	-	-	Black	9	27	1	-	-
Black	18	17	-	-	-	Nolan	141	192	1	1	2
Marion	74	142	1	-	-	Sweetwater	-	146	1	1	1
White	55	99	1	-	-	White	-	141	1	1	1
All other	19	43	-	-	-	All other	-	5	-	-	-
Black	19	43	-	-	-	Black	-	5	-	-	-
Martin	52	50	-	-	1	Balance of county	-	46	-	-	-
Mason	25	46	-	-	-	White	-	46	-	-	1
Matagorda	240	330	7	6	7	All other	-	-	-	-	-
White	197	261	5	4	6	Black	-	-	-	-	-
All other	43	69	2	2	2	Nueces	2,768	2,250	31	29	38
Black	43	69	2	2	1	White	2,608	2,089	25	24	34
Bay City	-	173	6	5	5	All other	160	161	6	5	4
White	-	132	4	3	-	Black	155	157	6	5	4
All other	-	41	2	2	-	Corpus Christi, part	-	1,978	27	25	35
Black	-	41	2	2	-	White	-	1,925	21	20	31
Balance of county	-	157	1	1	7	All other	-	153	6	5	4
White	-	129	1	1	6	Black	-	151	6	5	4
All other	-	28	-	-	1	Corpus Christi, total	-	1,979	27	25	35
Black	-	28	-	-	1	White	-	1,926	21	20	31
Maverick	131	173	4	1	6	All other	-	153	6	5	4
Eagle Pass	-	135	3	1	5	Black	-	151	6	5	4
White	-	135	3	1	5	Portland, part	-	4	-	-	-
All other	-	-	-	-	-	Robstown	-	121	1	1	3
Black	-	-	-	-	-	White	-	117	1	1	-
Balance of county	-	38	1	-	1	All other	-	4	-	-	-
White	-	37	-	-	1	Black	-	4	-	-	-
All other	-	1	1	-	-	Balance of county	-	147	3	3	-
Black	-	1	1	-	-	White	-	143	3	3	-
Medina	175	258	1	-	3	All other	-	4	-	-	-
Menard	13	29	-	-	-	Black	-	2	-	-	-
Midland	788	729	11	6	11	Ochiltree	74	81	1	1	1
White	-	647	10	5	10	Oldham	9	18	-	-	-
All other	-	576	8	4	7	Orange	422	721	13	4	6
Black	-	71	2	1	3	White	-	222	6	2	3
Balance of county	-	68	2	1	3	All other	-	173	2	2	1
Milam	239	290	3	1	3	Black	-	49	4	1	2
White	212	248	2	1	2	Vidor	-	49	4	1	2
All other	27	42	1	-	1	Balance of county	-	132	1	1	1
Black	27	42	1	-	2	White	-	367	6	4	1
Mills	28	53	-	-	-	All other	-	320	4	2	1
Mitchell	100	120	-	-	-	Black	-	203	3	2	-
Montague	235	262	1	1	5	Mineral Wells, part	-	191	3	2	-
Montgomery	1,104	1,316	32	18	19	White	-	12	-	-	-
White	-	237	8	5	2	All other	-	11	-	-	-
All other	-	197	7	4	2	Black	-	12	-	-	-
Black	-	40	1	1	-	Balance of county	-	117	1	-	1
Houston, part	-	40	1	1	-	Panola	164	225	1	1	-
Balance of county	-	1,079	24	13	17	White	136	184	-	-	-
Moore	120	127	3	1	4	All other	28	41	1	1	-
Dumas	-	112	3	1	3	Black	28	41	1	1	-
Balance of county	-	15	-	-	1	Parker	433	539	6	1	7
Morris	74	189	1	-	1	Mineral Wells, part	-	-	-	-	-
White	56	140	1	-	1	White	-	-	-	-	-
All other	18	49	-	-	1	All other	-	-	-	-	-
Black	18	48	-	-	1	Black	-	-	-	-	-
Motley	3	27	1	-	-	Weatherford	-	240	2	1	2
Nacogdoches	595	495	8	6	6	Balance of county	-	299	4	-	5
White	480	388	4	4	5	Parmer	72	91	2	1	2
All other	115	107	4	2	1	Pecos	135	123	-	-	3
Black	114	107	4	2	1	White	283	460	7	2	5
Balance of county	-	267	6	4	4	All other	249	408	5	2	4
White	-	188	2	2	3	Black	34	52	2	-	1
All other	-	79	4	2	1	Potter	1,957	1,123	18	10	12
Black	-	79	4	2	1	White	1,831	1,019	13	7	12
Balance of county	-	228	2	2	2	All other	126	104	5	3	-
White	-	200	2	2	2	Black	96	96	3	2	-
All other	-	28	-	-	-	Amarillo, part	-	1,085	18	10	12
Black	-	28	-	-	-	White	-	982	13	7	12
Navarro	462	475	6	3	3	All other	-	103	5	3	-
White	377	391	4	2	2	Black	-	95	3	2	-
All other	85	84	2	1	3	Amarillo, total	-	1,531	31	19	19
Black	84	83	2	1	3	White	-	1,422	26	16	19
Corsicana	-	306	3	2	3	All other	-	109	5	3	-
White	-	238	2	1	3	Black	-	101	3	2	-
All other	-	68	1	1	3	Balance of county	-	38	-	-	-
Black	-	67	1	1	3	Presidio	11	48	-	-	1
Balance of county	-	169	3	1	-	Rains	22	69	-	-	1
White	-	153	2	1	-	Randall	260	600	17	12	10
All other	-	16	1	-	-						
Black	-	16	1	-	-						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 78

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 78 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more.]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Texas-Con.					Texas-Con.						
Amarillo, part	---	446	13	9	7	Tyler	---	815	19	14	6
Canyon	---	105	2	2	2	White	---	627	12	9	6
Balance of county	---	49	2	1	1	All other	---	188	7	5	-
Reagan	15	26	1	1	-	Black	---	186	7	5	-
Real	32	52	1	-	-	Balance of county	---	653	8	6	8
Red River	158	223	1	1	-	White	---	562	7	5	6
White	124	179	1	1	-	All other	---	91	1	1	2
All other	34	44	-	-	-	Black	---	91	1	1	2
Black	34	44	-	-	-	Somervell	46	56	-	-	-
Reeves	76	115	2	2	2	Starr	137	217	9	6	1
Pecos	---	98	2	2	2	Stephens	109	139	-	-	1
White	---	92	2	2	2	Sterling	8	15	1	1	-
All other	---	6	-	-	-	Stonewall	26	28	-	-	-
Black	---	6	-	-	-	Sutton	27	38	1	1	2
Balance of county	---	17	-	-	-	Swisher	---	52	93	-	-
White	---	17	-	-	-	Tarrant	9,089	8,343	177	117	144
All other	---	-	-	-	-	White	7,873	7,164	126	84	102
Black	---	-	-	-	-	All other	1,179	1,179	51	33	42
Refugio	61	98	2	1	-	Black	1,163	1,127	51	33	37
Roberts	3	6	-	-	-	Arlington	---	1,218	35	27	37
Robertson	103	186	5	3	1	White	---	1,140	27	20	27
White	76	142	3	2	1	All other	---	78	8	7	10
All other	27	44	2	1	-	Black	---	63	8	7	7
Black	27	44	2	1	-	Bedford	---	200	4	2	5
Rockwall	188	181	4	4	10	Benbrook	---	134	2	1	-
Dallas, part	---	-	-	-	-	Burleson, part	---	23	2	2	-
Garland, part	---	-	-	-	-	Eules	---	175	5	5	2
Balance of county	---	181	4	4	10	Forest Hill	---	84	2	2	3
White	---	175	4	4	6	White	---	54	2	2	1
All other	---	6	-	-	4	All other	---	30	-	-	2
Black	---	6	-	-	3	Black	---	30	-	-	2
Runnels	123	157	-	-	2	Fort Worth	---	4,239	87	48	63
Rusk	374	509	5	3	7	White	---	3,242	48	25	40
White	284	394	1	-	4	All other	---	997	39	23	23
All other	90	115	4	3	3	Black	---	976	39	23	22
Black	89	115	4	3	3	Grand Prairie, part	---	55	3	2	3
Henderson	---	186	3	2	1	White	---	38	2	2	3
White	---	147	1	-	1	All other	---	17	1	-	-
All other	---	39	2	2	-	Black	---	14	1	-	-
Black	---	39	2	2	-	Grapevine, part	---	139	-	-	5
Kilgore, part	---	30	-	-	-	Grapevine, total	---	141	-	-	5
Balance of county	---	293	2	1	6	Haltom City	---	266	-	-	3
White	---	217	-	-	3	Hurst	---	213	4	2	4
All other	---	76	2	1	3	North Richland Hills	---	252	8	8	1
Black	---	76	2	1	3	Watauga	---	65	1	1	2
Sabine	82	139	2	1	-	White Settlement	---	168	1	-	2
White	75	122	1	1	-	Balance of county	---	1,112	23	17	14
All other	7	17	1	-	-	Taylor	1,418	1,064	13	6	11
Black	7	17	1	-	-	Abilene, part	---	925	12	5	9
San Augustine	80	107	1	-	-	White	---	861	9	5	9
White	59	82	1	-	-	All other	---	64	3	-	-
All other	21	25	-	-	-	Black	---	62	3	-	-
Black	21	25	-	-	-	Abilene, total	---	928	12	5	9
San Jacinto	90	174	3	1	2	White	---	864	9	5	9
White	79	144	2	-	2	All other	---	64	3	-	-
All other	11	30	1	1	-	Black	---	62	3	-	-
Black	10	30	1	1	-	Balance of county	---	139	1	1	2
San Patricio	321	480	7	4	2	Terrell	4	16	-	-	-
Corpus Christi, part	---	1	-	-	-	Terry	80	113	4	2	1
Portland, part	---	57	1	-	-	Brownfield	---	102	4	2	-
Portland, total	---	61	1	-	-	White	---	94	1	-	-
Balance of county	---	422	6	4	2	All other	---	8	3	2	-
White	---	418	6	4	2	Black	---	8	3	2	-
All other	---	4	-	-	-	Balance of county	---	11	-	-	1
Black	---	4	-	-	-	White	---	11	-	-	1
San Saba	28	77	-	-	-	All other	---	-	-	-	-
Schleicher	15	25	-	-	-	Black	---	-	-	-	-
Scurry	116	167	-	-	-	Throckmorton	15	27	-	-	1
Snyder	---	125	-	-	-	Titus	297	277	5	3	2
White	---	118	-	-	-	White	248	244	5	3	2
All other	---	7	-	-	-	All other	---	49	3	-	-
Black	---	7	-	-	-	Black	---	49	3	-	-
Balance of county	---	42	-	-	-	Mount Pleasant	---	183	4	3	1
White	---	42	-	-	-	White	---	156	4	3	1
All other	---	-	-	-	-	All other	---	27	-	-	-
Black	---	-	-	-	-	Black	---	27	-	-	-
Shackelford	36	51	-	-	-	Balance of county	---	94	-	-	1
Shelby	227	333	6	3	6	Tom Green	1,074	944	11	4	8
White	182	274	3	1	3	San Angelo	---	870	10	4	7
All other	45	59	3	2	3	White	---	823	8	4	6
Black	43	58	3	2	3	All other	---	47	2	-	1
Sherman	15	37	-	-	-	Black	---	46	2	-	1
Smith	2,124	1,468	27	20	14	Balance of county	---	74	1	-	1
White	1,765	1,189	19	14	12	Travis	3,920	3,471	53	29	49
All other	359	279	8	6	2	White	3,389	2,961	43	26	40
Black	358	277	8	6	2	All other	---	531	10	3	9
						Black	---	501	7	2	9

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 79

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 79 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal		
Texas-Con.					Texas-Con.							
Austin, part	---	2,972	48	26	41	Wharton	409	420	3	-	4	
White	---	2,483	38	23	32	White	339	354	2	-	3	
All other	---	489	10	3	9	All other	70	66	1	-	1	
Black	---	464	7	2	9	Black	70	66	1	-	1	
Austin, total	---	2,982	48	26	41	El Campo	---	135	-	-	-	
White	---	2,493	38	23	32	White	---	121	-	-	-	
All other	---	489	10	3	9	All other	---	14	-	-	-	
Black	---	464	7	2	9	Black	---	14	-	-	-	
Round Rock, part	---	4	-	-	-	Balance of county	---	285	3	-	4	
Balance of county	---	495	5	3	8	White	---	233	2	-	3	
White	---	474	5	3	8	All other	---	52	1	-	1	
All other	---	21	-	-	-	Black	---	52	1	-	1	
Black	---	18	-	-	-	Wheeler	75	82	2	1	2	
Trinity	92	155	2	1	-	Wichita	1,401	1,231	23	16	17	
White	78	139	1	1	-	White	1,307	1,134	21	15	16	
All other	14	16	1	-	-	All other	94	97	2	1	1	
Black	14	16	1	-	-	Black	90	94	2	1	1	
Tyler	178	248	-	-	-	Burkburnett	---	93	1	1	3	
White	158	227	-	-	-	Wichita Falls, part	---	954	19	12	14	
All other	20	21	-	-	-	White	---	862	17	11	13	
Black	20	21	-	-	-	All other	---	92	2	1	1	
Upshur	199	343	3	2	2	Black	---	90	2	1	1	
White	173	289	3	2	1	Wichita Falls, total	---	958	19	12	14	
All other	26	54	-	-	1	White	---	866	17	11	13	
Black	26	54	-	-	1	All other	---	92	2	1	1	
Upton	23	41	-	-	-	Black	---	90	2	1	1	
Uvalde	164	191	4	3	1	Balance of county	---	184	3	3	2	
White	---	131	4	3	-	Wilbarger	179	213	5	4	4	
All other	---	129	4	3	-	Vernon	---	189	5	4	2	
Black	---	2	-	-	-	White	---	170	5	4	2	
Balance of county	---	60	-	-	1	All other	---	19	-	-	-	
White	---	60	-	-	1	Black	---	18	-	-	-	
All other	---	-	-	-	-	Balance of county	---	24	-	-	-	
Black	---	-	-	-	-	Willacy	39	122	3	2	2	
Val Verde	255	284	3	2	10	Williamson	748	844	11	9	16	
Del Rio	---	248	3	2	8	Austin, part	---	10	-	-	-	
White	---	243	3	2	8	Round Rock, part	---	149	4	3	8	
All other	---	5	-	-	-	White	---	139	4	3	8	
Black	---	2	-	-	-	All other	---	10	-	-	-	
Balance of county	---	36	-	-	2	Black	---	7	-	-	-	
White	---	36	-	-	1	Round Rock, total	---	153	4	3	8	
All other	---	-	-	-	1	White	---	143	4	3	8	
Black	---	-	-	-	1	All other	---	10	-	-	-	
Van Zandt	237	475	3	2	1	Black	---	7	-	-	-	
Victoria	775	573	12	10	12	Taylor	---	153	2	2	4	
White	---	456	8	6	9	White	---	127	2	2	3	
All other	---	410	8	6	8	All other	---	26	-	-	1	
Black	---	46	-	-	1	Black	---	26	-	-	1	
Balance of county	---	117	4	4	3	Balance of county	---	532	5	4	4	
White	---	110	4	4	3	White	---	508	5	4	4	
All other	---	7	-	-	-	All other	---	24	-	-	-	
Black	---	7	-	-	-	Black	---	21	-	-	-	
Walker	358	337	8	2	1	Wilson	161	208	2	1	4	
White	268	261	3	1	1	Winkler	48	75	-	-	-	
All other	90	76	5	1	1	Wise	242	318	4	2	3	
Black	90	76	5	1	1	Wood	332	418	2	2	8	
Huntsville	---	161	4	1	1	White	---	307	390	2	2	
White	---	121	-	-	-	All other	---	25	28	-	6	
All other	---	40	4	1	1	Black	---	25	27	-	1	
Black	---	40	4	1	1	Yoakum	---	45	56	1	1	
Balance of county	---	176	4	1	-	Young	236	256	1	-	2	
White	---	140	3	1	-	Zapata	27	73	1	1	1	
All other	---	36	1	-	-	Zavala	13	73	4	3	1	
Black	---	36	1	-	-	Utah	10,795	10,465	223	112	210	
Waller	96	205	4	3	2	White	10,454	10,165	212	108	197	
White	78	146	2	1	1	All other	341	300	11	4	13	
All other	18	59	2	2	1	Black	75	76	4	1	2	
Black	18	59	2	2	1	Beaver	---	51	60	-	-	1
Ward	87	109	1	-	1	Box Elder	210	253	8	4	7	
Washington	305	302	3	1	3	Brigham City	---	125	5	2	3	
White	239	233	-	-	1	White	---	121	5	2	3	
All other	66	69	3	1	2	All other	---	4	-	-	-	
Black	65	67	3	1	2	Black	---	-	-	-	-	
Brenham	---	170	2	1	2	Balance of county	---	128	3	2	4	
White	---	124	-	-	-	Cache	382	364	9	4	6	
All other	---	46	2	1	2	Logan	---	202	5	1	5	
Black	---	44	2	1	2	Balance of county	---	162	4	3	1	
Balance of county	---	132	1	-	1	Carbon	177	175	1	-	2	
White	---	109	-	-	-	Daggett	5	2	-	-	-	
All other	---	23	1	-	-	Davis	668	783	16	9	28	
Black	---	23	1	-	-	Bountiful	---	228	2	2	10	
Webb	829	813	34	25	14	Clearfield	---	79	-	-	4	
Laredo	---	778	31	24	14	White	---	78	-	-	3	
Balance of county	---	35	3	1	-	All other	---	1	-	-	1	
						Black	---	-	-	-	1	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 80

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 80 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Utah-Con.					Vermont-Con.						
Layton	---	163	5	1	3	Rutland	---	261	1	1	1
Balance of county	---	313	9	6	11	Balance of county	---	368	-	-	1
Duchesne	85	77	1	1	3	Washington	500	544	7	6	3
Emery	17	39	-	-	1	Windham	367	396	4	2	1
Garfield	24	32	-	-	-	Windsor	594	541	3	2	-
Grand	55	57	-	-	1	Virginia					
Iron	120	144	2	2	4	White	51,032	51,538	827	550	737
Cedar City	---	83	2	2	2	All other	39,226	39,792	459	300	382
Balance of county	---	61	-	-	2	Black	11,806	11,746	368	250	355
Juab	68	56	2	1	-	Accomack	170	432	-	-	2
Kane	36	30	-	-	-	White	130	308	-	-	2
Millard	90	100	3	2	1	All other	40	124	-	-	2
Morgan	21	40	1	1	1	Black	40	124	-	-	2
Piute	7	12	-	-	-	Albemarle	363	478	5	3	8
Ritch	7	14	-	-	-	White	304	409	3	2	5
Salt Lake	4,942	4,418	81	35	86	All other	59	69	2	1	3
White	4,778	4,278	75	33	78	Black	59	68	2	1	1
All other	164	140	6	2	8	Alexandria city	868	864	11	10	9
Black	44	45	3	1	3	White	662	627	4	3	2
Midvale	---	122	8	2	3	All other	206	237	7	7	6
Murray	---	233	4	1	3	Black	187	225	7	7	6
Salt Lake City	---	1,802	21	9	38	Allegheny	290	150	1	1	-
White	---	1,715	15	7	35	Amelia	46	88	3	1	1
All other	---	87	6	2	3	White	31	52	1	1	1
Black	---	36	3	1	-	All other	15	36	2	1	-
Sandy City	---	258	6	2	5	Black	15	36	2	1	-
South Salt Lake	---	58	2	1	1	Amherst	103	253	4	3	2
West Jordan	---	135	9	4	4	White	85	198	3	2	1
Balance of county	---	1,810	31	16	33	All other	18	55	1	1	1
White	---	1,766	31	16	28	Black	18	55	1	1	1
All other	---	44	-	-	5	Appomattox	59	129	-	-	-
Black	---	7	-	-	1	White	51	102	-	-	-
San Juan	97	82	2	2	1	All other	8	27	-	-	-
White	40	35	-	-	1	Black	8	27	-	-	-
All other	57	47	-	-	1	Arlington#	1,713	1,211	27	20	26
Black	-	-	-	-	2	White	1,435	1,046	18	15	17
Sanpete	102	151	3	-	2	All other	278	165	9	5	9
Sevier	111	140	6	3	5	Black	221	136	6	4	6
Summit	55	80	4	3	3	Bath	128	408	4	3	-
Summit	55	80	4	3	3	Bedford	144	408	9	6	2
Tooele	144	168	3	2	1	White	129	364	8	5	2
Tooele	---	99	2	1	2	All other	15	44	1	1	-
Balance of county	---	69	1	1	2	Black	15	44	1	1	-
Uintah	100	128	2	1	2	Bedford city *	193	138	-	-	-
Utah	1,322	1,251	49	24	30	White	171	114	-	-	-
American Fork	---	96	5	3	3	All other	22	24	-	-	-
Orem	---	275	8	3	6	Black	22	24	-	-	-
Pleasant Grove	---	72	3	2	1	Bland	23	67	-	-	1
Provo	---	332	16	8	15	Botetourt	86	203	1	1	1
Springville	---	100	5	3	1	Bristol city 10	88	231	2	2	2
Balance of county	---	376	12	4	4	Brunswick	73	207	1	1	3
Wasatch	76	64	3	2	-	White	42	93	-	1	1
Washington	517	497	9	7	7	All other	31	114	-	-	2
St. George	---	305	3	2	5	Black	31	114	-	-	2
Balance of county	---	192	6	5	2	Buchanan	226	253	1	-	1
Wayne	6	14	-	-	7	Buckingham	61	143	-	-	1
Weber	1,300	1,234	17	11	17	White	39	87	-	-	1
Ogden	---	740	10	7	14	All other	22	56	-	-	-
White	---	711	10	7	13	Black	22	56	-	-	-
All other	---	29	-	-	1	Buena Vista city *	49	86	1	1	-
Black	---	21	-	-	1	White	157	413	7	4	2
Roy	---	153	5	3	1	All other	127	346	4	2	2
South Ogden	---	66	-	-	-	Black	30	67	3	2	-
Balance of county	---	275	2	1	2	Caroline	63	201	3	1	3
Vermont	5,001	4,957	50	34	26	White	35	111	2	1	-
White	4,975	4,938	49	33	25	All other	28	90	1	-	3
All other	26	19	1	1	1	Black	26	88	1	-	3
Black	20	13	1	1	-	Carroll	97	293	2	1	-
Addison	196	240	4	4	2	Charles City	27	74	-	-	-
Bennington	480	436	3	2	1	White	11	19	-	-	-
Caledonia	217	273	6	5	1	All other	16	55	-	-	-
Chittenden	1,122	842	14	5	7	Black	16	54	-	-	-
Burlington	---	341	7	1	4	Charlotte	71	158	4	2	2
South Burlington	---	80	1	1	-	White	48	100	2	1	-
Balance of county	---	421	6	3	3	All other	23	58	2	1	2
Essex	13	57	2	2	-	Black	23	58	2	1	2
Franklin	287	329	3	2	3	Charlottesville city	1,318	391	2	-	7
Grand Isle	9	42	-	-	1	White	1,052	286	1	-	3
Lamoille	179	163	1	1	1	All other	266	105	1	-	4
Orange	157	225	2	2	3	Black	262	103	1	-	4
Orleans	238	240	2	2	1						
Rutland	642	629	1	1	2						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 81

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 81 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Virginia-Con.					Virginia-Con.						
Chesapeake city	924	1,187	23	14	21	Gloucester	314	277	3	-	3
White	666	829	8	5	10	White	244	220	3	-	3
All other	258	358	15	9	11	All other	70	57	-	-	-
Black	248	353	15	9	11	Black	69	56	-	-	-
Chesterfield	789	1,090	10	6	15	Goochland	53	116	1	-	1
White	687	960	7	3	6	White	35	63	1	-	1
All other	102	130	3	3	9	All other	17	53	-	-	-
Black	99	123	3	3	8	Black	16	53	-	-	1
Clarke	91	115	-	-	-	Grayson	42	197	2	2	3
White	81	99	-	-	-	Greene	43	71	-	-	-
All other	10	16	-	-	-	Greensville	30	83	-	-	-
Black	10	16	-	-	-	White	17	35	-	-	-
Clifton Forge city *	56	94	-	-	1	All other	17	48	-	-	-
White	48	85	-	-	-	Black	16	48	-	-	-
All other	8	9	-	-	-	Halifax	125	385	2	1	4
Black	8	9	-	-	-	White	85	246	2	1	4
Colonial Heights city	85	187	3	2	1	All other	40	139	-	-	4
Covington city *	24	100	1	1	-	Black	40	139	-	-	4
White	21	84	1	1	-	Hampton city	1,175	1,062	36	23	24
All other	3	16	-	-	-	White	581	622	15	10	4
Black	3	16	-	-	-	All other	594	440	21	13	20
Craig	18	38	-	-	-	Black	591	435	21	13	19
Culpeper	241	263	1	-	6	Hanover	222	528	2	1	10
White	195	208	1	-	3	White	193	452	2	1	7
All other	46	55	-	-	3	All other	29	76	-	-	3
Black	46	54	-	-	3	Black	28	76	-	-	6
Cumberland	21	87	-	-	-	Harrisonburg city	676	239	2	2	23
White	12	49	-	-	-	Henrico	2,290	2,071	28	18	8
All other	9	38	-	-	-	White	1,845	1,710	17	8	15
Black	9	38	-	-	-	All other	445	361	11	10	15
Danville city	994	679	5	4	9	Black	428	345	11	10	15
White	683	483	1	2	7	Henry	158	480	5	4	8
All other	311	196	4	4	4	White	131	398	3	2	3
Black	311	196	4	4	7	All other	27	82	2	2	5
Dickenson	121	188	2	2	2	Black	27	82	2	2	1
Dinwiddie	60	193	2	2	-	Highland	10	34	-	-	4
White	31	101	-	-	1	Hopewell city	360	276	2	2	2
All other	29	92	2	2	1	White	228	222	1	-	2
Black	29	92	2	2	1	All other	82	54	1	-	2
Emporia city *	220	96	1	1	1	Black	82	54	1	-	1
White	90	54	-	-	-	Isle of Wight	72	237	4	2	-
All other	130	42	1	1	1	White	50	144	2	1	1
Black	130	42	1	1	1	All other	22	93	2	1	1
Essex	187	119	1	1	4	Black	21	92	2	1	1
White	115	68	1	1	3	James City	119	264	6	4	-
All other	72	51	-	-	3	White	98	207	4	2	-
Black	71	50	-	-	3	All other	21	57	2	1	-
Fairfax	3,226	3,586	72	47	67	Black	21	57	2	1	-
White	2,855	3,168	51	30	56	King and Queen	28	82	1	-	-
All other	371	418	21	17	11	White	16	45	-	-	-
Black	210	222	14	11	9	All other	12	37	1	-	-
Herndon	-	49	3	2	3	Black	12	37	1	-	-
White	-	43	2	1	2	King George	66	123	2	2	1
All other	-	6	1	1	1	White	47	90	2	2	1
Black	-	2	1	1	1	All other	19	33	-	-	-
Vienna	-	82	-	-	-	Black	18	31	-	-	-
Balance of county	-	3,455	69	45	64	King William	48	116	4	4	-
White	-	3,055	49	29	54	White	29	74	3	3	-
All other	-	400	20	16	10	All other	19	42	1	1	-
Black	-	213	13	10	8	Black	19	39	1	1	-
Fairfax city	150	235	9	4	2	Lancaster	228	184	-	-	3
Falls Church city *	29	100	1	1	1	White	181	138	-	-	-
Fauquier	376	368	5	4	6	All other	45	46	-	-	3
White	316	304	4	3	5	Black	45	46	-	-	3
All other	60	64	1	1	1	Lee	193	301	1	-	2
Black	60	64	1	1	1	Lexington city *	159	62	-	-	1
Floyd	48	130	1	1	3	White	147	54	-	-	1
Fluvanna	84	129	-	-	2	All other	12	8	-	-	-
White	57	91	-	-	-	Black	12	8	-	-	-
All other	27	38	-	-	-	Loudoun	360	443	12	10	7
Black	27	37	-	-	-	Louisa	100	217	3	2	5
Franklin	329	429	1	1	1	White	63	149	2	2	3
White	278	372	1	1	1	All other	37	68	1	-	2
All other	51	57	-	-	1	Black	36	68	1	-	2
Black	51	57	-	-	1	Lunenburg	41	137	1	1	1
Franklin city *	181	113	-	-	-	White	31	100	-	-	-
White	101	46	-	-	-	All other	10	37	1	1	1
All other	80	67	-	-	-	Black	10	37	1	1	1
Black	80	67	-	-	-	Lynchburg city	1,396	781	12	11	8
Frederick	125	367	5	3	5	White	1,073	588	3	3	6
Fredericksburg city	628	194	3	2	5	All other	323	193	9	8	2
White	510	138	-	-	5	Black	322	193	9	8	2
All other	118	56	3	2	-	Madison	88	128	1	1	-
Black	114	55	3	2	-	White	74	104	1	1	-
Galax city *	346	131	1	-	-	All other	14	24	-	-	-
Giles	154	193	-	-	-	Black	14	24	-	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 82

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 82 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more.]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal				Total deaths	Infant	Neonatal	
Virginia-Con.					Virginia-Con.						
Manassas city	283	117	4	3	7	Prince George	56	130	7	5	1
White	249	103	4	3	5	White	44	91	3	2	1
All other	34	14	-	-	2	All other	12	39	4	3	-
Black	33	12	-	-	2	Black	11	38	4	3	-
Manassas Park city *	10	29	-	-	1	Prince William	462	799	37	19	29
Martinsville city	501	249	2	1	4	White	409	688	26	11	20
White	387	159	-	-	1	All other	53	111	11	8	9
All other	114	90	2	1	3	Black	45	101	11	8	9
Black	114	90	2	1	3	Pulaski	261	359	2	1	1
Mathews	34	127	-	-	-	Pulaski	-	133	1	1	1
White	26	105	-	-	-	Balance of county	-	226	1	-	-
All other	8	22	-	-	-	White	-	221	1	-	-
Black	8	22	-	-	-	All other	-	5	-	-	-
Black	8	22	-	-	-	Black	-	5	-	-	-
Mecklenburg	350	382	6	5	6	Radford city	218	92	-	-	-
White	209	232	1	1	2	Rappahannock	24	75	-	-	-
All other	141	150	5	4	4	White	23	68	-	-	-
Black	140	149	5	4	4	All other	1	7	-	-	-
Middlesex	62	126	-	-	-	Black	1	7	-	-	-
White	46	92	-	-	-	Richmond	100	100	1	-	2
All other	16	34	-	-	-	White	58	69	1	-	-
Black	15	34	-	-	-	All other	42	31	-	-	2
Montgomery	378	450	4	3	5	Black	42	31	-	-	2
Blacksburg	-	110	2	2	1	Richmond city	4,230	2,600	53	34	41
Christiansburg	-	139	-	-	-	White	2,365	1,256	6	4	5
Balance of county	-	201	2	1	4	All other	1,865	1,344	47	30	36
White	-	190	1	1	4	Black	1,849	1,338	47	30	36
All other	-	11	1	1	-	Roanoke	448	704	4	4	3
Black	-	11	1	1	-	Roanoke city	1,648	1,243	9	7	6
Nelson	74	165	1	1	-	White	1,391	968	3	2	4
White	66	138	1	1	-	All other	257	275	6	5	2
All other	8	27	-	-	-	Black	257	275	6	5	2
Black	8	27	-	-	-	Rockbridge	59	183	2	1	1
New Kent	22	75	5	4	-	Rockingham	191	500	8	5	4
White	17	54	4	4	-	Russell	208	294	7	6	1
All other	5	21	1	-	-	Salem city	969	283	3	3	1
Black	5	19	-	-	-	Scott	129	287	6	4	2
Newport News city	1,623	1,328	38	23	35	Shenandoah	270	354	5	4	2
White	1,137	815	10	7	4	Smyth	365	373	2	2	1
All other	486	513	28	16	31	Southampton	56	187	2	1	2
Black	476	504	27	15	30	White	30	99	-	-	-
Norfolk city	3,086	2,298	67	46	48	All other	26	88	2	1	2
White	1,806	1,260	20	13	14	Black	26	88	2	1	2
All other	1,280	1,038	47	33	34	South Boston city *	391	120	1	-	2
Black	1,250	1,019	45	32	34	White	260	81	-	-	1
Northampton	361	195	1	1	1	All other	131	39	1	-	1
White	207	102	1	1	-	Black	131	39	1	-	1
All other	154	93	-	-	1	Spotsylvania	188	378	8	5	10
Black	154	93	-	-	1	White	159	330	6	3	8
Northumberland	53	190	1	1	3	All other	29	48	2	2	2
White	37	139	1	1	-	Black	27	43	2	2	2
All other	16	51	-	-	3	Stafford	158	350	7	5	6
Black	16	51	-	-	3	Staunton city	379	288	1	1	4
Norton city *	192	52	2	2	-	White	345	249	1	1	3
Nottoway	129	211	-	-	1	All other	34	39	-	-	1
White	71	133	-	-	1	Black	33	39	-	-	1
All other	58	78	-	-	-	Suffolk city	573	578	5	3	7
Black	58	78	-	-	-	White	306	285	1	1	2
Orange	120	247	5	4	2	All other	267	293	4	2	5
White	101	208	5	4	2	Black	267	293	4	2	5
All other	19	39	-	-	-	Surry	21	58	-	-	2
Black	18	38	-	-	-	White	10	25	-	-	-
Page	167	231	-	-	1	All other	11	33	-	-	2
Patrick	156	209	4	2	4	Black	11	33	-	-	2
Petersburg city	722	539	7	5	7	Sussex	75	166	1	1	5
White	343	206	1	1	-	White	28	69	-	-	2
All other	379	333	6	4	7	All other	47	97	1	1	3
Black	378	333	6	4	7	Black	47	97	1	1	3
Pittsylvania	161	551	13	11	10	Tazewell	407	514	11	7	9
White	121	388	8	6	3	Virginia Beach city	1,626	1,990	71	46	65
All other	40	163	5	5	7	White	1,373	1,660	43	29	36
Black	40	163	5	5	7	All other	253	330	28	17	29
Poquoson city *	36	87	2	2	-	Black	235	295	23	16	26
Portsmouth city	1,478	1,165	22	12	18	Warren	211	270	3	2	5
White	803	601	4	3	6	Front Royal	-	158	1	1	3
All other	675	564	18	9	12	Balance of county	-	112	2	1	2
Black	666	559	18	9	12	White	-	110	2	1	1
Powhatan	40	107	1	1	-	All other	-	2	-	-	1
White	32	74	1	1	-	Black	-	2	-	-	1
All other	8	33	1	1	-	Washington	383	453	1	1	2
Black	8	33	1	1	-	Waynesboro city	305	225	4	4	-
Prince Edward	344	211	1	1	2	Westmoreland	73	227	4	1	-
White	216	116	-	-	1	White	58	152	1	1	-
All other	128	95	1	1	1	All other	15	75	3	1	-
Black	128	95	1	1	1	Black	15	75	3	1	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 83

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 83 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Virginia-Con.					Washington-Con.						
Williamsburg city *	329	129	3	3	4	Bremerton	---	370	8	6	6
White	247	100	3	3	2	White	---	355	7	5	4
All other	82	29	-	-	2	All other	---	15	1	1	2
Black	82	29	-	-	2	Black	---	6	1	1	1
Winchester city	828	294	1	1	7	Balance of county	---	1,015	10	2	12
Wise	248	406	2	1	3	Kittitas	204	222	1	1	1
Wythe	296	299	1	1	6	Ellensburg	---	99	1	1	-
York	86	237	3	2	3	Balance of county	---	123	-	-	1
White	70	176	3	2	-	Klickitat	126	151	3	2	1
All other	16	61	-	-	3	Lewis	608	674	6	4	2
Black	16	59	-	-	3	Centralia	---	204	1	1	1
Washington	40,531	40,473	504	255	404	Balance of county	---	470	5	3	2
White	38,257	38,221	416	215	343	Lincoln	68	107	-	-	-
All other	2,274	2,252	88	40	61	Mason	296	421	3	1	2
Black	981	972	56	29	35	Okanogan	305	343	4	3	9
Adams	100	105	1	1	1	White	280	308	3	3	3
Asotin	202	235	3	2	2	All other	25	35	1	-	-
Benton	692	775	16	10	8	Black	1	1	-	-	-
Kennewick	---	314	7	4	2	Pacific	221	285	-	-	3
Richland	---	225	4	2	1	Pend Oreille	88	108	2	1	1
Balance of county	---	236	5	4	5	Pierce	4,670	4,640	74	36	48
Chelan	654	541	4	2	2	White	4,291	4,251	52	25	37
Wenatchee	---	280	2	1	1	All other	379	389	22	11	11
Balance of county	---	261	2	1	1	Black	224	231	20	11	7
Clallam	635	684	8	3	7	Puyallup	---	246	3	1	3
Port Angeles	---	218	4	2	4	Tacoma	---	1,912	30	22	14
Balance of county	---	466	4	1	3	White	---	1,683	21	16	9
Clark	1,732	1,943	22	13	14	All other	---	229	9	6	5
Vancouver	---	780	10	4	6	Black	---	152	8	6	3
Balance of county	---	1,163	12	9	8	Balance of county	---	2,482	41	13	31
Columbia	36	53	-	-	-	White	---	2,324	28	8	26
Cowlitz	867	816	10	5	6	All other	---	158	13	5	5
Kelso	---	113	1	1	1	Black	---	79	12	5	4
Longview	---	355	3	2	3	San Juan	77	111	-	-	2
Balance of county	---	348	6	2	2	Skagit	864	849	5	1	2
Douglas	111	198	-	-	2	Mount Vernon	---	200	-	-	2
Ferry	51	61	1	-	1	Balance of county	---	649	5	1	2
White	40	48	1	-	1	Skamania	47	68	2	2	-
All other	11	13	-	-	-	Snohomish	2,954	3,285	47	27	29
Black	2	-	-	-	-	White	2,880	3,203	43	25	25
Franklin	282	281	7	2	6	All other	74	82	4	2	4
Pasco	---	208	6	2	5	Black	12	15	1	1	1
White	---	191	5	1	5	Edmonds	---	302	4	3	10
All other	---	17	1	1	-	Everett	---	759	9	4	4
Black	---	16	1	1	-	Lynnwood	---	275	3	1	4
Balance of county	---	73	1	-	1	Mountlake Terrace	---	87	1	-	1
Garfield	25	33	-	-	-	Balance of county	---	1,862	30	19	14
Grant	985	481	9	7	3	Spokane	3,950	3,426	44	18	30
Moses Lake	---	150	2	2	1	White	3,853	3,356	42	17	30
White	---	144	2	2	1	All other	97	70	2	1	-
All other	---	6	-	-	-	Black	35	32	2	7	14
Black	---	2	-	-	-	Spokane	---	2,069	21	7	16
Balance of county	---	331	7	5	2	Balance of county	---	1,357	23	11	16
Grays Harbor	598	754	8	2	2	Stevens	192	255	2	2	4
Aberdeen	---	212	1	-	-	Thurston	1,391	1,285	10	5	18
Balance of county	---	542	7	2	2	Lacey	---	223	1	1	4
Island	332	449	6	3	4	Olympia	---	415	3	1	8
Oak Harbor	---	83	2	1	3	Balance of county	---	647	6	3	6
White	---	80	1	1	2	Wahkiakum	40	53	-	-	-
All other	---	3	1	-	1	Walla Walla	623	531	4	2	1
Black	---	-	-	-	-	White	---	365	3	2	1
Balance of county	---	366	4	2	1	Balance of county	---	166	1	-	-
Jefferson	183	233	2	1	1	Whatcom	1,124	1,090	11	2	10
King	12,636	11,575	131	68	125	Bellingham	---	589	4	2	5
White	11,387	10,395	96	54	90	Balance of county	---	501	7	1	1
All other	1,249	1,180	35	14	35	Whitman	187	247	3	1	1
Black	605	581	24	10	22	Pullman	---	65	3	1	-
Auburn	---	299	5	3	2	Balance of county	---	182	-	-	-
Bellevue	---	669	8	6	5	Yakima	1,671	1,720	37	21	38
Kent	---	286	4	2	8	White	---	697	13	7	15
Kirkland	---	322	2	2	6	All other	---	672	11	5	15
Mercer Island	---	138	1	-	-	Black	---	25	2	2	-
Redmond	---	223	2	1	7	Balance of county	---	14	2	2	-
Renton	---	365	6	3	6	White	---	1,023	24	14	23
Seattle	---	5,564	52	29	48	All other	---	942	19	13	23
White	---	4,701	29	20	25	Black	---	81	5	1	-
All other	---	863	23	9	23	Balance of county	---	3	1	-	-
Black	---	467	20	8	15	West Virginia	20,344	20,404	188	126	156
Balance of county	---	3,709	51	22	43	White	19,583	19,634	169	118	147
White	---	3,526	42	18	39	All other	781	770	19	8	9
All other	---	183	9	4	4	Black	761	752	18	8	8
Black	---	64	3	1	2	Barbour	89	173	3	3	-
Kitsap	1,304	1,385	18	8	18	Berkeley	711	608	6	5	5

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 84

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993-Con.

(Page 84 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
West Virginia-Con.					West Virginia-Con.						
Martinsburg	---	245	2	2	1	Balance of county	---	585	7	5	5
Balance of county	---	363	4	3	4	Randolph	367	328	3	3	2
Boone	173	258	1	-	4	Ritchie	65	139	1	-	-
Braxton	107	146	-	-	1	Roane	133	162	2	1	1
Brooke	372	323	2	2	2	Summers	130	160	3	2	3
Weirton, part	---	49	-	-	-	Taylor	194	202	1	1	-
Balance of county	---	274	2	2	2	Tucker	50	89	1	1	2
Cabell	1,700	1,181	18	16	10	Tyler	59	113	-	-	-
Huntington, part	---	716	11	10	8	Upshur	224	251	2	2	2
Huntington, total	---	771	11	10	8	Wayne	325	444	3	2	3
Balance of county	---	465	7	6	2	Huntington, part	---	55	-	-	-
Calhoun	47	95	2	2	1	Balance of county	---	389	3	2	3
Clay	33	110	1	1	1	Webster	95	147	4	2	-
Doddridge	32	71	1	1	1	Wetzel	194	231	4	3	1
Fayette	486	650	3	1	4	Wirt	14	53	2	2	1
Gilmer	36	87	1	1	1	Wood	1,098	882	7	2	12
Grant	135	107	-	-	2	Parkersburg	---	538	4	1	8
Greenbrier	429	455	1	1	4	Vienna	---	105	-	-	1
Hampshire	102	177	2	1	2	Balance of county	---	244	3	1	3
Hancock	119	398	3	3	5	Wyoming	62	260	1	1	3
Weirton, part	---	234	-	-	3	Wisconsin	44,419	44,506	551	329	406
Weirton, total	---	283	-	-	3	White	42,590	42,683	418	251	309
Balance of county	---	164	3	3	2	All other	1,829	1,823	133	78	97
Hardy	52	137	1	1	1	Black	1,492	1,485	115	65	84
Harrison	1,029	915	13	8	5	Adams	152	199	-	-	3
Clarksburg	---	320	6	4	3	Ashland	258	212	3	-	2
Balance of county	---	595	7	4	2	Barron	468	478	1	-	1
Jackson	240	290	2	1	1	Bayfield	78	153	2	2	1
Jefferson	281	334	4	1	5	Brown	1,689	1,446	19	14	9
Kanawha	2,947	2,499	20	14	19	Allouez town#	---	94	1	1	-
White	2,778	2,329	18	12	19	Ashwaubenon	---	136	1	-	-
All other	169	170	2	2	2	De Pere	---	110	-	-	-
Black	165	166	2	2	7	Green Bay	---	872	13	10	9
Charleston	---	842	8	6	7	Balance of county	---	234	4	3	-
White	---	742	7	5	7	Buffalo	93	155	1	1	1
All other	---	100	1	1	2	Burnett	116	163	1	1	-
Black	---	99	1	1	10	Calumet	190	248	1	1	2
St. Albans	---	206	2	1	2	Appleton, part	---	27	1	1	2
South Charleston	---	207	1	1	1	Balance of county	---	221	-	-	-
Balance of county	---	1,244	9	6	10	Chippewa	453	489	4	1	3
Lewis	163	195	2	1	1	Chippewa Falls	---	164	1	1	-
Lincoln	90	213	3	1	3	Eau Claire, part	---	3	-	-	-
Logan	476	462	1	1	6	Balance of county	---	322	3	-	3
Logan	242	420	9	3	3	Clark	211	346	6	2	3
McDowell	---	191	3	3	5	Columbia	461	507	9	6	1
White	---	51	3	-	1	Crawford	167	176	1	1	1
All other	---	83	3	-	2	Dane	2,985	2,371	35	22	13
Black	---	51	3	-	1	White	2,918	2,314	28	16	11
Marion	613	741	6	5	3	All other	67	57	7	6	2
Fairmont	---	332	4	3	2	Black	49	42	7	6	2
Balance of county	---	409	2	2	1	Madison	---	1,308	21	14	11
Marshall	364	398	-	-	3	Middleton	---	87	-	-	-
Moundsville	---	200	-	-	1	Sun Prairie	---	102	4	2	-
Wheeling, part	---	3	-	-	1	Balance of county	---	874	10	6	2
Balance of county	---	195	-	-	2	Dodge	784	780	6	6	2
Mason	284	335	2	2	2	Beaver Dam	---	163	-	-	1
Mercer	1,067	768	3	-	2	Watertown, part	---	103	-	-	-
Bluefield	---	179	2	-	-	Balance of county	---	514	6	6	1
White	---	140	2	-	-	Door	266	288	3	2	1
All other	---	39	2	-	-	Douglas	397	532	6	2	2
Black	---	39	2	-	2	Superior	---	401	4	2	2
Balance of county	---	589	1	-	3	Balance of county	---	131	2	2	-
Mineral	153	288	3	2	1	Dunn	241	279	4	1	3
Mingo	202	343	1	1	5	Menomonie	---	115	-	-	1
Monongalia	1,203	618	5	4	3	Balance of county	---	164	4	1	2
Morgantown	---	269	2	1	3	Eau Claire	781	633	4	3	8
Balance of county	---	349	3	3	2	Eau Claire, part	---	433	4	3	5
Monroe	58	137	2	-	4	Eau Claire, total	---	436	4	3	5
Morgan	99	129	1	-	3	Balance of county	---	200	-	-	3
Nicholas	263	288	3	1	3	Florence	36	46	-	-	-
Ohio	1,040	691	9	7	2	Fond du Lac	813	837	13	7	5
Wheeling, part	---	597	8	7	2	Balance of county	---	486	8	5	2
Wheeling, total	---	600	8	7	3	Fond du Lac	---	351	5	2	3
Balance of county	---	94	1	-	-	Forest	64	125	2	-	1
Pendleton	55	96	-	-	1	Grant	408	495	5	3	4
Pleasants	39	81	-	-	3	Green	282	276	2	-	1
Pocahontas	102	138	-	-	3	Monroe	---	93	-	-	-
Preston	186	302	3	3	2	Balance of county	---	183	2	-	1
Putnam	327	371	3	2	3	Green Lake	244	213	-	-	2
Putnam	---	371	3	2	3	Iowa	160	180	-	-	1
Raleigh	1,194	915	14	9	6	Iron	70	99	1	1	-
Beckley	---	330	7	4	1						
White	---	250	4	4	1						
All other	---	80	3	-	1						
Black	---	80	3	-	1						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 85

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 85 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Wisconsin-Con.					Wisconsin-Con.						
Jackson	169	192	2	-	-	Richland	154	171	2	1	1
Jefferson	384	572	8	6	5	Rock	1,286	1,307	10	6	15
Watertown, part	-	134	3	3	2	Beloit	-	371	2	2	2
Watertown, total	-	237	3	3	2	White	-	345	1	1	1
Whitewater, part	-	4	-	-	-	All other	-	26	1	1	1
Balance of county	-	434	5	3	3	Black	-	26	1	1	1
Juneau	180	231	1	1	3	Janesville	-	444	6	4	9
Kenosha	999	1,148	16	8	15	Balance of county	-	492	2	4	4
Kenosha	-	815	12	7	14	Rusk	140	157	3	3	2
Balance of county	-	333	4	1	1	St. Croix	386	405	6	3	3
Kewaunee	127	179	-	-	1	Sauk	508	493	11	7	8
La Crosse	1,212	879	12	9	9	Sawyer	142	200	2	-	2
La Crosse	-	577	10	8	3	White	132	183	2	-	2
Balance of county	-	302	2	1	6	All other	10	17	-	-	-
Lafayette	85	136	3	2	4	Black	-	-	-	-	-
Langlade	219	239	3	2	1	Shawano	361	400	5	5	5
Lincoln	286	315	3	2	1	Sheboygan	959	981	7	5	6
Manitowoc	728	821	5	4	11	Sheboygan	-	591	7	5	4
Manitowoc	-	460	2	2	4	Balance of county	-	390	-	-	2
Two Rivers	-	133	1	1	2	Taylor	141	187	3	2	1
Balance of county	-	228	2	1	5	Trempealeau	240	297	4	3	2
Marathon	848	909	10	7	10	Vernon	281	321	3	2	4
Marshfield, part	-	6	-	-	-	Vilas	182	232	3	1	1
Wausau	-	442	5	3	4	Walworth	664	771	1	1	4
Balance of county	-	461	5	4	6	Whitewater, part	-	63	-	-	-
Marinette	547	497	2	2	1	Whitewater, total	-	67	-	-	-
Marinette	-	165	-	-	-	Balance of county	-	708	3	1	4
Balance of county	-	332	2	2	1	Washburn	187	195	-	-	2
Marquette	62	133	1	1	1	Washington	633	716	12	7	7
Menominee	15	41	1	1	-	Germantown	-	62	2	2	3
White	3	5	-	-	-	Milwaukee, part	-	-	-	-	-
All other	12	36	1	1	-	West Bend	-	233	3	1	1
Black	-	-	-	-	-	Balance of county	-	421	7	4	3
Milwaukee	10,171	9,335	166	96	124	Waukesha	1,951	2,081	19	16	18
White	8,845	8,021	76	46	46	Brookfield	-	282	1	1	1
All other	1,326	1,314	90	50	78	Menomonee Falls	-	252	1	1	4
Black	1,253	1,246	88	48	77	Muskego	-	117	2	2	-
Brown Deer	-	87	1	-	-	New Berlin	-	197	3	3	8
Cudahy	-	159	2	2	2	Waukesha	-	408	7	6	5
Franklin	-	118	4	3	-	Balance of county	-	825	5	4	2
Glendale	-	330	-	-	-	Waupaca	530	620	2	3	1
Greendale	-	95	-	-	1	Waushara	143	251	4	3	1
Greenfield	-	434	-	-	2	Winnebago	1,214	1,197	13	9	16
Milwaukee, part	-	5,959	138	75	106	Appleton, part	-	4	-	-	1
White	-	4,683	48	25	28	Menasha	-	84	2	2	3
All other	-	1,276	90	50	78	Neenah	-	204	1	1	4
Black	-	1,219	88	48	77	Oshkosh	-	537	7	6	5
Milwaukee, total	-	5,959	138	75	106	Balance of county	-	368	3	1	3
White	-	4,683	48	25	28	Wood	1,150	699	11	5	3
All other	-	1,276	90	50	78	Marshfield, part	-	199	3	2	1
Black	-	1,219	88	48	77	Marshfield, total	-	205	3	2	1
Oak Creek	-	132	3	2	2	Wisconsin Rapids	-	233	5	3	-
St. Francis	-	88	1	-	-	Balance of county	-	267	3	-	2
Shorewood	-	124	1	-	-	Wyoming	3,349	3,490	52	30	43
South Milwaukee	-	187	3	2	2	White	3,265	3,402	49	29	39
Wauwatosa	-	599	4	4	5	All other	84	88	3	1	4
West Allis	-	708	5	3	2	Black	24	22	1	1	2
Whitefish Bay	-	85	2	2	1	Albany	200	189	3	-	1
Balance of county	-	230	2	1	1	Laramie	-	169	2	-	-
Monroe	332	359	9	6	3	Balance of county	-	20	1	-	-
Oconto	266	354	3	3	2	Big Horn	86	121	1	-	-
Oneida	518	375	-	-	2	Campbell	94	103	4	3	1
Outagamie	1,215	1,067	19	8	12	Gillette	-	86	3	2	1
Appleton, part	-	523	8	4	8	Balance of county	-	17	1	1	-
Appleton, total	-	554	9	5	11	Carbon	117	122	3	1	1
Kaukauna	-	124	2	-	2	Rawlins	-	74	1	1	-
Balance of county	-	420	9	4	2	White	74	74	1	1	-
Ozaukee	402	558	2	1	2	All other	-	-	-	-	-
Mequon	-	175	1	1	1	Black	-	-	-	-	-
Balance of county	-	383	1	-	1	Balance of county	-	48	2	1	1
Pepin	87	103	-	-	-	Converse	71	86	1	1	1
Pierce	143	223	2	-	4	Crook	31	39	-	-	-
Polk	320	375	4	1	2	Fremont	261	300	7	3	6
Portage	385	409	6	4	6	White	224	252	5	3	4
Stevens Point	-	203	2	-	4	All other	37	48	2	-	2
Balance of county	-	206	4	4	2	Black	-	1	-	-	-
Price	180	192	1	1	1	Goshen	77	117	-	-	2
Racine	1,420	1,457	22	10	13	Hot Springs	57	65	-	-	1
White	1,317	1,353	14	8	12	Johnson	82	86	-	-	-
All other	103	104	8	2	1	Laramie	580	561	10	5	9
Black	99	100	8	2	1	Cheyenne	-	447	7	3	9
Racine	-	804	14	5	9						
White	-	712	6	3	6						
All other	-	92	8	2	1						
Black	-	90	8	2	1						
Balance of county	-	653	8	5	4						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 86

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1993—Con.

(Page 86 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Wyoming-Con.						Wyoming-Con.					
Balance of county	--	114	3	2	--	Balance of county	--	48	--	--	--
Lincoln	80	104	--	--	1	Sublette	29	37	--	--	--
Natrona	544	517	9	7	5	Sweetwater	199	218	5	4	4
Casper	--	433	8	6	5	Green River	--	55	1	1	2
Balance of county	--	84	1	1	--	Rock Springs	--	143	4	3	1
Niobrara	24	26	--	--	--	Balance of county	--	20	--	--	1
Park	237	227	3	2	--	Teton	81	63	3	3	5
Platte	69	80	--	--	--	Uinta	74	76	2	1	3
Sheridan	253	240	1	--	1	Washakie	54	56	--	--	1
Sheridan	--	192	1	--	1	Weston	49	57	--	--	1

¹ Areas shown are census areas, the nearest equivalent of counties.

² Includes data for La Paz which became a new county on January 1, 1983.

³ Includes data for Texarkana, Ark., only.

⁴ Data coded by Connecticut did not identify the incorporated city of Willimantic and are included in Balance of county. Figures shown are for deaths occurring in other States.

⁵ Areas shown are parishes, the equivalent of counties.

⁶ Minimum reporting requirements for fetal deaths are assumed to exceed 20 weeks gestation; see Technical Appendix.

⁷ Includes data for Bristol, Tenn., only.

⁸ Includes data for Texarkana, Tex., only.

⁹ Independent city having population of less than 10,000 according to the 1980 census.

¹⁰ Includes data for Bristol, Va., only.

¹¹ Includes data for Bluefield, W. Va., only.

Classified as urban under special rule; see Technical Appendix.

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 90

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Rates, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1993—Con.

(Page 4 of 13)

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births in specified group; fetal death rates per 1,000 live births and fetal deaths in specified group. Beginning in 1989, race for fetal deaths and live births is tabulated according to race of mother; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix.]

Area and race	Deaths					Fetal deaths		Area and race	Deaths					Fetal deaths	
	Total deaths	Infant		Neonatal		Number	Rate		Total deaths	Infant		Neonatal		Number	Rate
		Number	Rate	Number	Rate					Number	Rate	Number	Rate		
Hawaii	7,329	142	7.2	104	5.3	131	6.6	Illinois	107,193	1,880	9.9	1,206	6.3	1,447	7.5
White	2,161	21	3.8	18	*	40	7.1	White	89,242	1,016	7.1	655	4.6	849	5.9
All other	5,168	121	8.6	86	6.1	91	6.5	All other	17,951	864	17.8	551	11.3	598	12.2
Black	41	6	*	5	*	7	*	Black	17,238	842	19.6	535	12.5	571	13.1
Urban places	5,298	91	6.9	71	5.4	87	6.6	Urban places	75,048	1,479	10.3	950	6.6	1,148	7.9
White	1,479	13	*	11	*	23	6.3	White	58,141	682	6.9	447	4.6	590	6.0
All other	3,819	78	8.2	60	6.3	64	6.7	All other	16,907	797	17.4	503	11.0	558	12.0
Black	34	4	*	3	*	7	*	Black	16,258	777	19.1	487	12.0	532	12.9
Balance of area	2,031	51	7.9	33	5.1	44	6.8	Balance of area	32,145	401	8.6	256	5.5	299	6.3
White	682	8	*	7	*	17	*	White	31,101	334	7.6	208	4.7	259	5.9
All other	1,349	43	9.7	26	5.9	27	6.0	All other	1,044	67	23.9	48	17.1	40	14.1
Black	7	2	*	2	*	-	-	Black	980	65	29.3	48	21.7	39	17.3
Metropolitan counties	5,276	99	6.8	76	5.2	93	6.3	Metropolitan counties	84,342	1,683	10.1	1,095	6.6	1,301	7.7
White	1,468	12	*	10	*	31	7.5	White	66,833	833	7.0	553	4.6	717	6.0
All other	3,808	87	8.3	66	6.3	62	5.9	All other	17,509	850	17.9	542	11.4	584	12.1
Black	35	6	*	5	*	7	*	Black	16,807	828	19.7	526	12.5	559	13.1
Urban places	4,666	81	6.7	64	5.3	75	6.2	Urban places	69,644	1,419	10.4	912	6.7	1,118	8.1
White	1,319	11	*	9	*	23	6.7	White	51,372	632	6.9	417	4.5	565	6.1
All other	3,347	70	8.1	55	6.4	52	6.0	All other	16,029	787	17.5	495	11.0	563	12.1
Black	32	4	*	3	*	7	*	Black	15,699	767	19.2	479	12.0	528	13.0
Balance of area	610	18	*	12	*	18	*	Balance of area	15,699	264	8.9	183	8.2	183	6.1
White	149	1	*	1	*	8	*	White	14,861	201	7.4	136	5.0	152	5.6
All other	461	17	*	11	*	10	*	All other	837	63	25.5	47	19.0	31	12.4
Black	3	2	*	2	*	-	-	Black	778	61	31.1	47	24.0	31	15.6
Nonmetropolitan counties	2,053	43	8.7	28	5.6	38	7.6	Nonmetropolitan counties	22,851	197	8.2	111	4.6	146	6.0
White	693	9	*	8	*	9	*	White	22,409	183	7.9	102	4.4	132	5.7
All other	1,360	34	9.8	20	5.8	29	8.3	All other	442	14	*	6	*	14	*
Black	6	6	*	7	*	12	*	Black	491	14	*	9	*	12	*
Urban places	632	10	*	7	*	12	*	Urban places	6,404	60	8.7	38	5.5	30	4.3
White	160	2	*	2	*	12	*	White	6,169	50	8.1	30	4.9	25	4.0
All other	472	8	*	5	*	12	*	All other	235	10	*	8	*	5	*
Black	2	2	*	-	-	-	-	Black	229	10	*	8	*	4	*
Balance of area	1,421	33	8.6	21	5.5	26	6.7	Balance of area	16,447	137	8.0	73	4.2	116	6.7
White	533	7	*	6	*	9	*	White	16,240	193	7.9	72	4.3	107	6.3
All other	888	26	10.3	15	*	17	*	All other	207	4	*	1	*	9	*
Black	4	-	-	-	-	-	-	Black	202	4	*	1	*	8	*
Idaho	8,395	125	7.2	62	3.6	106	6.0	Indiana	52,311	769	9.2	464	5.5	567	6.7
White	8,257	119	7.0	61	3.6	100	5.9	White	48,078	593	8.0	358	4.9	444	6.0
All other	138	6	*	1	*	6	*	All other	4,233	176	17.2	106	10.4	123	11.9
Black	21	1	*	-	-	-	-	Black	4,150	172	18.3	104	11.1	117	12.3
Urban places	3,786	60	7.7	28	3.6	54	6.9	Urban places	30,018	518	11.0	322	6.8	350	7.4
White	3,738	59	7.9	28	3.7	51	6.8	White	25,962	345	9.2	218	5.8	230	6.1
All other	48	1	*	-	-	3	*	All other	4,056	173	17.6	104	10.6	120	12.1
Black	15	1	*	-	-	-	-	Black	4,004	169	18.4	102	11.1	115	12.4
Balance of area	4,609	65	6.7	34	3.5	52	5.3	Balance of area	22,293	251	6.8	142	3.9	217	5.9
White	4,519	60	6.4	33	3.5	49	5.2	White	22,116	248	6.8	140	3.9	214	5.9
All other	90	5	*	-	-	3	*	All other	177	3	*	2	*	3	*
Black	6	-	-	-	-	-	-	Black	146	3	*	2	*	2	*
Metropolitan counties	1,485	27	7.5	12	*	17	*	Metropolitan counties	34,500	583	9.9	357	6.1	418	7.0
White	1,473	27	7.8	12	*	17	*	White	30,535	415	8.4	257	5.2	303	6.1
All other	12	-	-	-	-	-	-	All other	3,965	168	17.5	100	10.4	115	11.8
Black	7	-	-	-	-	-	-	Black	3,899	164	18.4	98	11.0	110	12.2
Urban places	1,176	19	*	8	*	13	*	Urban places	25,013	457	11.1	281	6.8	307	7.4
White	1,164	19	*	8	*	13	*	White	21,144	292	9.2	183	5.8	194	6.1
All other	12	-	-	-	-	-	-	All other	3,869	165	17.7	98	10.5	113	11.9
Black	7	-	-	-	-	-	-	Black	3,820	161	18.4	96	11.0	109	12.3
Balance of area	309	8	*	4	*	4	*	Balance of area	9,487	126	7.1	76	4.3	111	6.2
White	309	8	*	4	*	4	*	White	9,391	123	7.0	74	4.2	109	6.2
All other	-	-	-	-	-	-	-	All other	96	3	*	2	*	2	*
Black	-	-	-	-	-	-	-	Black	79	3	*	2	*	1	*
Nonmetropolitan counties	6,910	98	7.1	50	3.6	89	6.4	Nonmetropolitan counties	17,811	186	7.4	107	4.3	149	5.9
White	6,784	92	6.9	49	3.7	83	6.1	White	17,543	178	7.3	101	4.2	141	5.8
All other	126	6	*	1	*	6	*	All other	268	8	*	6	*	8	*
Black	14	1	*	-	-	-	-	Black	251	8	*	6	*	7	*
Urban places	2,610	41	7.9	20	3.9	41	7.9	Urban places	5,005	61	10.1	41	6.8	43	7.0
White	2,574	40	8.0	20	4.0	38	7.5	White	4,818	53	9.5	35	6.3	36	6.4
All other	36	1	*	-	-	3	*	All other	187	8	*	6	*	7	*
Black	8	1	*	-	-	-	-	Black	184	8	*	6	*	6	*
Balance of area	4,300	57	6.6	30	3.5	48	5.5	Balance of area	12,806	125	6.6	66	3.5	106	5.6
White	4,210	52	6.2	29	3.4	45	5.3	White	12,725	125	6.7	66	3.5	105	5.6
All other	90	5	*	1	*	3	*	All other	81	-	-	-	-	1	*
Black	6	-	-	-	-	-	-	Black	67	-	-	-	-	1	*

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 91

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Rates, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1993—Con.

(Page 5 of 13)

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births in specified group; fetal death rates per 1,000 live births and fetal deaths in specified group. Beginning in 1989, race for fetal deaths and live births is tabulated according to race of mother; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix.]

Area and race	Deaths					Fetal deaths		Area and race	Deaths					Fetal deaths	
	Total deaths	Infant		Neonatal		Number	Rate		Total deaths	Infant		Neonatal		Number	Rate
		Number	Rate	Number	Rate					Number	Rate	Number	Rate		
Iowa	27,973	261	6.9	155	4.1	234	6.1	Kentucky	36,869	432	8.2	270	5.1	376	7.0
White	27,545	232	6.4	138	3.8	222	6.1	White	34,234	360	7.6	226	4.7	320	6.7
All other	428	29	15.6	17	*	12	*	All other	2,635	72	13.5	44	8.3	56	10.4
Black	357	25	22.9	15	*	10	*	Black	2,584	69	14.3	42	8.7	51	10.4
Urban places	11,545	140	7.6	83	4.5	115	6.2	Urban places	13,005	169	9.2	101	5.5	133	7.2
White	11,165	113	6.7	67	4.0	106	6.2	White	11,078	117	8.1	73	5.1	92	6.3
All other	380	27	16.4	16	*	9	*	All other	1,927	52	13.6	28	7.3	41	10.6
Black	338	24	22.9	15	*	8	*	Black	1,898	50	14.1	26	7.3	38	10.6
Balance of area	16,428	121	6.3	72	3.7	119	6.1	Balance of area	23,864	263	7.6	169	4.9	243	7.0
White	16,380	119	6.2	71	3.7	116	6.0	White	23,156	243	7.3	153	4.6	228	6.8
All other	48	2	*	1	*	3	*	All other	708	20	13.4	16	*	15	*
Black	19	1	*	-	*	2	*	Black	686	19	*	16	*	13	*
Metropolitan counties	10,366	134	7.1	82	4.4	123	6.5	Metropolitan counties	15,946	213	8.3	132	5.1	160	6.2
White	10,020	113	6.5	71	4.1	114	6.5	White	14,143	162	7.5	104	4.8	121	5.5
All other	346	21	14.0	11	*	9	*	All other	1,803	51	12.9	28	7.1	39	9.7
Black	305	18	*	10	*	8	*	Black	1,780	51	14.1	28	7.7	34	9.3
Urban places	8,052	111	7.7	66	4.6	92	6.3	Urban places	9,985	132	9.1	76	5.2	97	6.6
White	7,714	91	7.0	55	4.2	84	6.4	White	8,375	88	7.8	53	4.7	64	5.6
All other	338	20	14.0	11	*	8	*	All other	1,610	44	13.5	23	7.1	33	10.1
Black	299	17	*	10	*	7	*	Black	1,594	44	14.5	23	7.6	30	9.8
Balance of area	2,314	23	5.2	16	*	31	6.9	Balance of area	5,961	81	7.3	56	5.1	63	5.7
White	2,306	22	5.0	16	*	30	6.8	White	5,768	74	7.1	51	4.9	57	5.5
All other	8	1	*	-	*	1	*	All other	193	7	*	5	*	6	*
Black	6	1	*	-	*	1	*	Black	186	7	*	5	*	6	*
Nonmetropolitan counties	17,607	127	6.7	73	3.8	111	5.8	Nonmetropolitan counties	20,923	219	8.0	138	5.0	216	7.8
White	17,525	119	6.4	67	3.6	108	5.8	White	20,091	198	7.6	122	4.7	199	7.6
All other	82	8	*	6	*	3	*	All other	832	21	15.5	16	*	17	*
Black	52	7	*	5	*	2	*	Black	804	18	*	14	*	17	*
Urban places	3,493	29	7.1	17	*	23	5.6	Urban places	3,020	37	10.0	25	6.7	36	9.6
White	3,451	22	5.7	12	*	22	5.6	White	2,703	29	9.3	20	6.4	28	8.9
All other	42	7	*	5	*	1	*	All other	317	8	*	5	*	8	*
Black	39	7	*	5	*	1	*	Black	304	6	*	3	*	8	*
Balance of area	14,114	98	6.6	56	3.8	88	5.9	Balance of area	17,903	182	7.7	113	4.8	180	7.6
White	14,074	97	6.6	55	3.7	86	5.8	White	17,388	169	7.4	102	4.5	171	7.4
All other	40	1	*	1	*	2	*	All other	515	13	*	11	*	9	*
Black	13	-	*	-	*	1	*	Black	500	12	*	11	*	9	*
Kansas	23,631	330	8.8	205	5.5	224	6.0	Louisiana	39,593	751	10.8	471	6.8	558	8.0
White	22,242	247	7.5	155	4.7	188	5.7	White	26,678	284	7.4	173	4.5	231	6.0
All other	1,389	83	19.0	50	11.4	36	8.2	All other	12,915	467	15.1	298	9.7	327	10.5
Black	1,221	76	23.5	47	14.5	30	9.2	Black	12,784	464	15.6	296	10.0	320	10.7
Urban places	12,450	227	9.3	142	5.8	149	6.0	Urban places	19,276	396	11.9	248	7.4	284	8.5
White	11,215	148	7.2	95	4.6	116	5.6	White	11,268	90	6.7	58	4.3	82	6.1
All other	1,235	79	20.1	47	12.0	33	8.3	All other	8,008	306	15.4	190	9.6	202	10.1
Black	1,125	72	24.0	44	14.6	28	9.2	Black	7,943	304	15.8	189	9.8	199	10.3
Balance of area	11,181	103	8.0	63	4.9	75	5.8	Balance of area	20,317	355	9.8	223	6.2	274	7.5
White	11,027	99	8.0	60	4.8	72	5.8	White	15,410	194	7.7	115	4.6	149	5.9
All other	154	4	*	3	*	3	*	All other	4,907	161	14.6	108	9.8	125	11.2
Black	96	4	*	3	*	2	*	Black	4,841	160	15.2	107	10.2	121	11.4
Metropolitan counties	10,674	205	9.4	129	5.9	132	6.0	Metropolitan parishes ¹	26,261	520	10.6	317	6.5	381	7.7
White	9,576	135	7.3	87	4.7	104	5.6	White	17,535	185	6.9	107	4.0	162	6.0
All other	1,098	70	21.2	42	12.7	28	8.4	All other	8,726	335	15.0	210	9.4	219	9.7
Black	1,009	64	24.8	40	15.5	24	9.2	Black	8,616	333	15.6	209	9.8	214	9.9
Urban places	8,515	174	9.8	108	6.1	113	6.3	Urban places	16,440	336	11.7	209	7.3	243	8.4
White	7,470	105	7.2	67	4.6	85	5.8	White	9,507	73	6.4	44	3.8	68	5.9
All other	1,045	69	21.8	41	12.9	28	8.8	All other	6,933	263	15.1	165	9.5	175	10.0
Black	968	63	25.2	39	15.6	24	9.5	Black	6,872	262	15.6	165	9.8	172	10.2
Balance of area	2,159	31	7.7	21	5.2	19	*	Balance of area	9,821	184	9.1	108	5.4	138	6.8
White	2,106	30	7.7	20	5.1	19	*	White	8,028	112	7.4	63	4.1	94	6.1
All other	53	1	*	1	*	-	*	All other	1,793	72	14.6	45	9.1	44	8.8
Black	41	1	*	1	*	-	*	Black	1,744	71	15.6	44	9.7	42	9.1
Nonmetropolitan counties	12,957	125	8.1	76	4.9	92	5.9	Nonmetropolitan parishes ¹	13,332	231	11.3	154	7.5	177	8.6
White	12,666	112	7.7	68	4.7	84	5.8	White	9,143	99	8.3	66	5.5	69	5.8
All other	291	13	*	8	*	8	*	All other	4,189	132	15.4	88	10.3	108	12.4
Black	212	12	*	7	*	6	*	Black	4,168	131	15.6	87	10.4	106	12.5
Urban places	3,935	53	7.9	34	5.1	36	5.4	Urban places	2,836	60	13.3	39	8.7	41	9.0
White	3,745	43	7.3	28	4.7	31	5.2	White	1,761	17	*	14	*	14	*
All other	190	10	*	6	*	5	*	All other	1,075	43	17.3	25	10.0	27	10.7
Black	157	9	*	5	*	4	*	Black	1,071	42	17.2	24	9.9	27	11.0
Balance of area	9,022	72	8.1	42	4.8	56	6.3	Balance of area	10,486	171	10.7	115	7.2	136	8.4
White	8,921	69	8.1	40	4.7	53	6.2	White	7,382	82	8.3	52	5.3	55	5.5
All other	101	3	*	2	*	3	*	All other	3,114	89	14.6	63	10.4	81	13.1
Black	55	3	*	2	*	2	*	Black	3,097	89	15.0	63	10.6	79	13.1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 95

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Rates, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1993—Con.

(Page 9 of 13)

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births in specified group; fetal death rates per 1,000 live births and fetal deaths in specified group. Beginning in 1989, race for fetal deaths and live births is tabulated according to race of mother; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix.]

Area and race	Deaths					Fetal deaths		Area and race	Deaths					Fetal deaths	
	Total deaths	Infant		Neonatal		Number	Rate		Total deaths	Infant		Neonatal		Number	Rate
		Number	Rate	Number	Rate					Number	Rate	Number	Rate		
New Mexico	11,731	235	8.4	129	4.6	109	3.9	North Carolina	62,486	1,066	10.5	739	7.3	847	8.3
White	10,710	169	7.3	99	4.3	92	4.0	White	47,371	534	7.7	358	5.2	423	6.1
All other	1,021	66	13.8	30	6.3	17	*	All other	15,115	532	16.4	381	11.8	424	12.9
Black	200	12	*	8	*	4	*	Black	14,501	503	17.1	362	12.3	401	13.4
Urban places	6,686	133	8.7	76	5.0	58	3.8	Urban places	22,764	445	11.4	308	7.9	363	9.2
White	6,384	112	8.2	65	4.8	51	3.7	White	15,514	160	7.5	111	5.2	134	6.3
All other	302	21	13.4	11	*	7	*	All other	7,250	285	16.1	197	11.1	229	12.8
Black	162	11	*	7	*	4	*	Black	7,127	271	16.4	188	11.4	221	13.2
Balance of area	5,045	102	8.1	53	4.2	51	4.0	Balance of area	39,722	621	10.0	431	6.9	484	7.7
White	4,326	57	6.0	34	3.6	41	4.3	White	31,857	374	7.8	247	5.2	289	6.0
All other	719	45	14.0	19	*	10	*	All other	7,865	247	16.9	184	12.6	195	13.2
Black	38	1	*	1	*	-	*	Black	7,374	232	17.9	174	13.4	180	13.7
Metropolitan counties	5,240	108	8.3	58	4.4	39	3.0	Metropolitan counties	31,688	601	10.1	403	6.8	460	7.7
White	5,033	91	7.5	49	4.1	36	3.0	White	24,654	398	8.1	219	5.2	233	5.5
All other	207	17	*	9	*	3	*	All other	7,034	263	14.8	184	10.4	227	12.7
Black	97	9	*	5	*	2	*	Black	6,910	253	15.5	178	10.9	218	13.2
Urban places	4,509	90	8.7	46	4.5	30	2.9	Urban places	17,446	339	10.9	229	7.4	295	9.4
White	4,340	76	8.0	39	4.1	28	2.9	White	12,164	134	7.6	92	5.2	117	6.6
All other	169	14	*	7	*	2	*	All other	5,282	205	15.1	137	10.1	178	13.0
Black	89	9	*	5	*	2	*	Black	5,194	197	15.7	133	10.6	173	13.6
Balance of area	731	18	*	12	*	9	*	Balance of area	14,242	262	9.2	174	6.1	165	5.8
White	693	15	*	10	*	8	*	White	12,490	204	8.4	127	5.2	116	4.7
All other	38	3	*	2	*	1	*	All other	1,752	58	13.9	47	11.3	49	11.6
Black	8	-	*	-	*	-	*	Black	1,716	56	14.9	45	12.0	45	11.8
Nonmetropolitan counties	6,491	127	8.6	71	4.8	70	4.7	Nonmetropolitan counties	30,798	465	11.1	336	8.1	387	9.2
White	5,677	78	7.1	50	4.6	56	5.1	White	22,717	196	7.2	139	5.1	190	7.0
All other	814	49	12.9	21	5.5	14	*	All other	8,081	269	18.4	197	13.5	197	13.3
Black	103	3	*	3	*	2	*	Black	7,591	250	19.0	184	14.0	183	13.7
Urban places	2,177	43	8.8	30	6.1	28	5.7	Urban places	5,318	106	13.6	79	10.1	68	8.6
White	2,044	36	8.6	26	6.2	23	5.5	White	3,350	26	7.2	19	*	17	*
All other	133	7	*	4	*	5	*	All other	1,968	80	19.1	60	14.3	51	12.0
Black	73	2	*	2	*	2	*	Black	1,933	74	18.6	55	13.8	48	11.9
Balance of area	4,314	84	8.5	41	4.2	42	4.2	Balance of area	25,480	359	10.6	257	7.6	319	9.3
White	3,633	42	6.2	24	3.5	33	4.8	White	19,367	170	7.3	120	5.1	173	7.3
All other	681	42	13.8	17	*	9	*	All other	6,113	189	18.1	137	13.1	146	13.8
Black	30	1	*	1	*	-	*	Black	5,658	176	19.1	129	14.0	135	14.5
New York	171,232	2,371	8.4	1,623	5.7	3,127	11.0	North Dakota	5,825	69	7.9	40	4.6	56	6.4
White	143,465	1,377	6.6	959	4.6	1,833	8.7	White	5,647	61	7.9	37	4.8	50	6.4
All other	27,767	994	13.4	664	8.9	1,294	17.1	All other	178	8	*	3	*	6	*
Black	25,573	925	15.4	616	10.3	1,195	19.5	Black	5	2	*	1	*	-	*
Urban places	109,861	1,799	9.7	1,216	6.5	2,433	12.9	Urban places	2,219	32	7.9	18	*	33	8.1
White	84,244	881	7.5	603	5.1	1,219	10.2	White	2,185	30	7.9	17	*	31	8.1
All other	25,617	918	13.5	613	9.0	1,214	17.5	All other	34	2	*	1	*	2	*
Black	23,747	856	15.4	570	10.2	1,134	19.9	Black	4	2	*	1	*	-	*
Balance of area	61,371	572	5.9	407	4.2	694	7.1	Balance of area	3,606	37	8.0	22	4.7	23	4.9
White	59,221	496	5.5	356	3.9	614	6.8	White	3,462	31	7.9	20	5.1	19	*
All other	2,150	76	12.0	51	8.1	80	12.5	All other	144	6	*	2	*	4	*
Black	1,826	69	15.8	46	10.5	61	13.8	Black	1	-	*	-	*	-	*
Metropolitan counties	155,852	2,213	8.5	1,521	5.8	2,936	11.1	Metropolitan counties	1,799	28	7.2	16	*	31	8.0
White	128,389	1,230	6.6	864	4.6	1,652	8.7	White	1,773	27	7.5	15	*	29	8.0
All other	27,463	983	13.4	657	9.0	1,284	17.2	All other	26	1	*	1	*	2	*
Black	25,335	916	15.4	611	10.3	1,188	19.6	Black	3	1	*	1	*	2	*
Urban places	106,779	1,759	9.7	1,192	6.6	2,389	13.0	Urban places	1,424	23	7.7	12	*	28	9.3
White	81,242	844	7.4	581	5.1	1,178	10.2	White	1,400	22	7.9	11	*	26	9.2
All other	25,537	915	13.5	611	9.0	1,211	17.6	All other	24	1	*	1	*	2	*
Black	23,685	853	15.4	568	10.2	1,131	20.0	Black	3	1	*	1	*	2	*
Balance of area	49,073	454	5.7	329	4.1	547	6.8	Balance of area	375	5	*	4	*	3	*
White	47,147	386	5.2	283	3.8	474	6.4	White	373	5	*	4	*	3	*
All other	1,926	68	11.8	46	8.0	73	12.6	All other	2	-	*	-	*	-	*
Black	1,650	63	15.8	43	10.8	57	14.1	Black	-	-	*	-	*	-	*
Nonmetropolitan counties	15,380	158	7.4	102	4.8	191	8.9	Nonmetropolitan counties	4,026	41	8.5	24	5.0	25	5.2
White	15,076	147	7.2	95	4.7	181	8.8	White	3,874	34	8.2	22	5.3	21	5.1
All other	304	11	*	7	*	10	*	All other	152	7	*	2	*	4	*
Black	238	9	*	5	*	7	*	Black	2	1	*	1	*	2	*
Urban places	3,082	40	9.4	24	5.7	44	10.3	Urban places	795	9	*	6	*	5	*
White	3,002	37	9.5	22	5.7	41	10.4	White	785	8	*	6	*	5	*
All other	80	3	*	2	*	3	*	All other	10	1	*	1	*	1	*
Black	62	3	*	2	*	3	*	Black	1	1	*	1	*	1	*
Balance of area	12,298	118	6.9	78	4.6	147	8.5	Balance of area	3,231	32	8.5	18	*	20	5.3
White	12,074	110	6.7	73	4.4	140	8.4	White	3,089	26	8.3	16	*	16	*
All other	224	8	*	5	*	7	*	All other	142	6	*	2	*	4	*
Black	176	6	*	3	*	4	*	Black	1	-	*	-	*	-	*

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 97

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Rates, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1993—Con.

(Page 11 of 13)

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births in specified group; fetal death rates per 1,000 live births and fetal deaths in specified group. Beginning in 1989, race for fetal deaths and live births is tabulated according to race of mother; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix.]

Area and race	Deaths				Fetal deaths		Area and race	Deaths				Fetal deaths			
	Total deaths	Infant		Neonatal		Number		Rate	Total deaths	Infant		Neonatal		Number	Rate
		Number	Rate	Number	Rate					Number	Rate	Number	Rate		
Rhode Island	9,786	102	7.3	69	4.9	96	6.8	South Dakota *	6,782	102	9.5	53	4.9	46	4.3
White	9,437	87	7.1	60	4.9	76	6.2	White	6,310	67	7.6	37	4.2	35	3.9
All other	349	15	*	9	*	20	11.2	All other	472	35	18.5	16	*	11	*
Black	304	15	*	9	*	16	*	Black	3	-	-	-	-	-	-
Urban places	7,705	86	7.8	55	5.0	74	6.7	Urban places	2,545	42	9.5	21	4.7	13	*
White	7,372	71	7.6	46	4.9	56	6.0	White	2,482	38	9.6	20	5.0	12	*
All other	333	15	*	9	*	18	*	All other	63	4	*	1	*	1	*
Black	298	15	*	9	*	15	*	Black	2	-	-	-	-	-	-
Balance of area	2,081	16	*	14	*	22	7.2	Balance of area	4,237	60	9.5	32	5.1	33	5.2
White	2,065	16	*	14	*	20	6.8	White	3,828	29	6.0	17	*	23	4.7
All other	16	-	-	-	-	2	*	All other	409	31	21.7	15	*	10	*
Black	6	-	-	-	-	1	*	Black	1	-	-	-	-	-	-
Metropolitan counties	9,061	91	7.1	64	5.0	88	6.8	Metropolitan counties	1,619	33	9.3	18	*	11	*
White	8,744	79	7.1	56	5.0	71	6.3	White	1,565	32	10.1	18	*	10	*
All other	317	12	*	8	*	17	*	All other	54	1	*	-	-	1	*
Black	273	12	*	8	*	13	*	Black	2	-	-	-	-	-	-
Urban places	7,283	79	7.7	53	5.2	68	6.6	Urban places	1,338	29	10.4	16	*	9	*
White	6,978	67	7.7	45	5.2	53	6.1	White	1,293	28	11.5	16	*	8	*
All other	305	12	*	8	*	15	*	All other	45	1	*	-	-	1	*
Black	270	12	*	8	*	12	*	Black	2	-	-	-	-	-	-
Balance of area	1,778	12	*	11	*	20	7.7	Balance of area	281	4	*	2	*	2	*
White	1,766	12	*	11	*	18	*	White	272	4	*	2	*	2	*
All other	12	-	-	-	-	2	*	All other	9	-	-	-	-	-	-
Black	3	-	-	-	-	1	*	Black	-	-	-	-	-	-	-
Nonmetropolitan counties	725	11	*	5	*	8	*	Nonmetropolitan counties	5,163	69	9.6	35	4.9	35	4.9
White	693	8	*	4	*	5	*	White	4,745	35	6.2	19	*	25	4.4
All other	32	3	*	1	*	3	*	All other	418	34	22.6	16	*	10	*
Black	31	3	*	1	*	3	*	Black	1	-	-	-	-	-	-
Urban places	422	7	*	2	*	6	*	Urban places	1,207	13	*	5	*	4	*
White	394	4	*	1	*	3	*	White	1,189	10	*	4	*	4	*
All other	28	3	*	1	*	3	*	All other	18	3	*	1	*	-	-
Black	28	3	*	1	*	3	*	Black	-	-	-	-	-	-	-
Balance of area	303	4	*	3	*	2	*	Balance of area	3,956	56	10.1	30	5.4	31	5.6
White	299	4	*	3	*	2	*	White	3,556	25	6.0	15	*	21	5.1
All other	4	-	-	-	-	-	-	All other	400	31	22.4	15	*	10	*
Black	3	-	-	-	-	-	-	Black	1	-	-	-	-	-	-
South Carolina	31,963	543	10.1	368	6.8	571	10.5	Tennessee *	49,249	687	9.4	403	5.5	386	5.3
White	21,959	218	6.7	144	4.4	247	7.5	White	41,091	366	6.7	207	3.8	228	4.2
All other	10,004	325	15.4	224	10.6	324	15.1	All other	8,158	321	17.4	196	10.6	158	8.5
Black	9,930	323	15.7	223	10.9	322	15.4	Black	8,060	315	17.9	193	11.0	156	8.8
Urban places	8,887	142	9.5	95	6.4	150	10.0	Urban places	24,337	461	12.4	281	7.6	217	5.8
White	5,900	37	4.8	23	3.0	59	7.7	White	17,690	166	7.7	94	4.4	83	3.9
All other	2,987	105	14.5	72	9.9	91	12.4	All other	6,647	295	18.7	187	11.9	134	8.4
Black	2,975	105	14.9	72	10.2	89	12.5	Black	6,582	289	19.1	184	12.2	133	8.7
Balance of area	23,076	401	10.3	273	7.0	421	10.7	Balance of area	23,912	226	6.3	122	3.4	169	4.7
White	16,059	181	7.2	121	4.8	188	7.4	White	24,401	200	6.0	113	3.4	145	4.4
All other	7,017	220	15.8	152	10.9	233	16.5	All other	1,511	26	9.8	9	*	24	8.9
Black	6,955	218	16.2	151	11.2	233	17.0	Black	1,478	26	10.6	9	*	23	9.3
Metropolitan counties	18,197	306	9.3	203	6.1	305	9.1	Metropolitan counties	31,015	517	9.9	315	6.0	262	5.0
White	13,376	138	6.3	88	4.0	158	7.2	White	24,212	221	6.2	132	3.7	124	3.5
All other	4,821	168	15.0	115	10.3	147	13.0	All other	6,803	296	18.1	183	11.2	138	8.4
Black	4,782	167	15.5	114	10.6	146	13.4	Black	6,730	291	18.7	180	11.5	137	8.7
Urban places	6,878	112	9.0	73	5.9	114	9.1	Urban places	21,156	415	12.3	256	7.6	193	5.7
White	4,584	32	4.9	18	*	45	6.9	White	14,855	131	7.1	76	4.1	63	3.4
All other	2,294	80	13.6	55	9.4	69	11.6	All other	6,301	284	18.8	180	11.9	130	8.5
Black	2,284	80	14.1	55	9.7	68	11.8	Black	6,241	279	19.2	177	12.2	129	8.8
Balance of area	11,319	194	9.4	130	6.3	191	9.2	Balance of area	9,859	102	5.5	59	3.2	69	3.7
White	8,792	106	6.9	70	4.6	113	7.3	White	9,357	90	5.2	56	3.2	61	3.5
All other	2,527	88	16.5	60	11.3	78	14.4	All other	502	12	*	3	*	8	*
Black	2,498	87	17.2	59	11.6	78	15.2	Black	489	12	*	3	*	8	*
Nonmetropolitan counties	13,766	237	11.4	165	7.9	266	12.7	Nonmetropolitan counties	18,234	170	8.1	88	4.2	124	5.9
White	8,583	80	7.4	56	5.2	89	8.2	White	16,879	145	7.7	75	4.0	104	5.5
All other	5,183	157	15.8	109	11.0	177	17.5	All other	1,355	25	12.0	13	*	20	9.5
Black	5,148	156	16.0	109	11.2	176	17.7	Black	1,330	24	12.1	13	*	19	*
Urban places	2,009	30	12.1	22	8.8	36	14.3	Urban places	3,181	46	13.2	25	7.2	24	6.8
White	1,316	5	*	5	*	14	*	White	2,835	35	12.1	18	*	20	6.9
All other	693	25	18.2	17	*	22	15.8	All other	346	11	*	7	*	4	*
Black	691	25	18.6	17	*	21	15.4	Black	341	10	*	7	*	4	*
Balance of area	11,757	207	11.3	143	7.8	230	12.4	Balance of area	15,053	124	7.1	63	3.6	100	5.7
White	7,267	75	7.7	51	5.3	75	7.7	White	14,044	110	6.9	57	3.6	84	5.3
All other	4,490	132	15.4	92	10.7	155	17.8	All other	1,009	14	*	6	*	16	*
Black	4,457	131	15.6	92	10.9	155	18.1	Black	989	14	*	6	*	15	*

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 98

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Rates, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1993—Con.

(Page 12 of 13)

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births in specified group; fetal death rates per 1,000 live births and fetal deaths in specified group. Beginning in 1989, race for fetal deaths and live births is tabulated according to race of mother; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix.]

Area and race	Deaths				Fetal deaths		Area and race	Deaths				Fetal deaths			
	Total deaths	Infant		Neonatal		Number		Rate	Total deaths	Infant		Neonatal		Number	Rate
		Number	Rate	Number	Rate					Number	Rate	Number	Rate		
Texas	134,664	2,418	7.5	1,448	4.5	1,917	5.9	Vermont	4,957	50	6.7	34	4.6	26	3.5
White	116,135	1,775	6.5	1,077	4.0	1,476	5.4	White	4,938	49	6.7	33	4.5	25	3.4
All other	18,529	643	12.9	371	7.4	441	8.8	All other	19	1	*	1	*	1	*
Black	17,776	607	14.6	355	8.5	406	9.6	Black	13	1	*	1	*	1	*
Urban places	86,838	1,763	7.6	1,072	4.6	1,362	5.9	Urban places	682	9	*	3	*	5	*
White	72,050	1,213	6.4	750	4.0	995	5.2	White	680	9	*	3	*	5	*
All other	14,788	550	13.0	322	7.6	367	8.6	All other	2	-	-	-	-	-	-
Black	14,177	523	14.8	311	8.8	340	9.5	Black	1	-	-	-	-	-	-
Balance of area	47,826	655	7.2	376	4.1	555	6.1	Balance of area	4,275	41	6.3	31	4.7	21	3.2
White	44,085	562	6.8	327	3.9	481	5.7	White	4,258	40	6.2	30	4.6	20	3.1
All other	3,741	93	12.1	49	6.4	74	9.6	All other	17	1	*	1	*	1	*
Black	3,599	84	13.2	44	6.9	66	10.3	Black	12	1	*	1	*	1	*
Metropolitan counties	99,991	2,067	7.5	1,250	4.5	1,603	5.8	Metropolitan counties	884	14	*	5	*	7	*
White	84,628	1,493	6.5	909	3.9	1,211	5.2	White	878	14	*	5	*	7	*
All other	15,363	574	12.7	341	7.6	392	8.6	All other	6	-	-	-	-	-	-
Black	14,650	544	14.6	328	8.8	359	9.5	Black	4	-	-	-	-	-	-
Urban places	79,092	1,670	7.6	1,017	4.7	1,279	5.8	Urban places	421	8	*	2	*	4	*
White	65,165	1,143	6.4	708	4.0	929	5.2	White	419	8	*	2	*	4	*
All other	13,927	527	13.0	309	7.6	350	8.5	All other	2	-	-	-	-	-	-
Black	13,328	500	14.8	298	8.8	323	9.5	Black	1	-	-	-	-	-	-
Balance of area	20,899	397	6.9	233	4.0	324	5.6	Balance of area	463	6	*	3	*	3	*
White	19,463	350	6.6	201	3.8	282	5.3	White	459	6	*	3	*	3	*
All other	1,436	47	10.4	32	7.1	42	9.2	All other	4	-	-	-	-	-	-
Black	1,322	44	12.8	30	8.7	36	10.4	Black	3	-	-	-	-	-	-
Nonmetropolitan counties	34,673	351	7.6	198	4.3	314	6.8	Nonmetropolitan counties	4,073	36	6.7	29	5.4	19	*
White	31,507	282	6.8	168	4.1	265	6.4	White	4,060	35	6.5	28	5.2	18	*
All other	3,166	69	14.5	30	6.3	49	10.2	All other	13	1	*	1	*	1	*
Black	3,126	63	14.3	27	6.1	47	10.5	Black	9	1	*	1	*	1	*
Urban places	7,746	93	7.3	55	4.3	83	6.4	Urban places	261	1	*	1	*	1	*
White	6,885	70	6.3	42	3.8	66	5.9	White	261	1	*	1	*	1	*
All other	861	23	14.4	13	*	17	*	All other	-	-	-	-	-	-	-
Black	849	23	15.6	13	*	17	*	Black	-	-	-	-	-	-	-
Balance of area	26,927	258	7.7	143	4.3	231	6.9	Balance of area	3,812	35	6.8	28	5.4	18	*
White	24,622	212	7.0	126	4.2	199	6.6	White	3,799	34	6.6	27	5.3	17	*
All other	2,305	46	14.6	17	*	32	10.0	All other	13	1	*	1	*	1	*
Black	2,277	40	13.6	14	*	30	10.1	Black	9	1	*	1	*	1	*
Utah	10,465	223	6.0	112	3.0	210	5.6	Virginia	51,538	827	8.7	550	5.8	737	7.7
White	10,165	212	6.0	108	3.1	197	5.6	White	39,792	459	6.7	300	4.4	382	5.6
All other	300	11	*	4	*	13	*	All other	11,746	368	13.8	250	9.4	355	13.2
Black	76	4	*	1	*	2	*	Black	11,335	348	14.9	239	10.2	341	14.4
Urban places	5,726	126	5.4	61	2.6	127	5.5	Urban places	21,497	431	10.4	289	7.0	382	9.1
White	5,568	119	5.4	59	2.7	120	5.4	White	14,704	172	6.8	121	4.8	153	6.0
All other	158	7	*	2	*	7	*	All other	6,793	259	16.1	168	10.4	229	14.0
Black	65	4	*	1	*	2	*	Black	6,643	248	16.7	164	11.1	222	14.8
Balance of area	4,739	97	6.9	51	3.7	83	5.9	Balance of area	30,041	396	7.4	261	4.9	355	6.6
White	4,597	93	7.0	49	3.7	77	5.8	White	25,088	287	6.7	179	4.2	229	5.3
All other	142	4	*	2	*	6	*	All other	4,953	109	10.4	82	7.8	126	11.9
Black	11	-	-	-	-	-	-	Black	4,692	100	11.8	75	8.8	119	13.8
Metropolitan counties	7,686	163	5.6	79	2.7	161	5.5	Metropolitan counties	33,472	654	8.9	430	5.9	551	7.4
White	7,487	157	5.6	77	2.8	150	5.4	White	24,829	327	6.4	206	4.1	261	5.1
All other	199	6	*	2	*	11	*	All other	8,643	327	14.5	224	9.9	290	12.7
Black	74	3	*	1	*	2	*	Black	8,258	307	15.8	213	10.9	277	14.0
Urban places	4,912	109	5.3	52	2.5	111	5.4	Urban places	19,376	414	10.7	274	7.1	351	9.0
White	4,768	103	5.3	50	2.6	105	5.3	White	12,853	160	6.9	109	4.7	129	5.6
All other	144	6	*	2	*	6	*	All other	6,523	254	16.3	165	10.6	222	14.0
Black	64	3	*	1	*	2	*	Black	6,377	243	16.9	161	11.2	215	14.7
Balance of area	2,774	54	6.3	27	3.1	50	5.8	Balance of area	14,096	240	6.9	156	4.5	200	5.7
White	2,719	54	6.5	27	3.3	45	5.4	White	11,976	167	6.0	97	3.5	132	4.7
All other	55	-	-	-	-	5	*	All other	2,120	73	10.5	59	8.5	68	9.7
Black	10	-	-	-	-	-	-	Black	1,881	64	12.6	52	10.2	62	12.0
Nonmetropolitan counties	2,779	60	7.6	33	4.2	49	6.2	Nonmetropolitan counties	18,066	173	8.0	120	5.6	186	8.6
White	2,678	55	7.4	31	4.2	47	6.3	White	14,963	132	7.5	94	5.4	121	6.9
All other	101	5	*	2	*	2	*	All other	3,103	41	10.2	26	6.5	65	15.9
Black	2	1	*	-	-	-	-	Black	3,077	41	10.6	26	6.7	64	16.3
Urban places	814	17	*	9	*	16	*	Urban places	2,121	17	*	15	*	31	10.7
White	800	16	*	9	*	15	*	White	1,851	12	*	12	*	24	10.1
All other	14	1	*	-	-	1	*	All other	270	5	*	3	*	7	*
Black	1	1	*	-	-	-	-	Black	266	5	*	3	*	7	*
Balance of area	1,965	43	8.0	24	4.5	33	6.1	Balance of area	15,945	156	8.4	105	5.6	155	8.2
White	1,878	39	7.9	22	4.5	32	6.4	White	13,112	120	7.9	82	5.4	97	6.4
All other	87	4	*	2	*	1	*	All other	2,833	36	10.2	23	6.5	58	16.2
Black	1	-	-	-	-	-	-	Black	2,811	36	10.5	23	6.7	57	16.4

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 99

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Rates, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1993—Con.

(Page 13 of 13)

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births in specified group; fetal death rates per 1,000 live births and fetal deaths in specified group. Beginning in 1989, race for fetal deaths and live births is tabulated according to race of mother; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix.]

Area and race	Deaths					Fetal deaths		Area and race	Deaths					Fetal deaths	
	Total deaths	Infant		Neonatal		Number	Rate		Total deaths	Infant		Neonatal		Number	Rate
		Number	Rate	Number	Rate					Number	Rate	Number	Rate		
Washington	40,473	504	6.4	255	3.2	404	5.1	Wisconsin	44,506	551	7.9	329	4.7	406	5.8
White	38,221	416	6.0	215	3.1	343	5.0	White	42,683	418	7.0	251	4.2	309	5.1
All other	2,252	88	9.0	40	4.1	61	6.2	All other	1,823	133	13.4	78	7.9	97	9.7
Black	972	56	17.8	29	9.2	35	11.0	Black	1,485	115	16.0	65	9.1	84	11.6
Urban places	19,681	230	6.4	127	3.5	195	5.4	Urban places	22,648	334	8.8	205	5.4	255	6.7
White	18,199	178	5.9	100	3.3	150	5.0	White	21,042	211	7.3	135	4.7	160	5.5
All other	1,482	52	9.0	27	4.7	45	7.7	All other	1,606	123	13.5	70	7.7	95	10.3
Black	772	40	19.9	23	11.5	28	13.8	Black	1,437	110	15.6	60	8.5	84	11.7
Balance of area	20,792	274	6.4	128	3.0	209	4.9	Balance of area	21,858	217	6.8	124	3.9	151	4.7
White	20,022	238	6.1	115	3.0	193	5.0	White	21,641	207	6.7	116	3.7	149	4.8
All other	770	36	9.2	13	*	16	*	All other	217	10	*	8	*	2	*
Black	200	16	*	6	*	7	*	Black	48	5	*	5	*	-	*
Metropolitan counties	31,405	417	6.4	210	3.2	344	5.2	Metropolitan counties	27,759	383	7.7	228	4.6	287	5.8
White	29,374	338	6.0	174	3.1	287	5.1	White	26,105	260	6.5	156	3.9	194	4.8
All other	2,031	79	8.8	36	4.0	57	6.3	All other	1,654	123	13.5	72	7.9	93	10.1
Black	946	55	18.0	29	9.5	33	10.7	Black	1,467	112	15.7	63	8.8	84	11.6
Urban places	17,337	207	6.4	113	3.5	180	5.6	Urban places	20,094	310	8.9	189	5.4	238	6.8
White	15,897	159	6.0	88	3.3	138	5.2	White	18,502	190	7.3	120	4.6	145	5.5
All other	1,440	48	8.7	25	4.5	42	7.5	All other	1,592	120	13.5	69	7.8	93	10.3
Black	762	39	20.0	23	11.8	26	13.1	Black	1,435	109	15.5	60	8.5	84	11.8
Balance of area	14,068	210	6.3	97	2.9	164	4.9	Balance of area	7,665	73	5.0	39	2.7	49	3.4
White	13,477	179	6.0	86	2.9	149	5.0	White	7,603	70	4.9	36	2.5	49	3.4
All other	591	31	9.0	11	*	15	*	All other	62	3	*	3	*	-	*
Black	184	16	*	6	*	7	*	Black	32	3	*	3	*	-	*
Nonmetropolitan counties	9,068	87	6.5	45	3.4	60	4.5	Nonmetropolitan counties	16,747	168	8.3	101	5.0	119	5.8
White	8,847	78	6.2	41	3.3	56	4.4	White	16,578	158	8.1	95	4.9	115	5.8
All other	221	9	*	4	*	4	*	All other	169	10	*	6	*	4	*
Black	26	1	*	-	*	2	*	Black	18	3	*	2	*	-	*
Urban places	2,344	23	6.0	14	*	15	*	Urban places	2,554	24	8.0	16	*	17	*
White	2,302	19	*	12	*	12	*	White	2,540	21	7.5	15	*	15	*
All other	42	4	*	2	*	3	*	All other	14	3	*	1	*	2	*
Black	10	1	*	-	*	2	*	Black	2	1	*	-	*	-	*
Balance of area	6,724	64	6.7	31	3.3	45	4.7	Balance of area	14,193	144	8.3	85	4.9	102	5.8
White	6,545	59	6.5	29	3.2	44	4.8	White	14,038	137	8.2	80	4.8	100	5.9
All other	179	5	*	2	*	1	*	All other	155	7	*	5	*	2	*
Black	16	-	*	-	*	-	*	Black	16	2	*	2	*	-	*
West Virginia	20,404	188	8.6	126	5.8	156	7.1	Wyoming	3,490	52	7.9	30	4.6	43	6.5
White	19,634	169	8.1	118	5.7	147	7.0	White	3,402	49	7.9	29	4.7	39	6.3
All other	770	19	*	8	*	9	*	All other	88	3	*	1	*	4	*
Black	752	18	*	8	*	8	*	Black	22	1	*	1	*	2	*
Urban places	5,422	57	11.2	40	7.9	43	8.4	Urban places	1,599	27	8.3	16	*	20	6.1
White	5,040	44	9.8	34	7.5	40	8.8	White	1,565	26	8.4	15	*	18	*
All other	382	13	*	6	*	3	*	All other	34	1	*	1	*	2	*
Black	375	12	*	6	*	3	*	Black	19	1	*	1	*	2	*
Balance of area	14,982	131	7.8	86	5.2	113	6.7	Balance of area	1,891	25	7.6	14	*	23	6.9
White	14,594	125	7.7	84	5.1	107	6.5	White	1,837	23	7.5	14	*	21	6.8
All other	388	6	*	2	*	6	*	All other	54	2	*	-	*	2	*
Black	377	6	*	2	*	5	*	Black	3	-	*	-	*	-	*
Metropolitan counties	7,475	68	8.5	50	6.3	60	7.5	Metropolitan counties	1,078	19	*	12	*	14	*
White	7,196	62	8.2	45	6.0	59	7.8	White	1,053	18	*	11	*	12	*
All other	279	6	*	5	*	1	*	All other	25	1	*	1	*	2	*
Black	270	6	*	5	*	1	*	Black	16	1	*	1	*	2	*
Urban places	3,747	34	9.9	26	7.5	33	9.5	Urban places	880	15	*	9	*	14	*
White	3,534	29	9.3	22	7.0	32	10.1	White	856	14	*	8	*	12	*
All other	213	5	*	4	*	1	*	All other	24	1	*	1	*	2	*
Black	209	5	*	4	*	1	*	Black	15	1	*	1	*	2	*
Balance of area	3,728	34	7.5	24	5.3	27	5.9	Balance of area	198	4	*	3	*	-	*
White	3,662	33	7.5	23	5.2	27	6.1	White	197	4	*	3	*	-	*
All other	66	1	*	1	*	-	*	All other	1	-	*	-	*	-	*
Black	61	1	*	1	*	-	*	Black	1	-	*	-	*	-	*
Nonmetropolitan counties	12,929	120	8.7	76	5.5	96	6.9	Nonmetropolitan counties	2,412	33	7.4	18	*	29	6.5
White	12,438	107	8.0	73	5.5	88	6.6	White	2,349	31	7.4	18	*	27	6.4
All other	491	13	*	3	*	8	*	All other	63	2	*	-	*	2	*
Black	482	12	*	3	*	7	*	Black	6	-	*	-	*	-	*
Urban places	1,675	23	14.0	14	*	10	*	Urban places	719	12	*	7	*	6	*
White	1,506	15	*	12	*	8	*	White	709	12	*	7	*	6	*
All other	169	8	*	2	*	2	*	All other	10	-	*	-	*	-	*
Black	166	7	*	2	*	2	*	Black	4	-	*	-	*	-	*
Balance of area	11,254	97	8.0	62	5.1	86	7.0	Balance of area	1,693	21	7.2	11	*	23	7.9
White	10,932	92	7.7	61	5.1	80	6.7	White	1,640	19	*	11	*	21	7.7
All other	322	5	*	1	*	6	*	All other	53	2	*	-	*	2	*
Black	316	5	*	1	*	5	*	Black	2	-	*	-	*	-	*

1 County equivalents.

2 Minimum reporting requirements for fetal deaths are assumed to exceed 20 weeks gestation; see Technical Appendix.

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 101

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1993—Con.

(Page 2 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Alaska	2,383	91	27	42	102	193	237	224	353	474	411	229	--
Male	1,463	52	15	25	79	143	174	149	234	286	210	96	--
Female	920	39	12	17	23	50	63	75	119	188	201	133	--
White	1,658	47	9	28	49	118	165	173	254	361	286	168	--
Male	1,035	25	5	19	39	93	126	121	174	223	147	63	--
Female	623	22	4	9	10	25	39	52	80	138	139	105	--
All other	725	44	18	14	53	75	72	51	99	113	125	61	--
Male	428	27	10	6	40	50	48	28	60	63	63	33	--
Female	297	17	8	8	13	25	24	23	39	50	62	28	--
Black	80	11	1	1	7	9	5	1	14	14	14	3	--
Male	48	4	1	1	5	8	4	1	7	9	8	1	--
Female	32	7	--	--	2	1	1	--	7	5	6	2	--
Metropolitan census areas 1	868	42	8	12	31	61	100	96	128	183	128	79	--
Male	514	25	5	7	24	46	70	61	87	103	59	27	--
Female	354	17	3	5	7	15	30	35	41	80	69	52	--
White	679	22	4	10	19	45	75	77	104	150	104	69	--
Male	407	13	2	6	16	34	54	52	75	86	47	22	--
Female	272	9	2	4	3	11	21	25	29	64	57	47	--
All other	189	20	4	2	12	16	25	19	24	33	24	10	--
Male	107	12	3	1	8	12	16	9	12	17	12	5	--
Female	82	8	1	1	4	4	9	10	12	16	10	3	--
Black	55	8	1	1	5	6	4	--	7	11	10	1	--
Male	32	3	1	--	3	6	3	--	4	6	6	1	--
Female	24	5	--	--	2	--	1	--	3	5	4	2	--
Nonmetropolitan census areas 1	1,515	49	19	30	71	132	137	128	225	291	283	150	--
Male	949	27	10	18	55	97	104	88	147	183	151	69	--
Female	566	22	9	12	16	35	33	40	78	108	132	81	--
White	979	25	5	18	30	73	90	96	150	211	182	99	--
Male	628	12	3	13	23	59	72	69	99	137	100	41	--
Female	351	13	2	5	7	14	18	27	51	74	82	58	--
All other	536	24	14	12	41	59	47	32	75	80	101	51	--
Male	321	15	7	5	32	38	32	19	48	46	51	28	--
Female	215	9	7	7	9	21	15	13	27	34	50	23	--
Black	24	3	--	--	2	3	1	1	7	3	4	--	--
Male	16	1	--	--	2	2	--	1	4	3	2	--	--
Female	8	2	--	--	--	1	--	--	3	--	2	--	--
Arizona	33,321	525	142	178	604	1,001	1,431	1,955	3,553	7,474	9,590	6,857	11
Male	18,155	301	82	111	461	760	988	1,287	2,195	4,360	5,069	2,531	10
Female	15,166	224	60	67	143	241	443	668	1,358	3,114	4,521	4,326	1
White	30,989	411	99	139	478	794	1,218	1,703	3,243	7,097	9,218	6,582	7
Male	16,794	240	57	89	369	610	851	1,125	2,010	4,158	4,879	2,400	6
Female	14,195	171	42	50	109	184	367	578	1,233	2,939	4,339	4,182	1
All other	2,332	114	43	39	126	207	213	252	310	377	372	275	4
Male	1,361	61	25	22	92	150	137	162	185	202	190	131	4
Female	971	53	18	17	34	57	76	90	125	175	182	144	--
Black	797	53	14	11	31	55	57	75	112	163	130	96	--
Male	456	26	7	6	23	44	33	47	70	95	67	38	--
Female	341	27	7	5	8	11	24	28	42	68	63	58	--
Metropolitan counties	25,860	414	102	120	442	757	1,105	1,495	2,632	5,653	7,583	5,551	6
Male	13,888	232	63	76	346	580	761	994	1,638	3,284	3,924	2,004	6
Female	11,972	182	39	44	96	177	344	501	994	2,369	3,659	3,547	--
White	24,584	345	76	104	393	655	989	1,357	2,459	5,431	7,366	5,404	5
Male	13,164	198	46	65	312	506	691	904	1,536	3,143	3,818	1,940	5
Female	11,420	147	30	39	81	149	298	453	923	2,288	3,548	3,464	--
All other	1,276	69	26	16	49	102	116	138	173	222	217	147	1
Male	724	34	17	11	34	74	70	90	102	121	106	64	1
Female	552	35	9	5	15	28	46	48	71	101	111	83	--
Black	716	48	13	10	27	51	55	69	99	139	117	88	--
Male	407	25	7	6	19	41	31	45	59	82	60	32	--
Female	309	23	6	4	8	10	24	24	40	57	57	56	--
Nonmetropolitan counties	7,461	111	40	58	162	244	326	460	921	1,821	2,007	1,306	5
Male	4,267	69	19	35	115	180	227	293	557	1,096	1,145	527	4
Female	3,194	42	21	23	47	64	99	167	364	725	862	779	1
White	6,405	66	23	35	85	139	229	346	784	1,666	1,852	1,178	2
Male	3,630	42	11	24	57	104	160	221	474	1,015	1,061	460	1
Female	2,775	24	12	11	28	35	69	125	310	651	791	718	1
All other	1,056	45	17	23	77	105	97	114	137	155	155	128	3
Male	637	27	8	11	58	76	67	72	83	81	84	67	3
Female	419	18	9	12	19	29	30	42	54	74	71	61	--
Black	81	5	1	1	4	4	2	6	13	24	13	8	--
Male	49	1	--	--	4	3	2	2	11	13	7	6	--
Female	32	4	1	1	--	1	--	4	2	11	6	2	--

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 102

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1993—Con.

(Page 3 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Arkansas	26,531	342	73	123	446	578	873	1,462	2,827	5,784	7,766	6,257	-
Male	13,769	212	39	87	330	413	572	910	1,780	3,416	3,911	2,099	-
Female	12,762	130	34	36	116	165	301	552	1,047	2,368	3,855	4,158	-
White	22,301	236	53	86	313	415	632	1,135	2,371	4,949	6,738	5,373	-
Male	11,563	148	29	64	231	300	424	695	1,504	2,986	3,423	1,759	-
Female	10,738	88	24	22	82	115	208	440	867	1,963	3,315	3,614	-
All other	4,230	106	20	37	133	163	241	327	456	835	1,028	884	-
Male	2,206	64	10	23	99	113	148	215	276	430	488	340	-
Female	2,024	42	10	14	34	50	93	112	180	405	540	544	-
Black	4,180	105	20	37	128	159	238	324	450	818	1,020	881	-
Male	2,181	63	10	23	95	112	146	213	273	422	484	340	-
Female	1,999	42	10	14	33	47	92	111	177	396	536	541	-
Metropolitan counties	9,076	150	28	44	195	237	379	566	1,023	1,947	2,525	1,982	-
Male	4,626	93	16	30	145	169	252	363	644	1,104	1,194	616	-
Female	4,450	57	12	14	50	68	127	203	379	843	1,331	1,366	-
White	7,316	88	18	27	119	161	252	428	826	1,605	2,128	1,664	-
Male	3,687	56	10	20	86	119	174	270	516	924	1,020	492	-
Female	3,629	32	8	7	33	42	78	158	310	681	1,108	1,172	-
All other	1,760	62	10	17	76	76	127	138	197	342	397	318	-
Male	939	37	6	10	59	50	78	93	128	180	174	124	-
Female	821	25	4	7	17	26	49	45	69	162	223	194	-
Black	1,736	62	10	17	73	74	127	137	193	336	391	316	-
Male	927	37	6	10	56	50	78	93	126	177	170	124	-
Female	809	25	4	7	17	24	49	44	67	159	221	192	-
Nonmetropolitan counties	17,455	192	45	79	251	341	494	896	1,804	3,837	5,241	4,275	-
Male	9,143	119	23	57	185	244	320	547	1,136	2,312	2,717	1,483	-
Female	8,312	73	22	22	66	97	174	349	668	1,525	2,524	2,792	-
White	14,985	148	35	59	194	254	380	707	1,545	3,344	4,610	3,709	-
Male	7,976	92	19	44	145	181	250	425	988	2,062	2,403	1,267	-
Female	7,109	56	16	15	49	73	130	282	557	1,282	2,207	2,442	-
All other	2,470	44	10	20	57	87	114	189	259	493	631	566	-
Male	1,267	27	4	13	40	69	70	122	148	250	314	216	-
Female	1,203	17	6	7	17	24	44	67	111	243	317	350	-
Black	2,444	43	10	20	55	85	111	187	257	492	629	565	-
Male	1,254	4	13	39	62	68	82	120	147	245	314	216	-
Female	1,190	17	6	7	16	23	43	67	110	237	315	349	-
California	221,989	4,001	945	1,028	4,543	7,979	12,305	14,459	23,087	45,461	59,300	48,785	96
Male	116,854	2,223	526	631	3,637	6,239	9,033	9,268	13,858	25,413	29,422	16,526	78
Female	105,135	1,778	419	397	906	1,740	3,272	5,191	9,229	20,048	29,878	32,259	18
White	191,762	3,016	734	782	3,345	6,247	9,792	11,749	19,042	39,316	52,834	44,819	86
Male	99,646	1,673	415	477	2,673	4,950	7,350	7,614	11,524	21,951	28,077	14,873	69
Female	92,116	1,343	319	305	672	1,297	2,442	4,135	7,518	17,365	28,757	29,946	17
All other	30,227	985	211	246	1,198	1,732	2,513	2,710	4,045	6,145	6,466	3,966	10
Male	17,208	550	111	154	964	1,289	1,683	1,654	2,334	3,462	3,345	1,653	9
Female	13,019	435	100	92	234	443	830	1,056	1,711	2,683	3,121	2,313	1
Black	18,472	703	127	138	845	1,319	1,836	1,838	2,537	3,585	3,476	2,061	7
Male	10,411	396	70	82	694	1,007	1,265	1,147	1,487	1,952	1,609	696	6
Female	8,061	307	57	56	151	312	571	691	1,050	1,633	1,867	1,365	1
Metropolitan counties	210,279	3,861	906	984	4,340	7,704	11,782	13,806	21,893	42,737	55,915	46,266	85
Male	110,440	2,140	501	602	3,478	6,044	8,667	8,851	13,122	23,821	27,558	15,588	68
Female	99,839	1,721	405	382	862	1,660	3,115	4,955	8,771	18,916	28,357	30,678	17
White	180,495	2,891	698	742	3,156	5,996	9,310	11,138	17,897	36,673	49,542	42,377	75
Male	93,478	1,599	390	450	2,525	4,769	7,009	7,222	10,811	20,402	24,271	13,971	59
Female	87,017	1,292	308	292	631	1,227	2,301	3,916	7,086	16,271	25,271	28,406	16
All other	29,784	970	208	242	1,184	1,708	2,472	2,668	3,996	6,064	6,373	3,889	10
Male	16,962	541	111	152	953	1,275	1,658	1,629	2,311	3,419	3,287	1,617	9
Female	12,822	429	97	90	231	433	814	1,039	1,685	2,645	3,086	2,272	1
Black	18,303	699	127	136	841	1,307	1,818	1,824	2,523	3,551	3,437	2,033	7
Male	10,312	394	70	81	690	999	1,257	1,139	1,478	1,930	1,584	684	6
Female	7,991	305	57	55	151	308	561	685	1,045	1,621	1,853	1,349	1
Nonmetropolitan counties	11,710	140	39	44	203	275	523	653	1,194	2,724	3,385	2,519	11
Male	6,414	83	25	29	159	195	366	417	736	1,592	1,864	938	10
Female	5,296	57	14	15	44	80	157	236	458	1,132	1,521	1,581	1
White	11,267	125	36	40	189	251	482	611	1,145	2,643	3,232	2,442	11
Male	6,168	74	25	27	148	181	341	392	713	1,549	1,806	902	10
Female	5,099	51	11	13	41	70	141	219	432	1,094	1,426	1,540	1
All other	443	15	3	2	14	24	41	42	49	61	93	77	-
Male	246	9	-	2	11	14	25	25	23	43	58	36	-
Female	197	6	3	2	3	10	16	17	26	38	35	41	-
Black	169	4	-	2	4	12	18	14	14	34	39	28	-
Male	99	2	-	1	4	8	8	8	9	22	25	12	-
Female	70	2	-	1	-	4	10	6	5	12	14	16	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 103

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1993—Con.

(Page 4 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Colorado	23,746	426	93	118	456	737	1,258	1,424	2,453	4,838	6,200	5,733	-
Male	12,084	240	58	72	333	548	874	882	1,443	2,709	3,044	1,891	-
Female	11,652	186	35	46	123	189	394	542	1,010	2,129	3,156	3,842	-
White	22,603	364	74	106	405	678	1,149	1,303	2,260	4,632	6,009	5,623	-
Male	11,459	201	47	65	235	504	796	802	1,340	2,604	2,949	1,856	-
Female	11,144	163	27	41	110	174	353	501	920	2,028	3,060	3,767	-
All other	1,143	62	19	12	51	59	119	121	193	206	191	110	-
Male	635	39	11	7	38	44	78	80	103	105	95	35	-
Female	508	23	8	5	13	15	41	41	90	101	96	75	-
Black	896	50	19	9	43	48	96	97	147	155	149	89	-
Male	495	31	7	5	33	35	64	66	81	78	68	27	-
Female	401	19	6	4	10	13	32	31	66	77	81	62	-
Metropolitan counties	18,420	350	66	96	357	605	1,060	1,154	1,917	3,744	4,727	4,344	-
Male	9,239	203	39	60	256	446	725	719	1,110	2,059	2,261	1,361	-
Female	9,181	147	27	36	101	159	335	435	807	1,685	2,466	2,983	-
White	17,342	292	52	85	311	550	946	1,036	1,735	3,548	4,549	4,238	-
Male	8,643	165	32	54	221	405	650	640	1,011	1,962	2,176	1,327	-
Female	8,699	127	20	31	90	145	296	396	724	1,586	2,373	2,911	-
All other	1,078	58	14	11	46	55	114	118	182	196	178	106	-
Male	596	38	7	6	35	41	75	79	99	97	85	34	-
Female	482	20	7	5	11	14	39	39	83	99	93	72	-
Black	883	50	10	9	43	48	96	96	146	152	146	87	-
Male	485	31	5	5	33	35	64	65	81	75	65	26	-
Female	398	19	5	4	10	13	32	31	65	77	81	61	-
Nonmetropolitan counties	5,326	76	27	22	99	132	208	270	536	1,094	1,473	1,389	-
Male	2,855	37	19	12	77	102	149	163	333	650	783	530	-
Female	2,471	39	8	10	22	30	59	107	203	444	690	859	-
White	5,261	72	22	21	94	128	203	267	525	1,084	1,460	1,385	-
Male	2,916	36	15	11	74	99	146	162	329	642	773	529	-
Female	2,445	36	7	10	20	29	57	105	196	442	687	856	-
All other	65	4	5	1	5	4	5	3	11	10	19	4	-
Male	39	1	4	1	3	3	3	1	4	8	10	1	-
Female	26	3	1	-	2	1	2	2	7	2	3	3	-
Black	13	-	3	-	-	-	-	1	1	3	3	2	-
Male	10	-	2	-	-	-	-	1	1	3	3	1	-
Female	3	-	1	-	-	-	-	-	-	-	-	1	-
Connecticut	29,037	331	77	88	348	728	1,154	1,451	2,730	5,856	8,607	7,667	-
Male	14,228	194	45	55	252	514	806	920	1,617	3,360	4,145	2,320	-
Female	14,809	137	32	33	96	214	348	531	1,113	2,496	4,462	5,347	-
White	26,883	330	54	65	255	554	871	1,207	2,422	5,479	8,275	7,470	-
Male	12,993	139	29	39	183	391	605	762	1,456	3,160	3,982	2,258	-
Female	13,890	81	25	27	73	163	266	445	966	2,319	4,293	5,212	-
All other	2,154	101	23	23	92	174	283	244	308	377	332	197	-
Male	1,235	55	16	17	69	123	201	158	181	200	153	62	-
Female	919	46	7	6	23	51	82	86	127	177	179	135	-
Black	2,038	93	22	22	83	169	272	232	293	358	312	182	-
Male	1,168	49	16	16	63	118	196	150	172	189	142	57	-
Female	870	44	6	6	20	51	76	82	121	169	170	125	-
Metropolitan counties	26,702	309	71	83	328	685	1,077	1,346	2,524	5,429	7,870	6,980	-
Male	13,084	177	41	52	238	484	757	854	1,490	3,111	3,793	2,087	-
Female	13,618	132	30	31	90	201	320	492	1,034	2,318	4,077	4,893	-
White	24,578	208	49	61	235	515	799	1,106	2,220	5,056	7,541	6,787	-
Male	11,867	122	26	36	169	393	551	698	1,311	2,913	3,641	2,027	-
Female	12,711	86	23	25	67	152	238	408	909	2,143	3,900	4,760	-
All other	2,124	101	22	22	92	170	278	240	304	373	329	193	-
Male	1,217	55	15	16	69	121	196	156	179	198	152	60	-
Female	907	46	7	6	23	49	82	84	125	175	177	133	-
Black	2,015	93	21	21	83	166	267	230	290	354	310	180	-
Male	1,155	49	15	15	63	117	191	149	171	187	142	56	-
Female	860	44	6	6	20	49	76	81	119	167	168	124	-
Nonmetropolitan counties	2,335	22	6	5	20	43	77	105	206	427	737	687	-
Male	1,144	17	4	3	14	30	49	66	127	249	352	233	-
Female	1,191	5	2	2	6	13	28	39	79	178	385	454	-
White	2,305	22	5	4	20	39	72	101	202	423	734	683	-
Male	1,126	17	3	2	14	28	44	64	125	247	351	231	-
Female	1,179	5	2	2	6	11	28	37	77	176	383	452	-
All other	30	-	1	1	-	4	5	4	4	4	3	4	-
Male	18	-	1	1	-	2	5	2	2	2	1	2	-
Female	12	-	-	-	-	2	-	2	2	2	2	2	-
Black	23	-	1	1	-	3	5	2	3	4	2	2	-
Male	13	-	1	1	-	1	5	1	1	2	-	1	-
Female	10	-	-	-	-	2	-	1	2	2	2	1	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 105

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1993—Con.
(Page 6 of 26)
[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Florida	146,699	1,658	404	446	1,663	3,550	5,667	7,416	14,397	32,182	44,224	35,007	85
Male	77,994	916	236	274	1,213	2,514	3,991	4,811	8,997	18,857	22,821	13,311	53
Female	68,705	742	168	172	450	1,036	1,676	2,605	5,400	13,325	21,403	21,696	32
White	130,477	960	237	287	1,115	2,470	4,051	5,810	12,080	29,063	41,200	33,154	50
Male	69,133	521	138	176	624	1,848	2,927	3,826	7,592	17,144	21,406	12,693	38
Female	61,344	439	99	111	291	622	1,124	1,984	4,488	11,919	19,794	20,461	12
All other	16,222	698	167	159	548	1,080	1,616	1,606	2,317	3,119	3,024	1,853	35
Male	8,861	395	98	98	389	666	1,064	985	1,405	1,713	1,415	618	15
Female	7,361	303	69	61	159	414	552	621	912	1,406	1,609	1,235	20
Black	15,836	682	162	157	531	1,057	1,590	1,562	2,241	3,040	2,966	1,813	35
Male	8,654	387	96	97	379	651	1,048	962	1,365	1,672	1,387	595	15
Female	7,182	295	66	60	152	406	542	600	876	1,368	1,579	1,218	20
Metropolitan counties	131,025	1,514	362	386	1,502	3,262	5,200	6,646	12,708	28,262	39,427	31,679	77
Male	69,245	839	209	234	1,101	2,312	3,662	4,298	7,906	16,435	20,214	11,987	48
Female	61,780	675	153	152	401	950	1,538	2,348	4,802	11,827	19,213	19,692	29
White	116,233	862	210	244	990	2,246	3,682	5,161	10,575	25,431	36,735	30,055	42
Male	61,155	471	119	147	734	1,685	2,660	3,385	6,623	14,881	18,961	11,456	33
Female	55,078	391	91	97	256	561	1,022	1,776	3,952	10,550	17,774	18,599	9
All other	14,792	652	152	142	512	1,016	1,518	1,485	2,133	2,831	2,692	1,624	35
Male	8,090	368	90	87	367	627	1,002	913	1,283	1,554	1,253	531	15
Female	6,702	284	62	55	145	389	516	572	850	1,277	1,439	1,093	20
Black	14,433	637	147	140	496	995	1,493	1,445	2,061	2,758	2,638	1,588	35
Male	7,894	360	88	86	357	614	987	891	1,244	1,515	1,226	511	15
Female	6,539	277	59	54	139	381	506	554	817	1,243	1,412	1,077	20
Nonmetropolitan counties	15,674	144	42	60	161	288	467	770	1,689	3,920	4,797	3,328	8
Male	8,749	77	27	40	112	202	329	513	1,091	2,422	2,607	1,324	5
Female	6,925	67	15	20	49	86	138	257	598	1,498	2,190	2,004	3
White	14,244	98	27	43	125	224	369	649	1,505	3,632	4,465	3,099	8
Male	7,978	50	19	29	90	163	267	441	969	2,263	2,445	1,237	5
Female	6,266	48	8	14	35	61	102	208	536	1,369	2,020	1,862	3
All other	1,430	46	15	17	36	64	98	121	184	288	332	229	-
Male	771	27	8	11	22	39	62	72	122	159	162	87	-
Female	659	19	7	6	14	25	36	49	62	129	170	142	-
Black	1,403	45	15	17	35	62	97	117	180	282	328	225	-
Male	760	27	8	11	22	37	61	71	121	157	161	84	-
Female	643	18	7	6	13	25	36	46	59	125	167	141	-
Georgia	56,099	1,153	227	261	1,095	1,942	2,978	4,275	7,076	12,168	14,606	10,314	2
Male	29,073	653	123	156	603	1,364	2,014	2,773	4,360	6,895	6,870	3,040	2
Female	27,026	500	104	105	292	558	964	1,502	2,718	5,273	7,736	7,274	2
White	40,071	498	116	142	597	990	1,574	2,556	4,868	9,094	11,281	8,353	-
Male	20,544	284	64	91	423	721	1,104	1,679	3,093	5,304	5,359	2,420	2
Female	19,527	214	52	51	174	269	470	877	1,775	3,790	5,922	5,933	-
All other	16,028	655	111	119	498	952	1,404	1,719	2,210	3,074	3,325	1,961	-
Male	8,529	369	59	65	380	663	910	1,094	1,267	1,591	1,511	620	-
Female	7,499	286	52	54	118	289	494	625	943	1,483	1,814	1,341	-
Black	15,836	650	110	115	483	938	1,388	1,681	2,176	3,047	3,302	1,946	-
Male	8,415	366	58	64	369	654	902	1,066	1,247	1,578	1,496	615	-
Female	7,421	284	52	51	114	284	486	615	929	1,469	1,806	1,331	-
Metropolitan counties	32,761	748	132	155	646	1,346	2,049	2,666	4,179	7,022	7,976	5,840	2
Male	16,919	421	66	94	486	971	1,385	1,731	2,538	3,922	3,632	1,671	2
Female	15,842	327	66	61	160	375	664	935	1,641	3,100	4,344	4,169	-
White	22,614	291	55	85	309	626	1,034	1,506	2,799	5,153	6,061	4,693	2
Male	11,465	159	26	56	223	452	721	998	1,755	2,961	2,799	1,313	2
Female	11,149	132	29	29	86	174	313	508	1,044	2,192	3,262	3,380	-
All other	10,147	457	77	70	337	720	1,015	1,160	1,380	1,869	1,915	1,147	-
Male	5,454	262	40	38	263	519	664	733	783	961	833	358	-
Female	4,693	195	37	32	74	201	351	427	597	908	1,082	789	-
Black	9,978	453	76	67	323	707	1,001	1,131	1,349	1,845	1,893	1,133	-
Male	5,355	260	39	37	253	510	657	713	765	949	818	354	-
Female	4,623	193	37	30	70	197	344	418	584	896	1,075	779	-
Nonmetropolitan counties	23,338	405	95	106	449	596	929	1,609	2,899	5,146	6,630	4,474	-
Male	12,154	232	57	62	317	413	629	1,042	1,822	2,973	3,238	1,369	-
Female	11,184	173	38	44	132	183	300	567	1,077	2,173	3,392	3,105	-
White	17,457	207	61	57	288	364	540	1,050	2,069	3,941	5,220	3,660	-
Male	9,079	125	38	35	200	269	383	681	1,338	2,343	2,560	1,107	-
Female	8,378	82	23	22	88	95	157	369	731	1,598	2,660	2,553	-
All other	5,881	198	34	49	161	232	389	559	830	1,205	1,410	814	-
Male	3,075	107	19	27	117	144	246	361	484	630	678	262	-
Female	2,806	91	15	22	44	88	143	198	346	575	732	552	-
Black	5,858	197	34	48	160	231	387	550	827	1,202	1,409	813	-
Male	3,060	106	19	27	116	144	245	353	482	629	678	261	-
Female	2,798	91	15	21	44	87	142	197	345	573	731	552	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 106

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1993—Con.

(Page 7 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Hawaii	7,329	142	26	25	121	212	381	442	783	1,584	1,999	1,595	19
Male	4,325	81	10	15	87	166	263	288	487	984	1,198	734	12
Female	3,004	61	16	10	34	46	118	154	296	600	801	861	7
White	2,161	21	8	6	30	70	159	152	231	475	596	406	7
Male	1,295	12	4	5	24	53	115	105	168	320	336	147	6
Female	866	9	4	1	6	17	44	47	63	155	260	259	1
All other	5,168	121	18	19	91	142	222	290	552	1,109	1,403	1,189	12
Male	3,030	69	6	10	63	113	148	183	319	664	862	587	6
Female	2,138	52	12	9	28	29	74	107	233	445	541	602	6
Black	41	6	1	—	4	6	6	5	1	7	2	3	—
Male	29	4	—	—	4	6	4	2	1	6	1	1	—
Female	12	2	1	—	—	—	2	3	—	1	1	2	—
Metropolitan counties	5,276	99	17	14	84	150	263	315	586	1,136	1,442	1,155	15
Male	3,073	55	6	8	61	116	184	207	370	705	832	520	9
Female	2,203	44	11	6	23	34	79	108	216	431	610	635	6
White	1,468	12	5	3	19	49	90	87	157	324	421	295	6
Male	871	7	2	2	14	37	67	61	119	218	234	105	5
Female	597	5	3	1	5	12	23	26	38	106	187	190	1
All other	3,808	87	12	11	65	101	173	228	429	812	1,021	880	9
Male	2,202	48	4	6	47	79	117	146	251	487	598	415	4
Female	1,606	39	8	5	18	22	56	82	178	325	423	445	5
Black	35	6	—	—	3	5	5	5	1	5	2	3	—
Male	24	4	—	—	3	5	3	2	1	4	1	1	—
Female	11	2	—	—	—	—	2	3	—	1	1	2	—
Nonmetropolitan counties	2,053	43	9	11	37	62	118	127	197	448	557	440	4
Male	1,252	26	4	7	26	50	79	81	117	279	366	214	3
Female	801	17	5	4	11	12	39	46	80	169	191	226	1
White	693	9	3	3	11	21	69	65	74	151	175	111	1
Male	424	5	2	3	10	16	48	44	49	102	102	42	1
Female	269	4	1	—	1	5	21	21	25	49	73	69	—
All other	1,360	34	6	8	26	41	49	62	123	297	382	329	3
Male	828	21	2	4	16	34	31	37	68	177	264	172	2
Female	532	13	4	4	10	7	18	25	55	120	118	157	1
Black	6	—	1	—	1	1	1	—	—	2	—	—	—
Male	5	—	—	—	1	1	1	—	—	2	—	—	—
Female	1	—	1	—	—	—	—	—	—	—	—	—	—
Idaho	8,395	125	32	50	173	194	265	398	781	1,675	2,558	2,144	—
Male	4,433	69	23	30	137	133	183	245	464	971	1,386	792	—
Female	3,962	56	9	20	36	61	82	153	317	704	1,172	1,352	—
White	8,257	119	29	49	163	187	258	386	766	1,654	2,526	2,118	—
Male	4,357	65	22	29	131	128	177	237	458	957	1,370	783	—
Female	3,900	54	7	20	32	59	81	149	310	697	1,156	1,335	—
All other	138	6	3	1	10	7	7	12	13	21	32	26	—
Male	76	4	1	1	6	5	6	8	6	14	16	9	—
Female	62	2	—	—	4	2	1	4	7	7	16	17	—
Black	21	1	1	—	3	2	—	1	3	3	5	2	—
Male	9	1	—	—	1	1	—	1	1	2	2	—	—
Female	12	—	1	—	2	1	—	—	2	1	3	2	—
Metropolitan counties	1,485	27	5	9	28	44	52	79	134	288	434	385	—
Male	762	15	3	6	21	26	34	50	82	162	230	133	—
Female	723	12	2	3	7	18	18	29	52	126	204	252	—
White	1,473	27	4	9	26	43	52	79	132	286	432	383	—
Male	759	15	3	6	21	26	34	50	81	161	230	132	—
Female	714	12	1	3	5	17	18	29	51	125	202	251	—
All other	12	—	1	—	2	1	—	—	2	2	2	2	—
Male	3	—	—	—	—	—	—	—	1	1	—	1	—
Female	9	—	1	—	2	1	—	—	1	1	2	1	—
Black	7	—	1	—	2	1	—	—	1	—	1	1	—
Male	1	—	—	—	—	—	—	—	1	—	—	—	—
Female	6	—	1	—	2	1	—	—	—	—	1	1	—
Nonmetropolitan counties	6,910	98	27	41	145	150	213	319	647	1,387	2,124	1,759	—
Male	3,671	54	20	24	116	107	149	195	382	809	1,156	659	—
Female	3,239	44	7	17	29	43	64	124	265	578	968	1,100	—
White	6,784	92	25	40	137	144	206	307	636	1,368	2,094	1,735	—
Male	3,598	50	19	23	110	102	143	187	377	796	1,140	651	—
Female	3,186	42	6	17	27	42	63	120	259	572	954	1,084	—
All other	126	6	2	1	8	6	7	12	11	19	30	24	—
Male	73	4	1	1	6	5	6	8	5	13	16	8	—
Female	53	2	1	—	2	1	1	4	6	6	14	16	—
Black	14	1	—	—	1	1	—	1	2	3	4	1	—
Male	8	1	—	—	1	1	—	1	—	2	2	—	—
Female	6	—	—	—	—	—	—	—	2	1	2	1	—

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 107

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1993—Con.

(Page 8 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Illinois	107,193	1,880	303	402	1,749	2,635	4,469	6,205	11,295	22,562	30,319	25,367	7
Male	54,084	1,070	173	257	1,338	1,863	3,050	3,910	6,825	12,939	14,642	8,011	6
Female	53,109	810	130	145	411	772	1,419	2,295	4,470	9,623	15,677	17,356	1
White	89,242	1,016	188	263	1,042	1,602	2,787	4,421	8,712	18,833	27,101	23,270	7
Male	44,109	602	111	166	782	1,141	1,934	2,770	5,291	10,873	13,124	7,309	6
Female	45,133	414	77	97	260	461	853	1,651	3,421	7,960	13,977	15,961	1
All other	17,951	864	115	139	707	1,033	1,682	1,784	2,583	3,729	3,218	2,097	-
Male	9,975	468	62	91	556	722	1,116	1,140	1,534	2,066	1,518	702	-
Female	7,976	396	53	48	151	311	566	644	1,049	1,663	1,700	1,395	-
Black	17,238	842	114	133	687	1,012	1,636	1,701	2,485	3,572	3,065	1,991	-
Male	9,566	459	61	88	542	711	1,092	1,090	1,469	1,973	1,427	654	-
Female	7,672	383	53	45	145	301	544	611	1,016	1,599	1,638	1,337	-
Metropolitan counties	84,342	1,683	257	328	1,509	2,305	3,916	5,259	9,238	18,046	23,218	18,579	4
Male	42,768	956	144	204	1,172	1,635	2,688	3,305	5,580	10,228	11,056	5,796	2
Female	41,574	727	113	124	337	670	1,228	1,954	3,658	7,818	12,162	12,783	-
White	66,833	833	144	193	821	1,286	2,273	3,503	6,713	14,411	20,085	16,567	4
Male	33,043	499	84	116	628	922	1,601	2,183	4,079	8,221	9,581	5,125	4
Female	33,790	334	60	77	193	364	672	1,320	2,634	6,190	10,504	11,442	-
All other	17,509	850	113	135	688	1,019	1,643	1,756	2,525	3,635	3,133	2,012	-
Male	9,725	457	60	88	544	713	1,087	1,122	1,501	2,007	1,475	671	-
Female	7,784	393	53	47	144	306	556	634	1,024	1,628	1,658	1,341	-
Black	16,807	828	113	129	668	998	1,598	1,674	2,431	3,479	2,982	1,907	-
Male	9,323	448	60	85	530	702	1,064	1,073	1,438	1,915	1,384	624	-
Female	7,484	380	53	44	138	296	534	601	993	1,564	1,598	1,283	-
Nonmetropolitan counties	22,851	197	46	74	240	330	553	946	2,057	4,516	7,101	6,788	3
Male	11,316	114	29	53	166	228	362	605	1,245	2,711	3,586	2,215	2
Female	11,535	83	17	21	74	102	191	341	812	1,805	3,515	4,573	1
White	22,409	183	44	70	221	316	514	918	1,999	4,422	7,016	6,703	3
Male	11,066	103	27	50	154	219	333	587	1,212	2,652	3,543	2,184	2
Female	11,343	80	17	20	67	97	181	331	787	1,770	3,473	4,519	1
All other	442	14	2	4	19	14	39	28	58	94	85	85	-
Male	250	11	2	3	12	9	29	18	33	59	43	31	-
Female	192	3	-	1	7	5	10	10	25	35	42	54	-
Black	431	14	1	4	19	14	38	27	54	93	83	84	-
Male	243	11	1	3	12	9	28	17	31	58	43	30	-
Female	188	3	-	1	7	5	10	10	23	35	40	54	-
Indiana	52,311	769	141	176	698	1,037	1,749	2,810	5,660	11,637	15,012	12,617	5
Male	26,117	460	79	101	527	739	1,166	1,774	3,433	6,594	7,235	4,007	2
Female	26,194	309	62	75	171	298	583	1,036	2,227	5,043	7,777	8,610	3
White	48,078	593	108	149	557	862	1,424	2,488	5,084	10,700	14,120	11,993	-
Male	23,882	356	63	88	405	621	951	1,570	3,103	6,109	6,819	3,797	-
Female	24,196	237	45	61	152	241	473	918	1,981	4,591	7,301	8,196	-
All other	4,233	176	33	27	141	175	325	322	576	937	892	624	5
Male	2,235	104	16	13	122	118	215	204	330	485	416	210	2
Female	1,998	72	17	14	19	57	110	118	246	452	476	414	3
Black	4,150	172	33	26	141	173	319	316	557	917	871	620	5
Male	2,195	101	16	13	122	118	210	202	323	474	406	208	2
Female	1,955	71	17	13	19	55	109	114	234	443	465	412	3
Metropolitan counties	34,500	583	91	103	478	735	1,277	1,928	3,791	7,825	9,701	7,983	5
Male	17,167	347	47	55	372	533	859	1,217	2,288	4,350	4,637	2,460	2
Female	17,333	236	44	48	106	202	418	711	1,503	3,475	5,064	5,523	3
White	30,535	415	64	79	342	570	970	1,637	3,251	6,932	8,870	7,405	-
Male	15,086	249	35	44	255	421	656	1,037	1,978	3,888	4,253	2,270	-
Female	15,449	166	29	35	87	149	314	600	1,273	3,044	4,617	5,135	-
All other	3,965	168	27	24	136	165	307	291	540	893	831	578	5
Male	2,081	98	12	11	117	112	203	180	310	462	384	190	2
Female	1,884	70	15	13	19	53	104	111	230	431	447	388	3
Black	3,899	164	27	24	136	163	303	286	526	874	816	575	5
Male	2,047	95	12	11	117	112	200	179	303	451	377	188	2
Female	1,852	69	15	13	19	51	103	107	223	423	439	387	3
Nonmetropolitan counties	17,811	186	50	73	220	302	472	882	1,869	3,812	5,311	4,634	-
Male	8,950	113	32	46	155	206	307	557	1,145	2,244	2,598	1,547	-
Female	8,861	73	18	27	65	96	165	325	724	1,568	2,713	3,087	-
White	17,543	178	44	70	215	292	454	851	1,833	3,768	5,250	4,588	-
Male	8,796	107	28	44	150	200	295	533	1,125	2,221	2,566	1,527	-
Female	8,747	71	16	26	65	92	159	318	708	1,547	2,684	3,061	-
All other	288	8	6	3	5	10	18	31	36	44	61	46	-
Male	154	6	4	2	5	6	12	24	20	23	32	20	-
Female	114	2	2	1	-	4	6	7	16	21	29	26	-
Black	251	8	6	2	5	10	16	30	31	43	55	45	-
Male	148	6	4	2	5	6	10	23	20	23	29	20	-
Female	103	2	2	-	-	4	6	7	11	20	26	25	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 108

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1993—Con.

(Page 9 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Iowa	27,973	261	62	73	305	376	625	1,057	2,370	5,498	8,313	9,033	-
Male	13,549	162	39	49	217	266	421	655	1,451	3,279	4,197	2,813	-
Female	14,424	99	23	24	88	110	204	402	919	2,219	4,116	6,220	-
White	27,545	232	57	70	282	356	601	1,026	2,305	5,414	8,231	8,971	-
Male	13,318	145	36	47	200	252	402	636	1,416	3,236	4,159	2,789	-
Female	14,227	87	21	23	82	104	199	390	889	2,178	4,072	6,182	-
All other	428	29	5	3	23	20	24	31	65	84	82	62	-
Male	231	17	3	2	17	14	19	19	35	43	38	24	-
Female	197	12	2	1	6	6	5	12	30	41	44	38	-
Black	357	25	4	1	22	16	20	26	48	73	70	52	-
Male	192	15	3	-	16	10	15	17	28	38	30	20	-
Female	165	10	1	1	6	6	5	9	20	35	40	32	-
Metropolitan counties	10,366	134	31	29	135	177	278	473	1,039	2,110	3,050	2,910	-
Male	4,989	82	19	19	91	122	187	303	618	1,272	1,433	843	-
Female	5,377	52	12	10	44	55	91	170	421	838	1,617	2,067	-
White	10,020	113	26	27	115	162	259	445	991	2,040	2,982	2,860	-
Male	4,806	69	16	18	76	112	173	286	592	1,240	1,401	823	-
Female	5,214	44	10	9	39	50	86	159	399	800	1,581	2,037	-
All other	346	21	5	2	20	15	19	28	48	70	68	50	-
Male	183	13	3	1	15	10	14	17	26	32	32	20	-
Female	163	8	2	1	5	5	5	11	22	38	36	30	-
Black	305	18	4	1	19	14	16	24	40	63	62	44	-
Male	160	11	3	-	14	9	11	16	23	29	27	17	-
Female	145	7	1	1	5	5	5	8	17	34	35	27	-
Nonmetropolitan counties	17,607	127	31	44	170	199	347	584	1,331	3,388	5,263	6,123	-
Male	8,560	80	20	30	126	144	234	352	833	2,007	2,764	1,970	-
Female	9,047	47	11	14	44	55	113	232	498	1,381	2,499	4,153	-
White	17,525	119	31	43	167	194	342	581	1,314	3,374	5,249	6,111	-
Male	8,512	76	20	29	124	140	229	350	824	1,986	2,758	1,966	-
Female	9,013	43	11	14	43	54	113	231	490	1,378	2,491	4,145	-
All other	82	8	-	1	3	5	5	3	17	14	14	12	-
Male	48	4	-	1	2	4	5	2	9	11	6	4	-
Female	34	4	-	-	1	1	-	1	8	3	8	8	-
Black	52	7	-	-	3	2	4	2	8	10	8	8	-
Male	32	4	-	-	2	1	4	1	5	9	3	3	-
Female	20	3	-	-	1	1	-	1	3	1	5	5	-
Kansas	23,631	330	63	93	329	442	662	1,014	2,136	4,605	6,843	7,114	-
Male	11,668	172	37	60	247	319	427	629	1,294	2,693	3,477	2,313	-
Female	11,963	158	26	33	82	123	235	385	842	1,912	3,366	4,801	-
White	22,242	247	52	83	269	362	578	921	1,960	4,341	6,515	6,914	-
Male	10,927	128	33	55	199	265	384	579	1,183	2,540	3,316	2,245	-
Female	11,315	119	19	28	70	97	194	342	777	1,801	3,199	4,669	-
All other	1,389	83	11	10	60	80	84	93	176	264	328	200	-
Male	741	44	4	5	48	54	43	50	111	153	161	68	-
Female	648	39	7	5	12	26	41	43	65	111	167	132	-
Black	1,221	76	9	10	53	67	73	78	148	228	289	190	-
Male	641	41	3	5	43	45	36	43	90	133	137	65	-
Female	580	35	6	5	10	22	37	35	58	95	152	125	-
Metropolitan counties	10,674	205	27	54	196	280	380	563	1,097	2,154	2,993	2,725	-
Male	5,287	113	16	35	148	199	242	345	658	1,237	1,461	833	-
Female	5,387	92	11	19	48	81	138	218	439	917	1,532	1,892	-
White	9,576	135	21	44	141	213	311	481	958	1,961	2,737	2,574	-
Male	4,703	77	13	30	103	152	210	301	570	1,131	1,335	781	-
Female	4,873	58	8	14	38	61	101	180	388	830	1,402	1,793	-
All other	1,098	70	6	10	55	67	69	82	139	193	256	151	-
Male	584	36	3	5	45	47	32	44	88	106	126	52	-
Female	514	34	3	5	10	20	37	38	51	87	130	99	-
Black	1,009	64	5	10	49	57	62	68	125	182	239	148	-
Male	530	34	2	5	40	41	27	37	76	101	116	51	-
Female	479	30	3	5	9	16	35	31	49	81	123	97	-
Nonmetropolitan counties	12,957	125	36	39	133	162	282	451	1,039	2,451	3,850	4,389	-
Male	6,381	59	21	25	99	120	185	284	636	1,456	2,016	1,480	-
Female	6,576	66	15	14	34	42	97	167	403	995	1,834	2,909	-
White	12,666	112	31	39	128	149	267	440	1,002	2,380	3,778	4,340	-
Male	6,224	51	20	25	96	113	174	278	613	1,409	1,981	1,464	-
Female	6,442	61	11	14	32	36	93	162	389	971	1,797	2,876	-
All other	291	13	5	-	5	13	15	11	37	71	72	49	-
Male	157	8	4	-	3	7	11	6	23	47	35	16	-
Female	134	5	4	-	2	6	4	5	14	24	37	33	-
Black	212	12	4	-	4	10	11	10	23	46	50	42	-
Male	111	7	1	-	3	4	9	6	14	32	21	14	-
Female	101	5	3	-	1	6	2	4	9	14	29	28	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 110

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1993—Con.

(Page 11 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Maine	11,695	102	22	37	131	178	317	542	1,188	2,501	3,461	3,216	-
Male	5,731	55	14	19	105	126	229	336	720	1,439	1,690	998	-
Female	5,964	47	8	18	26	52	88	206	468	1,062	1,771	2,218	-
White	11,624	102	21	36	129	174	309	532	1,175	2,488	3,448	3,210	-
Male	5,690	55	14	19	103	123	223	330	714	1,430	1,683	996	-
Female	5,934	47	7	17	26	51	86	202	461	1,058	1,765	2,214	-
All other	71	-	1	1	2	4	8	10	13	13	13	6	-
Male	41	-	-	-	2	3	6	6	7	9	7	2	-
Female	30	-	1	1	-	1	2	4	6	4	6	4	-
Black	11	-	-	1	-	-	2	1	-	4	2	1	-
Male	7	-	-	-	-	-	2	1	-	2	2	-	-
Female	4	-	-	1	-	-	-	-	2	-	-	1	-
Metropolitan counties	4,546	38	5	16	42	87	136	227	492	944	1,324	1,235	-
Male	2,177	22	3	8	34	62	104	137	306	536	603	362	-
Female	2,369	16	2	8	8	25	32	90	186	408	721	873	-
White	4,510	38	4	15	42	83	131	222	487	938	1,319	1,231	-
Male	2,154	22	3	8	34	59	99	134	302	532	600	361	-
Female	2,356	16	1	7	8	24	32	88	185	406	719	870	-
All other	36	-	1	1	-	4	5	5	6	6	5	4	-
Male	23	-	-	-	-	3	5	3	4	4	3	1	-
Female	13	-	1	1	-	1	2	2	1	2	2	3	-
Black	8	-	-	1	-	-	2	-	-	3	1	1	-
Male	4	-	-	-	-	-	2	-	-	1	1	-	-
Female	4	-	-	1	-	-	-	-	2	-	-	1	-
Nonmetropolitan counties	7,149	64	17	21	89	91	181	315	696	1,557	2,137	1,981	-
Male	3,554	33	11	11	71	64	125	199	414	903	1,087	636	-
Female	3,595	31	6	10	18	27	56	116	282	654	1,050	1,345	-
White	7,114	64	17	21	87	91	178	310	688	1,550	2,129	1,979	-
Male	3,536	33	11	11	69	64	124	196	412	898	1,083	635	-
Female	3,578	31	6	10	18	27	54	114	276	652	1,046	1,344	-
All other	35	-	-	-	2	-	3	5	8	7	8	2	-
Male	18	-	-	-	2	-	1	3	2	5	4	1	-
Female	17	-	-	-	-	-	2	2	6	2	4	1	-
Black	3	-	-	-	-	-	-	1	-	1	1	-	-
Male	3	-	-	-	-	-	-	1	-	1	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Maryland	40,373	738	133	154	713	1,435	2,087	2,753	4,621	8,953	10,525	8,232	29
Male	20,775	398	70	91	547	1,069	1,444	1,744	2,767	5,036	5,061	2,534	14
Female	19,598	340	63	63	166	366	643	1,009	1,854	3,917	5,464	5,698	15
White	29,633	285	61	90	315	617	937	1,628	3,142	6,813	8,683	7,061	11
Male	14,695	171	38	53	215	462	644	1,015	1,883	3,859	4,195	2,153	7
Female	14,938	124	23	37	100	155	293	613	1,259	2,954	4,488	4,908	4
All other	10,740	443	72	64	398	818	1,150	1,125	1,479	2,140	1,862	1,171	18
Male	6,080	227	32	38	332	607	800	729	884	1,177	866	381	7
Female	4,660	216	40	26	66	211	350	396	595	963	996	790	11
Black	10,320	434	67	61	381	798	1,111	1,091	1,410	2,059	1,779	1,112	17
Male	5,853	223	31	35	320	596	777	709	842	1,134	822	359	6
Female	4,467	211	36	26	61	202	334	382	568	925	957	754	11
Metropolitan counties	36,913	693	114	142	679	1,367	1,980	2,552	4,222	8,140	9,562	7,434	28
Male	19,001	372	56	85	523	1,021	1,364	1,620	2,593	4,576	4,566	2,272	13
Female	17,912	321	58	57	156	346	616	932	1,689	3,564	4,996	5,162	15
White	26,918	273	48	81	292	567	865	1,479	2,851	6,201	7,881	6,370	10
Male	13,317	160	28	49	196	426	587	922	1,712	3,511	3,786	1,934	6
Female	13,601	113	20	32	96	141	278	557	1,139	2,690	4,095	4,436	4
All other	9,995	420	66	61	387	600	1,115	1,073	1,371	1,939	1,681	1,064	18
Male	5,684	212	28	36	327	595	777	698	821	1,065	780	338	7
Female	4,311	208	38	25	60	205	338	375	550	874	901	726	11
Black	9,587	412	61	58	371	781	1,077	1,040	1,305	1,860	1,600	1,005	17
Male	5,460	208	27	33	315	584	755	678	780	1,023	736	315	6
Female	4,127	204	34	25	56	197	322	362	525	837	864	690	11
Nonmetropolitan counties	3,460	45	19	12	34	68	107	201	399	813	993	798	1
Male	1,774	26	14	6	24	48	80	124	234	460	495	282	1
Female	1,686	19	5	6	10	20	27	77	165	353	488	536	-
White	2,715	22	13	9	23	50	72	149	291	612	782	691	1
Male	1,378	11	10	4	19	36	57	93	171	348	409	219	1
Female	1,337	11	3	5	4	14	15	56	120	264	373	472	-
All other	745	23	6	3	11	18	35	52	108	201	181	107	-
Male	396	15	4	2	5	12	23	31	63	112	86	43	-
Female	349	8	2	1	6	6	12	21	45	89	95	64	-
Black	733	22	6	3	10	17	34	51	105	189	179	107	-
Male	393	15	4	2	5	12	22	31	62	111	86	43	-
Female	340	7	2	1	5	5	12	20	43	88	93	64	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 112

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1993—Con.

(Page 13 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Minnesota	36,450	486	93	132	418	674	1,052	1,826	3,017	6,825	10,770	11,355	2
Male	18,213	279	47	89	289	469	700	1,028	1,828	4,062	5,588	3,826	-
Female	18,237	207	46	43	119	205	352	598	1,191	2,763	5,182	7,529	-
White	35,400	416	70	118	358	600	938	1,522	2,875	6,649	10,610	11,244	2
Male	17,604	244	31	81	250	421	623	967	1,745	3,957	5,507	3,778	-
Female	17,796	172	39	37	108	179	313	555	1,130	2,692	5,103	7,466	2
All other	1,050	70	23	14	60	74	116	104	142	176	160	111	-
Male	609	35	16	8	49	48	77	61	81	105	81	48	-
Female	441	35	7	6	11	26	39	43	61	71	79	63	-
Black	573	40	8	5	28	49	69	55	71	101	77	70	-
Male	347	19	6	2	25	30	49	36	45	62	38	35	-
Female	226	21	2	3	3	19	20	19	26	39	39	35	-
Metropolitan counties	21,417	351	54	78	266	477	758	1,135	1,907	4,116	6,019	6,254	2
Male	10,396	199	28	51	187	322	515	709	1,160	2,378	2,939	1,908	-
Female	11,021	152	26	27	79	155	243	426	747	1,738	3,080	4,346	-
White	20,549	285	36	69	218	413	652	1,046	1,796	3,978	5,893	6,161	2
Male	9,892	167	16	47	148	282	445	657	1,096	2,292	2,876	1,868	-
Female	10,657	118	20	22	70	131	207	389	700	1,686	3,017	4,295	2
All other	868	66	18	9	48	64	106	89	111	138	126	93	-
Male	504	32	12	4	39	40	70	52	64	86	63	42	-
Female	364	34	6	5	9	24	36	37	47	52	63	51	-
Black	569	39	8	5	27	49	69	55	70	101	77	69	-
Male	344	18	6	2	24	30	49	36	45	62	38	34	-
Female	225	21	2	3	3	19	20	19	25	39	39	35	-
Nonmetropolitan counties	15,033	135	39	54	152	197	294	491	1,110	2,709	4,751	5,101	-
Male	7,817	80	19	38	112	147	185	319	666	1,684	2,649	1,918	-
Female	7,216	55	20	16	40	50	109	172	444	1,025	2,102	3,183	-
White	14,851	131	34	49	140	187	284	476	1,079	2,671	4,717	5,083	-
Male	7,712	77	15	34	102	139	178	310	649	1,665	2,631	1,912	-
Female	7,139	54	19	15	38	48	106	166	430	1,006	2,086	3,171	-
All other	182	4	5	5	12	10	10	15	31	38	34	18	-
Male	105	3	4	4	10	8	7	9	17	19	18	6	-
Female	77	1	1	1	2	2	3	6	14	19	16	12	-
Black	4	1	-	-	1	-	-	-	1	-	-	1	-
Male	3	1	-	-	1	-	-	-	-	-	-	1	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Mississippi	26,389	484	120	121	613	773	1,179	1,755	2,974	5,741	7,065	5,582	12
Male	13,940	254	68	75	471	538	790	1,115	1,883	3,321	3,487	1,930	8
Female	12,459	230	52	46	142	235	389	640	1,091	2,420	3,578	3,632	4
White	17,090	179	42	58	278	378	541	1,001	1,894	3,920	4,969	3,827	3
Male	8,989	93	23	41	211	274	378	654	1,258	2,349	2,463	1,242	3
Female	8,101	86	19	17	67	104	163	347	636	1,571	2,506	2,585	-
All other	9,309	305	78	63	335	395	638	754	1,080	1,821	2,096	1,735	9
Male	4,951	161	45	34	260	264	412	461	625	972	1,024	688	5
Female	4,358	144	33	29	75	131	226	293	455	849	1,072	1,047	4
Black	9,228	300	76	60	333	392	629	744	1,067	1,810	2,086	1,723	8
Male	4,909	159	44	32	258	262	407	456	618	969	1,016	683	5
Female	4,319	141	32	28	75	130	222	288	449	841	1,070	1,040	3
Metropolitan counties	6,889	122	36	33	151	255	370	478	869	1,613	1,738	1,219	5
Male	3,769	72	18	25	116	199	252	307	557	958	879	382	4
Female	3,120	50	18	8	35	56	118	171	312	655	859	837	1
White	4,751	55	18	17	72	132	182	280	616	1,176	1,284	916	3
Male	2,606	31	8	12	53	107	132	183	414	721	668	264	3
Female	2,145	24	10	5	19	25	50	87	202	455	616	652	-
All other	2,138	67	18	16	79	123	188	198	253	437	454	303	2
Male	1,163	41	10	13	63	92	120	114	143	237	211	118	1
Female	975	26	8	3	16	31	68	84	110	200	243	185	1
Black	2,119	67	18	14	79	121	187	197	247	433	453	301	2
Male	1,154	41	10	12	63	91	119	114	140	237	210	116	1
Female	965	26	8	2	16	30	68	83	107	196	243	185	1
Nonmetropolitan counties	19,510	362	84	88	462	518	809	1,277	2,105	4,128	5,327	4,343	7
Male	10,171	182	50	50	355	339	538	808	1,326	2,363	2,608	1,548	4
Female	9,339	180	34	38	107	179	271	469	779	1,765	2,719	2,795	3
White	12,339	124	24	41	206	246	359	721	1,278	2,744	3,685	2,911	-
Male	6,383	62	15	29	158	167	246	461	844	1,628	1,795	978	-
Female	5,956	62	9	12	48	79	113	260	434	1,116	1,890	1,933	-
All other	7,171	238	60	47	256	272	450	556	827	1,384	1,642	1,432	7
Male	3,788	120	35	21	197	172	292	347	482	735	813	570	4
Female	3,383	118	25	26	59	100	158	209	345	649	829	862	3
Black	7,109	233	58	46	254	271	442	547	820	1,377	1,633	1,422	6
Male	3,755	118	34	20	195	171	288	342	478	732	806	567	4
Female	3,354	115	24	26	59	100	154	205	342	645	827	855	2

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 113

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1993—Con.
(Page 14 of 26)
[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Missouri	53,746	633	150	194	831	1,121	1,695	2,690	5,497	11,094	15,603	14,231	7
Male	26,891	360	93	112	637	837	1,164	1,675	3,387	6,446	7,635	4,541	4
Female	26,855	273	57	82	194	284	531	1,015	4,648	7,968	9,690	9,690	3
White	47,983	436	108	148	546	838	1,295	2,237	4,718	9,935	14,374	13,343	5
Male	23,812	250	72	82	389	622	890	1,407	2,825	5,841	7,087	4,245	2
Female	24,171	186	36	66	157	216	405	830	1,793	4,094	7,287	9,098	3
All other	5,763	197	42	46	285	283	400	453	779	1,159	1,229	888	2
Male	3,079	110	21	30	248	215	274	268	462	605	548	296	2
Female	2,684	87	21	16	37	68	126	185	317	554	681	592	-
Black	5,608	193	42	45	278	269	393	447	756	1,118	1,201	864	2
Male	2,998	108	21	30	245	203	269	266	448	583	534	287	2
Female	2,612	85	21	15	33	66	124	181	308	535	667	577	-
Metropolitan counties	32,677	426	91	125	596	822	1,199	1,773	3,411	6,746	9,221	8,261	6
Male	16,127	243	55	74	466	625	826	1,101	2,071	3,851	4,326	2,486	3
Female	16,550	183	36	51	130	197	373	672	1,340	2,895	4,895	5,775	3
White	27,460	244	55	83	322	558	820	1,347	2,693	5,707	8,129	7,498	4
Male	13,316	140	35	46	226	425	566	846	1,641	3,307	3,844	2,239	1
Female	14,144	104	20	37	96	133	254	501	1,052	2,400	4,285	5,259	3
All other	5,217	182	36	42	274	264	379	426	718	1,039	1,092	763	2
Male	2,811	103	20	28	240	200	260	255	430	544	482	247	2
Female	2,406	79	16	14	34	64	119	171	288	495	610	516	-
Black	5,087	179	36	41	269	252	372	422	700	1,004	1,065	745	2
Male	2,739	101	20	28	237	190	255	253	419	525	468	241	2
Female	2,348	78	16	13	32	62	117	169	281	479	597	504	-
Nonmetropolitan counties	21,069	207	59	69	235	299	496	917	2,086	4,348	6,382	5,970	1
Male	10,764	117	38	38	171	212	338	574	1,316	2,595	3,309	2,055	1
Female	10,305	90	21	31	64	87	158	343	770	1,753	3,073	3,915	-
White	20,523	192	53	65	224	280	475	890	2,025	4,228	6,245	5,845	1
Male	10,496	110	37	36	163	197	324	561	1,284	2,534	3,243	2,006	1
Female	10,027	82	16	29	61	83	151	329	741	1,694	3,002	3,839	-
All other	546	15	6	4	11	19	21	27	61	120	137	125	-
Male	268	7	1	2	8	15	14	13	32	61	66	49	-
Female	278	8	5	2	3	4	7	14	29	59	71	76	-
Black	521	14	6	4	9	17	21	25	56	114	136	119	-
Male	257	7	1	2	8	13	14	13	29	58	66	46	-
Female	264	7	5	2	1	4	7	12	27	56	70	73	-
Montana	7,472	84	20	31	137	144	249	367	743	1,591	2,215	1,891	-
Male	3,970	49	13	20	100	110	150	212	460	925	1,203	728	-
Female	3,502	35	7	11	37	34	99	155	283	666	1,012	1,163	-
White	7,125	69	19	25	113	120	221	334	689	1,523	2,151	1,861	-
Male	3,776	38	12	15	85	92	132	198	428	893	1,172	711	-
Female	3,349	31	7	10	28	28	89	136	261	630	979	1,150	-
All other	347	15	1	6	24	24	28	33	54	68	64	30	-
Male	194	11	1	5	15	18	18	14	32	32	31	17	-
Female	153	4	-	1	9	6	10	19	22	36	33	13	-
Black	12	1	-	-	-	2	1	1	1	3	-	3	-
Male	7	1	-	-	-	2	1	-	1	-	-	1	-
Female	5	-	-	-	-	-	-	1	-	2	-	2	-
Metropolitan counties	1,692	19	4	6	35	35	65	98	186	380	454	410	-
Male	922	11	1	4	25	31	49	56	113	221	248	183	-
Female	770	8	3	2	10	4	16	42	73	159	206	247	-
White	1,655	18	4	3	33	32	61	94	177	374	451	408	-
Male	900	10	1	2	23	28	47	54	108	220	245	182	-
Female	755	8	3	1	10	4	14	40	69	154	206	246	-
All other	37	1	-	3	2	3	4	4	9	6	3	2	-
Male	22	1	-	2	2	3	2	2	5	1	3	1	-
Female	15	-	-	1	-	-	2	2	4	5	-	1	-
Black	4	-	-	-	-	-	1	1	1	-	-	1	-
Male	2	-	-	-	-	-	1	-	1	-	-	-	-
Female	2	-	-	-	-	-	-	1	-	-	-	1	-
Nonmetropolitan counties	5,780	65	16	25	102	109	184	269	557	1,211	1,761	1,481	-
Male	3,048	38	12	16	75	79	101	156	347	704	955	565	-
Female	2,732	27	4	9	27	30	83	113	210	507	806	916	-
White	5,470	51	15	22	80	88	160	240	512	1,149	1,700	1,453	-
Male	2,876	28	11	13	62	64	85	144	320	673	927	549	-
Female	2,594	23	4	9	18	24	75	96	192	476	773	904	-
All other	310	14	1	3	22	21	24	29	45	62	61	28	-
Male	172	10	1	3	13	15	16	12	27	31	28	16	-
Female	138	4	-	-	9	6	8	17	18	31	33	12	-
Black	8	1	-	-	-	-	-	-	-	3	-	2	-
Male	5	1	-	-	-	2	-	-	-	1	-	1	-
Female	3	-	-	-	-	-	-	-	2	-	-	1	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 114

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1993—Con.

(Page 15 of 26)
[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Nebraska	15,026	212	44	61	174	248	381	574	1,392	2,961	4,314	4,664	1
Male	7,582	128	25	39	129	176	250	358	853	1,833	2,248	1,542	1
Female	7,444	84	19	22	45	72	131	216	539	1,128	2,066	3,122	1
White	14,492	176	39	57	156	217	346	527	1,297	2,859	4,222	4,595	1
Male	7,295	103	23	37	114	151	228	333	800	1,772	2,208	1,525	1
Female	7,197	73	16	20	42	66	118	194	497	1,087	2,014	3,070	1
All other	534	36	5	4	18	31	35	47	95	102	92	69	-
Male	287	25	2	2	15	25	22	25	53	61	40	17	-
Female	247	11	3	2	3	6	13	22	42	41	52	52	-
Black	435	33	4	2	10	25	28	35	76	85	78	59	-
Male	231	23	1	-	8	20	19	20	45	49	33	13	-
Female	204	10	3	2	2	5	9	15	31	36	45	46	-
Metropolitan counties	5,713	126	18	22	72	147	194	309	617	1,226	1,548	1,433	1
Male	2,869	76	12	12	50	105	118	187	386	748	760	414	1
Female	2,844	50	6	10	22	42	76	122	231	478	788	1,019	1
White	5,246	92	14	20	58	120	164	267	536	1,136	1,466	1,372	1
Male	2,622	53	11	12	38	83	99	165	339	696	726	399	1
Female	2,624	39	3	8	20	37	65	102	197	440	740	973	1
All other	467	34	4	2	14	27	30	42	81	90	82	61	-
Male	247	23	1	-	12	22	19	22	47	52	34	15	-
Female	220	11	3	2	2	5	11	20	34	38	48	46	-
Black	428	32	4	2	10	24	28	35	75	83	76	59	-
Male	226	22	1	-	8	19	19	20	44	48	32	13	-
Female	202	10	3	2	2	5	9	15	31	35	44	46	-
Nonmetropolitan counties	9,313	86	26	39	102	101	187	265	775	1,735	2,766	3,231	-
Male	4,713	52	13	27	79	71	132	171	467	1,085	1,488	1,128	-
Female	4,600	34	13	12	23	30	55	94	308	650	1,278	2,103	-
White	9,246	84	25	37	98	97	182	260	761	1,723	2,756	3,223	-
Male	4,673	50	12	25	76	68	129	168	461	1,076	1,482	1,126	-
Female	4,573	34	13	12	22	29	53	92	300	647	1,274	2,097	-
All other	67	2	1	2	4	4	5	5	14	12	10	8	-
Male	40	2	1	2	3	3	3	3	6	9	6	2	-
Female	27	-	-	-	1	1	2	2	8	3	4	6	-
Black	7	1	-	-	-	1	-	-	1	2	2	-	-
Male	5	1	-	-	-	1	-	-	1	1	1	-	-
Female	2	-	-	-	-	-	-	-	-	1	1	-	-
Nevada	11,173	150	44	44	193	382	576	787	1,658	2,936	2,821	1,574	8
Male	6,322	93	25	24	144	298	398	528	1,053	1,746	1,483	524	6
Female	4,851	57	19	20	49	84	178	259	605	1,190	1,338	1,050	2
White	10,354	119	34	41	145	323	480	702	1,515	2,788	2,693	1,508	6
Male	5,843	76	16	23	106	257	335	475	971	1,662	1,417	500	5
Female	4,511	43	18	18	39	66	145	227	544	1,126	1,276	1,008	1
All other	819	31	10	3	48	59	96	85	143	148	128	66	2
Male	479	17	9	1	38	41	63	53	82	84	66	24	1
Female	340	14	1	2	10	18	33	32	61	64	62	42	1
Black	573	28	8	3	34	45	66	53	95	105	86	48	2
Male	332	15	7	1	28	33	42	33	56	54	46	16	1
Female	241	13	1	2	6	12	24	20	39	51	40	32	1
Metropolitan counties	9,319	136	41	38	154	331	480	676	1,398	2,430	2,349	1,278	7
Male	5,253	85	24	20	114	260	334	451	893	1,423	1,209	434	6
Female	4,066	51	17	18	40	71	146	225	505	1,007	1,140	845	1
White	8,577	105	32	35	110	278	392	603	1,268	2,294	2,235	1,220	5
Male	4,823	68	15	19	80	222	279	406	817	1,348	1,152	412	5
Female	3,754	37	17	16	30	56	113	197	451	946	1,083	808	-
All other	742	31	9	3	44	53	88	73	130	136	114	58	2
Male	430	17	9	1	34	38	55	45	76	75	57	22	1
Female	312	14	-	2	10	15	33	28	54	61	57	37	1
Black	563	28	7	3	34	45	64	52	93	102	85	48	2
Male	325	15	7	1	28	33	40	32	55	52	45	16	1
Female	238	13	-	2	6	12	24	20	38	50	40	32	1
Nonmetropolitan counties	1,854	14	3	6	39	51	96	111	260	506	472	295	1
Male	1,069	8	1	4	30	38	64	77	160	323	274	90	-
Female	785	6	2	2	9	13	32	34	100	183	198	205	1
White	1,777	14	2	6	35	45	88	99	247	494	458	283	1
Male	1,020	8	1	4	26	35	56	69	154	314	265	83	-
Female	757	6	1	2	9	10	32	30	93	180	193	200	1
All other	77	-	1	-	4	6	8	12	13	12	14	7	-
Male	49	-	-	-	4	3	8	8	6	9	9	2	-
Female	28	-	1	-	-	3	-	4	7	3	5	5	-
Black	10	-	1	-	-	-	2	1	2	3	1	-	-
Male	7	-	-	-	-	-	2	1	1	2	1	-	-
Female	3	-	1	-	-	-	-	-	1	1	-	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 118

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1993—Con.

(Page 19 of 26)
[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Ohio	102,696	1,460	299	325	1,251	1,880	3,305	5,482	11,075	23,855	29,564	24,198	2
Male	51,037	827	169	190	953	1,325	2,169	3,387	6,640	13,541	14,259	7,576	1
Female	51,659	633	130	135	298	555	1,136	2,095	4,435	10,314	15,305	16,622	1
White	91,437	1,001	224	264	930	1,441	2,623	4,563	9,449	21,138	27,232	22,571	1
Male	45,114	576	136	156	692	1,022	1,736	2,833	5,717	12,087	13,137	7,021	1
Female	46,323	425	88	108	238	419	887	1,730	3,732	9,051	14,095	15,550	-
All other	11,259	459	75	61	321	439	682	919	1,626	2,717	2,332	1,627	1
Male	5,923	251	33	34	261	303	433	554	923	1,454	1,122	555	-
Female	5,336	208	42	27	60	136	249	365	703	1,263	1,210	1,072	1
Black	11,063	456	72	58	311	424	668	902	1,602	2,669	2,295	1,605	1
Male	5,822	248	30	32	255	295	426	548	913	1,432	1,099	544	-
Female	5,241	208	42	26	56	129	242	354	689	1,237	1,196	1,061	1
Metropolitan counties	80,221	1,209	233	251	972	1,522	2,662	4,294	8,754	18,740	23,081	18,501	2
Male	39,515	669	127	143	749	1,077	1,754	2,653	5,167	10,527	10,985	5,663	1
Female	40,706	540	106	108	223	445	908	1,641	3,587	8,213	12,096	12,838	1
White	69,356	763	160	190	661	1,098	1,995	3,404	7,184	16,107	20,847	16,946	1
Male	33,805	426	96	109	496	783	1,333	2,115	4,277	9,121	9,918	5,130	1
Female	35,551	337	64	81	165	315	662	1,289	2,907	6,986	10,929	11,818	-
All other	10,865	446	73	61	311	424	667	890	1,570	2,633	2,234	1,555	1
Male	5,710	243	31	34	253	294	421	538	890	1,406	1,067	533	-
Female	5,155	203	42	27	58	130	246	352	680	1,227	1,167	1,022	1
Black	10,693	444	71	58	303	410	653	878	1,552	2,589	2,199	1,535	1
Male	5,622	241	29	32	249	286	414	534	882	1,386	1,045	524	-
Female	5,071	203	42	26	54	124	239	344	670	1,203	1,154	1,011	1
Nonmetropolitan counties	22,475	251	66	74	279	358	643	1,188	2,321	5,115	6,483	5,697	-
Male	11,522	158	42	47	204	248	415	734	1,473	3,014	3,274	1,913	-
Female	10,953	93	24	27	75	110	228	454	848	2,101	3,209	3,784	-
White	22,081	238	64	74	269	343	628	1,159	2,265	5,031	6,385	5,625	-
Male	11,309	150	40	47	196	239	403	718	1,440	2,966	3,219	1,891	-
Female	10,772	88	24	27	73	104	225	441	825	2,065	3,166	3,734	-
All other	394	13	2	-	10	15	15	29	56	84	98	72	-
Male	213	8	2	-	8	9	12	16	33	48	55	22	-
Female	181	5	-	-	2	6	3	13	23	36	43	50	-
Black	370	12	1	-	8	14	15	24	50	80	96	70	-
Male	200	7	1	-	6	9	12	14	31	46	54	20	-
Female	170	5	-	-	2	5	3	10	19	34	42	50	-
Oklahoma	32,422	409	107	138	517	731	1,200	1,816	3,509	6,747	8,975	8,251	22
Male	16,497	228	65	80	358	528	773	1,124	2,158	3,942	4,464	2,764	13
Female	15,925	181	42	58	159	203	427	692	1,351	2,805	4,511	5,487	9
White	29,046	301	87	104	392	594	980	1,518	3,069	6,036	8,259	7,890	16
Male	14,722	160	53	57	259	431	632	935	1,929	3,586	4,106	2,566	8
Female	14,324	141	34	47	133	163	348	583	1,140	2,450	4,153	5,124	8
All other	3,376	108	20	34	125	137	220	298	440	711	716	561	6
Male	1,775	68	12	23	99	97	141	189	229	356	358	198	5
Female	1,601	40	8	11	26	40	79	109	211	355	358	363	1
Black	2,076	81	12	21	74	76	135	173	268	409	445	380	2
Male	1,072	54	8	11	62	57	85	107	135	204	216	131	2
Female	1,004	27	4	10	12	19	50	66	133	205	229	249	-
Metropolitan counties	16,655	278	68	77	292	447	763	1,030	1,920	3,507	4,388	3,873	12
Male	8,342	160	42	41	203	339	495	634	1,160	1,978	2,091	1,193	6
Female	8,313	118	26	36	89	108	268	396	760	1,529	2,297	2,680	6
White	14,774	198	52	56	213	364	623	851	1,642	3,131	4,026	3,607	11
Male	7,350	107	32	28	137	278	402	519	1,017	1,808	1,913	1,104	5
Female	7,424	91	20	28	76	86	221	332	625	1,323	2,113	2,503	6
All other	1,881	80	16	21	79	83	140	179	278	376	362	266	1
Male	992	53	10	13	66	61	93	115	143	170	178	89	1
Female	889	27	6	8	13	22	47	64	135	206	184	177	-
Black	1,412	67	11	16	59	57	102	129	202	272	282	214	1
Male	733	46	8	8	48	43	65	78	105	119	138	74	1
Female	679	21	3	8	11	14	37	51	97	153	144	140	-
Nonmetropolitan counties	15,767	131	39	61	225	284	437	786	1,589	3,240	4,587	4,378	10
Male	8,155	68	23	39	155	189	278	490	998	1,964	2,373	1,571	7
Female	7,612	63	16	22	70	95	159	296	591	1,276	2,214	2,807	3
White	14,272	103	35	48	179	230	357	667	1,427	2,905	4,233	4,083	5
Male	7,372	53	21	29	122	153	230	416	912	1,778	2,193	1,462	3
Female	6,900	50	14	19	57	77	127	251	515	1,127	2,040	2,621	2
All other	1,495	28	4	13	46	54	80	119	162	335	354	235	5
Male	783	15	2	10	33	35	48	74	86	166	180	109	4
Female	712	13	2	3	13	18	32	45	76	149	174	166	1
Black	664	14	1	5	15	19	33	44	66	137	163	166	1
Male	339	8	-	3	14	14	20	29	30	85	78	57	1
Female	325	6	1	2	1	5	13	15	36	52	85	109	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 119

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1993—Con.

(Page 20 of 26)

[For definitions of areas see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Oregon	27,602	298	69	105	342	560	1,027	1,367	2,561	5,843	8,270	7,156	4
Male	14,248	170	42	66	266	411	711	857	1,518	3,298	4,395	2,510	4
Female	13,354	128	27	39	76	149	316	510	1,043	2,545	3,875	4,646	—
White	26,813	272	62	102	303	510	963	1,290	2,467	5,668	8,126	7,046	4
Male	13,802	152	36	64	237	377	674	810	1,463	3,204	4,310	2,471	4
Female	13,011	120	26	38	66	133	289	480	1,004	2,464	3,816	4,575	—
All other	789	26	7	3	39	50	64	77	94	175	144	110	—
Male	446	18	6	2	29	34	37	47	55	94	85	39	—
Female	343	8	1	1	10	16	27	30	39	81	59	71	—
Black	381	19	4	2	20	26	33	45	37	78	62	55	—
Male	226	13	3	1	16	16	24	28	25	40	43	17	—
Female	155	6	1	1	4	10	9	17	12	38	19	38	—
Metropolitan counties	17,917	199	47	70	225	395	723	893	1,552	3,623	5,268	4,919	3
Male	9,027	117	30	41	180	290	512	572	932	1,972	2,707	1,671	3
Female	8,890	82	17	29	45	105	211	321	620	1,651	2,561	3,248	—
White	17,286	175	40	68	192	356	671	833	1,481	3,483	5,150	4,834	3
Male	8,660	101	24	40	154	263	479	537	891	1,896	2,634	1,638	3
Female	8,626	74	16	28	38	93	192	296	590	1,587	2,516	3,196	—
All other	631	24	7	2	33	39	52	60	71	140	118	85	—
Male	367	16	6	1	26	27	33	35	41	76	73	33	—
Female	264	8	1	1	7	12	19	25	30	64	45	52	—
Black	361	19	4	2	20	24	33	42	36	73	57	51	—
Male	212	13	3	1	16	15	24	25	24	37	39	15	—
Female	149	6	1	1	4	9	9	17	12	36	18	36	—
Nonmetropolitan counties	9,685	99	22	35	117	165	304	474	1,009	2,220	3,002	2,237	1
Male	5,221	53	12	25	86	121	199	285	586	1,326	1,688	839	1
Female	4,464	46	10	10	31	44	105	189	423	894	1,314	1,398	—
White	9,527	97	22	34	111	154	292	457	986	2,185	2,976	2,212	1
Male	5,142	51	12	24	83	114	195	273	572	1,308	1,676	833	1
Female	4,385	46	10	10	28	40	97	184	414	877	1,300	1,379	—
All other	158	2	—	1	6	11	12	17	23	35	26	25	—
Male	79	2	—	1	3	7	4	12	14	18	12	6	—
Female	79	—	—	—	3	4	8	5	9	17	14	19	—
Black	20	—	—	—	—	2	—	3	1	5	5	4	—
Male	14	—	—	—	—	1	—	3	1	3	4	2	—
Female	6	—	—	—	—	1	—	—	—	2	1	2	—
Pennsylvania	126,471	1,375	264	310	1,361	2,348	3,956	6,154	12,722	29,073	38,845	30,053	10
Male	62,825	789	163	199	1,042	1,734	2,673	3,819	7,638	16,521	18,743	9,498	6
Female	63,646	586	101	111	319	614	1,283	2,335	5,084	12,552	20,102	20,555	4
White	113,726	876	189	241	991	1,747	2,959	5,000	10,916	26,119	36,273	28,409	6
Male	55,930	505	121	160	736	1,290	1,989	3,083	6,567	14,914	17,629	8,933	3
Female	57,796	371	68	81	255	457	970	1,917	4,349	11,205	18,644	19,476	3
All other	12,745	499	75	69	370	601	997	1,154	1,806	2,954	2,572	1,644	4
Male	6,895	284	42	39	306	444	684	736	1,071	1,607	1,114	565	3
Female	5,850	215	33	30	64	157	313	418	735	1,347	1,458	1,079	1
Black	12,360	482	73	64	359	573	973	1,117	1,737	2,888	2,497	1,593	4
Male	6,683	271	41	36	289	423	668	715	1,031	1,571	1,078	547	3
Female	5,677	211	32	28	60	150	305	402	706	1,317	1,419	1,046	1
Metropolitan counties	106,834	1,221	218	250	1,171	2,084	3,476	5,265	10,786	24,526	32,656	25,171	10
Male	52,928	704	137	163	901	1,535	2,348	3,246	6,469	13,911	16,637	7,871	6
Female	53,906	517	81	87	270	549	1,128	2,019	4,317	10,615	17,019	17,300	4
White	94,233	729	145	181	804	1,495	2,491	4,120	8,997	21,601	30,114	23,550	6
Male	46,119	424	95	124	597	1,101	1,673	2,519	5,410	12,320	14,537	7,318	3
Female	48,114	305	50	57	207	394	818	1,601	3,587	9,281	15,577	16,234	3
All other	12,601	492	73	69	367	589	985	1,145	1,789	2,925	2,542	1,621	4
Male	6,809	280	42	39	304	434	675	727	1,059	1,591	1,100	555	3
Female	5,792	212	31	30	63	155	310	418	730	1,334	1,442	1,066	1
Black	12,237	477	71	64	357	562	964	1,108	1,724	2,862	2,473	1,571	4
Male	6,604	268	41	36	287	414	661	706	1,020	1,555	1,066	537	3
Female	5,633	209	30	28	60	148	303	402	704	1,307	1,407	1,034	1
Nonmetropolitan counties	19,637	154	46	60	190	264	480	889	1,936	4,547	6,189	4,882	—
Male	9,897	85	26	36	141	199	325	573	1,169	2,610	3,106	1,627	—
Female	9,740	69	20	24	49	65	155	316	767	1,937	3,083	3,255	—
White	19,493	147	44	60	187	252	468	880	1,919	4,518	6,159	4,859	—
Male	9,811	81	26	36	139	189	316	554	1,157	2,594	3,092	1,617	—
Female	9,682	66	18	24	48	63	152	316	762	1,924	3,067	3,242	—
All other	144	7	2	—	3	12	12	9	17	28	30	23	—
Male	86	4	—	—	2	10	9	9	12	16	14	10	—
Female	58	3	2	—	1	2	3	—	5	13	16	13	—
Black	123	5	2	—	2	11	9	9	13	26	24	22	—
Male	79	3	—	—	2	9	7	9	11	16	12	10	—
Female	44	2	2	—	—	2	2	—	2	10	12	12	—

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 120

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1993—Con.

(Page 21 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Rhode Island	9,786	102	11	33	86	178	350	442	900	2,160	2,900	2,620	4
Male	4,727	62	5	14	68	128	240	272	515	1,244	1,385	792	2
Female	5,059	40	6	19	18	50	110	170	385	916	1,515	1,828	2
White	9,437	87	9	29	72	152	308	413	852	2,089	2,850	2,572	4
Male	4,526	55	4	13	57	109	214	257	482	1,202	1,360	771	2
Female	4,911	32	5	16	15	43	94	156	370	887	1,490	1,801	2
All other	349	15	2	4	14	26	42	29	48	71	50	48	-
Male	201	7	1	1	11	19	26	15	33	42	25	21	-
Female	148	8	1	3	3	7	16	14	15	29	25	27	-
Black	304	15	2	2	14	21	39	25	41	64	40	41	-
Male	172	7	1	-	11	16	24	14	27	36	20	1E	-
Female	132	8	1	2	3	5	15	11	14	28	20	2E	-
Metropolitan counties	9,061	91	10	31	80	165	325	416	829	2,014	2,669	2,427	4
Male	4,358	54	5	13	64	117	221	254	477	1,148	1,264	730	2
Female	4,703	37	5	18	16	48	104	162	352	866	1,405	1,68E	2
White	8,744	79	8	27	67	139	285	387	786	1,953	2,624	2,38E	4
Male	4,176	49	4	12	54	98	197	239	446	1,113	1,241	72f	2
Female	4,568	30	4	15	13	41	88	148	340	840	1,383	1,664	2
All other	317	12	2	4	13	26	40	29	43	61	45	4E	-
Male	182	5	1	1	10	19	24	15	31	35	23	1E	-
Female	135	7	1	3	3	7	16	14	12	26	22	24	-
Black	273	12	2	2	13	21	37	25	36	55	35	3E	-
Male	154	5	1	-	10	16	22	14	25	30	18	1E	-
Female	119	7	1	2	3	5	15	11	11	25	17	2E	-
Nonmetropolitan counties	725	11	1	2	6	13	25	26	71	146	231	190	-
Male	369	8	-	1	4	11	19	18	38	96	121	50	-
Female	356	3	1	1	2	2	6	8	33	50	110	140	-
White	693	8	1	2	5	13	23	26	66	136	226	187	-
Male	350	6	-	1	3	11	17	18	36	89	119	50	-
Female	343	2	1	1	2	2	6	8	30	47	107	137	-
All other	32	3	-	-	1	-	2	-	5	10	5	6	-
Male	19	2	-	-	1	-	2	-	2	7	2	3	-
Female	13	1	-	-	-	-	-	-	3	3	3	3	-
Black	31	3	-	-	1	-	2	-	5	9	5	6	-
Male	18	2	-	-	1	-	2	-	2	6	2	3	-
Female	13	1	-	-	-	-	-	-	3	3	3	3	-
South Carolina	31,963	543	116	144	610	953	1,669	2,481	4,032	7,564	8,486	5,363	2
Male	16,741	313	67	90	451	690	1,130	1,575	2,463	4,390	3,986	1,584	2
Female	15,222	230	49	54	159	263	539	906	1,569	3,174	4,500	3,779	-
White	21,959	218	56	67	334	457	871	1,408	2,682	5,357	6,280	4,223	1
Male	11,361	127	29	44	238	345	590	907	1,682	3,196	3,001	1,201	1
Female	10,598	91	27	23	96	112	281	501	1,000	2,161	3,279	3,027	-
All other	10,004	325	60	77	276	496	798	1,073	1,350	2,207	2,206	1,13E	1
Male	5,380	186	38	46	213	345	540	668	781	1,194	985	383	1
Female	4,624	139	22	31	63	151	258	405	569	1,013	1,221	752	-
Black	9,930	323	60	77	274	493	789	1,061	1,336	2,189	2,198	1,129	1
Male	5,339	185	38	46	211	343	535	661	774	1,184	981	380	1
Female	4,591	138	22	31	63	150	254	400	562	1,005	1,217	749	-
Metropolitan counties	18,197	306	76	76	345	548	923	1,397	2,287	4,283	4,795	3,159	2
Male	9,439	167	45	49	256	400	614	867	1,391	2,471	2,234	943	2
Female	8,758	139	31	27	89	148	309	530	896	1,812	2,561	2,215	-
White	13,376	138	40	43	215	297	537	884	1,636	3,226	3,765	2,594	1
Male	6,860	78	22	28	155	221	354	546	1,020	1,901	1,782	752	1
Female	6,516	60	18	15	60	76	183	338	616	1,325	1,983	1,842	-
All other	4,821	168	36	33	130	251	386	513	651	1,057	1,030	565	1
Male	2,579	89	23	21	101	179	260	321	371	570	452	191	1
Female	2,242	79	13	12	29	72	126	192	280	487	578	374	-
Black	4,782	167	36	33	129	248	380	507	643	1,050	1,028	560	1
Male	2,554	89	23	21	100	177	256	316	368	564	450	189	1
Female	2,228	78	13	12	29	71	124	191	275	486	578	371	-
Nonmetropolitan counties	13,766	237	40	68	265	405	746	1,084	1,745	3,281	3,691	2,204	-
Male	7,302	146	22	41	195	290	516	708	1,072	1,919	1,752	641	-
Female	6,464	91	18	27	70	115	230	376	673	1,362	1,939	1,563	-
White	8,583	80	16	24	119	160	334	524	1,046	2,131	2,515	1,634	-
Male	4,501	49	7	16	83	124	236	361	662	1,295	1,219	449	-
Female	4,082	31	9	8	36	36	98	163	384	836	1,296	1,185	-
All other	5,183	157	24	44	146	245	412	560	699	1,150	1,176	570	-
Male	2,801	97	15	25	112	166	280	347	410	624	533	192	-
Female	2,382	60	9	19	34	79	132	213	289	526	643	378	-
Black	5,148	156	24	44	145	245	409	554	693	1,139	1,170	569	-
Male	2,785	96	15	25	111	166	279	345	406	620	531	151	-
Female	2,363	60	9	19	34	79	130	209	287	519	639	378	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 121

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1993—Con.

(Page 22 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
South Dakota	6,782	102	24	19	106	104	191	307	602	1,289	1,983	2,055	-
Male	3,554	61	13	13	77	76	126	198	391	807	1,091	701	-
Female	3,228	41	11	6	29	28	65	109	211	482	892	1,354	-
White	6,310	67	21	13	81	74	143	235	522	1,213	1,918	2,023	-
Male	3,297	41	13	8	59	52	99	160	346	770	1,062	687	-
Female	3,013	26	8	5	22	22	44	75	176	443	856	1,336	-
All other	472	35	3	6	25	30	48	72	80	76	65	32	-
Male	257	20	-	5	18	24	27	38	45	37	29	14	-
Female	215	15	3	1	7	6	21	34	35	39	36	18	-
Black	3	-	-	-	-	1	-	-	-	-	2	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	2	-	-	-	-	1	-	-	-	-	1	-	-
Metropolitan counties	1,619	33	4	4	25	31	54	89	160	345	430	444	-
Male	814	19	4	4	17	19	37	59	102	211	207	135	-
Female	805	14	-	-	8	12	17	30	58	134	223	309	-
White	1,565	32	4	2	23	27	50	82	148	333	422	442	-
Male	791	19	4	2	15	17	35	56	98	205	205	135	-
Female	774	13	-	-	8	10	15	26	50	128	217	307	-
All other	54	1	-	2	2	4	4	7	12	12	8	2	-
Male	23	-	-	2	2	2	2	3	4	6	2	-	-
Female	31	1	-	-	-	2	2	4	8	6	6	2	-
Black	2	-	-	-	-	1	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Nonmetropolitan counties	5,163	69	20	15	81	73	137	218	442	944	1,553	1,611	-
Male	2,740	42	9	9	60	57	89	139	289	596	884	566	-
Female	2,423	27	11	6	21	16	48	79	153	348	669	1,045	-
White	4,745	35	17	11	58	47	93	153	374	880	1,496	1,581	-
Male	2,506	22	9	6	44	35	64	104	248	565	857	552	-
Female	2,239	13	8	5	14	12	29	49	126	315	639	1,029	-
All other	418	34	3	4	23	26	44	65	68	64	57	30	-
Male	234	20	-	3	16	22	25	35	41	31	27	14	-
Female	184	14	3	1	7	4	19	30	27	33	30	16	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Tennessee	49,249	687	145	174	846	1,328	1,930	3,167	5,862	10,716	13,903	10,485	6
Male	25,311	400	86	104	610	956	1,277	2,017	3,579	6,191	6,784	3,292	5
Female	23,938	287	59	70	236	372	653	1,150	2,283	4,525	7,109	7,193	1
White	41,091	366	98	115	591	927	1,431	2,467	4,776	9,130	11,995	9,191	4
Male	21,007	210	61	69	414	672	965	1,581	2,976	5,347	5,880	2,829	3
Female	20,084	156	37	46	177	255	466	886	1,800	3,783	6,115	6,362	1
All other	8,158	321	47	59	255	401	499	700	1,086	1,586	1,908	1,294	2
Male	4,304	190	25	35	196	284	312	436	603	844	914	463	2
Female	3,854	131	22	24	59	117	187	264	483	742	994	831	-
Black	8,060	315	47	57	248	396	491	691	1,065	1,569	1,895	1,284	2
Male	4,253	185	25	35	193	280	309	430	592	835	908	459	2
Female	3,807	130	22	22	55	116	182	261	473	734	987	825	-
Metropolitan counties	31,015	517	97	114	546	901	1,318	2,072	3,733	6,724	8,508	6,479	6
Male	15,663	311	61	66	390	647	865	1,308	2,248	3,812	4,049	1,901	5
Female	15,352	206	36	48	156	254	453	764	1,485	2,912	4,459	4,578	1
White	24,212	221	56	61	323	544	881	1,482	2,790	5,394	6,977	5,479	4
Male	12,043	134	38	37	222	389	589	936	1,718	3,096	3,323	1,558	3
Female	12,169	87	18	24	101	155	292	546	1,072	2,298	3,654	3,921	1
All other	6,803	296	41	53	223	357	437	590	943	1,330	1,531	1,000	2
Male	3,620	177	23	29	168	258	276	372	530	716	726	343	2
Female	3,183	119	18	24	55	99	161	218	413	614	805	657	-
Black	6,730	291	41	51	218	353	433	584	925	1,316	1,522	994	2
Male	3,580	173	23	29	166	255	275	368	519	709	720	341	2
Female	3,150	118	18	22	52	98	158	216	406	607	802	653	-
Nonmetropolitan counties	18,234	170	48	60	300	427	612	1,095	2,129	3,992	5,395	4,006	-
Male	9,648	89	25	38	220	309	412	709	1,331	2,379	2,745	1,391	-
Female	8,586	81	23	22	80	118	200	386	798	1,613	2,650	2,615	-
White	16,879	145	42	54	268	383	550	985	1,886	3,736	5,018	3,712	-
Male	8,964	76	23	32	192	283	376	645	1,258	2,251	2,557	1,271	-
Female	7,915	69	19	22	76	100	174	340	728	1,485	2,461	2,441	-
All other	1,355	25	6	6	32	44	62	110	143	256	377	294	-
Male	684	13	2	6	28	26	36	64	73	128	188	120	-
Female	671	12	4	-	4	18	26	46	70	128	189	174	-
Black	1,330	24	6	6	30	43	58	107	140	253	373	290	-
Male	673	12	2	6	27	25	34	62	73	126	188	118	-
Female	657	12	4	-	3	18	24	45	67	127	185	172	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 123

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1993—Con.
(Page 24 of 26)
[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Vermont	4,957	50	15	23	63	100	147	266	513	997	1,374	1,409	-
Male	2,455	31	12	10	52	79	94	160	310	577	690	440	-
Female	2,502	19	3	13	11	21	53	106	203	420	684	969	-
White	4,938	49	15	23	63	97	146	264	512	994	1,370	1,405	-
Male	2,442	30	12	10	52	76	93	159	309	576	688	437	-
Female	2,496	19	3	13	11	21	53	105	203	418	682	968	-
All other	19	1	-	-	-	3	1	2	1	3	4	4	-
Male	13	1	-	-	-	3	1	1	1	1	2	3	-
Female	6	-	-	-	-	-	-	1	-	2	2	1	-
Black	13	1	-	-	-	2	-	2	-	2	3	3	-
Male	7	1	-	-	-	2	-	1	-	-	1	2	-
Female	6	-	-	-	-	-	-	1	-	2	2	1	-
Metropolitan counties	884	14	1	2	12	29	31	58	101	167	228	241	-
Male	448	11	1	1	10	24	18	31	64	102	113	73	-
Female	436	3	-	1	2	5	13	27	37	65	115	168	-
White	878	14	1	2	12	27	31	58	100	167	227	239	-
Male	444	11	1	1	10	22	18	31	63	102	113	72	-
Female	434	3	-	1	2	5	13	27	37	65	114	167	-
All other	6	-	-	-	-	2	-	-	1	-	1	2	-
Male	4	-	-	-	-	2	-	-	1	-	-	1	-
Female	2	-	-	-	-	-	-	-	-	-	1	1	-
Black	4	-	-	-	-	1	-	-	-	-	1	2	-
Male	2	-	-	-	-	1	-	-	-	-	-	1	-
Female	2	-	-	-	-	-	-	-	-	-	1	1	-
Nonmetropolitan counties	4,073	36	14	21	51	71	116	208	412	830	1,146	1,168	-
Male	2,007	20	11	9	42	55	76	129	246	475	577	367	-
Female	2,066	16	3	12	9	16	40	79	166	355	569	801	-
White	4,050	35	14	21	51	70	115	206	412	827	1,143	1,166	-
Male	1,998	19	11	9	42	54	75	128	246	474	575	365	-
Female	2,062	16	3	12	9	16	40	78	166	353	568	801	-
All other	13	1	-	-	-	1	1	2	-	3	3	2	-
Male	9	1	-	-	-	1	1	1	-	1	2	2	-
Female	4	-	-	-	-	-	-	1	-	2	1	-	-
Black	9	1	-	-	-	1	-	2	-	2	2	1	-
Male	5	1	-	-	-	1	-	1	-	-	1	1	-
Female	4	-	-	-	-	-	-	1	-	2	1	-	-
Virginia	51,538	827	159	188	757	1,327	2,144	3,335	6,042	11,836	14,156	10,756	11
Male	26,442	466	79	117	578	974	1,415	2,109	3,738	6,857	6,784	3,318	7
Female	25,096	361	80	71	179	353	729	1,226	2,304	4,979	7,372	7,438	4
White	39,792	459	102	131	483	816	1,352	2,334	4,455	9,121	11,397	9,139	2
Male	20,026	255	53	80	363	599	889	1,476	2,797	5,289	5,456	2,757	3
Female	19,766	194	49	51	120	217	463	858	1,658	3,832	5,941	6,382	1
All other	11,746	368	57	57	274	511	792	1,001	1,587	2,715	2,759	1,617	8
Male	6,416	201	26	37	215	375	526	633	941	1,568	1,328	561	5
Female	5,330	167	31	20	59	136	266	368	646	1,147	1,431	1,056	3
Black	11,335	348	55	53	260	491	759	946	1,534	2,634	2,676	1,571	8
Male	6,197	187	26	34	208	362	509	601	918	1,513	1,290	544	5
Female	5,138	161	29	19	52	129	250	345	616	1,121	1,386	1,027	3
Metropolitan counties	33,472	654	109	122	546	965	1,547	2,288	3,891	7,621	8,914	6,806	9
Male	16,894	365	51	80	414	716	1,009	1,437	2,361	4,320	4,150	1,985	6
Female	16,578	289	58	42	132	249	538	851	1,530	3,301	4,764	4,821	3
White	24,829	327	66	84	318	557	912	1,528	2,726	5,653	6,994	5,661	3
Male	12,189	186	32	54	236	415	589	964	1,677	3,179	3,241	1,614	2
Female	12,640	141	34	30	82	142	323	564	1,049	2,474	3,753	4,047	1
All other	8,643	327	43	38	228	408	635	760	1,165	1,968	1,920	1,145	6
Male	4,705	179	19	26	178	301	420	473	684	1,141	909	371	4
Female	3,938	148	24	12	50	107	215	287	481	827	1,011	774	2
Black	8,258	307	41	34	214	389	603	708	1,114	1,895	1,843	1,104	6
Male	4,499	165	19	23	171	288	403	443	661	1,091	874	357	4
Female	3,759	142	22	11	43	101	200	265	453	804	969	747	2
Nonmetropolitan counties	18,066	173	50	66	211	362	597	1,047	2,151	4,215	5,242	3,950	2
Male	9,548	101	28	37	164	258	406	672	1,377	2,537	2,634	1,333	1
Female	8,518	72	22	29	47	104	191	375	774	1,678	2,608	2,617	1
White	14,953	132	36	47	165	259	440	806	1,729	3,468	4,403	3,478	-
Male	7,837	79	21	26	127	184	300	512	1,120	2,110	2,215	1,143	-
Female	7,126	53	15	21	38	75	140	294	609	1,358	2,188	2,335	-
All other	3,103	41	14	19	46	103	157	241	422	747	839	472	2
Male	1,711	22	7	11	37	74	106	160	257	427	419	190	1
Female	1,392	19	7	8	9	29	51	81	165	320	420	282	1
Black	3,077	41	14	19	46	102	156	238	420	739	833	467	2
Male	1,698	22	7	11	37	74	106	158	257	422	416	187	1
Female	1,379	19	7	8	9	28	50	80	163	317	417	280	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 124

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1993—Con.
(Page 25 of 26)
[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Washington	40,473	504	122	146	617	951	1,576	2,209	4,016	8,541	11,731	10,058	2
Male	20,939	275	72	89	477	714	1,147	1,387	2,438	4,932	5,979	3,427	2
Female	19,534	229	50	57	140	237	429	822	1,578	3,609	5,752	6,631	-
White	38,221	416	104	119	506	817	1,380	2,023	3,697	8,039	11,302	9,816	2
Male	19,656	233	62	76	387	615	1,023	1,276	2,252	4,648	5,767	3,315	2
Female	18,565	183	42	43	119	202	357	747	1,445	3,391	5,535	6,501	-
All other	2,252	88	18	27	111	134	196	186	319	502	429	242	-
Male	1,283	42	10	13	90	99	124	111	186	284	212	112	-
Female	969	46	8	14	21	35	72	75	133	218	217	130	-
Black	972	56	10	13	50	59	105	82	117	222	166	92	-
Male	576	28	5	6	42	47	69	56	80	130	75	38	-
Female	396	28	5	7	8	12	36	26	37	92	91	54	-
Metropolitan counties	31,405	417	99	117	494	778	1,304	1,800	3,115	6,590	8,983	7,707	1
Male	16,097	226	58	71	379	582	939	1,133	1,878	3,788	4,477	2,565	1
Female	15,308	191	41	46	115	196	365	667	1,237	2,802	4,506	5,142	-
White	29,374	338	82	93	391	662	1,125	1,634	2,830	6,125	8,603	7,490	1
Male	14,940	190	49	59	297	496	825	1,030	1,712	3,523	4,293	2,465	1
Female	14,434	148	33	34	94	166	300	604	1,118	2,602	4,310	5,025	-
All other	2,031	79	17	24	103	116	179	166	285	465	380	217	-
Male	1,157	36	9	12	82	86	114	103	169	265	184	100	-
Female	874	43	8	12	21	30	65	63	116	200	196	117	-
Black	946	55	10	13	48	58	104	81	116	215	157	89	-
Male	561	28	5	6	40	46	68	55	79	127	70	37	-
Female	385	27	5	7	8	12	36	26	37	88	87	52	-
Nonmetropolitan counties	9,068	87	23	29	123	173	272	409	901	1,951	2,748	2,351	1
Male	4,842	49	14	18	98	132	208	254	560	1,144	1,502	862	1
Female	4,226	38	9	11	25	41	64	155	341	807	1,246	1,489	-
White	8,847	78	22	26	115	155	255	369	667	1,914	2,699	2,326	1
Male	4,716	43	13	17	90	119	198	246	540	1,125	1,474	850	1
Female	4,131	35	9	9	25	36	57	143	327	789	1,225	1,476	-
All other	221	9	1	3	8	18	17	20	37	49	25	25	-
Male	126	6	1	1	8	13	10	8	20	19	28	12	-
Female	95	3	-	2	-	5	7	12	14	18	21	13	-
Black	26	1	-	-	2	1	1	1	1	7	9	3	-
Male	15	-	-	-	2	1	1	1	1	3	5	1	-
Female	11	1	-	-	-	-	-	-	4	4	4	2	-
West Virginia	20,404	188	38	62	245	365	646	1,117	2,354	4,761	6,076	4,551	1
Male	10,345	104	21	33	187	263	445	681	1,437	2,694	2,968	1,511	1
Female	10,059	84	17	29	58	102	201	436	917	2,067	3,108	3,040	-
White	19,634	169	34	58	232	350	618	1,073	2,270	4,589	5,869	4,371	1
Male	9,979	92	19	32	176	256	426	654	1,390	2,599	2,975	1,459	1
Female	9,655	77	15	26	56	94	192	419	880	1,990	2,894	2,912	-
All other	770	19	4	4	13	15	28	44	84	172	207	180	-
Male	366	12	2	1	11	7	19	27	47	95	93	52	-
Female	404	7	2	3	2	8	9	17	37	77	114	128	-
Black	752	18	4	4	13	15	26	38	80	170	204	180	-
Male	358	11	2	1	11	7	19	26	45	94	90	52	-
Female	394	7	2	3	2	8	7	12	35	76	114	128	-
Metropolitan counties	7,475	68	11	24	68	128	214	389	844	1,749	2,302	1,678	-
Male	3,737	37	7	12	54	97	146	232	511	977	1,110	554	-
Female	3,738	31	4	12	14	31	68	157	333	772	1,192	1,124	-
White	7,196	62	11	21	64	121	205	370	803	1,691	2,235	1,613	-
Male	3,599	33	7	11	50	93	138	219	488	944	1,076	540	-
Female	3,597	29	4	10	14	28	67	151	315	747	1,159	1,073	-
All other	279	6	-	3	4	7	9	19	41	58	67	65	-
Male	138	4	-	1	4	4	8	13	23	33	34	14	-
Female	141	2	-	2	-	3	1	6	18	25	33	51	-
Black	270	6	-	3	4	7	8	17	38	57	65	65	-
Male	133	4	-	1	4	4	8	12	21	33	32	14	-
Female	137	2	-	2	-	3	-	5	17	24	33	51	-
Nonmetropolitan counties	12,929	120	27	38	177	237	432	728	1,510	3,012	3,774	2,673	1
Male	6,608	67	14	21	133	166	299	449	926	1,717	1,858	957	1
Female	6,321	53	13	17	44	71	133	279	584	1,295	1,916	1,916	-
White	12,438	107	23	37	168	229	413	703	1,467	2,898	3,634	2,758	1
Male	6,380	59	12	21	126	163	288	435	902	1,655	1,799	919	1
Female	6,058	48	11	16	42	66	125	268	565	1,243	1,835	1,839	-
All other	491	13	4	1	9	8	19	25	43	114	140	115	-
Male	228	8	2	-	7	3	11	14	24	62	59	38	-
Female	263	5	2	1	2	5	8	11	19	52	81	77	-
Black	482	12	4	1	9	8	18	21	42	113	139	115	-
Male	225	7	2	-	7	3	11	14	24	61	58	38	-
Female	257	5	2	1	2	5	7	7	18	52	81	77	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 125

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1993—Con.
(Page 26 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Wisconsin	44,506	551	110	147	586	812	1,235	1,993	4,031	8,859	13,492	12,688	2
Male	22,420	339	65	84	410	602	830	1,223	2,440	5,235	6,868	4,323	1
Female	22,086	212	45	63	176	210	405	770	1,591	3,624	6,824	8,365	1
White	42,683	418	81	116	494	690	1,080	1,789	3,788	8,506	13,224	12,516	1
Male	21,402	258	52	69	344	519	726	1,100	2,286	5,036	6,751	4,260	1
Female	21,281	160	29	47	150	171	354	689	1,482	3,470	6,473	8,256	-
All other	1,823	133	29	31	92	122	155	204	263	353	268	172	1
Male	1,018	81	13	15	66	83	104	123	154	199	117	83	-
Female	805	52	16	16	26	39	51	81	109	154	151	109	1
Black	1,485	115	25	20	82	107	135	168	208	286	208	130	1
Male	837	69	12	9	63	70	89	103	127	162	89	44	-
Female	648	46	13	11	19	37	46	65	81	124	119	86	1
Metropolitan counties	27,759	383	66	88	358	574	879	1,342	2,652	5,535	8,343	7,538	1
Male	13,722	243	40	44	252	413	594	831	1,592	3,192	4,092	2,428	1
Female	14,037	140	26	44	106	161	285	511	1,060	2,343	4,251	5,110	-
White	26,105	260	39	59	267	462	732	1,156	2,411	5,219	8,109	7,380	1
Male	12,799	169	28	30	186	337	496	717	1,452	3,013	3,891	2,379	1
Female	13,306	91	11	29	81	125	236	439	959	2,206	4,118	5,011	-
All other	1,654	123	27	29	91	112	147	186	241	316	234	148	-
Male	923	74	12	14	66	76	98	114	140	179	101	49	-
Female	731	49	15	15	25	36	49	72	101	137	133	99	-
Black	1,467	112	25	20	82	108	134	167	206	282	207	126	-
Male	824	66	12	9	63	70	88	102	125	160	88	41	-
Female	643	46	13	11	19	36	46	65	81	122	119	85	-
Nonmetropolitan counties	16,747	168	44	59	228	238	356	651	1,379	3,324	5,149	5,150	1
Male	8,698	96	25	40	158	189	236	392	848	2,043	2,776	1,895	-
Female	8,049	72	19	19	70	49	120	259	531	1,281	2,373	3,255	1
White	16,578	158	42	57	227	228	348	633	1,357	3,287	5,115	5,126	-
Male	8,603	89	24	39	158	182	230	383	834	2,023	2,760	1,881	-
Female	7,975	69	18	18	69	46	118	250	523	1,264	2,355	3,245	-
All other	169	10	2	2	1	10	8	18	22	37	34	24	1
Male	95	7	1	1	-	7	6	9	14	20	16	14	-
Female	74	3	1	1	1	3	2	9	8	17	18	10	1
Black	18	3	-	-	-	1	1	1	2	4	1	4	1
Male	13	3	-	-	-	-	1	1	2	2	1	3	-
Female	5	-	-	-	-	1	-	-	-	2	-	1	1
Wyoming	3,490	52	13	14	71	89	143	221	387	693	1,007	800	-
Male	1,844	32	7	9	51	66	88	143	243	404	537	264	-
Female	1,646	20	6	5	20	23	55	78	144	289	470	536	-
White	3,402	49	11	13	66	76	130	208	376	684	996	793	-
Male	1,786	29	6	8	46	56	79	137	235	399	532	260	-
Female	1,616	20	5	5	20	20	51	71	141	286	464	533	-
All other	88	3	2	1	5	13	13	13	11	9	11	7	-
Male	58	3	1	1	5	10	9	6	8	6	5	4	-
Female	30	-	1	-	-	3	4	7	3	3	6	3	-
Black	22	1	1	-	-	4	2	1	5	3	3	2	-
Male	15	1	1	-	-	3	1	-	4	2	2	1	-
Female	7	-	-	-	-	1	1	1	1	1	1	1	-
Metropolitan counties	1,078	19	2	1	15	24	52	62	144	247	275	237	-
Male	545	12	1	-	10	19	33	37	89	136	140	68	-
Female	533	7	1	1	5	5	19	25	55	111	135	169	-
White	1,053	18	2	1	14	20	46	59	139	246	272	236	-
Male	527	11	1	-	9	16	29	36	85	135	138	67	-
Female	526	7	1	1	5	4	17	23	54	111	134	169	-
All other	25	1	-	-	1	4	6	3	5	1	3	1	-
Male	18	1	-	-	1	3	4	1	4	1	2	1	-
Female	7	-	-	-	-	1	2	1	1	-	1	-	-
Black	16	1	-	-	-	3	2	1	5	1	3	-	-
Male	11	1	-	-	-	2	1	-	4	1	2	-	-
Female	5	-	-	-	-	1	1	1	1	-	1	-	-
Nonmetropolitan counties	2,412	33	11	13	56	65	91	159	243	446	732	563	-
Male	1,299	20	6	9	41	47	55	106	154	268	397	196	-
Female	1,113	13	5	4	15	18	36	53	89	178	335	367	-
White	2,349	31	9	12	52	56	84	149	237	438	724	557	-
Male	1,259	18	5	8	37	40	50	101	150	263	394	193	-
Female	1,090	13	4	4	15	16	34	48	87	175	330	364	-
All other	63	2	2	1	4	9	7	10	6	8	6	6	-
Male	40	2	1	1	4	7	7	5	4	5	3	3	-
Female	23	-	1	-	-	2	2	5	2	3	3	3	-
Black	6	-	1	-	-	1	-	-	2	-	2	-	-
Male	4	-	1	-	-	1	-	-	-	1	1	-	-
Female	2	-	-	-	-	-	-	-	-	1	-	1	-

1 County equivalents.

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 126

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1993

(Page 1 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
METROPOLITAN STATISTICAL AREAS, PRIMARY METROPOLITAN STATISTICAL AREAS, AND NEW ENGLAND COUNTY METROPOLITAN AREAS													
Total, 320 areas	1,680,452	26,694	5,326	6,346	26,905	48,257	77,382	101,488	180,248	360,632	465,071	381,674	429
Male	855,677	15,130	2,977	3,787	20,561	35,586	53,783	64,259	108,864	204,174	224,275	121,982	299
Female	824,775	11,564	2,349	2,559	6,344	12,671	23,599	37,229	71,384	156,458	240,796	259,692	130
White	1,422,541	16,501	3,468	4,456	17,649	33,117	53,865	76,522	144,454	307,853	415,020	349,352	284
Male	714,090	9,411	1,955	2,669	13,193	24,933	38,145	48,764	87,938	175,351	200,835	110,683	213
Female	708,451	7,090	1,513	1,787	4,456	8,184	15,720	27,758	56,516	132,502	214,185	238,669	71
All other	257,911	10,193	1,858	1,890	9,256	15,140	23,517	24,966	35,794	52,779	50,051	32,322	145
Male	141,587	5,719	1,022	1,118	7,368	10,653	15,638	15,485	20,926	28,823	23,440	11,299	86
Female	116,324	4,474	836	772	1,888	4,487	7,879	9,471	14,868	23,956	26,611	21,023	59
Black	231,013	9,421	1,651	1,644	8,384	13,980	21,738	22,686	32,103	47,150	43,887	28,259	130
Male	126,246	5,287	916	964	6,716	9,856	14,528	14,142	18,849	25,566	19,970	9,376	76
Female	104,767	4,134	735	680	1,648	4,124	7,210	8,544	13,254	21,584	23,917	18,883	54
Arlene, TX, MSA	1,064	13	2	4	10	15	32	45	124	223	310	286	-
Male	522	5	1	3	4	13	18	28	84	128	142	96	-
Female	542	8	1	1	6	2	14	17	40	95	168	190	-
White	999	10	2	4	7	14	27	42	112	212	294	275	-
Male	491	4	1	3	4	12	17	27	74	122	135	92	-
Female	508	6	1	1	3	2	10	15	38	90	159	183	-
All other	65	3	-	-	3	1	5	3	12	11	16	11	-
Male	31	1	-	-	-	1	1	1	10	6	7	4	-
Female	34	2	-	-	3	-	4	2	2	5	9	7	-
Black	63	3	-	-	2	1	4	3	12	11	16	11	-
Male	31	1	-	-	1	1	1	1	10	6	7	4	-
Female	32	2	-	-	2	-	3	2	2	5	9	7	-
Akron, OH, PMSA	6,059	80	19	14	58	85	208	322	640	1,403	1,752	1,178	-
Male	2,955	53	9	9	44	55	140	192	368	790	801	494	-
Female	3,104	27	10	5	14	30	68	130	272	613	951	684	-
White	5,457	59	14	13	46	67	163	268	547	1,259	1,636	1,285	-
Male	2,633	38	5	8	35	46	116	163	314	710	741	457	-
Female	2,824	21	9	5	11	21	47	105	233	549	895	828	-
All other	602	21	5	1	12	18	45	54	83	144	116	93	-
Male	322	15	4	1	9	9	24	29	54	80	60	37	-
Female	280	6	1	-	3	9	21	25	39	64	56	56	-
Black	591	21	5	1	12	17	44	53	83	141	112	92	-
Male	318	15	4	1	9	9	24	29	54	79	57	37	-
Female	273	6	1	-	3	8	20	24	39	62	55	55	-
Albany, GA, MSA	891	30	5	11	15	23	53	76	136	193	208	141	-
Male	455	15	3	5	12	13	33	42	83	109	104	36	-
Female	436	15	2	6	3	10	20	34	53	84	104	105	-
White	478	7	1	4	5	7	16	32	81	125	126	74	-
Male	251	4	1	3	2	4	9	17	49	79	67	16	-
Female	227	3	-	1	3	3	7	15	32	46	59	58	-
All other	413	23	4	7	10	16	37	44	55	68	82	67	-
Male	204	11	2	2	10	9	24	25	34	30	37	20	-
Female	209	12	2	5	-	7	13	19	21	38	45	47	-
Black	412	23	4	7	10	16	36	44	55	68	82	67	-
Male	203	11	2	2	10	9	23	25	34	30	37	20	-
Female	209	12	2	5	-	7	13	19	21	38	45	47	-
Albany-Schenectady-Troy, NY, MSA	8,287	78	13	25	70	128	271	389	819	1,721	2,494	2,279	-
Male	3,926	50	7	11	51	89	181	237	460	948	1,188	704	-
Female	4,361	28	6	14	19	39	90	152	359	773	1,306	1,575	-
White	7,967	58	12	21	60	114	230	355	776	1,655	2,450	2,236	-
Male	3,768	37	6	9	45	82	155	214	437	914	1,172	897	-
Female	4,199	21	6	12	15	32	75	141	339	741	1,278	1,539	-
All other	320	20	1	4	10	14	41	34	43	66	44	43	-
Male	158	13	1	2	6	7	26	23	23	34	16	7	-
Female	162	7	-	2	4	7	15	11	20	32	28	36	-
Black	303	18	1	4	9	14	41	30	42	61	42	41	-
Male	149	12	1	2	6	7	26	21	32	31	15	6	-
Female	154	6	-	2	3	7	15	9	20	30	27	35	-
Albuquerque, NM, MSA	3,610	83	14	16	74	148	213	206	372	732	973	775	4
Male	1,885	44	6	10	60	116	164	119	221	422	468	252	3
Female	1,725	39	8	6	14	32	49	87	151	310	505	523	1
White	3,439	66	10	16	64	128	201	190	352	707	958	744	3
Male	1,792	39	5	10	51	101	155	109	211	408	461	240	2
Female	1,647	27	5	6	13	27	46	81	141	299	497	504	1
All other	171	17	4	-	10	20	12	16	20	25	15	31	1
Male	93	5	1	-	9	15	9	10	10	14	7	12	1
Female	78	12	3	-	1	5	3	6	10	11	8	19	-
Black	84	9	1	-	4	8	3	5	10	18	6	19	1
Male	49	3	-	-	4	5	2	3	9	12	3	7	1
Female	35	6	1	-	-	3	1	2	1	6	3	12	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 127

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1993-Con.

(Page 2 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Table with 14 columns: Area, race, and sex; Total; Under 1 year; 1-4 years; 5-14 years; 15-24 years; 25-34 years; 35-44 years; 45-54 years; 55-64 years; 65-74 years; 75-84 years; 85 years and over; Not stated. Rows include Alexandria, LA, MSA; Allentown-Bethlehem-Easton, PA-NJ, MSA; Altoona, PA, MSA; Amarillo, TX, MSA; Anaheim-Santa Ana, CA, PMSA; Anchorage, AK, MSA; Anderson, IN, MSA.

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 130

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1993—Con.
(Page 5 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Baton Rouge, LA, MSA	4,074	113	11	27	113	172	229	282	486	930	968	723	-
Male	2,192	62	6	15	88	128	171	177	296	545	471	233	-
Female	1,882	51	5	12	25	44	58	105	190	385	517	490	-
White	2,703	44	6	8	45	86	119	182	325	659	716	533	-
Male	1,429	23	4	4	34	62	93	101	199	399	343	167	-
Female	1,274	21	2	4	11	24	26	61	126	260	373	366	-
All other	1,371	69	5	19	68	86	110	120	161	271	272	190	-
Male	763	39	2	11	54	66	78	76	97	146	128	66	-
Female	608	30	3	8	14	20	32	44	64	125	144	124	-
Black	1,358	69	5	18	68	85	109	118	181	268	271	186	-
Male	753	39	2	10	52	65	77	74	97	143	128	66	-
Female	605	30	3	8	14	20	32	44	64	125	143	122	-
Battle Creek, MI, MSA	1,345	29	3	5	15	29	45	77	150	329	351	312	-
Male	696	20	1	3	12	19	30	52	92	194	169	104	-
Female	649	9	2	2	3	10	15	25	58	135	182	208	-
White	1,167	18	-	5	11	25	31	61	133	272	322	280	-
Male	601	13	-	2	8	16	22	42	81	164	156	96	-
Female	566	5	-	3	3	9	9	19	52	108	166	183	-
All other	178	11	3	-	4	4	14	16	17	57	29	23	-
Male	95	7	1	-	4	3	8	10	11	30	13	0	-
Female	83	4	2	-	-	1	6	6	6	27	16	16	-
Black	156	9	3	-	4	4	12	16	13	50	23	22	-
Male	83	5	1	-	4	3	7	10	8	26	11	0	-
Female	73	4	2	-	-	1	5	6	5	24	12	14	-
Beaumont-Port Arthur, TX, MSA	3,529	60	8	21	63	107	144	235	442	819	909	710	2
Male	1,874	30	6	14	47	79	95	161	262	480	466	231	-
Female	1,655	30	2	7	16	28	49	74	180	339	443	485	2
White	2,841	27	-	7	44	71	85	151	322	609	731	592	2
Male	1,391	13	-	4	31	53	52	107	197	370	374	190	-
Female	1,250	14	-	3	13	18	33	44	125	239	357	402	2
All other	888	33	8	14	19	38	59	84	120	210	178	127	-
Male	483	17	6	10	16	26	43	54	65	110	82	41	-
Female	405	16	2	4	3	10	16	30	55	100	86	83	-
Black	872	32	8	14	17	34	57	81	119	209	178	123	-
Male	471	16	6	10	15	24	41	51	65	109	82	42	-
Female	401	16	2	4	2	10	16	30	54	100	86	81	-
Beaver County, PA, PMSA	2,043	16	3	4	14	24	52	79	206	538	667	429	-
Male	1,059	8	3	3	11	17	35	47	130	316	349	140	-
Female	984	8	-	1	3	7	17	32	76	222	338	289	-
White	1,914	11	3	3	13	21	45	68	188	500	657	405	-
Male	994	7	3	2	10	15	31	41	119	299	331	193	-
Female	920	4	-	1	3	6	14	27	69	201	326	263	-
All other	129	5	-	1	1	3	7	11	18	38	30	15	-
Male	-65	1	-	1	1	2	4	6	11	17	18	4	-
Female	64	4	-	-	-	1	3	5	7	21	12	11	-
Black	128	5	-	1	1	3	7	11	18	38	30	14	-
Male	65	1	-	1	1	2	4	6	11	17	18	4	-
Female	63	4	-	-	-	1	3	5	7	21	12	10	-
Bellingham, WA, MSA	1,090	11	5	2	19	19	39	39	88	188	319	361	-
Male	517	3	3	2	14	13	24	27	49	109	164	109	-
Female	573	8	2	-	5	6	15	12	39	79	155	252	-
White	1,057	9	5	2	16	17	38	38	86	181	313	354	-
Male	503	3	2	2	13	11	23	26	48	106	161	107	-
Female	554	6	3	-	3	6	15	10	38	75	152	247	-
All other	33	2	-	-	3	2	1	3	2	7	6	7	-
Male	14	-	-	-	1	2	1	1	1	3	3	2	-
Female	19	2	-	-	2	-	-	2	1	4	3	5	-
Black	3	-	-	-	-	-	-	-	1	1	1	-	-
Male	2	-	-	-	-	-	-	-	1	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Benton Harbor, MI, MSA	1,621	20	3	7	18	34	61	97	189	363	485	344	-
Male	830	10	3	5	13	22	38	56	105	211	250	117	-
Female	791	10	-	2	5	12	23	41	84	152	235	227	-
White	1,385	9	1	6	10	22	52	67	145	311	439	323	-
Male	718	6	1	5	8	16	34	41	84	185	226	112	-
Female	667	3	-	1	2	6	18	26	61	126	213	211	-
All other	236	11	2	1	8	12	9	30	44	52	46	21	-
Male	112	4	2	-	5	6	4	15	21	26	24	5	-
Female	124	7	-	1	3	6	5	15	23	26	22	16	-
Black	222	11	2	1	7	12	9	28	40	49	43	20	-
Male	106	4	2	-	4	6	4	14	19	25	23	5	-
Female	116	7	-	1	3	6	5	14	21	24	20	15	-
Bergen-Passaic, NJ, PMSA	11,937	132	31	35	95	273	475	659	1,175	2,595	3,505	2,961	1
Male	5,841	77	20	24	70	175	325	393	716	1,507	1,619	915	-
Female	6,096	55	11	11	25	98	150	266	459	1,088	1,886	2,046	1
White	10,846	85	21	26	67	190	337	522	1,024	2,380	3,322	2,671	1
Male	5,229	46	12	18	50	135	237	321	620	1,379	1,532	879	-
Female	5,617	39	9	8	17	55	100	201	404	1,001	1,790	1,902	1
All other	1,091	47	10	9	28	83	138	137	151	215	183	90	-
Male	612	31	8	6	20	40	88	72	98	128	87	36	-
Female	479	16	2	3	8	43	50	65	55	87	96	54	-
Black	968	45	8	8	23	78	127	120	128	182	163	86	-
Male	536	31	6	5	16	37	83	64	76	108	78	32	-
Female	432	14	2	3	7	41	44	56	52	74	85	54	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 131

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1993—Con.

(Page 6 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Billings, MT, MSA	976	12	4	4	20	19	40	63	102	206	268	238	-
Male	540	6	1	2	14	17	31	37	61	128	148	95	-
Female	436	6	3	2	6	2	9	26	41	78	120	143	-
White	958	12	4	2	19	16	37	60	98	205	267	238	-
Male	529	6	1	1	13	14	29	36	59	128	147	95	-
Female	429	6	3	1	6	2	8	24	39	77	120	143	-
All other	18	-	-	2	1	3	3	3	4	1	1	-	-
Male	11	-	-	1	1	3	2	2	2	1	1	-	-
Female	7	-	-	1	-	-	-	1	2	1	-	-	-
Black	3	-	-	-	-	-	1	1	1	-	-	-	-
Male	2	-	-	-	-	-	1	1	1	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-
Biloxi-Gulfport, MS, MSA	1,937	26	7	6	38	59	81	128	246	525	466	354	1
Male	1,076	17	2	5	29	45	58	77	151	324	253	114	1
Female	861	9	5	1	9	14	23	51	95	201	213	240	-
White	1,582	18	5	3	28	38	56	95	199	450	387	314	1
Male	902	12	1	2	21	32	42	59	132	282	214	104	1
Female	690	6	4	1	5	6	14	36	67	168	173	210	-
All other	345	8	2	3	12	21	25	33	47	75	79	40	-
Male	174	5	1	3	8	13	16	18	19	42	39	10	-
Female	171	3	1	-	4	8	9	15	28	33	40	30	-
Black	336	8	2	2	12	21	25	33	45	72	78	38	-
Male	169	5	1	2	8	13	18	18	18	42	38	8	-
Female	167	3	1	-	4	8	9	15	27	30	40	30	-
Binghamton, NY, MSA	2,511	27	4	8	29	29	63	131	240	562	723	696	-
Male	1,205	19	2	4	18	23	44	89	139	312	382	193	-
Female	1,306	8	2	4	11	5	19	42	101	250	341	503	-
White	2,480	26	3	8	27	28	59	125	234	556	718	696	-
Male	1,186	18	2	4	16	23	40	84	136	310	360	193	-
Female	1,294	8	1	4	11	5	19	41	98	246	358	503	-
All other	31	1	1	-	2	-	4	6	6	6	5	-	-
Male	19	1	-	-	2	-	4	5	3	2	2	-	-
Female	12	-	1	-	-	-	-	1	3	4	3	-	-
Black	23	-	1	-	1	-	3	4	5	5	4	-	-
Male	14	-	-	-	1	-	3	3	3	2	2	-	-
Female	9	-	1	-	-	-	-	1	2	3	2	-	-
Birmingham, AL, MSA	9,413	158	26	43	185	238	444	620	1,095	2,055	2,536	2,012	1
Male	4,712	92	16	25	131	162	282	390	647	1,152	1,150	664	1
Female	4,701	66	10	18	54	76	162	230	448	903	1,386	1,348	-
White	6,556	61	8	25	91	129	248	383	751	1,479	1,879	1,501	1
Male	3,264	33	5	12	62	89	161	237	455	839	877	493	1
Female	3,292	28	3	13	29	40	87	146	296	640	1,002	1,008	-
All other	2,857	97	18	18	94	109	196	237	344	576	657	511	-
Male	1,448	59	11	13	69	73	121	153	192	313	273	171	-
Female	1,409	38	7	5	25	36	75	84	152	263	384	340	-
Black	2,846	96	18	18	94	109	195	236	343	573	655	509	-
Male	1,440	58	11	13	69	73	120	152	192	311	272	169	-
Female	1,406	38	7	5	25	36	75	84	151	262	383	340	-
Bismarck, ND, MSA	644	11	1	1	7	9	15	30	69	134	176	191	-
Male	338	8	-	1	5	5	8	21	41	86	103	60	-
Female	306	3	1	-	2	4	7	9	28	48	73	131	-
White	637	10	1	1	7	6	15	29	68	133	176	191	-
Male	336	7	-	1	5	5	8	20	41	86	103	60	-
Female	301	3	1	-	2	1	7	9	27	47	73	131	-
All other	7	1	-	-	-	3	-	-	1	1	-	-	-
Male	2	1	-	-	-	-	-	-	-	-	-	-	-
Female	5	-	-	-	-	3	-	-	1	1	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Bloomington, IN, MSA	658	8	2	1	10	14	24	43	68	132	181	175	-
Male	347	5	-	1	7	10	15	26	47	75	93	68	-
Female	311	3	2	-	3	4	9	17	21	57	88	107	-
White	642	8	2	1	10	13	22	42	67	128	179	170	-
Male	339	5	-	1	7	9	13	25	46	74	92	67	-
Female	303	3	2	-	3	4	9	17	21	54	87	103	-
All other	16	-	-	-	-	1	2	1	1	4	2	5	-
Male	8	-	-	-	-	1	2	1	1	1	1	1	-
Female	8	-	-	-	-	-	-	-	-	3	1	4	-
Black	14	-	-	-	-	1	2	1	1	3	2	4	-
Male	8	-	-	-	-	1	2	1	1	1	1	1	-
Female	6	-	-	-	-	-	-	-	2	1	3	3	-
Bloomington-Normal, IL, MSA	935	12	5	2	9	14	21	40	74	158	289	311	-
Male	434	9	2	1	5	12	16	24	44	87	140	94	-
Female	501	3	3	1	4	2	5	16	30	71	149	217	-
White	901	11	5	2	7	11	20	39	71	148	279	308	-
Male	417	8	2	1	5	10	16	23	42	83	134	93	-
Female	484	3	3	1	2	1	4	16	29	65	145	215	-
All other	34	1	-	-	2	3	4	1	3	10	10	3	-
Male	17	1	-	-	-	2	-	-	2	4	6	1	-
Female	17	-	-	-	2	1	1	-	1	6	4	2	-
Black	31	1	-	-	1	3	1	1	3	9	10	2	-
Male	16	1	-	-	-	2	-	1	1	4	6	-	-
Female	15	-	-	-	1	1	1	-	1	5	4	2	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 132

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1993—Con.

(Page 7 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Boise City, ID, MSA	1,485	27	5	9	28	44	52	79	134	288	434	385	-
Male	762	15	3	6	21	28	34	50	82	162	230	133	-
Female	723	12	2	3	7	18	18	29	52	126	204	252	-
White	1,473	27	4	9	26	43	52	79	132	286	432	383	-
Male	759	15	3	6	21	26	34	50	81	161	230	132	-
Female	714	12	1	3	5	17	18	29	51	125	202	251	-
All other	12	-	1	-	2	1	-	-	2	2	2	1	-
Male	3	-	-	-	-	-	-	-	1	1	-	-	-
Female	9	-	1	-	2	1	-	-	1	1	2	1	-
Black	7	-	1	-	2	1	-	-	1	-	1	1	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	6	-	1	-	2	1	-	-	1	-	1	1	-
Boston-Lawrence-Salem-Lowell-Brockton, MA, NECMA	33,411	339	75	76	277	724	1,202	1,663	3,289	6,836	9,523	9,400	7
Male	15,674	193	35	40	187	532	856	1,022	1,986	3,796	4,398	2,821	5
Female	17,737	146	40	36	90	192	346	641	1,303	3,040	5,125	6,773	2
White	31,566	250	56	56	207	596	1,005	1,487	3,027	6,507	9,190	9,173	6
Male	14,832	141	28	30	133	440	720	969	1,813	3,614	4,241	2,593	5
Female	16,834	109	30	26	74	158	285	578	1,214	2,893	4,949	6,613	1
All other	1,845	89	19	20	70	128	197	176	262	329	333	221	1
Male	1,042	52	9	10	54	92	136	119	173	182	157	84	1
Female	803	37	10	10	16	36	61	57	89	147	176	137	1
Black	1,516	79	14	17	59	113	181	153	212	267	254	165	1
Male	863	48	7	10	47	80	125	101	141	141	111	52	-
Female	653	31	7	7	12	33	56	52	71	126	143	114	1
Boulder-Longmont, CO, PMSA	1,239	12	3	1	32	46	66	63	101	208	351	358	-
Male	603	7	2	1	27	36	44	34	57	119	189	167	-
Female	636	5	1	-	5	10	22	29	44	89	162	249	-
White	1,226	11	3	1	30	45	65	61	98	205	351	356	-
Male	596	6	2	1	25	35	44	33	56	118	189	167	-
Female	630	5	1	-	5	10	21	28	42	87	162	249	-
All other	13	1	-	-	2	1	1	2	3	3	-	-	-
Male	7	1	-	-	2	1	1	1	1	-	-	-	-
Female	6	-	-	-	-	-	-	1	2	2	-	-	-
Black	5	1	-	-	2	-	-	1	1	-	-	-	-
Male	5	1	-	-	2	-	-	1	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Bradenton, FL, MSA	2,969	35	4	4	17	43	64	87	216	656	997	835	1
Male	1,585	13	4	3	15	30	49	53	126	423	545	323	1
Female	1,384	22	-	1	2	13	15	44	90	233	452	512	-
White	2,802	22	3	3	13	36	53	84	190	623	964	810	1
Male	1,499	8	3	2	12	29	40	45	113	406	526	314	1
Female	1,303	14	-	1	1	7	13	39	77	217	438	496	-
All other	167	13	1	1	4	7	11	13	26	33	33	25	-
Male	86	5	1	1	3	1	9	8	13	17	19	9	-
Female	81	8	-	-	1	6	2	5	13	18	14	16	-
Black	165	12	1	1	4	7	11	13	26	33	32	25	-
Male	85	4	1	1	3	1	9	8	13	17	19	9	-
Female	80	8	-	-	1	6	2	5	13	16	13	16	-
Brazoria, TX, PMSA	1,240	20	4	9	20	33	62	84	182	303	318	236	1
Male	691	13	3	5	12	24	38	53	119	189	165	99	1
Female	549	7	1	4	8	9	24	31	63	114	151	137	-
White	1,125	16	4	8	17	29	53	78	163	282	291	193	1
Male	628	10	3	5	9	20	33	47	106	179	154	81	1
Female	497	6	1	3	8	9	20	31	57	103	137	122	-
All other	115	4	-	1	3	4	9	6	19	21	25	23	-
Male	63	3	-	-	3	4	5	6	13	10	11	8	-
Female	52	1	-	1	-	-	4	3	6	11	14	15	-
Black	113	4	-	-	3	4	7	6	19	21	25	23	-
Male	62	3	-	-	3	4	4	6	13	10	11	8	-
Female	51	1	-	1	-	-	3	-	6	11	14	15	-
Bremerton, WA, MSA	1,385	18	3	5	24	27	49	84	132	311	405	327	-
Male	709	9	3	1	15	21	32	59	81	172	205	111	-
Female	676	9	-	4	9	6	17	25	51	139	200	216	-
White	1,330	17	2	5	20	26	46	78	128	299	390	319	-
Male	676	8	2	1	12	20	31	55	79	166	198	104	-
Female	654	9	-	4	8	6	15	23	49	133	192	215	-
All other	55	1	1	-	4	1	3	6	4	12	15	8	-
Male	33	1	1	-	3	1	4	4	2	6	7	7	-
Female	22	-	-	-	1	-	2	2	2	6	8	1	-
Black	16	1	-	-	1	-	2	2	1	4	4	3	-
Male	9	1	-	-	1	-	-	-	1	1	2	2	-
Female	7	-	-	-	-	-	-	1	-	3	2	1	-
Bridgeport-Stamford-Norwalk-Danbury, CT, NECMA	7,194	95	19	27	102	180	284	400	688	1,384	2,088	1,927	-
Male	3,463	50	11	20	73	119	199	254	391	803	987	856	-
Female	3,731	45	8	7	29	61	85	146	297	581	1,101	1,071	-
White	6,498	66	15	16	67	125	197	314	583	1,272	1,978	1,964	-
Male	3,069	38	9	11	45	84	133	199	328	736	949	839	-
Female	3,429	30	6	5	22	42	64	115	255	536	1,029	1,125	-
All other	696	29	4	11	35	54	87	88	105	112	110	63	-
Male	394	14	2	9	28	35	66	55	63	67	38	17	-
Female	302	15	2	2	7	19	21	31	42	45	72	46	-
Black	661	26	4	11	31	52	81	102	107	105	105	80	-
Male	371	11	2	9	25	33	63	51	60	64	37	16	-
Female	290	15	2	2	6	19	19	30	42	43	68	44	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 138

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1993—Con.
(Page 13 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Des Moines, IA, MSA	3,181	54	12	15	49	49	87	172	344	634	917	848	-
Male	1,493	34	10	10	34	33	55	104	195	364	432	222	-
Female	1,688	20	2	5	15	16	32	68	149	270	485	626	-
White	3,018	49	9	14	39	45	83	160	323	601	873	822	-
Male	1,410	31	8	10	28	31	53	98	185	346	410	210	-
Female	1,608	18	1	4	11	14	30	62	138	255	463	612	-
All other	163	5	3	1	10	4	4	12	21	33	44	26	-
Male	83	3	2	-	6	2	2	6	10	18	22	12	-
Female	80	2	1	1	4	2	2	6	11	15	22	14	-
Black	145	5	3	1	10	4	4	10	17	31	39	21	-
Male	73	3	2	-	6	2	2	6	8	17	18	9	-
Female	72	2	1	1	4	2	2	4	9	14	21	12	-
Detroit, MI, PMSA	39,649	692	132	145	750	1,066	1,936	2,595	4,444	9,014	10,712	8,159	4
Male	20,004	402	69	91	584	784	1,262	1,616	2,574	5,005	4,972	2,642	3
Female	19,645	290	63	54	166	282	674	979	1,870	4,009	5,740	5,517	1
White	29,561	312	61	79	333	545	1,008	1,625	3,097	6,811	8,768	6,919	3
Male	14,477	185	31	47	242	395	660	1,043	1,799	3,803	4,078	2,182	2
Female	15,084	127	30	32	91	150	348	582	1,298	3,008	4,690	4,727	1
All other	10,088	380	71	66	417	521	828	970	1,347	2,203	1,944	1,240	1
Male	5,527	217	38	44	342	389	602	573	775	1,202	894	450	1
Female	4,561	163	33	22	75	132	326	397	572	1,001	1,050	790	-
Black	9,813	374	67	60	406	512	911	941	1,303	2,140	1,889	1,210	-
Male	5,385	214	36	41	333	385	595	556	755	1,169	865	436	-
Female	4,428	160	31	19	73	127	316	385	548	971	1,024	774	-
Dothan, AL, MSA	1,195	20	9	5	24	33	35	76	140	282	301	270	-
Male	603	14	5	2	18	22	21	52	79	171	145	74	-
Female	592	6	4	3	6	11	14	24	61	111	156	196	-
White	924	10	2	2	14	15	20	48	107	235	241	230	-
Male	471	7	1	2	11	11	12	33	67	148	119	60	-
Female	453	3	1	-	3	4	8	15	40	87	122	170	-
All other	271	10	7	3	10	18	15	28	33	47	60	40	-
Male	132	7	4	-	7	11	9	19	12	23	28	14	-
Female	139	3	3	3	3	7	6	9	21	24	34	26	-
Black	267	10	7	3	10	18	14	28	31	46	60	40	-
Male	129	7	4	-	7	11	8	19	11	22	28	14	-
Female	138	3	3	3	3	7	6	9	20	24	34	26	-
Dubuque, IA, MSA	855	2	5	2	6	10	12	21	75	171	267	284	-
Male	357	2	1	2	3	7	9	13	47	99	101	70	-
Female	498	-	4	-	3	3	3	8	28	72	166	211	-
White	853	2	5	2	6	9	12	21	74	171	267	284	-
Male	357	2	1	2	3	7	9	13	47	99	101	70	-
Female	496	-	4	-	3	2	3	8	27	72	166	211	-
All other	2	-	-	-	-	1	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	1	-	-	1	-	-	-	-
Black	2	-	-	-	-	1	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	1	-	-	1	-	-	-	-
Duluth, MN-WI, MSA	2,726	18	1	6	26	43	64	115	211	589	914	730	-
Male	1,320	10	1	4	17	29	42	70	131	327	454	235	-
Female	1,406	8	-	2	9	14	22	45	80	262	460	504	-
White	2,696	16	1	6	26	41	62	112	207	579	911	735	-
Male	1,297	9	1	4	17	27	40	68	127	319	452	233	-
Female	1,399	7	-	2	9	14	22	44	80	260	459	502	-
All other	30	2	-	-	-	2	2	3	4	10	3	4	-
Male	23	1	-	-	-	2	2	2	4	8	2	2	-
Female	7	1	-	-	-	-	-	1	-	2	1	2	-
Black	8	-	-	-	-	-	1	-	2	2	-	3	-
Male	7	-	-	-	-	-	1	-	2	2	-	2	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Eau Claire, WI, MSA	1,122	8	-	6	15	16	24	44	95	222	365	327	-
Male	565	7	-	3	10	10	19	22	59	135	188	114	-
Female	557	1	-	3	5	6	5	22	36	87	179	213	-
White	1,113	7	-	3	15	16	24	43	94	222	363	323	-
Male	562	6	-	2	10	10	19	22	59	135	185	114	-
Female	551	1	-	1	5	6	5	21	35	87	178	212	-
All other	9	1	-	3	-	-	-	1	1	-	2	1	-
Male	3	1	-	1	-	-	-	-	-	-	1	-	-
Female	6	-	-	2	-	-	-	1	1	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
El Paso, TX, MSA	3,621	98	21	33	125	137	178	237	429	831	829	700	3
Male	1,944	48	13	20	96	86	120	145	263	494	420	233	3
Female	1,677	50	8	13	29	51	58	92	166	337	409	464	-
White	3,483	87	21	33	116	127	163	222	406	804	812	683	3
Male	1,876	45	13	20	89	82	111	134	248	484	413	234	3
Female	1,607	42	8	13	27	45	52	88	158	320	399	455	-
All other	138	11	-	-	9	10	15	15	23	27	17	11	-
Male	68	3	-	-	7	4	9	11	15	10	7	2	-
Female	70	8	-	-	2	6	6	4	8	17	10	9	-
Black	109	11	-	-	9	5	13	11	16	22	12	10	-
Male	57	3	-	-	7	2	9	8	12	9	5	2	-
Female	52	8	-	-	2	3	4	3	4	13	7	8	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 140

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1993—Con.

(Page 15 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Fayetteville, NC, MSA	1,735	77	8	14	62	72	111	183	252	398	346	212	-
Male	959	45	3	7	54	55	65	120	166	232	153	50	-
Female	776	32	5	7	8	17	46	63	86	166	193	153	-
White	1,071	35	4	7	29	37	46	95	165	261	232	160	-
Male	602	21	2	2	27	32	27	63	115	159	106	40	-
Female	469	14	2	5	2	5	19	32	50	102	126	112	-
All other	664	42	4	7	33	35	65	88	87	137	114	52	-
Male	357	24	1	5	27	23	38	57	51	73	47	11	-
Female	307	18	3	2	6	12	27	31	36	64	67	41	-
Black	629	39	4	7	33	34	59	84	78	129	111	51	-
Male	345	22	1	5	27	23	36	56	49	69	46	11	-
Female	284	17	3	2	6	11	23	28	29	60	65	40	-
Fayetteville-Springdale, AR, MSA	1,030	15	1	3	18	24	33	59	114	209	288	263	-
Male	522	6	-	3	12	20	24	42	68	119	135	83	-
Female	508	9	1	-	6	4	9	17	46	90	151	175	-
White	1,019	13	1	3	17	23	32	59	114	208	281	263	-
Male	517	6	-	3	11	19	24	42	68	118	133	83	-
Female	502	7	1	-	6	4	8	17	46	90	148	175	-
All other	11	2	-	-	1	1	1	-	-	1	5	-	-
Male	5	-	-	-	1	1	-	-	-	1	2	-	-
Female	6	2	-	-	-	-	-	-	-	-	3	-	-
Black	10	2	-	-	1	1	1	-	-	1	4	-	-
Male	5	-	-	-	1	1	-	-	-	1	2	-	-
Female	5	2	-	-	-	-	1	-	-	-	2	-	-
Flint, MI, MSA	3,649	72	18	23	64	73	141	240	463	831	959	765	-
Male	1,866	41	12	14	40	53	87	149	290	470	438	272	-
Female	1,783	31	6	9	24	20	54	91	173	361	521	493	-
White	2,958	31	9	13	31	47	89	172	350	678	835	705	-
Male	1,500	20	6	8	17	38	59	112	226	374	389	259	-
Female	1,458	11	3	5	14	11	30	60	124	302	446	452	-
All other	691	41	9	10	33	26	52	68	113	155	124	50	-
Male	366	21	6	6	23	17	28	37	64	96	49	19	-
Female	325	20	3	4	10	9	24	31	49	59	75	41	-
Black	670	41	9	10	32	25	49	67	109	149	120	59	-
Male	353	21	6	6	23	16	25	36	62	82	48	18	-
Female	317	20	3	4	9	9	24	31	47	57	72	41	-
Florence, AL, MSA	1,386	12	2	6	24	38	54	91	148	316	391	304	-
Male	699	7	2	2	15	26	36	54	94	191	182	60	-
Female	687	5	-	4	9	12	18	37	54	125	209	214	-
White	1,191	10	1	2	17	30	47	71	116	273	347	277	-
Male	595	6	1	-	10	19	32	44	75	168	163	77	-
Female	596	4	-	2	7	11	15	27	41	105	184	200	-
All other	195	2	1	4	7	8	7	20	32	43	44	27	-
Male	104	1	1	2	5	7	4	10	19	23	19	13	-
Female	91	1	-	2	2	1	3	10	13	20	25	14	-
Black	194	2	1	4	7	8	7	8	31	43	44	27	-
Male	104	1	1	2	5	7	4	10	19	23	19	13	-
Female	90	1	-	2	2	1	3	10	12	20	25	14	-
Florence, SC, MSA	1,132	23	6	11	20	34	54	90	150	296	283	165	-
Male	580	13	3	4	16	25	32	51	88	174	132	42	-
Female	552	10	3	7	4	9	22	39	62	122	161	113	-
White	688	7	3	5	6	12	24	41	87	197	190	116	-
Male	352	6	1	3	6	8	15	24	54	115	91	29	-
Female	336	1	2	2	-	4	9	17	33	82	99	87	-
All other	444	16	3	6	14	22	30	49	63	99	103	39	-
Male	228	7	2	1	10	17	17	27	34	59	41	13	-
Female	216	9	1	5	4	5	13	22	29	40	62	26	-
Black	443	16	3	6	14	22	29	49	63	99	103	39	-
Male	228	7	2	1	10	17	17	27	34	59	41	13	-
Female	215	9	1	5	4	5	12	22	29	40	62	26	-
Fort Collins-Loveland, CO, MSA	1,139	13	2	7	27	23	56	72	97	242	288	302	-
Male	565	9	1	5	17	14	36	41	51	143	146	102	-
Female	574	4	1	2	10	9	20	31	46	99	152	200	-
White	1,127	12	2	6	26	22	56	70	95	241	296	301	-
Male	560	8	1	4	17	13	36	41	50	143	145	102	-
Female	567	4	1	2	9	9	20	29	45	98	151	199	-
All other	12	1	-	1	1	1	-	2	2	1	2	1	-
Male	5	1	-	1	-	1	-	-	1	-	1	-	-
Female	7	-	-	-	1	-	-	2	1	1	1	1	-
Black	4	-	-	-	1	1	-	1	-	-	1	-	-
Male	2	-	-	-	-	1	-	-	-	-	1	-	-
Female	2	-	-	-	1	-	-	1	-	-	-	-	-
Fort Lauderdale-Hollywood-Pompano Beach, FL, PMSA	15,863	195	39	35	139	429	683	783	1,270	2,943	5,219	4,144	4
Male	8,217	91	24	22	93	295	466	522	783	1,629	2,588	1,700	4
Female	7,646	104	15	13	46	134	197	261	487	1,314	2,631	2,444	-
White	14,312	100	20	26	91	288	454	582	1,029	2,668	5,019	4,033	2
Male	7,382	44	11	15	61	222	327	402	636	1,478	2,503	1,601	2
Female	6,930	56	9	11	30	66	127	180	393	1,190	2,516	2,372	-
All other	1,551	95	19	9	48	141	209	201	241	275	200	111	2
Male	855	47	13	7	32	73	139	120	147	151	85	39	2
Female	696	48	6	2	16	68	70	81	94	124	115	72	-
Black	1,512	95	19	8	46	141	206	195	235	262	198	105	2
Male	833	47	13	6	30	73	138	118	144	143	84	35	2
Female	679	48	6	2	16	68	68	77	91	119	114	70	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 142

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1993—Con.

(Page 17 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Gadsden, AL, MSA	1,338	17	6	3	19	27	46	81	155	342	414	220	-
Male	657	7	4	2	14	21	29	46	99	198	174	63	-
Female	681	10	2	1	5	6	17	35	56	144	240	165	-
White	1,158	13	2	3	14	17	34	70	127	304	367	207	-
Male	569	4	2	2	11	13	23	42	64	177	157	54	-
Female	589	9	-	1	3	4	11	28	43	127	210	153	-
All other	180	4	4	-	5	10	12	11	28	38	47	21	-
Male	88	3	2	-	3	8	6	4	15	21	17	9	-
Female	92	1	2	-	2	2	6	7	13	17	30	12	-
Black	180	4	4	-	5	10	12	11	28	38	47	21	-
Male	88	3	2	-	3	8	6	4	15	21	17	9	-
Female	92	1	2	-	2	2	6	7	13	17	30	12	-
Gainesville, FL, MSA	1,558	37	7	9	32	49	65	128	174	326	421	309	1
Male	835	18	3	4	28	37	49	82	101	196	218	99	-
Female	723	19	4	5	4	12	16	46	73	130	203	210	1
White	1,218	16	3	7	25	34	41	85	140	262	347	257	1
Male	658	8	3	3	22	25	31	60	81	158	183	84	-
Female	560	8	-	4	3	9	10	25	59	104	164	173	1
All other	340	21	4	2	7	15	24	43	34	64	74	52	-
Male	177	10	-	1	6	12	18	22	20	38	35	15	-
Female	163	11	4	1	1	3	6	21	14	26	39	37	-
Black	332	17	4	2	7	15	24	41	33	64	73	52	-
Male	176	9	-	1	6	12	18	22	20	38	35	15	-
Female	156	8	4	1	1	3	6	19	13	26	38	37	-
Galveston-Texas City, TX, PMSA	1,994	42	5	13	33	72	108	150	237	454	497	382	1
Male	1,051	22	3	9	24	57	80	92	150	257	236	121	-
Female	943	20	2	4	9	15	28	58	87	197	261	261	1
White	1,535	18	3	9	23	55	75	113	163	351	414	310	1
Male	812	11	2	5	16	47	61	72	99	205	199	95	-
Female	723	7	1	4	7	8	14	41	64	146	215	215	1
All other	459	24	2	4	10	17	33	37	74	103	83	72	-
Male	239	11	1	4	8	10	19	20	51	52	37	28	-
Female	220	13	1	-	2	7	14	17	23	51	46	46	-
Black	451	24	1	2	10	16	32	37	74	100	83	72	-
Male	232	11	-	2	8	9	18	20	51	50	37	28	-
Female	219	13	1	-	2	7	14	17	23	50	46	46	-
Gary-Hammond, IN, PMSA	5,627	100	20	18	112	144	268	328	653	1,408	1,555	1,016	6
Male	2,994	57	11	11	89	104	181	206	386	813	791	343	2
Female	2,633	43	9	7	23	40	87	122	267	595	764	673	3
White	4,370	51	9	7	54	88	151	237	479	1,097	1,320	877	-
Male	2,287	30	5	4	37	61	105	157	291	640	677	250	-
Female	2,083	21	4	3	17	27	46	80	188	457	643	567	-
All other	1,257	49	11	11	58	56	117	91	174	311	235	139	5
Male	707	27	6	7	52	43	76	49	95	173	114	63	2
Female	550	22	5	4	6	13	41	42	79	138	121	76	3
Black	1,245	49	11	11	58	56	116	89	173	308	230	139	5
Male	701	27	6	7	52	43	75	49	95	171	111	63	2
Female	544	22	5	4	6	13	41	40	78	137	119	76	3
Glens Falls, NY, MSA	1,186	12	3	3	12	15	38	67	111	250	341	336	-
Male	569	9	2	3	10	11	23	42	74	143	160	92	-
Female	617	3	1	-	2	4	13	25	37	107	181	214	-
White	1,177	12	3	3	11	15	35	68	108	249	339	336	-
Male	561	9	2	3	9	11	22	41	71	143	158	92	-
Female	616	3	1	-	2	4	13	25	37	106	181	214	-
All other	9	-	-	-	1	-	1	1	3	1	2	-	-
Male	8	-	-	-	1	-	1	1	3	1	2	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	7	-	-	-	-	-	1	-	3	1	2	-	-
Male	6	-	-	-	-	-	1	-	3	-	2	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Grand Forks, ND, MSA	445	9	1	3	8	10	8	16	37	92	139	122	-
Male	229	5	1	2	5	5	6	13	24	62	71	35	-
Female	216	4	-	1	3	5	2	3	13	30	68	37	-
White	433	9	-	3	7	8	7	16	34	90	137	122	-
Male	221	5	-	2	4	4	5	13	21	61	71	35	-
Female	212	4	-	1	3	4	2	3	13	29	66	37	-
All other	12	-	1	-	1	2	1	-	3	2	2	-	-
Male	8	-	1	-	1	1	1	-	3	1	-	-	-
Female	4	-	-	-	-	1	-	-	-	1	2	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Grand Rapids, MI, MSA	5,023	110	21	23	64	99	176	269	488	995	1,481	1,297	-
Male	2,502	73	12	11	42	71	115	178	288	566	744	402	-
Female	2,521	37	9	12	22	28	61	91	200	429	737	895	-
White	4,705	84	15	19	58	82	141	240	436	940	1,428	1,284	-
Male	2,327	59	10	10	37	60	92	157	253	538	718	395	-
Female	2,378	25	5	9	19	22	49	83	183	404	710	889	-
All other	318	26	6	4	8	17	35	29	52	55	53	33	-
Male	175	14	2	1	5	11	23	21	35	30	28	7	-
Female	143	12	4	3	3	6	12	8	17	25	27	26	-
Black	285	24	6	4	6	15	30	25	49	50	48	28	-
Male	158	13	2	1	5	9	20	18	34	27	22	7	-
Female	127	11	4	3	1	6	10	7	15	23	26	21	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 143

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1993—Con.

(Page 18 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Great Falls, MT, MSA	716	7	-	2	15	16	25	35	84	174	188	172	-
Male	382	5	-	2	11	14	18	19	52	93	100	68	-
Female	334	2	-	-	4	2	7	16	32	81	88	104	-
White	697	6	-	1	14	16	24	34	79	169	184	170	-
Male	371	4	-	1	10	14	18	18	49	92	98	67	-
Female	326	2	-	-	4	2	6	16	30	77	86	103	-
All other	19	1	-	1	1	-	1	1	5	2	2	2	-
Male	11	1	-	1	1	-	-	1	3	1	2	1	-
Female	8	-	-	-	-	-	1	-	2	4	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Greeley, CO, MSA	952	15	5	8	19	23	41	43	115	165	270	248	-
Male	497	9	3	7	15	14	22	27	71	99	138	92	-
Female	455	6	2	1	4	9	19	16	44	66	132	156	-
White	948	15	5	8	19	23	41	43	115	163	269	247	-
Male	495	9	3	7	15	14	22	27	71	99	137	91	-
Female	453	6	2	1	4	9	19	16	44	64	132	156	-
All other	4	-	-	-	-	-	-	-	-	2	1	1	-
Male	2	-	-	-	-	-	-	-	-	-	1	1	-
Female	2	-	-	-	-	-	-	-	-	2	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Green Bay, WI, MSA	1,446	19	3	5	17	39	38	55	136	286	460	388	-
Male	720	13	3	4	13	29	29	31	81	161	236	120	-
Female	726	6	-	1	4	10	9	24	55	125	224	268	-
White	1,419	16	3	4	16	37	38	54	131	281	455	384	-
Male	709	10	3	3	13	28	29	30	78	161	236	118	-
Female	710	6	-	1	3	9	9	24	53	120	219	266	-
All other	27	3	-	1	1	2	-	1	5	5	5	4	-
Male	11	3	-	1	-	1	-	1	3	-	-	2	-
Female	16	-	-	-	1	1	-	-	2	5	5	2	-
Black	2	-	-	-	-	1	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Greensboro-Winston-Salem-High Point, NC, MSA	8,759	135	31	28	135	212	381	546	975	2,002	2,484	1,830	-
Male	4,468	83	15	17	107	156	265	342	592	1,155	1,182	554	-
Female	4,291	52	16	11	28	56	116	204	383	847	1,302	1,276	-
White	6,898	78	16	19	81	127	237	378	722	1,652	2,092	1,597	-
Male	3,516	46	6	12	63	100	161	239	444	973	1,007	465	-
Female	3,483	32	10	7	18	27	76	139	278	679	1,085	1,132	-
All other	1,760	57	15	9	54	85	144	168	253	350	392	233	-
Male	852	37	9	5	44	56	104	103	148	182	175	89	-
Female	808	20	6	4	10	29	40	65	105	168	217	144	-
Black	1,733	58	14	7	53	83	140	166	248	347	388	231	-
Male	835	36	9	4	43	54	100	101	146	181	173	88	-
Female	788	20	5	3	10	29	40	65	102	166	215	143	-
Greenville-Spartanburg, SC, MSA	5,842	72	19	12	120	154	242	416	722	1,347	1,676	1,161	1
Male	3,082	43	12	9	95	110	162	279	451	785	783	352	1
Female	2,860	29	7	3	25	44	80	137	271	562	893	809	-
White	4,679	49	9	8	88	104	178	314	551	1,117	1,429	1,031	1
Male	2,502	28	3	5	66	77	118	202	346	673	674	309	1
Female	2,377	21	6	3	22	27	60	112	205	444	755	722	-
All other	1,063	23	10	4	32	50	64	102	171	230	247	130	-
Male	580	15	9	4	29	33	44	77	105	112	109	43	-
Female	483	8	1	-	3	17	20	25	66	118	138	87	-
Black	1,050	22	10	4	31	49	64	100	168	228	245	129	-
Male	572	15	9	4	28	32	44	75	104	111	107	43	-
Female	478	7	1	-	3	17	20	25	64	117	138	86	-
Hagerstown, MD, MSA	1,129	12	2	1	9	21	36	51	147	291	303	256	-
Male	537	6	2	1	8	15	24	35	90	152	136	68	-
Female	592	6	-	-	1	6	12	16	57	139	167	188	-
White	1,103	11	1	1	9	20	33	50	143	286	297	252	-
Male	522	6	1	1	8	14	22	34	88	150	132	66	-
Female	581	5	-	-	1	6	11	16	55	136	165	186	-
All other	26	1	1	-	1	3	1	4	5	6	4	4	-
Male	15	-	1	-	-	1	2	1	2	2	2	2	-
Female	11	1	-	-	-	-	1	-	2	3	2	2	-
Black	26	1	1	-	-	1	3	1	4	5	6	4	-
Male	15	-	1	-	-	1	2	1	2	2	4	2	-
Female	11	1	-	-	-	-	1	-	2	3	2	2	-
Hamilton-Middletown, OH, PMSA	2,366	31	7	14	28	42	72	155	281	557	668	511	-
Male	1,142	18	3	10	17	28	41	92	166	327	289	151	-
Female	1,224	13	4	4	11	14	31	63	115	230	379	360	-
White	2,224	29	6	14	20	37	66	136	265	523	636	492	-
Male	1,070	17	3	10	12	28	37	79	155	310	273	148	-
Female	1,154	12	3	4	8	11	29	57	110	213	363	344	-
All other	142	2	1	-	8	5	6	19	16	34	32	19	-
Male	72	1	-	-	5	2	4	13	11	17	16	3	-
Female	70	1	1	-	3	3	2	6	5	17	16	16	-
Black	142	2	1	-	8	5	6	19	16	34	32	19	-
Male	72	1	-	-	5	2	4	13	11	17	16	3	-
Female	70	1	1	-	3	3	2	6	5	17	16	16	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 144

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1993—Con.

(Page 19 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Harrisburg-Lebanon-Carlisle, PA, MSA	5,639	65	17	22	64	104	166	282	543	1,257	1,709	1,407	3
Male	2,790	33	12	18	54	80	109	171	333	726	834	418	2
Female	2,849	32	5	4	10	24	57	111	210	531	875	989	1
White	5,242	49	14	19	55	85	134	244	486	1,165	1,625	1,363	3
Male	2,577	24	9	17	47	65	91	146	301	677	796	402	2
Female	2,665	25	5	2	8	20	43	98	185	488	829	961	1
All other	397	16	3	3	9	19	32	38	57	92	84	44	-
Male	213	9	3	1	7	15	18	25	32	49	38	16	-
Female	184	7	-	2	2	4	14	13	25	43	46	28	-
Black	379	16	3	3	8	17	32	38	54	86	82	40	-
Male	206	9	3	1	6	13	18	25	31	47	38	15	-
Female	173	7	-	2	2	4	14	13	23	39	44	25	-
Hartford-New Britain-Middletown, CT, NECMA	9,802	123	26	28	112	237	366	492	912	2,034	2,868	2,604	-
Male	4,792	72	16	15	82	175	256	314	545	1,162	1,398	757	-
Female	5,010	51	10	13	30	62	110	178	367	872	1,470	1,847	-
White	9,144	79	21	23	90	183	289	431	918	1,909	2,754	2,517	-
Male	4,412	50	12	11	66	133	204	270	480	1,102	1,335	739	-
Female	4,732	29	9	12	24	50	85	161	328	807	1,419	1,808	-
All other	659	44	5	5	22	54	77	61	94	125	114	57	-
Male	380	22	4	4	16	42	52	44	55	60	63	18	-
Female	278	22	1	1	6	12	25	17	39	65	51	39	-
Black	619	41	4	4	20	52	74	58	90	119	107	52	-
Male	357	20	4	3	14	40	52	41	52	58	58	17	-
Female	262	21	-	1	6	12	22	15	38	63	49	35	-
Hickory-Morganton, NC, MSA	2,001	29	7	5	25	56	64	146	264	459	575	371	-
Male	1,068	18	3	4	20	45	45	98	180	274	265	116	-
Female	933	11	4	1	5	11	19	48	84	185	310	255	-
White	1,812	24	6	4	20	43	54	131	239	415	534	342	-
Male	962	14	3	3	15	34	36	88	165	245	248	111	-
Female	850	10	3	1	5	9	18	43	74	170	286	231	-
All other	189	5	1	1	5	13	10	15	25	44	41	29	-
Male	106	4	-	1	5	11	9	15	29	17	17	5	-
Female	83	1	1	-	-	2	1	5	10	15	24	24	-
Black	187	4	1	1	5	12	10	15	25	44	41	29	-
Male	105	4	-	1	5	10	9	10	15	29	17	5	-
Female	82	-	1	-	-	2	1	5	10	15	24	24	-
Honolulu, HI, MSA	5,276	99	17	14	84	150	263	316	586	1,136	1,442	1,155	16
Male	3,073	55	6	8	61	116	184	207	370	705	832	520	9
Female	2,203	44	11	6	23	34	79	108	216	431	610	635	6
White	4,468	12	5	3	19	49	90	87	157	324	421	295	6
Male	871	7	2	2	14	37	67	61	119	218	234	105	5
Female	597	5	3	1	5	12	23	26	38	106	187	190	1
All other	3,808	87	12	11	65	101	173	228	429	812	1,021	680	9
Male	2,202	48	4	6	47	79	117	146	251	487	598	415	4
Female	1,606	39	8	5	18	22	56	82	178	325	423	445	5
Black	35	6	-	-	3	5	5	5	1	5	2	3	-
Male	24	4	-	-	3	5	3	2	1	4	1	1	-
Female	11	2	-	-	-	-	2	3	-	1	1	2	-
Houma-Thibodaux, LA, MSA	1,342	27	7	12	46	49	65	93	177	302	354	210	-
Male	724	15	5	7	33	31	43	59	114	172	173	72	-
Female	618	12	2	5	13	18	22	34	63	130	181	138	-
White	1,082	15	6	11	36	33	47	69	138	255	296	188	-
Male	601	9	5	7	26	22	35	47	94	144	147	65	-
Female	491	6	1	4	10	11	12	22	44	111	149	121	-
All other	250	12	1	1	10	16	18	24	39	47	58	24	-
Male	123	6	-	-	7	9	8	12	20	28	26	7	-
Female	127	6	1	1	3	7	10	12	19	19	32	17	-
Black	220	11	1	1	10	11	17	21	34	42	50	22	-
Male	103	5	-	-	7	5	8	10	15	25	22	6	-
Female	117	6	1	1	3	6	9	11	19	17	28	16	-
Houston, TX, PMSA	21,537	532	108	166	582	1,178	1,670	1,830	2,817	4,468	4,734	3,141	11
Male	11,827	299	63	96	449	910	1,218	1,182	1,742	2,569	2,227	1,063	9
Female	9,710	233	45	70	133	268	452	648	1,075	1,899	2,507	2,078	2
White	16,244	322	73	113	384	794	1,140	1,284	2,034	3,449	3,794	2,052	5
Male	8,819	174	41	65	295	624	873	841	1,275	2,010	1,782	855	4
Female	7,425	148	32	48	89	170	267	443	759	1,439	2,032	1,097	1
All other	5,293	210	35	53	198	384	530	546	783	1,019	940	589	6
Male	3,008	125	22	31	154	266	345	341	467	559	465	206	5
Female	2,285	85	13	22	44	98	185	205	316	460	475	381	1
Black	4,958	195	34	47	175	367	502	509	734	959	871	559	6
Male	2,817	116	22	28	136	275	330	317	436	534	425	193	5
Female	2,141	79	12	19	39	92	172	192	298	425	446	366	1
Huntington-Ashland, WV-KY-OH, MSA	3,483	32	6	10	38	64	102	194	441	787	1,051	758	-
Male	1,776	17	5	4	25	48	61	113	286	441	514	262	-
Female	1,707	15	1	6	13	16	41	81	155	346	537	496	-
White	3,405	29	6	10	38	63	97	190	432	784	1,037	739	-
Male	1,740	16	5	4	25	48	58	110	280	427	506	281	-
Female	1,665	13	1	6	13	15	39	80	152	337	531	478	-
All other	78	3	-	-	-	1	5	4	9	23	14	19	-
Male	36	1	-	-	-	-	3	3	6	14	8	1	-
Female	42	2	-	-	-	1	2	1	3	9	6	18	-
Black	76	3	-	-	-	1	4	4	8	23	14	19	-
Male	35	1	-	-	-	1	3	3	5	14	8	1	-
Female	41	2	-	-	-	1	1	1	3	9	6	18	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 145

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1993—Con.
(Page 20 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Huntsville, AL, MSA	1,738	24	6	6	22	59	74	138	261	403	435	310	-
Male	901	15	-	3	15	43	45	83	169	232	194	102	-
Female	837	9	6	3	7	16	29	55	92	171	241	208	-
White	1,430	13	4	5	21	42	49	104	215	336	381	260	-
Male	737	8	-	3	14	30	30	61	141	189	166	85	-
Female	693	5	4	2	7	12	19	43	74	137	215	175	-
All other	308	11	2	1	1	17	25	34	46	67	54	50	-
Male	164	7	-	-	1	13	15	22	28	33	28	17	-
Female	144	4	2	1	-	4	10	12	18	34	26	33	-
Black	300	9	2	1	1	17	23	33	46	66	53	49	-
Male	159	5	-	-	1	13	14	21	28	32	28	17	-
Female	141	4	2	1	-	4	9	12	18	34	25	32	-
Indianapolis, IN, MSA	10,840	202	33	37	146	285	447	625	1,291	2,423	2,866	2,505	-
Male	5,280	120	18	18	107	184	315	395	778	1,317	1,311	717	-
Female	5,560	82	15	19	39	81	132	230	513	1,106	1,555	1,788	-
White	9,159	140	25	31	100	196	331	505	1,047	2,063	2,492	2,229	-
Male	4,455	88	15	17	67	143	242	316	641	1,139	1,147	640	-
Female	4,704	52	10	14	33	53	89	169	406	924	1,345	1,589	-
All other	1,681	62	8	6	46	69	116	120	244	360	374	276	-
Male	825	32	3	1	40	41	73	79	137	178	164	77	-
Female	856	30	5	5	6	28	43	41	107	182	210	199	-
Black	1,656	62	6	6	48	68	114	120	237	350	370	275	-
Male	811	32	3	1	40	41	72	79	133	172	162	76	-
Female	845	30	5	5	6	27	42	41	104	178	208	199	-
Iowa City, IA, MSA	455	3	1	2	8	14	10	22	47	83	126	139	-
Male	212	2	-	2	7	11	7	9	33	46	51	44	-
Female	243	1	1	-	1	3	3	13	14	37	75	95	-
White	445	2	1	2	6	13	9	22	46	82	125	137	-
Male	206	2	-	2	6	10	6	9	32	46	50	43	-
Female	239	-	1	-	-	3	3	13	14	38	75	94	-
All other	10	1	-	-	2	1	1	-	1	1	1	2	-
Male	6	-	-	-	1	1	1	-	-	-	-	1	-
Female	4	1	-	-	-	-	-	-	-	-	-	1	-
Black	5	-	-	-	2	-	1	-	-	-	-	1	-
Male	4	-	-	-	1	-	1	-	1	-	-	1	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-
Jackson, MI, MSA	1,383	19	7	1	14	27	46	67	171	339	370	322	-
Male	723	10	2	-	8	23	33	46	123	196	194	88	-
Female	660	9	5	1	6	4	13	21	48	143	176	234	-
White	1,267	16	5	1	12	24	37	52	156	316	356	310	-
Male	657	7	4	1	6	20	25	34	111	181	187	85	-
Female	630	9	1	-	6	4	12	18	45	137	169	225	-
All other	98	3	2	-	2	3	9	15	15	21	14	12	-
Male	66	3	1	-	2	3	8	12	15	7	3	3	-
Female	30	-	1	-	-	-	1	3	3	6	7	9	-
Black	83	3	2	-	2	2	8	12	13	19	10	12	-
Male	57	3	1	-	2	2	7	10	11	14	4	3	-
Female	26	-	1	-	-	-	1	2	2	5	6	9	-
Jackson, MS, MSA	3,533	72	21	17	84	147	209	252	419	752	889	669	2
Male	1,682	44	12	13	64	115	134	157	266	431	418	207	1
Female	1,671	28	9	4	20	32	75	95	153	321	471	462	1
White	2,000	20	8	7	25	56	78	113	241	445	576	433	-
Male	1,011	11	4	4	16	48	47	79	161	263	279	107	-
Female	989	9	4	3	9	10	29	34	80	182	303	326	-
All other	1,533	52	13	10	59	91	133	139	178	307	313	236	2
Male	851	33	8	9	48	69	87	78	105	168	145	100	1
Female	682	19	5	1	11	22	46	61	73	139	168	136	1
Black	1,500	52	13	10	59	90	133	138	177	307	313	236	2
Male	850	33	8	9	48	69	87	78	104	168	145	100	1
Female	680	19	5	1	11	21	46	60	73	139	168	136	1
Jackson, TN, MSA	830	17	4	3	13	18	31	58	85	177	212	212	-
Male	431	10	3	2	12	10	22	46	59	99	101	87	-
Female	399	7	1	1	1	8	9	12	26	78	111	145	-
White	583	6	2	2	4	10	19	38	58	117	164	163	-
Male	285	5	1	2	3	5	14	31	39	67	80	48	-
Female	298	1	-	-	1	5	5	7	19	50	84	115	-
All other	247	11	2	1	9	8	12	20	27	60	48	49	-
Male	136	5	2	-	9	5	8	15	20	32	21	19	-
Female	111	6	-	1	-	3	4	5	7	28	27	30	-
Black	247	11	2	1	9	8	12	20	27	60	48	49	-
Male	136	5	2	-	9	5	8	15	20	32	21	19	-
Female	111	6	-	1	-	3	4	5	7	28	27	30	-
Jacksonville, FL, MSA	8,076	168	35	29	133	254	437	585	997	1,867	2,050	1,517	4
Male	4,168	95	18	20	94	176	298	399	586	1,049	958	483	2
Female	3,908	73	17	9	39	78	139	196	411	818	1,092	1,034	2
White	6,243	90	21	12	82	162	288	410	773	1,456	1,632	1,275	2
Male	3,218	51	10	9	66	109	209	281	466	840	771	414	2
Female	3,025	39	11	3	26	53	89	129	307	646	861	861	-
All other	1,833	78	14	17	51	92	139	175	224	381	418	242	-
Male	950	44	8	11	38	67	89	108	120	209	187	89	-
Female	883	34	6	6	13	25	50	67	104	172	231	173	2
Black	1,806	77	14	17	50	92	137	171	217	374	416	239	2
Male	933	43	8	11	37	67	88	105	116	205	185	68	-
Female	873	34	6	6	13	25	49	66	101	169	231	171	2

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 146

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1993—Con.
(Page 21 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Jacksonville, NC, MSA	664	28	4	6	30	29	42	48	83	152	152	80	-
Male	381	18	3	4	27	18	24	30	58	96	73	28	-
Female	283	10	1	2	3	11	18	18	25	54	79	62	-
White	542	19	4	4	24	25	31	41	68	123	127	76	-
Male	310	12	3	4	22	16	19	25	47	78	81	23	-
Female	232	7	1	-	2	9	12	16	21	45	46	53	-
All other	122	9	-	2	6	4	11	7	15	29	25	14	-
Male	71	6	-	-	5	2	5	5	11	20	12	5	-
Female	51	3	-	2	1	2	6	2	4	9	13	9	-
Black	120	9	-	2	5	4	11	7	14	29	25	14	-
Male	70	6	-	-	4	2	5	5	11	20	12	5	-
Female	50	3	-	2	1	2	6	2	3	9	13	9	-
Jamestown-Dunkirk, NY, MSA	1,556	16	1	8	18	25	34	68	132	306	492	454	-
Male	772	9	1	5	14	15	20	41	77	172	258	180	-
Female	784	7	-	3	4	10	14	27	55	136	234	274	-
White	1,541	13	1	8	18	25	34	66	130	307	488	451	-
Male	763	6	1	5	14	15	20	41	76	171	254	180	-
Female	778	7	-	3	4	10	14	25	54	136	234	271	-
All other	15	3	-	-	-	-	-	2	2	1	4	3	-
Male	9	3	-	-	-	-	-	1	1	1	4	-	-
Female	6	-	-	-	-	-	-	2	1	-	-	3	-
Black	12	3	-	-	-	-	-	1	1	1	3	3	-
Male	8	3	-	-	-	-	-	1	1	1	3	-	-
Female	4	-	-	-	-	-	-	1	-	-	-	3	-
Janesville-Beloit, WI, MSA	1,307	10	1	3	20	20	24	56	183	231	392	387	-
Male	634	7	-	1	13	14	13	31	103	120	209	123	-
Female	673	3	1	2	7	6	11	25	80	111	183	264	-
White	1,273	9	1	3	20	20	24	51	158	222	383	382	-
Male	618	7	-	1	13	14	13	28	101	116	204	121	-
Female	655	2	1	2	7	6	11	23	57	106	179	261	-
All other	34	1	-	-	-	-	-	5	5	9	9	5	-
Male	16	-	-	-	-	-	-	3	2	4	5	2	-
Female	18	1	-	-	-	-	-	2	3	5	4	3	-
Black	33	1	-	-	-	-	-	5	5	8	9	5	-
Male	16	-	-	-	-	-	-	3	2	4	5	2	-
Female	17	1	-	-	-	-	-	2	3	4	4	3	-
Jersey City, NJ, PMSA	5,386	72	12	15	53	230	407	376	618	1,168	1,414	1,019	2
Male	2,756	39	5	9	40	166	282	243	368	634	640	330	2
Female	2,630	33	7	6	13	64	125	133	252	534	774	689	-
White	4,584	44	6	8	34	151	265	269	505	1,027	1,310	983	2
Male	2,288	27	1	5	25	108	189	179	304	553	591	304	2
Female	2,296	17	5	3	9	43	76	90	201	474	719	679	-
All other	802	28	6	7	19	79	142	107	113	141	104	56	-
Male	468	12	4	4	15	58	93	64	62	81	49	26	-
Female	334	16	2	3	4	21	49	43	51	60	55	30	-
Black	735	26	6	6	14	74	137	100	100	130	91	51	-
Male	424	12	4	3	10	55	89	58	55	77	38	23	-
Female	311	14	2	3	4	19	48	42	45	53	53	28	-
Johnson City-Kingsport-Bristol, TN-VA, MSA	4,715	37	10	8	61	88	169	319	541	1,112	1,344	1,026	-
Male	2,393	20	9	5	41	65	109	198	318	659	661	306	-
Female	2,322	17	1	3	20	23	60	121	223	453	683	718	-
White	4,624	37	10	7	61	86	160	313	526	1,089	1,327	1,006	-
Male	2,346	20	9	5	41	63	102	195	308	647	652	304	-
Female	2,278	17	1	2	20	23	58	118	218	442	675	704	-
All other	91	-	-	1	-	2	9	6	15	23	17	18	-
Male	47	-	-	-	-	2	7	3	10	12	9	4	-
Female	44	-	-	1	-	2	2	3	5	11	8	14	-
Black	88	-	-	-	-	2	9	6	13	23	17	18	-
Male	46	-	-	-	-	2	7	3	9	12	9	4	-
Female	42	-	-	-	-	2	3	4	11	11	8	14	-
Johnstown, PA, MSA	2,719	14	2	1	24	27	63	116	241	669	924	638	-
Male	1,375	9	2	1	19	22	41	74	151	376	484	196	-
Female	1,344	5	-	-	5	5	22	42	90	293	440	442	-
White	2,685	13	2	1	24	25	61	116	236	659	917	631	-
Male	1,351	9	2	1	19	20	40	74	147	369	478	192	-
Female	1,334	4	-	-	5	5	21	42	89	290	439	439	-
All other	34	1	-	-	-	2	2	-	5	10	7	7	-
Male	24	-	-	-	-	2	1	-	4	7	6	4	-
Female	10	1	-	-	-	1	1	-	1	3	1	3	-
Black	33	1	-	-	-	2	2	-	5	10	6	7	-
Male	23	-	-	-	-	2	1	-	4	7	5	4	-
Female	10	1	-	-	-	1	1	-	1	3	1	3	-
Joliet, IL, PMSA	2,803	35	12	18	59	78	124	177	317	555	785	643	-
Male	1,407	17	8	10	43	56	81	107	199	315	383	188	-
Female	1,396	18	4	8	16	22	43	70	118	240	402	455	-
White	2,556	27	8	14	45	56	96	153	291	506	745	615	-
Male	1,262	12	5	6	34	38	68	90	185	282	362	178	-
Female	1,294	15	3	8	11	18	28	63	106	224	383	437	-
All other	247	8	4	4	14	22	28	24	26	49	40	28	-
Male	145	5	3	2	9	18	13	17	14	33	21	10	-
Female	102	3	1	2	5	4	15	7	12	16	19	18	-
Black	237	8	4	4	14	22	27	22	26	46	37	27	-
Male	139	5	3	2	9	18	13	15	14	32	18	10	-
Female	98	3	1	2	5	4	14	7	12	14	19	17	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 147

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1993—Con.
(Page 22 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Joplin, MO, MSA	1,551	18	7	8	27	41	28	71	170	326	472	382	1
Male	776	10	2	5	20	33	18	47	101	200	222	118	-
Female	775	8	5	3	7	8	10	24	69	126	250	264	1
White	1,527	18	7	8	26	36	26	71	170	321	465	378	1
Male	757	10	2	5	19	29	16	47	101	185	216	117	-
Female	770	8	5	3	7	7	10	24	69	126	249	261	1
All other	24	-	-	-	1	5	2	-	-	5	7	4	-
Male	19	-	-	-	1	4	2	-	-	5	6	1	-
Female	5	-	-	-	-	1	-	-	-	-	1	3	-
Black	18	-	-	-	1	4	2	-	-	2	6	3	-
Male	13	-	-	-	1	3	2	-	-	2	5	-	-
Female	5	-	-	-	-	1	-	-	-	-	1	3	-
Kalamazoo, MI, MSA	1,725	27	3	12	27	34	55	92	171	388	479	437	-
Male	849	12	1	7	19	22	36	49	109	221	240	133	-
Female	876	15	2	5	8	12	19	43	62	167	239	304	-
White	1,579	17	2	8	18	27	47	79	148	352	455	426	-
Male	785	8	1	5	11	20	30	42	93	197	230	128	-
Female	814	9	1	3	7	7	17	37	55	155	225	298	-
All other	146	10	1	4	9	7	8	13	23	38	24	11	-
Male	84	4	-	2	8	2	6	7	16	24	10	5	-
Female	62	6	1	2	1	5	2	6	7	12	14	6	-
Black	134	10	1	2	8	6	8	13	22	33	21	10	-
Male	78	4	-	-	7	2	6	7	15	22	10	5	-
Female	56	6	1	2	1	4	2	6	7	11	11	5	-
Kankakee, IL, MSA	1,029	17	2	6	25	18	32	59	90	247	308	225	-
Male	523	11	2	4	21	14	24	34	44	141	154	74	-
Female	506	6	-	2	4	4	8	25	46	106	154	151	-
White	870	8	1	6	13	12	21	47	70	215	274	203	-
Male	430	7	1	4	11	10	14	25	34	122	138	64	-
Female	440	1	-	2	2	2	7	22	36	93	136	139	-
All other	159	9	1	-	12	6	11	12	20	32	34	22	-
Male	93	4	1	-	10	4	10	9	10	19	16	10	-
Female	66	5	-	-	2	2	1	3	10	13	18	12	-
Black	158	9	1	-	12	6	11	12	19	32	34	22	-
Male	93	4	1	-	10	4	10	9	10	19	16	10	-
Female	65	5	-	-	2	2	1	3	9	13	18	12	-
Kansas City, MO-KS, MSA	13,807	225	40	46	259	393	521	784	1,477	2,658	3,782	3,419	3
Male	6,849	128	25	29	205	285	383	490	888	1,605	1,802	1,027	2
Female	6,958	97	15	17	54	108	158	294	589	1,253	1,980	2,392	1
White	11,807	135	27	33	155	292	385	640	1,189	2,480	3,338	3,121	2
Male	5,805	83	18	21	110	215	275	413	726	1,406	1,604	933	1
Female	6,002	52	9	12	45	77	120	227	463	1,074	1,734	2,188	1
All other	2,000	90	13	13	104	101	126	144	288	378	444	298	1
Male	1,044	45	7	8	95	70	88	77	162	199	198	94	1
Female	956	45	6	5	9	31	38	67	126	179	246	204	-
Black	1,835	90	13	13	102	94	122	142	282	359	426	291	1
Male	1,009	45	7	8	93	65	84	76	157	191	188	94	1
Female	926	45	6	5	9	29	38	66	125	168	238	197	-
Kenosha, WI, PMSA	1,148	18	1	1	11	27	37	60	143	222	335	294	1
Male	598	10	1	-	8	19	25	49	86	131	169	99	1
Female	550	8	-	1	3	8	12	11	57	91	166	195	-
White	1,113	10	1	1	11	25	34	56	138	217	328	291	1
Male	579	7	1	-	8	18	24	46	84	127	164	99	1
Female	534	3	-	1	3	7	10	10	54	90	164	192	-
All other	35	6	-	-	-	2	3	4	5	5	7	3	-
Male	19	3	-	-	-	1	1	3	2	4	5	-	-
Female	16	3	-	-	-	1	2	1	3	1	2	3	-
Black	30	6	-	-	-	1	2	3	4	3	6	2	-
Male	17	3	-	-	-	1	1	3	2	3	4	-	-
Female	13	3	-	-	-	1	1	1	1	1	2	2	-
Killeen-Temple, TX, MSA	1,585	40	4	17	37	45	88	112	202	351	370	338	1
Male	835	24	4	10	29	35	40	71	124	214	181	103	-
Female	750	16	-	7	8	10	28	41	78	137	189	235	1
White	1,406	23	1	15	29	32	57	92	171	317	349	319	1
Male	745	15	1	10	23	25	32	58	110	199	173	99	-
Female	661	8	-	5	6	7	25	34	61	118	176	220	1
All other	179	17	3	2	8	13	11	20	31	34	21	19	-
Male	90	9	3	-	6	10	8	13	14	15	8	4	-
Female	89	8	-	2	2	3	3	7	17	19	13	15	-
Black	168	16	3	2	8	12	10	18	27	33	20	19	-
Male	90	9	3	-	6	10	8	13	14	15	8	4	-
Female	78	7	-	2	2	2	2	5	13	18	12	15	-
Knoxville, TN, MSA	5,840	51	15	14	82	130	227	358	678	1,313	1,750	1,321	1
Male	2,993	35	10	8	56	92	154	226	408	760	856	387	1
Female	2,847	16	5	6	26	38	73	132	270	553	894	934	-
White	5,518	40	13	13	67	116	203	315	628	1,238	1,632	1,254	1
Male	2,765	27	9	8	46	82	137	194	378	716	807	362	1
Female	2,753	13	4	5	21	34	66	121	250	522	825	892	-
All other	422	11	2	1	15	14	24	43	52	75	118	67	-
Male	228	8	1	-	10	10	17	32	32	44	49	25	-
Female	194	3	1	1	5	4	7	11	20	31	69	42	-
Black	414	11	2	1	14	14	22	43	52	73	117	65	-
Male	224	8	1	-	10	10	16	32	32	43	48	24	-
Female	190	3	1	1	4	4	6	11	20	30	69	41	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 148

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1993—Con.

(Page 23 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Kokomo, IN, MSA	927	10	-	1	9	9	26	51	103	245	263	210	-
Male	456	5	-	-	7	6	14	35	63	139	128	59	-
Female	471	5	-	1	2	3	12	16	40	106	135	151	-
White	898	10	-	1	9	9	22	48	98	239	257	205	-
Male	439	5	-	-	7	6	11	32	60	136	123	59	-
Female	459	5	-	1	2	3	11	16	38	103	134	146	-
All other	29	-	-	-	-	-	4	3	5	6	6	5	-
Male	17	-	-	-	-	-	3	3	3	3	5	-	-
Female	12	-	-	-	-	-	1	-	2	3	1	5	-
Black	29	-	-	-	-	-	4	3	5	6	6	5	-
Male	17	-	-	-	-	-	3	3	3	3	5	-	-
Female	12	-	-	-	-	-	1	-	2	3	1	5	-
La Crosse, WI, MSA	879	12	3	4	6	14	20	29	71	178	270	272	-
Male	427	10	2	2	5	13	16	17	49	93	129	81	-
Female	452	2	1	2	1	1	4	12	22	85	141	181	-
White	872	11	3	3	6	13	18	29	69	178	270	272	-
Male	423	9	2	2	5	12	14	17	49	93	129	81	-
Female	449	2	1	1	1	1	4	12	20	85	141	181	-
All other	7	1	-	1	-	-	2	-	2	-	-	-	-
Male	4	1	-	-	-	1	2	-	-	-	-	-	-
Female	3	-	-	1	-	-	-	-	2	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Lafayette, LA, MSA	1,533	25	8	10	37	51	76	118	211	324	399	274	-
Male	813	11	5	5	24	41	55	77	135	199	187	74	-
Female	720	14	3	5	13	10	21	41	76	125	212	200	-
White	1,112	15	5	5	21	34	48	77	139	235	308	225	-
Male	583	7	4	2	12	28	37	54	94	148	140	57	-
Female	529	8	1	3	9	6	11	23	45	87	168	168	-
All other	421	10	3	5	16	17	28	41	72	89	91	49	-
Male	230	4	1	3	12	13	18	23	41	51	47	17	-
Female	191	6	2	2	4	4	10	18	31	38	44	32	-
Black	415	10	3	5	15	16	26	41	71	89	90	49	-
Male	226	4	1	3	11	12	18	23	40	51	46	17	-
Female	189	6	2	2	4	4	8	18	31	38	44	32	-
Lafayette-West Lafayette, IN, MSA	972	21	3	-	22	14	21	58	102	221	276	234	-
Male	484	11	2	-	21	11	15	43	57	127	132	85	-
Female	488	10	1	-	1	3	6	15	45	94	144	139	-
White	951	18	3	-	21	14	20	58	98	214	275	232	-
Male	488	8	2	-	20	11	14	41	55	122	131	84	-
Female	483	10	1	-	1	3	6	15	43	92	144	168	-
All other	21	3	-	-	1	-	1	2	4	7	1	2	-
Male	16	3	-	-	1	-	1	2	2	5	1	1	-
Female	5	-	-	-	-	-	-	-	2	2	-	1	-
Black	16	1	-	-	1	-	-	2	3	6	1	2	-
Male	13	1	-	-	1	-	-	2	2	5	1	1	-
Female	3	-	-	-	-	-	-	-	1	1	-	1	-
Lake Charles, LA, MSA	1,590	32	10	11	36	52	67	95	214	350	439	284	-
Male	847	19	7	8	31	30	46	67	133	196	222	88	-
Female	743	13	3	3	5	22	21	28	81	154	217	196	-
White	1,189	13	6	9	24	36	39	55	155	271	345	236	-
Male	614	4	4	7	19	22	27	40	83	154	174	70	-
Female	575	9	2	2	5	14	12	15	62	117	171	166	-
All other	401	19	4	2	12	16	28	40	59	79	94	48	-
Male	233	15	3	1	12	8	19	27	40	42	48	18	-
Female	168	4	1	1	-	8	9	13	19	37	46	30	-
Black	400	19	4	2	12	16	28	40	59	78	94	48	-
Male	233	15	3	1	12	8	19	27	40	42	48	18	-
Female	167	4	1	1	-	8	9	13	19	36	46	30	-
Lake County, IL, PMSA	3,144	71	10	15	49	68	120	224	338	690	831	728	-
Male	1,622	45	6	10	36	46	87	130	207	420	423	212	-
Female	1,522	26	4	5	13	22	33	94	131	270	408	516	-
White	2,901	52	9	9	40	54	104	199	300	639	794	701	-
Male	1,484	34	5	5	31	37	73	118	186	389	403	203	-
Female	1,417	18	4	4	9	17	31	81	114	250	391	498	-
All other	243	19	1	6	9	14	16	25	38	51	37	27	-
Male	138	11	1	5	5	9	14	12	21	31	20	9	-
Female	105	8	-	1	4	5	2	13	17	20	17	18	-
Black	227	17	1	6	9	12	14	23	36	50	33	26	-
Male	133	10	1	5	5	9	13	12	20	31	18	9	-
Female	94	7	-	1	4	3	1	11	16	19	15	17	-
Lakeland-Winter Haven, FL, MSA	4,652	76	17	14	70	97	151	237	487	1,111	1,406	1,004	2
Male	2,489	43	10	10	54	61	83	161	288	682	729	569	1
Female	2,153	33	7	4	16	36	58	76	181	429	677	435	1
White	4,102	52	13	8	56	73	104	180	395	1,017	1,292	911	1
Male	2,202	28	8	7	48	49	67	121	240	628	677	530	1
Female	1,900	24	5	1	10	24	37	59	155	389	615	381	1
All other	550	24	4	6	14	24	47	57	72	94	114	93	1
Male	297	15	2	3	8	12	26	40	46	54	52	39	-
Female	253	9	2	3	6	12	21	17	26	40	62	54	1
Black	543	24	4	6	14	24	47	55	70	93	113	92	1
Male	292	15	2	3	8	12	26	39	44	53	51	39	-
Female	251	9	2	3	6	12	21	16	26	40	62	53	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 149

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1993—Con.

(Page 24 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Lancaster, PA, MSA	3,782	53	10	20	50	72	122	149	330	730	1,099	1,146	1
Male	1,876	27	5	14	34	52	82	89	201	441	531	399	1
Female	1,906	26	5	6	16	20	40	60	129	289	568	747	-
White	3,713	50	9	19	47	66	112	145	323	719	1,087	1,136	-
Male	1,840	25	5	13	32	48	73	86	187	438	525	398	-
Female	1,873	25	4	6	15	18	39	59	126	281	562	738	-
All other	69	3	1	1	3	6	10	4	7	11	12	10	1
Male	36	2	-	1	2	4	9	3	4	3	6	1	1
Female	33	1	1	-	1	2	1	1	3	8	6	9	-
Black	58	2	1	1	3	4	10	3	6	11	10	6	1
Male	30	1	-	1	2	2	9	2	4	3	5	-	1
Female	28	1	1	-	1	2	1	1	2	8	5	6	-
Lansing-East Lansing, MI, MSA	2,906	40	12	18	37	82	119	173	317	569	818	721	-
Male	1,435	21	5	7	28	55	76	104	175	309	408	247	-
Female	1,471	19	7	11	9	27	43	69	142	260	410	474	-
White	2,716	29	10	13	32	71	100	152	287	529	790	693	-
Male	1,331	14	5	6	23	49	62	82	163	288	394	235	-
Female	1,385	15	5	7	9	22	38	60	134	241	396	458	-
All other	190	11	2	5	5	11	19	21	20	40	28	28	-
Male	104	7	-	1	5	6	14	12	12	21	14	12	-
Female	86	4	2	4	-	5	5	9	8	19	14	16	-
Black	172	11	2	5	5	8	18	20	16	38	23	26	-
Male	99	7	-	1	5	5	13	12	10	21	13	12	-
Female	73	4	2	4	-	3	5	8	6	17	10	14	-
Laredo, TX, MSA	813	34	6	4	24	34	41	52	78	174	188	171	7
Male	430	20	2	3	21	25	30	25	51	94	90	62	7
Female	383	14	4	1	3	9	11	27	27	80	98	109	-
White	810	33	6	4	24	33	41	52	77	174	188	171	7
Male	428	20	2	3	21	24	30	25	50	94	90	62	7
Female	382	13	4	1	3	9	11	27	27	80	98	109	-
All other	3	1	-	-	-	1	-	-	1	-	-	-	-
Male	2	-	-	-	-	1	-	-	1	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black	2	1	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Las Cruces, NM, MSA	810	13	4	3	21	26	35	45	88	188	227	160	-
Male	415	7	1	3	15	18	24	23	55	113	97	59	-
Female	395	6	3	-	6	8	11	22	33	75	130	101	-
White	796	13	4	3	20	24	33	44	86	185	226	158	-
Male	409	7	1	3	15	17	23	23	54	111	96	59	-
Female	387	6	3	-	5	7	10	21	32	74	130	99	-
All other	14	-	-	-	1	2	2	1	2	3	1	2	-
Male	6	-	-	-	1	1	1	1	1	2	1	-	-
Female	8	-	-	-	1	1	1	1	1	1	1	2	-
Black	9	-	-	-	1	1	1	1	1	2	1	2	-
Male	4	-	-	-	-	-	-	-	1	1	1	-	-
Female	5	-	-	-	1	1	-	-	-	1	-	2	-
Las Vegas, NV, MSA	7,127	94	26	29	126	265	383	531	1,093	1,914	1,783	896	7
Male	4,058	58	14	17	91	205	254	355	692	1,128	922	318	6
Female	3,069	36	12	12	35	60	109	176	401	788	861	578	1
White	6,490	66	20	26	87	221	285	470	982	1,793	1,691	844	5
Male	3,699	44	8	16	62	175	204	317	630	1,060	878	300	5
Female	2,791	22	12	10	25	46	81	153	352	733	813	544	-
All other	637	28	6	3	39	44	78	61	111	121	92	52	2
Male	359	14	6	1	29	30	50	38	62	66	44	18	1
Female	278	14	-	2	10	14	28	23	49	55	48	34	1
Black	522	26	5	3	33	41	62	48	87	96	74	45	2
Male	295	13	5	1	27	29	38	30	50	50	37	14	1
Female	227	13	-	2	6	12	24	18	37	46	37	31	1
Lawrence, KS, MSA	481	6	1	6	12	12	16	25	44	90	125	144	-
Male	241	4	1	4	9	9	11	16	28	53	58	48	-
Female	240	2	-	2	3	3	5	9	16	37	67	96	-
White	453	4	1	5	10	10	14	23	42	88	117	139	-
Male	227	2	1	4	8	8	10	15	26	51	55	47	-
Female	226	2	-	1	2	2	4	8	16	37	62	92	-
All other	28	2	-	1	2	2	2	2	2	2	3	5	-
Male	14	2	-	-	1	1	1	1	2	2	3	1	-
Female	14	-	-	1	1	1	1	1	-	-	5	4	-
Black	23	2	-	1	2	1	2	1	1	2	7	5	-
Male	11	2	-	-	1	1	1	-	1	2	2	1	-
Female	12	-	-	1	1	-	1	-	-	-	5	4	-
Lawton, OK, MSA	763	23	3	3	24	19	32	47	76	178	205	153	-
Male	403	18	2	2	17	17	24	30	41	98	103	51	-
Female	360	5	1	1	7	2	8	17	35	80	102	102	-
White	630	13	3	1	15	14	23	38	58	151	176	138	-
Male	333	9	2	-	10	12	18	24	35	87	90	46	-
Female	297	4	1	1	5	2	5	14	23	64	86	92	-
All other	133	10	-	2	9	5	9	9	18	27	29	15	-
Male	70	9	-	2	7	5	6	6	6	11	13	5	-
Female	63	1	-	-	2	-	3	3	12	16	16	10	-
Black	96	10	-	1	7	4	5	5	11	21	22	10	-
Male	48	9	-	1	6	4	3	2	3	7	10	3	-
Female	48	1	-	-	1	-	2	3	8	14	12	7	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 150

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1993—Con.

(Page 25 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Lewiston-Auburn, ME, NECMA	1,039	10	3	6	10	21	30	56	106	189	318	260	-
Male	511	5	2	3	8	13	25	36	71	115	149	104	-
Female	528	5	1	3	2	8	5	20	35	84	169	196	-
White	1,038	10	3	6	10	21	30	56	106	189	317	290	-
Male	511	5	2	3	8	13	25	36	71	115	149	104	-
Female	527	5	1	3	2	8	5	20	35	84	168	196	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Lexington-Fayette, KY, MSA	2,963	42	4	9	47	55	112	181	329	660	801	713	-
Male	1,494	23	2	6	34	38	73	119	209	391	400	199	-
Female	1,469	19	2	3	13	17	39	72	120	269	401	514	-
White	2,610	33	3	4	42	44	87	162	291	573	722	649	-
Male	1,295	19	2	3	30	32	54	102	187	334	357	175	-
Female	1,315	14	1	1	12	12	33	60	104	239	365	474	-
All other	353	9	1	5	5	11	25	29	38	87	79	84	-
Male	199	4	-	3	4	6	19	17	22	57	43	24	-
Female	154	5	1	2	1	5	6	12	16	30	36	40	-
Black	348	9	1	5	4	10	25	29	37	86	79	83	-
Male	199	4	-	3	3	6	19	17	22	57	43	24	-
Female	150	5	1	2	1	4	6	12	15	29	36	39	-
Lima, OH, MSA	1,460	21	1	3	17	17	40	78	124	330	441	390	-
Male	712	12	1	2	14	11	21	49	75	194	206	127	-
Female	748	9	-	1	3	6	19	27	49	136	235	263	-
White	1,355	15	1	3	11	13	30	60	115	313	414	380	-
Male	655	9	1	2	8	10	17	38	73	183	193	121	-
Female	700	6	-	1	3	3	13	22	42	130	221	259	-
All other	105	6	-	-	6	4	10	16	9	17	27	10	-
Male	57	3	-	-	6	1	4	11	2	11	13	6	-
Female	48	3	-	-	-	3	6	5	7	6	14	4	-
Black	103	6	-	-	6	4	10	15	9	17	26	10	-
Male	56	3	-	-	6	1	4	10	2	11	13	6	-
Female	47	3	-	-	-	3	6	5	7	6	13	4	-
Lincoln, NE, MSA	1,516	31	2	5	20	40	50	81	140	288	433	426	-
Male	734	15	2	3	13	29	33	49	89	175	211	115	-
Female	782	16	-	2	7	11	17	32	51	113	222	311	-
White	1,476	26	2	4	18	38	49	79	131	280	428	421	-
Male	713	12	2	3	12	27	33	49	82	171	207	115	-
Female	763	14	-	1	6	11	16	30	49	109	221	306	-
All other	40	5	-	1	2	2	1	2	9	8	5	5	-
Male	21	3	-	-	1	2	-	7	4	4	4	-	-
Female	19	2	-	1	1	-	1	2	2	4	1	5	-
Black	28	3	-	1	1	1	-	1	7	6	3	5	-
Male	14	2	-	-	-	1	-	-	6	3	2	-	-
Female	14	1	-	1	1	-	-	1	1	3	1	5	-
Little Rock-North Little Rock, AR, MSA	4,658	80	18	25	108	129	222	314	505	985	1,266	1,006	-
Male	2,394	53	9	14	81	94	150	203	328	566	592	304	-
Female	2,264	27	9	11	27	35	72	111	177	419	674	702	-
White	3,729	42	12	13	56	92	143	222	402	818	1,089	840	-
Male	1,882	29	5	7	38	70	100	143	257	479	512	242	-
Female	1,847	13	7	6	18	22	43	79	145	339	577	598	-
All other	929	38	6	12	52	37	79	92	103	167	177	166	-
Male	512	24	4	7	43	24	50	60	71	87	80	62	-
Female	417	14	2	5	9	13	29	32	32	80	97	104	-
Black	922	38	6	12	50	37	79	92	101	167	175	165	-
Male	509	24	4	7	41	24	50	60	71	87	79	62	-
Female	413	14	2	5	9	13	29	32	30	80	96	103	-
Longview-Marshall, TX, MSA	1,725	33	4	10	39	40	61	93	204	384	466	391	-
Male	900	20	1	5	28	27	42	61	131	229	231	125	-
Female	825	13	3	5	11	13	19	32	73	155	235	266	-
White	1,268	17	2	5	26	26	39	61	149	282	364	317	-
Male	662	12	-	3	20	17	26	41	95	167	181	100	-
Female	626	5	2	2	6	9	13	20	54	115	183	217	-
All other	437	16	2	5	13	14	22	32	55	102	102	74	-
Male	238	8	1	2	8	10	16	20	36	62	50	25	-
Female	199	8	1	3	5	4	6	12	19	40	52	49	-
Black	435	16	2	5	13	14	22	31	55	102	102	73	-
Male	238	8	1	2	8	10	16	20	36	62	50	25	-
Female	197	8	1	3	5	4	6	11	19	40	52	48	-
Lorain-Elyria, OH, PMSA	2,282	43	7	9	22	55	87	134	272	523	654	476	-
Male	1,161	22	4	5	14	37	56	83	165	309	318	148	-
Female	1,121	21	3	4	8	18	31	51	107	214	336	328	-
White	2,102	35	6	8	19	47	78	114	241	471	626	457	-
Male	1,064	20	4	4	12	33	48	72	151	276	302	142	-
Female	1,038	15	2	4	7	14	30	42	90	195	324	315	-
All other	180	8	1	1	3	8	9	20	31	52	28	19	-
Male	97	2	-	1	2	4	8	11	14	33	16	6	-
Female	83	6	1	-	1	4	1	9	17	19	12	13	-
Black	171	8	1	1	3	6	9	19	30	49	26	19	-
Male	89	2	-	1	2	3	8	10	13	30	14	6	-
Female	82	6	1	-	1	3	1	9	17	19	12	13	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 157

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1993—Con.

(Page 32 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Orange County, NY, PMSA	2,359	46	1	11	24	59	98	161	234	515	667	543	-
Male	1,222	26	1	8	17	39	66	103	151	303	333	175	-
Female	1,137	20	-	3	7	20	32	58	83	212	334	368	-
White	2,185	33	1	8	19	50	84	138	208	485	641	528	-
Male	1,126	20	1	5	12	33	58	87	134	286	319	171	-
Female	1,069	13	-	3	7	17	26	51	74	199	322	357	-
All other	164	13	-	3	5	9	14	23	26	30	26	15	-
Male	96	6	-	3	5	6	8	16	17	17	14	4	-
Female	68	7	-	-	-	3	6	7	9	13	12	11	-
Black	155	13	-	2	4	8	14	22	25	28	25	14	-
Male	90	6	-	2	4	5	8	16	16	15	14	4	-
Female	65	7	-	-	-	3	6	6	9	13	11	10	-
Orlando, FL, MSA	8,247	90	31	41	105	280	428	483	965	1,896	2,152	1,759	7
Male	4,380	57	16	20	78	219	305	302	591	1,126	1,051	560	5
Female	3,917	33	15	21	27	71	123	181	374	770	1,101	1,199	2
White	7,178	58	17	27	67	228	333	388	817	1,668	1,927	1,642	4
Male	3,740	37	11	13	53	173	238	243	501	894	952	522	3
Female	3,438	21	6	14	14	55	95	145	316	674	975	1,120	1
All other	1,071	32	14	14	38	62	95	148	228	225	117	117	3
Male	590	20	5	7	25	48	67	99	132	99	38	38	2
Female	481	12	9	7	13	16	28	36	58	96	126	79	1
Black	1,022	32	14	14	34	56	91	135	218	218	115	115	3
Male	562	20	5	7	23	41	63	57	85	128	96	37	2
Female	460	12	9	7	11	15	28	34	50	92	123	78	1
Owensboro, KY, MSA	834	12	1	5	4	12	20	65	96	184	245	190	-
Male	436	7	1	2	3	10	14	43	65	110	121	60	-
Female	398	5	-	3	1	2	6	22	31	74	124	130	-
White	787	11	-	5	3	12	18	60	91	175	241	181	-
Male	418	6	-	2	2	10	13	39	62	105	120	57	-
Female	381	5	-	3	1	2	5	21	29	70	121	124	-
All other	37	1	1	-	1	-	2	5	5	9	4	9	-
Male	20	1	1	-	1	-	1	4	3	5	1	3	-
Female	17	-	-	-	-	-	1	1	2	4	3	6	-
Black	37	1	1	-	1	-	2	5	9	4	9	4	-
Male	20	1	1	-	1	-	1	4	3	5	1	3	-
Female	17	-	-	-	-	-	1	1	2	4	3	6	-
Oxnard-Ventura, CA, PMSA	4,149	67	17	21	68	100	215	251	453	857	1,130	969	1
Male	2,131	37	8	11	55	74	154	155	279	460	554	343	1
Female	2,018	30	9	10	13	26	61	96	174	397	576	626	-
White	3,970	60	14	19	61	95	197	240	433	809	1,097	944	1
Male	2,028	33	7	11	49	70	143	149	268	432	534	331	1
Female	1,942	27	7	8	12	25	54	91	165	377	563	613	-
All other	179	7	3	2	7	5	18	11	20	48	33	25	-
Male	103	4	1	-	6	4	11	6	11	28	20	12	-
Female	76	3	2	2	1	1	7	5	9	20	13	13	-
Black	84	7	1	2	6	2	11	3	11	23	11	7	-
Male	49	4	-	-	6	2	7	2	8	13	7	7	-
Female	35	3	1	2	-	-	4	1	3	10	4	7	-
Panama City, FL, MSA	1,134	17	3	-	13	38	44	75	147	286	318	193	-
Male	593	14	2	-	11	29	31	49	93	167	142	55	-
Female	541	3	1	-	2	9	13	26	54	119	176	138	-
White	989	12	3	-	10	32	34	69	134	252	277	166	-
Male	519	9	2	-	8	24	23	43	85	146	130	49	-
Female	470	3	1	-	2	8	11	26	49	106	147	117	-
All other	145	5	-	-	3	6	10	6	13	34	41	27	-
Male	74	5	-	-	3	5	8	6	8	21	12	6	-
Female	71	-	-	-	-	1	2	-	5	13	29	21	-
Black	138	5	-	-	3	6	10	6	10	31	40	25	-
Male	70	5	-	-	3	5	8	6	6	20	11	6	-
Female	66	-	-	-	-	1	2	-	4	11	29	19	-
Parkersburg-Marietta, WV-OH, MSA	1,477	11	4	2	13	20	41	75	143	315	498	355	-
Male	784	4	1	2	10	15	35	56	84	195	254	128	-
Female	693	7	3	-	3	5	6	19	59	120	244	227	-
White	1,462	11	4	2	13	20	41	74	140	310	495	352	-
Male	774	4	1	2	10	15	35	55	82	192	252	126	-
Female	688	7	3	-	3	5	6	19	58	118	243	226	-
All other	15	-	-	-	-	-	-	1	3	5	3	3	-
Male	10	-	-	-	-	-	-	1	2	3	2	2	-
Female	5	-	-	-	-	-	-	-	1	2	1	1	-
Black	14	-	-	-	-	-	-	1	2	5	3	3	-
Male	9	-	-	-	-	-	-	1	1	3	2	2	-
Female	5	-	-	-	-	-	-	-	1	2	1	1	-
Pascagoula, MS, MSA	912	17	7	6	20	24	48	62	122	215	256	133	2
Male	536	7	4	4	16	19	36	45	81	131	144	47	2
Female	376	10	3	2	4	5	12	17	41	84	112	86	-
White	732	11	4	5	15	16	29	45	103	174	212	116	2
Male	440	4	3	4	12	12	25	34	67	110	125	42	2
Female	292	7	1	1	3	4	4	11	36	64	87	74	-
All other	180	6	3	1	5	8	19	17	19	41	44	17	-
Male	96	3	1	-	4	7	11	11	14	21	19	5	-
Female	84	3	2	1	1	1	8	6	5	20	25	12	-
Black	174	6	3	-	5	7	18	17	17	40	44	17	-
Male	93	3	1	-	4	6	10	11	13	21	19	5	-
Female	81	3	2	-	1	1	8	6	4	19	25	12	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 159

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1993—Con.

(Page 34 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Portland, ME, NECMA	2,197	18	2	2	17	41	66	104	215	423	691	618	-
Male	1,008	11	1	-	12	29	49	58	132	240	306	170	-
Female	1,189	7	1	2	5	12	17	46	83	183	385	448	-
White	2,179	18	1	2	17	39	63	101	212	420	690	616	-
Male	996	11	1	-	12	28	46	56	129	238	305	170	-
Female	1,183	7	-	2	5	11	17	45	83	182	385	446	-
All other	18	-	1	-	-	2	3	3	3	3	1	2	-
Male	12	-	-	-	-	1	3	2	3	2	1	-	-
Female	6	-	1	-	-	1	-	1	-	1	-	2	-
Black	5	-	-	-	-	-	1	-	-	2	1	1	-
Male	3	-	-	-	-	-	1	-	-	1	1	-	-
Female	2	-	-	-	-	-	-	-	-	1	-	1	-
Portland, OR, PMSA	11,129	144	27	40	149	277	503	580	939	2,220	3,200	3,048	2
Male	5,488	80	20	28	121	210	359	384	562	1,169	1,583	1,000	2
Female	5,631	64	7	12	28	67	144	216	377	1,051	1,617	2,048	-
White	10,590	122	22	38	121	243	460	528	878	2,102	3,105	2,969	2
Male	5,189	66	15	27	100	187	330	334	528	1,106	1,522	972	2
Female	5,401	56	7	11	21	56	130	194	350	996	1,583	1,997	-
All other	539	22	5	2	28	34	43	52	61	118	95	79	-
Male	309	14	5	1	21	23	29	30	34	63	61	28	-
Female	230	8	-	1	7	11	14	22	27	55	34	51	-
Black	341	18	3	2	19	23	28	38	35	70	54	50	-
Male	198	12	3	1	15	14	21	22	23	35	37	15	-
Female	143	6	-	1	4	9	8	16	12	35	17	35	-
Portsmouth-Dover-Rochester, NH, NECMA	2,974	23	4	6	25	49	71	156	260	525	651	604	-
Male	1,161	9	2	1	18	35	46	90	159	283	352	166	-
Female	1,213	14	2	5	7	14	25	66	101	242	299	438	-
White	2,359	23	4	6	24	49	68	154	258	523	648	602	-
Male	1,156	9	2	1	17	35	46	89	158	282	351	166	-
Female	1,203	14	2	5	7	14	22	65	100	241	297	436	-
All other	15	-	-	-	1	-	3	2	2	3	2	2	-
Male	5	-	-	-	1	-	-	1	1	1	1	-	-
Female	10	-	-	-	-	-	3	1	1	1	2	2	-
Black	7	-	-	-	-	-	3	1	-	1	2	1	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	6	-	-	-	-	-	3	-	-	-	2	1	-
Poughkeepsie, NY, MSA	2,184	19	6	10	26	40	94	99	283	454	631	542	-
Male	1,075	14	3	5	21	32	65	65	155	258	290	167	-
Female	1,109	5	3	5	5	8	29	34	108	196	341	375	-
White	2,040	17	4	10	19	28	70	88	245	436	603	520	-
Male	994	12	2	5	15	23	49	58	144	246	277	163	-
Female	1,046	5	2	5	4	5	21	30	101	190	326	357	-
All other	144	2	2	-	7	12	24	11	18	18	28	22	-
Male	81	2	1	-	6	9	16	7	11	12	13	4	-
Female	63	-	1	-	1	3	8	4	7	6	15	18	-
Black	136	2	2	-	7	12	22	11	-17	18	27	18	-
Male	76	2	1	-	6	9	14	7	10	12	12	3	-
Female	60	-	1	-	1	3	8	4	7	6	15	15	-
Providence-Pawtucket-Woonsocket, RI, NECMA	9,061	91	10	31	80	165	325	416	829	2,014	2,669	2,427	4
Male	4,358	54	5	13	64	117	221	254	477	1,148	1,264	739	2
Female	4,703	37	5	18	16	48	104	162	352	866	1,405	1,688	2
White	8,744	79	8	27	67	139	285	387	788	1,953	2,624	2,385	4
Male	4,176	49	4	12	54	88	197	239	448	1,113	1,241	721	2
Female	4,568	30	4	15	13	41	88	148	340	840	1,383	1,664	2
All other	317	12	2	4	13	26	40	29	43	61	45	42	-
Male	182	5	1	1	10	19	24	15	31	35	23	18	-
Female	135	7	1	3	3	7	16	14	12	26	22	24	-
Black	273	12	2	2	13	21	37	25	36	55	35	35	-
Male	154	5	1	-	10	16	22	14	25	30	18	13	-
Female	119	7	1	2	3	5	15	11	11	25	17	22	-
Provo-Orem, UT, MSA	1,251	49	8	14	33	39	54	61	103	229	349	312	-
Male	643	30	4	7	27	21	40	34	59	132	164	125	-
Female	608	19	4	7	6	18	14	27	44	97	185	187	-
White	1,241	49	7	14	33	38	53	61	102	226	346	312	-
Male	638	30	3	7	27	21	39	34	59	131	162	125	-
Female	603	19	4	7	6	17	14	27	43	95	184	187	-
All other	10	-	1	-	-	1	1	-	1	3	3	-	-
Male	5	-	1	-	-	-	1	-	-	1	2	-	-
Female	5	-	-	-	-	-	-	-	1	2	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Pueblo, CO, MSA	1,224	16	3	2	19	30	53	62	102	263	350	324	-
Male	599	8	2	1	13	21	36	41	57	145	156	119	-
Female	625	8	1	1	6	9	17	21	45	118	194	205	-
White	1,188	15	3	2	18	29	52	61	99	254	337	318	-
Male	580	8	2	1	13	20	36	40	55	138	150	117	-
Female	608	7	1	1	5	9	16	21	44	116	187	201	-
All other	36	1	-	-	1	1	1	1	3	9	13	6	-
Male	19	-	-	-	-	1	-	1	2	7	6	2	-
Female	17	1	-	-	1	-	1	-	1	2	7	4	-
Black	34	1	-	-	1	1	1	1	3	7	13	6	-
Male	18	-	-	-	-	1	-	1	2	6	6	2	-
Female	16	1	-	-	1	-	1	-	1	1	7	4	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 160

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1993—Con.
(Page 35 of 50)
[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Racine, WI, PMSA	1,457	22	2	4	19	34	49	73	155	306	426	307	-
Male	719	14	2	3	14	24	36	42	90	171	191	102	-
Female	738	8	-	1	5	10	13	31	65	135	235	205	-
White	1,353	14	2	4	13	26	41	60	138	286	413	356	-
Male	662	9	2	3	9	19	31	38	81	155	188	127	-
Female	691	5	-	1	4	7	10	22	57	131	225	229	-
All other	104	8	-	-	6	8	8	13	17	20	13	11	-
Male	57	5	-	-	5	5	5	4	9	16	3	5	-
Female	47	3	-	-	1	3	3	9	8	4	10	6	-
Black	100	8	-	-	6	8	8	12	16	19	12	11	-
Male	55	5	-	-	5	5	5	3	9	15	3	5	-
Female	45	3	-	-	1	3	3	9	7	4	9	6	-
Raleigh-Durham, NC, MSA	5,266	127	22	18	101	191	291	355	602	1,130	1,382	1,047	-
Male	2,705	72	18	11	76	139	212	220	376	598	662	321	-
Female	2,561	55	4	7	25	52	79	135	226	532	720	726	-
White	3,633	63	12	9	50	100	137	232	388	810	1,020	812	-
Male	1,814	37	8	4	38	74	94	150	246	432	486	245	-
Female	1,819	26	4	5	12	26	43	82	142	378	534	507	-
All other	1,633	64	10	9	51	91	154	123	214	320	362	235	-
Male	891	35	10	7	38	65	118	70	130	166	176	76	-
Female	742	29	-	2	13	26	36	53	84	154	186	159	-
Black	1,620	62	9	9	51	89	153	121	213	320	359	234	-
Male	880	34	9	7	38	63	117	68	129	166	173	76	-
Female	740	28	-	2	13	26	36	53	84	154	186	158	-
Rapid City, SD, MSA	612	16	2	2	13	12	27	40	76	114	157	133	-
Male	315	9	2	2	9	5	19	23	48	68	79	51	-
Female	297	7	-	-	4	7	8	17	28	46	78	102	-
White	568	15	2	1	13	8	23	34	66	105	150	131	-
Male	300	9	2	1	9	3	17	20	45	65	78	51	-
Female	268	6	-	-	4	5	6	14	21	40	72	100	-
All other	44	1	-	1	-	4	4	6	10	9	7	2	-
Male	15	-	-	1	-	2	2	3	3	3	1	-	-
Female	29	1	-	-	-	2	2	3	7	6	6	2	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Reading, PA, MSA	3,481	26	10	9	44	66	101	146	313	763	1,104	639	-
Male	1,694	16	8	6	38	45	63	78	197	416	537	230	-
Female	1,787	10	2	3	6	21	38	68	116	347	567	409	-
White	3,386	24	9	8	41	60	90	136	297	742	1,069	630	-
Male	1,645	14	7	5	35	43	58	73	189	404	532	235	-
Female	1,741	10	2	3	6	17	32	63	108	338	557	405	-
All other	95	2	1	1	3	6	11	10	16	21	15	9	-
Male	49	2	1	1	3	2	5	5	8	12	5	5	-
Female	46	-	-	-	-	4	6	5	8	9	10	4	-
Black	88	2	1	1	3	5	9	8	15	20	15	9	-
Male	46	2	1	1	3	1	5	5	7	11	5	5	-
Female	42	-	-	-	-	4	4	3	8	9	10	4	-
Redding, CA, MSA	1,563	12	8	11	28	30	52	97	171	342	481	331	-
Male	813	8	5	8	19	19	40	59	98	180	260	117	-
Female	750	4	3	3	9	11	12	38	73	162	221	214	-
White	1,521	11	8	10	26	29	47	92	165	338	471	324	-
Male	785	8	5	7	17	18	38	54	96	177	252	113	-
Female	736	3	3	3	9	11	9	38	69	161	219	211	-
All other	42	1	-	1	2	1	5	5	6	4	10	7	-
Male	28	-	-	1	2	1	2	5	2	3	8	4	-
Female	14	1	-	-	-	-	3	-	4	1	2	3	-
Black	15	1	-	1	1	-	1	1	3	2	2	3	-
Male	11	-	-	1	1	-	1	1	1	2	2	2	-
Female	4	1	-	-	-	-	-	-	2	-	-	1	-
Reno, NV, MSA	2,192	42	15	9	28	66	117	145	305	516	566	383	-
Male	1,195	27	10	3	23	55	80	96	201	297	287	116	-
Female	997	15	5	6	5	11	37	49	104	219	279	267	-
White	2,087	39	12	9	23	57	107	133	286	501	544	376	-
Male	1,124	24	7	3	18	47	75	89	187	288	274	112	-
Female	963	15	5	6	5	10	32	44	99	213	270	264	-
All other	105	3	3	-	5	9	10	12	19	15	22	7	-
Male	71	3	3	-	5	8	5	7	14	9	13	4	-
Female	34	-	-	-	-	1	5	5	5	6	9	3	-
Black	41	2	2	-	1	4	2	4	6	6	11	3	-
Male	30	2	2	-	1	4	2	2	5	2	6	2	-
Female	11	-	-	-	-	-	-	2	1	4	3	1	-
Richland-Kennewick-Pasco, WA, MSA	1,056	23	3	4	26	20	45	59	106	266	301	103	-
Male	557	9	2	3	22	13	33	36	61	154	153	71	-
Female	499	14	1	1	4	7	12	23	45	112	148	132	-
White	1,022	20	3	4	26	19	43	58	105	249	295	100	-
Male	540	7	2	3	22	13	32	35	60	144	152	70	-
Female	482	13	1	1	4	6	11	23	45	105	143	130	-
All other	34	3	-	-	-	1	2	1	1	17	6	3	-
Male	17	2	-	-	-	-	1	1	1	10	1	1	-
Female	17	1	-	-	-	1	1	-	-	7	5	2	-
Black	22	3	-	-	-	-	-	-	1	11	5	1	-
Male	11	2	-	-	-	-	-	1	1	8	1	-	-
Female	11	1	-	-	-	-	-	-	-	5	4	1	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 162

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1993—Con.

(Page 37 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Saginaw-Bay City-Midland, MI, MSA	3,563	61	8	10	54	86	126	195	410	758	1,030	825	--
Male	1,804	36	4	3	38	59	87	114	256	409	530	288	--
Female	1,759	25	4	7	16	27	39	81	154	349	500	537	--
White	3,183	35	6	7	32	72	90	157	362	689	966	777	--
Male	1,596	22	4	2	23	49	62	95	224	370	492	253	--
Female	1,587	13	2	5	9	23	28	62	138	319	474	524	--
All other	370	26	2	3	22	14	36	38	48	69	64	48	--
Male	208	14	--	1	15	10	25	19	32	39	38	15	--
Female	162	12	2	2	7	4	11	19	16	30	26	33	--
Black	352	25	1	3	20	14	36	35	45	66	61	46	--
Male	189	13	--	1	14	10	25	17	31	37	38	19	--
Female	153	12	1	2	6	4	11	18	14	29	23	33	--
St. Cloud, MN, MSA	1,267	22	2	7	21	25	39	62	110	261	348	370	--
Male	648	13	1	5	13	18	28	36	71	153	191	119	--
Female	619	9	1	2	8	7	11	26	39	108	157	251	--
White	1,261	22	2	7	21	24	37	61	108	281	348	370	--
Male	645	13	1	5	13	18	27	36	69	153	191	119	--
Female	616	9	1	2	8	6	10	25	39	108	157	251	--
All other	6	--	--	--	--	1	2	1	2	--	--	--	--
Male	3	--	--	--	--	--	1	--	2	--	--	--	--
Female	3	--	--	--	--	1	1	--	--	--	--	--	--
Black	1	--	--	--	--	1	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--	--
Female	1	--	--	--	--	1	--	--	--	--	--	--	--
St. Joseph, MO, MSA	1,063	13	1	1	9	14	23	51	105	253	309	263	1
Male	496	6	1	1	5	8	12	32	64	143	139	85	--
Female	567	7	--	--	4	6	11	19	41	110	170	108	1
White	1,035	12	1	1	9	12	22	51	102	243	300	281	1
Male	482	6	1	1	5	6	11	32	63	137	135	85	--
Female	553	6	--	--	4	6	11	19	39	106	165	106	1
All other	28	1	--	--	--	2	1	--	3	10	9	2	--
Male	14	--	--	--	--	2	1	--	1	6	4	--	--
Female	14	1	--	--	--	--	--	--	2	4	5	2	--
Black	28	1	--	--	--	2	1	--	3	9	8	2	--
Male	12	--	--	--	--	2	1	--	1	5	3	--	--
Female	14	1	--	--	--	--	--	--	2	4	5	2	--
St. Louis, MO-IL, MSA	23,826	301	72	97	428	544	869	1,280	2,483	4,945	6,795	5,811	1
Male	11,675	176	42	59	339	408	572	777	1,491	2,804	3,240	1,706	1
Female	11,851	125	30	38	89	136	297	503	982	2,141	3,555	4,015	--
White	18,145	148	39	62	192	312	550	883	1,870	4,047	5,874	5,108	--
Male	9,267	87	25	35	137	233	368	536	1,128	2,339	2,825	1,514	--
Female	9,878	61	14	27	55	79	182	347	742	1,708	3,049	3,614	--
All other	4,481	153	33	35	236	232	319	387	613	1,198	1,921	643	1
Male	2,408	89	17	24	202	175	204	241	383	485	415	212	1
Female	2,073	64	16	11	34	57	115	156	250	433	506	431	1
Black	4,414	149	33	33	232	225	317	393	600	887	910	634	1
Male	2,374	87	17	24	200	169	202	241	357	458	410	236	1
Female	2,040	62	16	9	32	56	115	152	243	429	500	428	--
Salem, OR, MSA	2,786	20	7	9	29	49	88	133	261	544	849	798	1
Male	1,445	16	2	5	23	33	59	84	160	307	482	293	1
Female	1,341	4	5	4	6	16	29	49	101	237	367	503	--
White	2,754	20	5	9	28	46	85	131	254	538	843	794	1
Male	1,427	16	1	5	22	31	57	84	155	304	460	291	1
Female	1,327	4	4	4	6	15	28	47	99	234	383	503	--
All other	32	--	2	--	1	3	3	3	7	6	6	2	--
Male	18	--	1	--	1	2	2	2	5	3	2	2	--
Female	14	--	1	--	--	1	1	1	2	3	4	--	--
Black	5	--	1	--	--	--	1	1	1	1	--	--	--
Male	3	--	--	--	--	--	1	1	1	1	--	--	--
Female	2	--	1	--	--	--	--	1	--	--	--	--	--
Salinas-Seaside-Monterey, CA, MSA	2,323	53	6	14	48	71	109	124	204	475	671	547	1
Male	1,189	28	5	11	41	54	82	74	119	249	344	182	1
Female	1,134	25	1	3	7	17	27	50	85	226	327	365	--
White	2,084	48	6	12	44	58	91	105	179	409	613	518	1
Male	1,049	24	5	9	38	45	68	63	110	215	310	182	--
Female	1,035	24	1	3	6	13	23	42	69	194	303	356	1
All other	239	5	--	2	4	13	18	19	25	66	56	29	--
Male	140	4	--	2	3	9	14	11	9	34	34	9	--
Female	99	1	--	1	1	4	4	8	16	32	24	9	--
Black	99	4	--	1	3	8	9	6	9	35	22	2	--
Male	60	3	--	1	3	5	6	4	5	24	8	1	--
Female	39	1	--	--	--	3	3	2	4	11	14	1	--
Salt Lake City-Ogden, UT, MSA	6,435	114	35	58	180	204	334	370	570	1,295	1,755	1,520	--
Male	3,300	66	20	34	128	147	232	210	328	785	866	504	--
Female	3,135	48	15	24	52	57	102	160	242	530	889	1,016	--
White	6,248	108	31	56	173	189	309	354	552	1,255	1,724	1,495	--
Male	3,188	63	17	33	123	136	217	200	319	741	844	485	--
Female	3,058	45	14	23	50	53	82	154	233	514	880	1,000	--
All other	189	6	4	2	7	15	25	16	18	40	31	25	--
Male	112	3	3	1	5	11	15	10	9	24	22	9	--
Female	77	3	1	1	2	4	10	6	9	16	9	16	--
Black	74	3	1	1	4	9	8	6	9	15	12	4	--
Male	50	1	--	1	4	7	5	6	5	10	9	2	--
Female	24	2	1	--	--	2	3	3	3	5	3	2	--

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 164

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1993—Con.
(Page 39 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Santa Fe, NM, MSA	820	12	4	3	24	42	49	56	93	154	208	175	-
Male	399	5	3	2	16	31	29	35	50	78	86	64	-
Female	421	7	1	1	8	11	20	21	43	76	122	111	-
White	798	12	4	3	22	40	48	54	88	153	206	160	-
Male	386	5	3	2	15	29	28	33	48	77	85	61	-
Female	412	7	1	1	7	11	20	21	40	76	121	107	-
All other	22	-	-	-	2	2	1	2	5	1	2	7	-
Male	13	-	-	-	1	2	1	2	2	1	1	3	-
Female	9	-	-	-	1	-	-	-	3	-	1	4	-
Black	4	-	-	-	-	1	-	-	-	1	-	2	-
Male	3	-	-	-	-	1	-	-	-	1	-	1	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Santa Rosa-Petaluma, CA, PMSA	3,544	32	7	13	44	75	185	209	288	681	1,092	910	-
Male	1,771	17	4	3	36	59	132	121	177	358	525	339	-
Female	1,773	15	3	10	8	16	53	88	111	323	567	570	-
White	3,453	32	6	12	39	71	172	205	278	666	1,071	901	-
Male	1,715	17	3	3	33	56	121	118	168	349	517	330	-
Female	1,738	15	3	9	6	15	51	87	110	317	554	571	-
All other	91	-	1	1	5	4	13	4	10	15	21	17	-
Male	56	-	1	-	3	3	11	3	9	9	8	9	-
Female	35	-	-	1	2	1	2	1	1	6	13	8	-
Black	33	-	-	1	3	2	5	1	4	5	7	5	-
Male	22	-	-	-	2	1	5	1	4	4	3	2	-
Female	11	-	-	1	1	1	-	-	-	1	4	3	-
Sarasota, FL, MSA	4,426	20	2	6	27	38	110	140	285	896	1,550	1,353	1
Male	2,321	10	1	3	15	27	82	85	174	520	825	579	-
Female	2,105	10	1	3	12	9	28	55	111	376	725	774	1
White	4,301	16	1	5	20	30	100	130	270	869	1,519	1,340	1
Male	2,260	7	-	2	12	22	76	79	166	507	813	578	-
Female	2,041	9	1	3	8	8	24	51	104	362	706	764	1
All other	125	4	1	1	7	6	10	10	15	27	31	13	-
Male	61	3	1	1	3	5	6	6	8	13	12	3	-
Female	64	1	-	-	4	1	4	4	7	14	19	10	-
Black	119	4	1	1	6	6	9	9	15	27	28	13	-
Male	58	3	1	1	3	5	5	5	8	13	11	3	-
Female	61	1	-	-	3	1	4	4	7	14	17	10	-
Savannah, GA, MSA	2,273	61	8	8	35	78	122	156	282	495	605	423	-
Male	1,109	40	6	4	27	49	76	99	165	251	278	114	-
Female	1,164	21	2	4	8	29	46	57	117	244	327	309	-
White	1,970	18	-	4	14	27	55	70	164	317	403	268	-
Male	638	13	-	3	10	16	37	43	96	187	186	67	-
Female	732	5	-	1	4	11	18	27	68	150	217	231	-
All other	903	43	8	4	21	51	67	86	118	178	202	125	-
Male	471	27	6	1	17	33	39	56	69	84	92	47	-
Female	432	16	2	3	4	18	28	30	49	94	110	78	-
Black	899	43	8	4	21	51	67	85	117	178	201	124	-
Male	470	27	6	1	17	33	39	56	68	84	92	47	-
Female	429	16	2	3	4	18	28	29	49	94	109	77	-
Scranton-Wilkes-Barre, PA, MSA	8,868	69	18	9	78	114	232	379	857	2,122	2,917	2,073	-
Male	4,384	51	13	5	63	89	158	242	519	1,212	1,414	618	-
Female	4,484	18	5	4	15	25	74	137	338	910	1,503	1,455	-
White	8,789	65	16	7	77	110	225	366	854	2,107	2,908	2,064	-
Male	4,339	48	12	4	62	87	152	232	516	1,204	1,408	614	-
Female	4,460	17	4	3	15	23	73	134	338	903	1,500	1,450	-
All other	69	4	2	2	1	4	7	13	3	15	9	9	-
Male	45	3	1	1	1	2	6	10	3	8	6	4	-
Female	24	1	1	1	-	2	1	3	-	7	3	5	-
Black	61	4	2	2	1	4	6	11	2	12	8	9	-
Male	39	3	1	1	1	2	5	9	2	6	5	4	-
Female	22	1	1	1	-	2	1	2	-	6	3	5	-
Seattle, WA, PMSA	14,860	178	45	44	218	430	726	892	1,457	3,061	4,132	3,677	-
Male	7,661	103	26	28	165	340	543	557	894	1,783	2,007	1,215	-
Female	7,199	75	19	16	53	90	183	335	563	1,278	2,125	2,402	-
White	13,598	139	39	32	157	358	617	794	1,282	2,784	3,860	3,527	-
Male	6,937	87	22	23	116	286	468	498	789	1,622	1,881	1,145	-
Female	6,661	52	17	9	41	72	149	296	493	1,162	1,988	2,302	-
All other	1,262	39	6	12	61	72	109	98	175	277	263	150	-
Male	724	16	4	5	49	54	75	59	105	161	128	70	-
Female	538	23	2	7	12	18	34	39	70	116	137	80	-
Black	598	25	3	9	28	39	65	51	71	132	112	81	-
Male	351	11	2	4	22	31	46	34	45	81	49	26	-
Female	245	14	1	5	6	8	19	17	26	51	63	35	-
Sharon, PA, MSA	1,357	9	5	4	12	21	27	54	147	306	417	355	-
Male	684	5	4	3	9	18	16	29	87	183	213	117	-
Female	673	4	1	1	3	3	11	25	60	123	204	238	-
White	1,298	7	3	4	11	21	22	51	134	291	405	350	-
Male	649	4	2	3	9	18	15	27	76	173	207	115	-
Female	650	3	1	1	2	3	7	24	58	118	198	235	-
All other	58	2	2	-	1	-	5	3	13	15	12	6	-
Male	35	1	2	-	-	-	1	2	11	10	6	2	-
Female	23	1	-	-	1	-	4	1	2	5	6	3	-
Black	57	2	2	-	1	-	4	3	13	15	12	5	-
Male	35	1	2	-	-	-	1	2	11	10	6	2	-
Female	22	1	-	-	1	-	3	1	2	5	6	3	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 165

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1993—Con.

(Page 40 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Sheboygan, WI, MSA	981	7	1	1	12	15	17	35	77	189	315	312	-
Male	482	5	-	1	9	11	9	22	44	109	160	112	-
Female	499	2	1	-	3	4	8	13	33	80	155	200	-
White	976	6	1	1	12	13	17	35	78	188	315	312	-
Male	478	4	-	1	9	10	9	22	43	108	160	112	-
Female	498	2	1	-	3	3	8	13	33	80	155	200	-
All other	5	1	-	-	-	2	-	-	1	1	-	-	-
Male	4	1	-	-	-	1	-	-	1	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Black	2	-	-	-	-	2	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Sherman-Denison, TX, MSA	1,123	12	2	2	16	18	30	57	112	259	321	294	-
Male	559	7	1	2	12	17	22	30	77	153	150	88	-
Female	564	5	1	-	4	1	8	27	35	106	171	206	-
White	1,046	8	2	2	14	16	27	48	104	245	308	272	-
Male	531	4	1	2	11	16	22	28	71	147	147	82	-
Female	515	4	1	-	3	-	5	20	33	98	161	190	-
All other	77	4	-	-	2	2	3	9	8	14	13	22	-
Male	28	3	-	-	1	1	-	2	6	6	3	6	-
Female	49	1	-	-	1	1	3	7	2	8	10	16	-
Black	76	4	-	-	2	2	3	9	8	13	13	22	-
Male	28	3	-	-	1	1	-	2	6	6	3	6	-
Female	48	1	-	-	1	1	3	7	2	7	10	16	-
Shreveport, LA, MSA	3,239	58	12	19	85	89	133	195	379	688	825	748	-
Male	1,606	29	9	10	68	79	83	120	203	398	391	216	-
Female	1,633	27	3	9	17	20	50	75	176	290	434	532	-
White	2,089	15	5	10	28	48	64	105	246	472	585	511	-
Male	1,004	10	4	4	20	41	44	68	133	265	282	135	-
Female	1,085	5	1	6	8	7	20	39	113	207	303	376	-
All other	1,150	41	7	9	57	51	69	90	133	216	240	237	-
Male	602	19	5	6	48	38	39	54	70	133	109	81	-
Female	548	22	2	3	9	13	30	36	63	83	131	156	-
Black	1,147	41	7	9	57	50	69	90	133	214	240	237	-
Male	599	19	5	6	48	37	39	54	70	131	109	81	-
Female	548	22	2	3	9	13	30	36	63	83	131	156	-
Sioux City, IA-NE, MSA	1,140	21	3	2	18	17	25	42	106	223	351	332	-
Male	534	12	1	1	11	14	16	29	65	136	160	89	-
Female	606	9	2	1	7	3	9	13	41	87	191	243	-
White	1,112	19	2	1	17	15	23	40	101	216	349	329	-
Male	518	10	1	-	10	12	14	28	62	132	160	89	-
Female	594	9	1	1	7	3	9	12	39	84	189	240	-
All other	28	2	1	1	1	2	2	2	5	7	2	3	-
Male	16	2	-	1	1	2	2	1	3	4	-	-	-
Female	12	-	1	-	-	-	-	1	2	3	2	3	-
Black	15	1	-	-	1	1	-	1	2	4	2	3	-
Male	7	1	-	-	1	1	-	1	2	1	-	-	-
Female	8	-	-	-	-	-	-	-	3	2	3	3	-
Sioux Falls, SD, MSA	1,007	17	2	2	12	19	27	49	84	231	273	291	-
Male	499	10	2	2	8	14	18	36	54	143	128	84	-
Female	508	7	-	-	4	5	9	13	30	88	145	207	-
White	997	17	2	1	10	19	27	48	82	228	272	291	-
Male	491	10	2	1	6	14	18	36	53	140	127	84	-
Female	506	7	-	-	4	5	9	12	29	88	145	207	-
All other	10	-	-	1	2	-	-	1	2	3	1	-	-
Male	8	-	-	1	2	-	-	1	1	3	1	-	-
Female	2	-	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
South Bend-Mishawaka, IN, MSA	2,387	31	5	6	26	42	73	110	193	560	724	617	-
Male	1,131	18	3	2	19	29	38	64	109	318	361	170	-
Female	1,256	13	2	4	7	13	35	46	84	242	363	447	-
White	2,153	20	3	3	19	29	53	95	169	508	672	582	-
Male	1,006	10	2	1	15	21	27	53	94	283	337	163	-
Female	1,147	10	1	2	4	8	26	42	75	225	335	419	-
All other	234	11	2	3	7	13	20	15	24	52	52	35	-
Male	125	8	1	1	4	8	11	11	15	35	24	7	-
Female	109	3	1	2	3	5	9	4	9	17	28	28	-
Black	230	11	2	3	7	13	20	15	24	50	50	35	-
Male	123	8	1	1	4	8	11	11	15	34	23	7	-
Female	107	3	1	2	3	5	9	4	9	16	27	28	-
Spokane, WA, MSA	3,426	44	10	14	35	58	99	164	305	690	1,044	963	-
Male	1,686	24	4	6	26	41	69	94	170	399	542	311	-
Female	1,740	20	6	8	9	17	30	70	135	291	502	652	-
White	3,356	42	9	14	31	54	97	160	292	672	1,031	954	-
Male	1,643	24	4	6	22	38	68	93	161	385	536	306	-
Female	1,713	18	5	8	9	16	29	67	131	287	495	648	-
All other	70	2	1	-	4	4	2	4	13	18	13	9	-
Male	43	-	-	-	4	3	1	1	9	14	6	5	-
Female	27	2	1	-	4	1	1	3	4	4	7	4	-
Black	32	2	1	-	2	2	2	-	4	11	6	2	-
Male	20	-	-	-	2	1	1	-	4	8	3	1	-
Female	12	2	1	-	-	1	1	-	-	3	3	1	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 166

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1993—Con.
 (Page 41 of 50)
 [Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Springfield, IL, MSA	1,866	29	4	7	14	36	49	95	176	364	592	500	-
Male	883	16	2	5	9	32	32	53	106	197	271	160	-
Female	983	13	2	2	5	4	17	42	70	167	321	340	-
White	1,734	22	3	7	12	25	36	84	165	337	566	477	-
Male	815	13	1	5	7	23	23	44	100	188	260	151	-
Female	919	9	2	2	5	2	13	40	65	149	306	326	-
All other	132	7	1	-	2	11	13	11	11	27	26	23	-
Male	68	3	1	-	2	9	9	9	6	9	11	9	-
Female	64	4	-	-	2	2	4	2	5	18	15	14	-
Black	126	7	1	-	2	11	13	10	11	25	25	21	-
Male	65	3	1	-	2	9	9	8	6	7	11	9	-
Female	61	4	-	-	2	2	4	2	5	18	14	12	-
Springfield, MO, MSA	2,399	23	2	10	43	61	99	131	234	468	655	673	-
Male	1,183	11	1	5	29	53	71	76	157	273	298	209	-
Female	1,216	12	1	5	14	8	28	55	77	195	357	464	-
White	2,329	23	2	9	42	53	78	119	225	458	650	670	-
Male	1,129	11	1	5	28	45	54	64	148	269	296	208	-
Female	1,200	12	1	4	14	8	24	55	77	189	354	462	-
All other	70	-	-	1	1	8	21	12	9	10	5	3	-
Male	54	-	-	-	1	8	17	12	9	4	2	1	-
Female	16	-	-	1	-	-	4	-	-	6	3	2	-
Black	65	-	-	1	1	8	19	11	8	9	5	3	-
Male	52	-	-	-	1	8	17	11	8	4	2	1	-
Female	13	-	-	1	-	-	2	-	-	5	3	2	-
Springfield, MA, NECMA	5,880	71	21	10	44	115	222	259	541	1,274	1,762	1,571	-
Male	2,906	46	11	8	37	82	143	173	338	748	847	473	-
Female	2,974	25	10	2	7	33	79	86	203	526	905	1,098	-
White	5,603	61	18	8	36	95	184	233	503	1,208	1,715	1,542	-
Male	2,747	37	9	6	29	68	119	157	321	711	825	465	-
Female	2,856	24	9	2	7	27	65	76	182	497	890	1,077	-
All other	277	10	3	2	8	20	38	26	38	66	37	29	-
Male	159	9	2	2	8	14	24	16	17	37	22	8	-
Female	118	1	1	-	-	6	14	10	21	29	15	21	-
Black	250	8	3	2	7	20	36	20	34	60	35	25	-
Male	140	7	2	2	7	14	22	12	14	32	21	7	-
Female	110	1	1	-	-	6	14	8	20	28	14	18	-
State College, PA, MSA	720	8	1	2	12	13	19	32	93	146	215	179	-
Male	340	4	1	2	10	9	12	16	52	81	100	53	-
Female	380	4	-	-	2	4	7	16	41	65	115	126	-
White	712	7	1	2	12	11	19	32	93	146	212	177	-
Male	338	4	1	2	10	8	12	16	52	81	99	53	-
Female	374	3	-	-	2	3	7	16	41	65	113	124	-
All other	8	1	-	-	-	2	-	-	-	-	3	2	-
Male	2	-	-	-	-	1	-	-	-	-	1	-	-
Female	6	1	-	-	-	1	-	-	-	-	2	2	-
Black	3	-	-	-	-	1	-	-	-	-	-	2	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	1	-	-	-	-	-	2	-
Steubenville-Weirton, OH-WV, MSA	1,672	12	2	1	20	21	34	79	215	421	503	364	-
Male	841	5	1	1	18	14	20	49	119	247	246	121	-
Female	831	7	1	-	2	7	14	30	86	174	257	243	-
White	1,595	10	2	1	17	17	32	73	202	402	492	347	-
Male	809	4	1	1	15	12	18	45	114	237	242	120	-
Female	786	6	1	-	2	5	14	28	88	165	250	227	-
All other	77	2	-	-	3	4	2	6	13	19	11	17	-
Male	32	1	-	-	3	2	2	4	5	10	4	1	-
Female	45	1	-	-	-	2	-	2	8	9	7	16	-
Black	74	2	-	-	3	4	2	4	13	18	11	17	-
Male	30	1	-	-	3	2	2	3	5	9	4	1	-
Female	44	1	-	-	-	2	-	1	8	9	7	16	-
Stockton, CA, MSA	3,946	81	17	29	79	142	206	263	402	815	1,083	326	3
Male	2,149	51	12	17	67	110	143	176	253	462	555	301	2
Female	1,797	30	5	12	12	32	63	87	149	353	528	525	1
White	3,372	61	14	17	59	111	163	222	332	713	943	734	3
Male	1,789	39	11	8	52	89	115	147	211	402	469	244	2
Female	1,583	22	3	9	7	22	48	75	121	311	474	490	1
All other	574	20	3	12	20	31	43	41	70	102	140	92	-
Male	360	12	1	9	15	21	28	29	42	60	88	57	-
Female	214	8	2	3	5	10	15	12	28	42	54	35	-
Black	260	11	2	2	9	23	20	27	33	54	54	25	-
Male	147	5	1	1	7	16	13	17	18	30	28	11	-
Female	113	6	1	1	2	7	7	10	15	24	26	14	-
Syracuse, NY, MSA	5,726	92	19	19	57	105	180	309	618	1,206	1,679	1,441	1
Male	2,751	48	11	8	34	78	105	190	386	630	804	457	-
Female	2,975	44	8	11	23	27	75	119	232	576	875	984	1
White	5,415	64	13	15	48	87	146	280	560	1,147	1,637	1,417	1
Male	2,581	33	8	5	31	63	85	174	353	597	782	450	-
Female	2,834	31	5	10	17	24	61	106	207	550	855	967	1
All other	311	28	6	4	9	18	34	29	58	59	42	24	-
Male	170	15	3	3	3	15	20	16	33	33	22	7	-
Female	141	13	3	1	6	3	14	13	25	26	20	17	-
Black	271	28	6	4	6	15	30	26	53	49	34	20	-
Male	154	15	3	3	3	13	18	15	31	28	20	7	-
Female	117	13	3	1	3	2	14	11	22	21	14	13	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 167

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1993—Con.
(Page 42 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Tacoma, WA, PMSA	4,640	74	17	21	89	111	189	291	482	1,037	1,277	1,042	-
Male	2,397	41	9	13	72	81	124	188	298	590	637	344	-
Female	2,243	33	8	8	17	30	65	103	184	447	640	698	-
White	4,251	52	12	15	63	86	142	258	427	942	1,237	1,017	-
Male	2,175	28	8	10	49	62	97	167	266	538	615	335	-
Female	2,076	24	4	5	14	24	45	91	161	404	622	682	-
All other	389	22	5	6	26	25	47	33	65	95	40	25	-
Male	222	13	1	3	23	19	27	21	32	52	22	9	-
Female	167	9	4	3	3	6	20	12	33	43	18	16	-
Black	231	20	3	4	16	17	33	21	34	46	19	18	-
Male	140	12	1	2	14	14	18	14	23	27	10	5	-
Female	91	8	2	2	2	3	15	7	11	19	9	13	-
Tallahassee, FL, MSA	1,664	32	5	8	43	53	73	123	206	338	453	330	-
Male	818	21	2	3	29	39	51	67	123	184	201	88	-
Female	846	11	3	5	14	14	22	56	83	154	252	232	-
White	1,088	10	3	4	22	21	44	73	127	235	304	245	-
Male	530	7	2	2	13	13	32	39	81	133	136	72	-
Female	558	3	1	2	9	8	12	34	46	102	168	173	-
All other	576	22	2	4	21	32	29	50	79	103	149	85	-
Male	288	14	-	1	16	26	19	28	42	51	65	26	-
Female	288	8	2	3	5	6	10	22	37	52	84	59	-
Black	571	21	2	4	21	32	29	50	78	101	148	85	-
Male	285	14	-	1	16	26	19	28	41	50	64	26	-
Female	286	7	2	3	5	6	10	22	37	51	84	59	-
Tampa-St. Petersburg-Clearwater, FL, MSA	26,803	239	59	57	225	529	852	1,190	2,377	5,865	8,355	7,028	27
Male	14,089	146	36	27	161	387	590	772	1,488	3,410	4,375	2,686	11
Female	12,714	93	23	30	64	142	262	418	889	2,455	3,980	4,342	16
White	25,010	150	49	47	172	411	690	1,039	2,102	5,500	8,022	6,823	5
Male	13,092	94	30	23	122	306	490	683	1,321	3,187	4,210	2,611	5
Female	11,918	56	19	24	50	105	200	356	781	2,303	3,812	4,212	-
All other	1,783	89	10	10	53	118	162	151	275	365	333	205	22
Male	997	52	6	4	39	81	100	89	167	213	165	75	6
Female	786	37	4	6	14	37	62	62	108	152	168	130	16
Black	1,738	87	9	10	52	112	158	141	266	355	323	203	22
Male	963	50	5	4	38	76	99	83	160	208	160	74	6
Female	775	37	4	6	14	36	59	58	106	147	163	129	16
Terre Haute, IN, MSA	1,489	27	3	5	12	21	31	67	136	340	466	381	-
Male	702	20	1	5	10	15	26	40	86	183	205	111	-
Female	787	7	2	-	2	6	5	27	50	157	261	270	-
White	1,435	24	3	4	9	20	31	64	132	328	452	368	-
Male	674	18	1	4	7	14	26	37	83	177	201	106	-
Female	761	6	2	-	2	6	5	27	49	151	251	262	-
All other	54	3	-	1	3	1	-	3	4	12	14	13	-
Male	28	2	-	1	3	1	-	3	3	6	4	5	-
Female	26	1	-	-	-	-	-	-	1	6	10	8	-
Black	52	2	-	1	3	1	-	3	4	12	13	13	-
Male	27	1	-	1	3	1	-	3	3	6	4	5	-
Female	25	1	-	-	-	-	-	-	1	6	9	8	-
Texarkana, TX-Texarkana, AR, MSA	1,333	19	1	3	30	37	53	77	143	306	372	292	-
Male	676	10	-	2	24	26	29	46	96	155	186	102	-
Female	657	9	1	1	6	11	24	31	47	151	186	190	-
White	1,039	9	-	1	26	24	32	47	117	250	297	236	-
Male	520	3	-	-	22	17	19	28	79	124	151	77	-
Female	519	6	-	1	4	7	13	19	38	128	146	159	-
All other	294	10	1	2	4	13	21	30	26	56	75	56	-
Male	156	7	-	2	2	9	10	18	17	31	35	25	-
Female	138	3	1	-	2	4	11	12	9	25	40	31	-
Black	293	10	1	2	4	13	21	29	26	56	75	56	-
Male	155	7	-	2	2	9	10	17	17	31	35	25	-
Female	138	3	1	-	2	4	11	12	9	25	40	31	-
Toledo, OH, MSA	5,745	93	19	30	87	116	178	297	589	1,307	1,637	1,382	-
Male	2,803	49	6	21	69	85	115	188	331	744	782	413	-
Female	2,942	44	13	9	18	31	63	109	258	563	855	979	-
White	5,127	68	15	28	62	84	140	244	503	1,156	1,527	1,300	-
Male	2,462	37	5	20	47	63	94	154	282	658	724	378	-
Female	2,665	31	10	8	15	21	46	90	221	498	803	922	-
All other	618	25	4	2	25	32	38	53	86	151	110	82	-
Male	341	12	1	1	22	22	21	34	49	88	58	35	-
Female	277	13	3	1	3	10	17	19	37	65	52	57	-
Black	602	24	4	2	24	31	36	52	83	146	109	91	-
Male	334	11	1	1	22	21	21	33	48	85	57	34	-
Female	268	13	3	1	2	10	15	19	35	61	52	57	-
Topeka, KS, MSA	1,588	18	1	5	32	40	59	66	176	330	413	448	-
Male	756	14	1	2	23	30	38	39	99	203	188	121	-
Female	832	4	-	3	9	10	21	27	77	127	225	327	-
White	1,435	11	1	3	20	36	45	57	158	299	379	426	-
Male	673	10	1	2	14	28	33	37	87	186	170	113	-
Female	762	1	-	1	6	8	16	24	71	113	209	313	-
All other	153	7	-	2	12	4	14	9	18	31	34	22	-
Male	83	4	-	-	9	2	7	6	12	17	18	8	-
Female	70	3	-	2	3	2	7	3	6	14	16	14	-
Black	137	5	-	2	12	3	13	8	14	26	33	21	-
Male	72	2	-	-	9	1	6	6	8	15	18	7	-
Female	65	3	-	2	3	2	7	2	6	11	15	14	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 168

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1993—Con.
(Page 43 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Trenton, NJ, PMSA	2,996.	43	8	4	32	76	138	176	356	683	826	654	-
Male	1,486	24	2	4	31	46	91	103	210	402	384	209	-
Female	1,510	19	6	-	1	30	47	73	146	281	462	445	-
White	2,405	21	3	2	18	35	73	120	254	551	744	584	-
Male	1,166	12	-	2	17	24	51	70	156	325	328	181	-
Female	1,239	9	3	-	1	11	22	50	98	226	416	403	-
All other	591	22	5	2	14	41	65	56	102	132	82	70	-
Male	320	12	2	2	14	22	40	33	54	77	36	28	-
Female	271	10	3	-	-	19	25	23	48	55	46	42	-
Black	574	21	3	2	11	41	65	54	101	128	79	69	-
Male	311	11	2	2	11	22	40	32	54	75	34	28	-
Female	263	10	1	-	-	19	25	22	47	53	45	41	-
Tucson, AZ, MSA	6,427	80	20	26	84	161	268	349	660	1,474	1,865	1,439	1
Male	3,374	38	12	15	65	125	189	236	418	842	946	487	1
Female	3,053	42	8	11	19	36	79	113	242	632	919	952	-
White	6,101	68	15	22	76	139	245	317	618	1,403	1,797	1,400	1
Male	3,195	34	9	13	61	110	174	213	395	806	910	469	-
Female	2,906	34	6	9	15	29	71	104	223	597	887	931	1
All other	326	12	5	4	8	22	32	32	42	71	68	39	-
Male	179	4	3	2	4	15	15	23	29	38	36	18	-
Female	147	8	2	2	4	7	8	9	19	35	32	21	-
Black	164	7	2	1	2	9	7	10	20	41	24	24	-
Male	85	3	1	-	1	8	2	6	10	23	23	9	-
Female	79	4	1	1	1	1	5	4	10	18	18	16	-
Tulsa, OK, MSA	6,351	103	23	24	104	162	283	410	718	1,372	1,688	1,461	3
Male	3,204	54	15	11	68	126	188	260	431	790	827	434	-
Female	3,147	49	8	13	36	36	95	150	287	582	861	1,027	3
White	5,623	73	18	17	77	133	237	341	611	1,221	1,550	1,342	3
Male	2,814	37	10	7	47	107	156	215	376	723	746	390	-
Female	2,809	36	8	10	30	26	81	128	235	498	804	952	3
All other	728	30	5	7	27	29	46	69	107	151	138	119	-
Male	390	17	5	4	21	19	32	45	55	67	81	44	-
Female	338	13	-	3	6	10	14	24	52	84	57	75	-
Black	545	26	4	6	20	22	38	50	76	105	107	91	-
Male	291	15	4	3	14	14	26	32	39	45	63	36	-
Female	254	11	-	3	6	8	12	18	37	60	44	55	-
Tuscaloosa, AL, MSA	1,259	20	6	2	32	33	53	74	154	292	317	276	-
Male	653	10	1	-	22	22	36	45	93	184	145	95	-
Female	606	10	5	2	10	11	17	29	61	108	172	181	-
White	907	9	3	1	21	16	31	52	108	207	244	215	-
Male	479	6	1	-	15	11	22	34	76	127	116	71	-
Female	428	3	2	1	6	5	9	18	32	80	128	144	-
All other	352	11	3	1	11	17	22	46	85	73	61	61	-
Male	174	4	-	-	7	11	14	11	17	57	29	24	-
Female	178	7	3	1	4	6	8	11	29	28	44	37	-
Black	350	11	3	1	11	17	22	22	45	84	73	61	-
Male	173	4	-	-	7	11	14	11	16	57	29	24	-
Female	177	7	3	1	4	6	8	11	29	27	44	37	-
Tyler, TX, MSA	1,468	27	7	8	36	43	47	81	132	318	404	365	-
Male	755	10	2	6	32	30	32	58	88	193	199	105	-
Female	713	17	5	2	4	13	15	23	44	125	205	260	-
White	1,189	19	4	7	25	33	31	62	105	252	344	307	-
Male	595	6	-	6	22	24	20	44	68	156	161	88	-
Female	594	13	4	1	3	9	11	18	37	96	183	219	-
All other	279	8	3	1	11	10	16	19	27	66	60	58	-
Male	160	4	2	-	10	6	12	14	20	37	38	17	-
Female	119	4	1	1	1	4	4	5	7	29	22	41	-
Black	277	8	3	-	11	10	16	19	27	65	60	58	-
Male	160	4	2	-	10	6	12	14	20	37	38	17	-
Female	117	4	1	-	1	4	4	5	7	28	22	41	-
Utica-Rome, NY, MSA	3,311	39	8	9	30	55	88	151	305	732	1,025	869	-
Male	1,569	20	5	7	22	47	54	92	191	374	497	270	-
Female	1,742	19	3	2	8	8	34	59	114	358	538	599	-
White	3,213	32	4	9	26	45	70	145	294	714	1,009	865	-
Male	1,499	15	2	7	18	38	41	88	193	359	481	267	-
Female	1,714	17	2	2	8	7	29	57	111	355	529	598	-
All other	98	7	4	-	4	10	18	6	11	18	16	4	-
Male	70	5	3	-	4	9	13	4	8	15	6	3	-
Female	28	2	1	-	-	1	5	2	3	3	10	1	-
Black	91	7	4	-	4	10	18	4	10	15	16	3	-
Male	65	5	3	-	4	9	13	4	7	12	6	2	-
Female	26	2	1	-	-	1	5	-	3	3	10	1	-
Vallejo-Fairfield-Napa, CA, PMSA	3,369	55	14	15	57	121	165	209	365	694	973	701	-
Male	1,772	27	7	11	42	87	119	126	212	398	485	258	-
Female	1,597	28	7	4	15	34	46	83	153	296	488	443	-
White	2,897	41	13	12	30	86	117	181	292	610	867	648	-
Male	1,489	19	7	9	22	56	86	106	172	358	424	230	-
Female	1,408	22	6	3	8	30	31	75	120	252	443	418	-
All other	472	14	1	3	27	35	48	28	73	84	106	53	-
Male	283	8	-	2	20	31	33	20	40	40	61	28	-
Female	169	6	1	1	7	4	15	8	33	44	45	25	-
Black	303	8	1	2	22	31	32	17	44	58	60	28	-
Male	190	4	-	1	16	28	27	12	28	28	34	12	-
Female	113	4	1	1	6	3	5	5	16	30	26	16	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 169

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1993—Con.
(Page 44 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Vancouver, WA, PMSA	1,943	22	7	7	24	40	70	122	223	416	586	426	-
Male	991	11	6	4	20	24	57	78	143	237	287	144	-
Female	952	11	1	3	4	16	13	44	80	179	319	282	-
White	1,899	21	5	7	22	40	67	116	219	405	575	422	-
Male	960	10	5	4	18	24	55	73	140	229	282	140	-
Female	939	11	-	3	4	16	12	43	79	176	313	282	-
All other	44	1	2	-	2	-	3	6	4	11	11	4	-
Male	31	1	1	-	2	-	2	5	3	8	5	4	-
Female	13	-	1	-	-	-	1	1	1	3	6	-	-
Black	22	-	2	-	1	-	2	2	1	6	6	2	-
Male	15	-	1	-	1	-	2	2	1	4	2	2	-
Female	7	-	1	-	-	-	-	-	-	2	4	-	-
Victoria, TX, MSA	573	12	-	5	9	15	26	28	75	129	153	121	-
Male	283	7	-	2	6	10	23	15	44	76	62	38	-
Female	290	5	-	3	3	5	3	13	31	53	91	83	-
White	520	12	-	5	7	12	24	24	68	119	144	105	-
Male	258	7	-	2	5	7	21	14	41	69	59	33	-
Female	262	5	-	3	2	5	3	10	27	50	85	72	-
All other	53	-	-	-	2	3	2	4	7	10	9	16	-
Male	25	-	-	-	1	3	2	1	3	3	3	5	-
Female	28	-	-	-	1	-	-	3	4	7	6	11	-
Black	52	-	-	-	1	3	2	4	7	10	9	16	-
Male	24	-	-	-	-	3	2	1	3	7	3	5	-
Female	28	-	-	-	1	-	-	3	4	3	6	11	-
Vineland-Millville-Bridgeton, NJ, PMSA	1,405	23	2	5	15	46	58	88	165	317	388	298	-
Male	718	13	-	2	12	29	39	56	98	184	191	94	-
Female	687	10	2	3	3	17	19	32	67	133	197	204	-
White	1,186	11	1	2	10	29	35	70	143	269	348	268	-
Male	596	4	-	1	7	21	20	45	79	159	173	87	-
Female	590	7	1	1	3	7	15	25	64	110	176	181	-
All other	219	12	1	3	5	18	23	18	22	48	39	30	-
Male	122	9	-	1	5	8	19	11	19	25	18	7	-
Female	97	3	1	2	-	10	4	7	3	23	21	23	-
Black	199	10	1	3	5	18	22	18	20	42	35	25	-
Male	109	7	-	1	5	8	18	11	17	23	14	5	-
Female	90	3	1	2	-	10	4	7	3	19	21	20	-
Visalia-Tulare-Porterville, CA, MSA	2,432	42	16	21	59	82	114	152	254	518	681	492	1
Male	1,301	20	9	13	47	63	75	103	149	300	343	178	1
Female	1,131	22	7	8	12	19	39	49	105	218	338	314	-
White	2,313	36	15	18	55	74	107	142	243	497	660	465	1
Male	1,233	17	8	10	43	58	72	95	142	282	333	181	1
Female	1,080	19	7	5	12	16	35	47	101	205	327	304	-
All other	119	6	1	3	4	8	7	10	11	21	21	27	-
Male	68	3	1	-	4	7	3	8	7	8	10	17	-
Female	51	3	-	3	-	1	4	2	4	13	11	10	-
Black	54	3	-	1	1	5	3	6	6	9	7	11	-
Male	28	1	-	-	1	5	2	6	3	3	4	3	-
Female	26	2	-	1	-	-	1	2	3	6	3	8	-
Waco, TX, MSA	2,056	30	10	9	44	47	70	118	215	437	571	501	4
Male	1,039	17	5	3	31	36	48	66	148	253	274	158	-
Female	1,017	13	5	6	13	11	22	52	67	184	297	343	4
White	1,703	24	7	9	30	29	52	84	165	367	496	439	2
Male	873	12	2	2	19	22	38	51	122	224	242	139	-
Female	830	12	5	6	11	7	14	33	43	143	254	300	2
All other	353	6	3	1	14	18	18	34	50	70	75	62	2
Male	166	5	3	1	12	14	10	15	26	29	32	19	-
Female	187	1	-	-	2	4	8	19	24	41	43	43	2
Black	349	6	3	1	14	18	17	32	50	70	74	62	2
Male	165	5	3	1	12	14	9	15	26	29	32	19	-
Female	184	1	-	-	2	4	8	17	24	41	42	43	2
Washington, DC-MD-VA, MSA	26,545	697	100	106	673	1,119	1,736	2,158	3,087	5,340	6,393	5,106	30
Male	13,830	393	55	61	528	855	1,215	1,388	1,886	3,002	2,957	1,472	18
Female	12,715	304	45	45	145	264	521	770	1,201	2,338	3,436	3,634	12
White	16,589	252	44	55	228	458	731	1,117	1,786	3,400	4,551	4,054	3
Male	8,221	154	29	31	164	361	498	699	1,092	1,901	2,138	1,153	2
Female	8,468	98	16	24	64	97	233	418	704	1,499	2,413	2,901	1
All other	8,856	445	56	51	445	661	1,005	1,041	1,291	1,940	1,842	1,052	27
Male	5,609	239	27	30	364	494	717	689	794	1,101	819	319	16
Female	4,247	206	29	21	81	167	288	352	497	839	1,023	733	11
Black	9,339	431	52	48	429	635	970	978	1,227	1,821	1,734	987	27
Male	5,332	229	26	27	355	479	695	652	759	1,027	769	298	16
Female	4,007	202	26	21	74	156	275	326	468	794	965	689	11
Waterloo-Cedar Falls, IA, MSA	1,461	24	-	6	15	24	43	65	115	303	430	436	-
Male	738	12	-	3	10	18	33	39	70	191	215	147	-
Female	723	12	-	3	5	6	10	26	45	112	215	289	-
White	1,380	16	-	6	12	18	37	59	106	286	415	425	-
Male	694	8	-	3	7	13	27	38	64	184	210	142	-
Female	686	8	-	3	5	5	10	23	42	102	205	283	-
All other	81	8	-	-	3	6	6	6	9	17	15	11	-
Male	44	4	-	-	3	5	6	6	9	10	10	6	-
Female	37	4	-	-	-	1	-	3	3	7	5	5	-
Black	76	8	-	-	2	6	6	6	8	14	15	11	-
Male	42	4	-	-	2	5	6	6	6	6	5	5	-
Female	34	4	-	-	-	1	-	3	2	8	10	6	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 170

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1993—Con.
(Page 45 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Wausau, WI, MSA	909	10	1	5	22	14	23	40	76	186	286	246	-
Male	470	4	1	2	15	10	16	26	51	108	156	81	-
Female	439	6	-	3	7	4	7	14	25	78	130	165	-
White	898	8	1	5	21	14	22	37	75	184	285	246	-
Male	462	3	1	2	15	10	15	23	50	107	155	81	-
Female	438	5	-	3	6	4	7	14	25	77	130	165	-
All other	11	2	-	-	1	-	1	3	1	2	1	-	-
Male	8	1	-	-	-	-	1	3	1	1	-	-	-
Female	3	1	-	-	1	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
West Palm Beach-Boca Raton-Delray Beach, FL, MSA	11,600	94	39	25	100	261	377	463	863	2,253	3,971	3,148	6
Male	6,151	59	24	18	71	168	269	320	532	1,293	2,133	1,202	4
Female	5,449	35	15	7	29	85	108	143	331	960	1,838	1,806	2
White	10,519	49	18	17	54	155	236	339	714	2,077	3,799	3,058	5
Male	5,514	33	9	13	41	111	167	228	440	1,191	2,041	1,217	3
Female	5,005	16	9	4	13	44	69	111	274	888	1,758	1,819	2
All other	1,081	45	21	8	46	106	141	124	149	176	172	82	1
Male	637	26	15	5	30	55	102	92	92	102	92	25	1
Female	444	19	6	3	16	51	39	32	57	74	80	67	1
Black	1,069	45	21	8	46	106	138	123	146	174	170	91	1
Male	631	26	15	5	30	55	100	92	91	101	91	24	1
Female	438	19	6	3	16	51	38	31	55	73	79	67	1
Wheeling, WV-OH, MSA	2,029	14	1	4	20	20	48	78	198	458	675	513	-
Male	977	9	1	1	18	9	41	46	118	253	315	106	-
Female	1,052	5	-	3	2	11	7	32	80	205	360	347	-
White	1,982	12	1	4	20	19	47	77	192	448	663	409	-
Male	951	7	1	1	18	8	40	46	114	247	308	101	-
Female	1,031	5	-	3	2	11	7	31	78	201	355	308	-
All other	47	2	-	-	-	1	1	1	6	10	12	14	-
Male	26	2	-	-	-	1	1	-	4	6	7	5	-
Female	21	-	-	-	-	-	-	1	2	4	5	9	-
Black	45	2	-	-	-	-	1	-	6	10	12	14	-
Male	25	2	-	-	-	-	1	-	4	6	7	5	-
Female	20	-	-	-	-	-	-	-	2	4	5	9	-
Wichita, KS, MSA	4,058	93	11	26	70	111	147	217	412	799	1,178	994	-
Male	2,057	44	7	15	54	79	96	132	254	464	596	316	-
Female	2,001	49	4	11	16	32	51	85	158	335	582	678	-
White	3,697	65	9	20	52	80	122	184	363	730	1,106	996	-
Male	1,845	29	5	11	41	55	85	115	217	425	558	304	-
Female	1,852	36	4	9	11	25	37	69	146	305	548	632	-
All other	361	28	2	6	18	31	25	33	49	69	72	28	-
Male	212	15	2	4	13	24	11	17	37	39	38	12	-
Female	149	13	-	2	5	7	14	16	12	30	34	16	-
Black	313	24	1	6	13	27	20	23	42	67	63	27	-
Male	164	15	1	4	9	22	8	11	32	38	32	12	-
Female	129	9	-	2	4	5	12	12	10	29	31	15	-
Wichita Falls, TX, MSA	1,231	23	2	5	16	24	32	52	148	274	341	314	-
Male	622	16	1	2	14	19	26	32	89	156	169	98	-
Female	609	7	1	3	2	5	6	20	59	118	172	216	-
White	1,134	21	2	4	12	21	30	41	133	253	323	234	-
Male	571	15	1	2	11	17	24	25	80	142	160	94	-
Female	563	6	1	2	1	4	6	16	53	111	163	200	-
All other	97	2	-	1	4	3	2	11	15	21	18	20	-
Male	51	1	-	-	3	2	2	7	9	14	9	4	-
Female	46	1	-	1	1	1	1	4	6	7	9	16	-
Black	94	2	-	1	4	3	2	11	13	21	18	19	-
Male	51	1	-	-	3	2	2	7	9	14	9	4	-
Female	43	1	-	1	1	1	1	4	4	7	9	15	-
Williamsport, PA, MSA	1,221	10	4	3	8	19	38	48	126	281	355	329	-
Male	588	5	3	1	6	12	24	30	73	157	169	138	-
Female	633	5	1	2	2	7	14	18	53	124	186	221	-
White	1,196	7	4	3	8	14	33	43	125	278	353	328	-
Male	571	4	3	1	6	9	19	27	73	154	167	138	-
Female	625	3	1	2	2	5	14	16	52	124	186	220	-
All other	25	3	-	-	-	5	5	5	1	3	2	1	-
Male	17	1	-	-	-	3	5	3	-	3	2	1	-
Female	8	2	-	-	-	2	1	2	1	-	-	1	-
Black	25	3	-	-	-	5	5	5	1	3	2	1	-
Male	17	1	-	-	-	3	3	3	-	3	2	-	-
Female	8	2	-	-	-	2	-	2	1	-	-	1	-
Wilmington, DE-NJ-MD, PMSA	5,107	91	15	17	52	142	236	291	611	1,259	1,391	993	9
Male	2,604	58	7	10	36	101	164	184	364	718	622	332	8
Female	2,503	33	8	7	16	41	72	107	247	541	769	631	1
White	4,246	46	8	15	39	94	146	189	483	1,063	1,242	977	4
Male	2,123	27	3	8	27	66	100	123	291	610	558	306	4
Female	2,123	19	5	7	12	28	46	76	192	453	684	601	-
All other	861	45	7	2	13	48	90	92	128	196	149	96	5
Male	481	31	4	2	9	35	64	61	73	108	64	28	4
Female	380	14	3	-	4	13	26	31	55	88	85	60	1
Black	851	45	7	2	13	47	88	91	128	194	148	95	5
Male	474	31	4	2	9	34	62	60	73	107	63	25	4
Female	377	14	3	-	4	13	26	31	55	87	85	60	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 171

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1993—Con.

(Page 46 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Wilmington, NC, MSA	1,182	12	4	4	17	28	48	76	134	300	344	215	-
Male	619	9	3	3	15	20	32	48	85	165	170	69	-
Female	563	3	1	1	2	8	16	28	49	135	174	146	-
White	919	7	1	2	10	18	27	54	104	225	288	183	-
Male	466	7	1	2	8	12	16	31	68	126	137	58	-
Female	453	-	-	-	2	6	11	23	36	89	151	125	-
All other	263	5	3	2	7	10	21	22	30	75	56	32	-
Male	153	2	2	1	7	8	16	17	17	39	33	11	-
Female	110	3	1	1	-	2	5	5	13	36	23	21	-
Black	261	5	3	2	7	10	21	22	28	75	56	32	-
Male	152	2	2	1	7	8	16	17	16	39	33	11	-
Female	109	3	1	1	-	2	5	5	12	36	23	21	-
Worcester-Fitchburg-Leominster, MA,NECMA	6,590	45	16	13	61	114	208	285	580	1,350	2,039	1,869	-
Male	3,143	21	6	6	46	76	137	174	357	748	897	577	-
Female	3,447	24	10	7	15	38	71	121	223	604	1,042	1,292	-
White	6,510	43	14	11	59	107	185	288	566	1,339	2,027	1,883	-
Male	3,099	21	5	6	45	69	128	170	347	740	894	576	-
Female	3,411	22	9	5	14	38	69	116	219	599	1,033	1,287	-
All other	60	2	2	2	2	7	13	9	14	11	12	6	-
Male	44	-	1	-	1	7	11	4	10	6	3	1	-
Female	36	2	1	2	1	-	2	5	4	5	9	5	-
Black	64	2	2	2	1	6	10	8	12	8	9	4	-
Male	37	-	1	-	1	6	8	4	9	5	2	1	-
Female	27	2	1	2	-	-	2	4	3	3	7	3	-
Yakima, WA, MSA	1,720	37	6	12	41	43	48	87	176	335	525	409	1
Male	896	19	3	9	32	27	28	55	105	182	292	143	1
Female	824	18	3	3	9	16	20	32	71	153	233	266	-
White	1,614	30	5	8	38	33	38	79	159	316	507	400	1
Male	847	17	2	7	32	21	23	48	95	176	284	141	1
Female	767	13	3	1	6	12	15	31	64	140	223	259	-
All other	106	7	1	4	3	10	10	8	17	19	18	9	-
Male	49	2	1	2	-	6	5	7	10	6	8	2	-
Female	57	5	-	2	3	4	5	1	7	13	10	7	-
Black	17	3	-	-	-	-	-	-	2	4	4	2	-
Male	9	2	-	-	-	-	-	-	2	2	2	1	-
Female	8	1	-	-	-	-	-	-	-	4	2	1	-
York, PA, MSA	3,782	38	5	8	51	78	110	185	387	833	1,143	854	-
Male	1,964	27	3	7	27	55	73	128	221	520	583	320	-
Female	1,818	11	2	1	24	23	37	67	146	313	560	634	-
White	3,672	31	5	8	49	72	89	180	357	800	1,127	944	-
Male	1,901	23	3	7	26	50	66	119	214	502	573	318	-
Female	1,771	8	2	1	23	22	33	61	143	298	554	626	-
All other	110	7	-	-	2	6	11	15	10	33	16	10	-
Male	63	4	-	-	1	5	7	9	7	18	10	2	-
Female	47	3	-	-	1	1	4	6	3	15	6	8	-
Black	101	7	-	-	1	6	10	14	9	28	16	10	-
Male	60	4	-	-	1	5	6	9	6	17	10	2	-
Female	41	3	-	-	-	1	4	5	3	11	6	8	-
Youngstown-Warren, OH, MSA	5,421	75	14	14	75	96	153	282	537	1,349	1,697	1,127	2
Male	2,781	43	8	8	59	78	93	176	331	774	861	349	1
Female	2,640	32	6	6	16	18	60	106	206	575	836	778	1
White	4,803	45	5	7	50	70	122	232	453	1,211	1,566	1,041	1
Male	2,467	25	3	4	39	59	71	145	286	704	803	327	1
Female	2,336	20	2	3	11	11	51	87	167	507	763	714	-
All other	618	30	9	7	25	26	31	50	84	138	131	86	-
Male	314	18	5	4	20	19	22	31	45	70	58	22	-
Female	304	12	4	3	5	7	9	19	39	68	73	64	-
Black	614	30	9	7	25	26	31	49	82	138	130	86	1
Male	313	18	5	4	20	19	22	31	44	70	58	22	-
Female	301	12	4	3	5	7	9	18	38	68	72	64	-
Yuba City, CA, MSA	1,106	20	7	5	23	23	38	83	122	237	330	218	-
Male	607	10	6	3	18	17	25	57	70	133	195	73	-
Female	499	10	1	2	5	6	13	26	52	104	135	145	-
White	1,020	16	5	4	23	21	32	77	114	218	309	201	-
Male	562	8	4	3	18	15	24	53	67	122	162	68	-
Female	458	8	1	1	5	6	8	24	47	96	127	135	-
All other	88	4	2	1	-	2	6	6	8	19	21	17	-
Male	45	2	2	-	-	2	1	4	3	11	13	7	-
Female	41	2	-	1	-	-	5	2	5	8	8	10	-
Black	25	1	-	1	-	2	4	3	2	4	4	4	-
Male	11	-	-	-	-	2	1	1	-	3	2	2	-
Female	14	1	-	1	-	-	3	2	2	1	2	2	-
Yuma, AZ, MSA	1,016	15	3	4	19	25	41	69	155	265	268	151	1
Male	604	8	1	4	14	16	28	44	104	160	146	78	1
Female	412	7	2	-	5	9	13	25	51	105	122	73	-
White	963	13	3	3	15	24	35	60	145	255	262	147	1
Male	568	7	1	3	11	16	24	40	96	154	141	74	1
Female	395	6	2	-	4	8	11	20	49	101	121	73	-
All other	53	2	-	1	4	1	6	9	10	10	6	4	-
Male	36	1	-	1	3	-	4	4	8	6	5	4	-
Female	17	1	-	-	1	1	2	5	2	4	1	-	-
Black	15	1	-	-	1	1	1	3	3	4	1	1	-
Male	10	-	-	-	1	-	-	2	2	3	1	1	-
Female	5	1	-	-	-	-	1	1	1	1	-	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 175

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1993—Con.

(Page 50 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
San Francisco-Oakland-San Jose, CA	48,122	569	144	159	696	1,668	3,019	3,395	4,860	9,381	12,954	11,249	28
Male	25,063	323	85	97	542	1,313	2,317	2,237	2,982	5,100	6,283	3,695	19
Female	23,059	246	59	62	154	355	702	1,158	1,878	4,191	6,691	7,554	9
White	39,425	387	98	102	413	1,209	2,288	2,629	3,719	7,594	10,958	10,026	22
Male	20,054	210	59	60	318	970	1,792	1,760	2,283	4,192	5,207	3,189	14
Female	19,371	157	39	42	95	239	496	869	1,436	3,402	5,761	6,837	8
All other	8,697	202	46	57	283	459	731	766	1,141	1,787	1,996	1,223	6
Male	5,009	113	26	37	224	343	525	477	699	998	1,058	506	5
Female	3,688	89	20	20	59	116	206	289	442	789	940	717	1
Black	4,784	129	28	31	200	340	527	502	644	916	944	519	4
Male	2,781	72	15	19	161	264	396	330	396	490	433	182	3
Female	2,023	57	13	12	39	76	131	172	248	426	511	337	1
Seattle-Tacoma, WA	19,500	252	62	65	307	541	915	1,183	1,949	4,098	5,409	4,719	-
Male	10,058	144	35	41	237	421	667	745	1,192	2,373	2,644	1,559	-
Female	9,442	108	27	24	70	120	248	438	757	1,725	2,765	3,160	-
White	17,849	191	51	47	220	444	759	1,052	1,709	3,728	5,106	4,544	-
Male	9,112	115	30	33	165	348	565	665	1,055	2,160	2,496	1,480	-
Female	8,737	76	21	14	55	96	194	387	654	1,566	2,610	3,064	-
All other	1,651	61	11	18	87	97	156	131	240	372	303	175	-
Male	946	29	5	8	72	73	102	80	137	213	148	79	-
Female	705	32	6	10	15	24	54	51	103	159	155	96	-
Black	827	45	6	13	44	56	98	72	105	178	131	79	-
Male	491	23	3	6	36	45	64	48	68	108	59	31	-
Female	336	22	3	7	8	11	34	24	37	70	72	48	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 192

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1993—Con.
(Page 17 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1-4 years				Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
			1 year	2 years	3 years	4 years								
Chronic obstructive pulmonary diseases, etc.-Con.														
Emphysema (492)	17,586	1	-	-	1	-	2	2	1	3	1	2	7	15
Male	9,914	1	-	-	1	-	1	1	-	2	1	2	5	9
Female	7,672	-	-	-	-	-	1	1	1	1	-	-	2	6
White	16,534	1	-	-	-	-	1	1	-	2	-	1	4	10
Male	9,202	1	-	-	-	-	1	1	-	1	-	1	3	6
Female	7,332	-	-	-	-	-	-	-	1	-	-	-	1	4
All other	1,052	-	-	1	-	1	1	1	1	1	1	1	3	5
Male	712	-	-	-	-	-	-	-	1	1	1	1	2	3
Female	340	-	-	-	1	-	1	1	1	-	-	-	1	2
Black	888	-	-	-	1	-	1	1	1	1	1	1	3	5
Male	601	-	-	-	-	-	-	-	1	1	1	1	2	3
Female	287	-	-	-	1	-	1	1	1	-	-	-	1	2
Asthma (493)	5,167	6	9	11	9	3	38	32	86	83	103	107	133	189
Male	1,928	2	6	7	5	2	22	18	51	49	63	47	51	78
Female	3,239	4	3	4	4	1	16	14	35	34	40	60	82	111
White	3,910	4	4	4	3	1	16	16	46	46	59	54	74	107
Male	1,384	2	4	2	1	-	9	11	22	25	33	20	30	42
Female	2,526	2	-	2	2	1	7	5	24	21	26	34	44	65
All other	1,257	2	5	7	6	2	22	16	40	37	44	53	59	82
Male	544	-	2	5	4	2	13	7	29	24	30	27	21	36
Female	713	2	3	2	2	-	9	9	11	13	14	26	38	46
Black	1,112	2	4	7	6	1	20	16	37	36	42	49	55	74
Male	465	-	1	5	4	1	11	7	27	23	29	26	20	32
Female	647	2	3	2	2	-	9	9	10	13	13	23	35	42
Other chronic obstructive pulmonary diseases and allied conditions (494-496)														
Male	40,641	4	2	1	2	-	11	1	1	2	5	9	21	62
Female	33,906	1	-	-	1	-	2	1	-	1	-	-	9	26
White	69,669	4	2	1	2	-	9	1	-	2	4	8	18	52
Male	37,492	3	2	1	1	-	7	-	-	2	4	8	11	32
Female	32,177	1	-	-	1	-	2	1	-	-	-	-	7	20
All other	4,878	1	-	-	1	-	2	-	1	-	1	1	3	10
Male	3,149	1	-	-	1	-	2	-	1	-	-	1	1	4
Female	1,729	-	-	-	-	-	-	-	-	-	-	-	2	6
Black	4,213	1	-	-	1	-	2	-	1	-	1	1	2	8
Male	2,725	1	-	-	1	-	2	-	1	-	-	1	-	4
Female	1,488	-	-	-	-	-	-	-	-	-	1	-	2	4
Ulcer of stomach and duodenum (531-533)														
Male	2,824	4	2	1	1	1	9	3	-	3	4	6	15	39
Female	3,121	1	-	-	-	-	1	-	-	-	6	3	10	18
White	5,264	3	2	1	1	1	8	2	-	2	6	6	17	39
Male	2,431	3	2	1	1	1	8	2	-	2	3	4	10	24
Female	2,833	-	-	-	-	-	-	-	-	-	3	2	7	15
All other	681	2	-	-	-	-	2	1	-	1	4	3	8	18
Male	393	1	-	-	-	-	1	1	-	1	1	2	5	15
Female	288	1	-	-	-	-	1	-	-	-	3	1	3	3
Black	561	2	-	-	-	-	2	1	-	-	4	2	8	16
Male	317	1	-	-	-	-	1	1	-	-	1	1	5	14
Female	244	1	-	-	-	-	-	-	-	-	3	1	3	2
Appendicitis (540-543)														
Male	217	6	2	1	1	2	12	2	4	3	3	2	6	7
Female	150	-	1	-	1	-	2	1	3	3	2	-	4	4
White	283	4	2	1	1	1	9	3	4	4	3	2	8	5
Male	159	4	2	1	-	1	8	2	2	2	1	2	5	4
Female	124	-	-	-	1	-	1	1	2	2	2	-	3	1
All other	84	2	1	-	1	1	5	-	3	2	2	-	2	6
Male	58	2	-	-	1	1	4	-	2	1	2	-	1	3
Female	26	-	1	-	-	-	1	-	1	1	-	-	1	3
Black	71	2	1	-	-	1	4	-	3	2	1	-	2	6
Male	48	2	-	-	-	1	3	-	2	1	1	-	1	3
Female	23	-	1	-	-	-	1	-	1	1	-	-	1	3
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)														
Male	2,197	47	9	3	1	3	63	4	7	10	4	9	15	15
Female	3,722	22	2	6	1	1	32	4	8	3	-	8	11	19
White	5,168	49	8	7	1	2	67	3	11	7	4	14	17	23
Male	1,846	34	6	3	-	2	45	1	5	5	4	9	10	9
Female	3,322	15	2	4	1	-	22	2	6	2	-	5	7	14
All other	751	20	3	2	1	2	28	5	4	6	-	3	9	11
Male	351	13	3	-	1	1	18	3	2	5	-	-	5	6
Female	400	7	-	2	-	1	10	2	2	1	-	3	4	5
Black	693	18	3	1	1	2	25	4	3	5	-	3	8	11
Male	325	12	3	-	1	1	17	2	2	4	-	-	4	6
Female	368	6	-	1	-	1	8	2	1	1	-	3	4	5
Chronic liver disease and cirrhosis (571)														
Male	16,276	15	2	2	1	1	21	1	1	5	17	114	365	1,027
Female	8,933	4	3	-	-	2	9	3	3	4	13	52	190	442
White	21,348	14	3	1	1	2	21	2	1	7	20	120	416	1,095
Male	13,821	10	1	1	1	1	14	-	-	5	12	66	286	803
Female	7,527	4	2	-	-	1	7	2	1	2	8	34	130	292
All other	3,861	5	2	1	-	1	9	2	3	2	10	46	139	374
Male	2,455	5	1	1	-	-	7	1	1	-	5	28	79	224
Female	1,406	-	1	-	-	1	2	1	2	2	5	18	60	150
Black	3,228	4	2	1	-	1	8	2	2	2	8	37	110	300
Male	2,100	4	1	1	-	-	6	1	2	5	24	63	181	
Female	1,128	-	1	-	-	1	2	1	2	2	3	13	47	119

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 196

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1993—Con.
(Page 21 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Complications of pregnancy, childbirth, and the puerperium (630-676)	302	1	22	61	67	69	64
Male
Female	302	1	22	61	67	69	64
White	152	1	9	28	33	41	31
Male
Female	152	1	9	28	33	41	31
All other	150	13	33	34	28	33
Male
Female	150	13	33	34	28	33
Black	135	13	30	32	26	26
Male
Female	135	13	30	32	26	26
Pregnancy with abortive outcome (630-638)	47	5	14	9	13	5
Male
Female	47	5	14	9	13	5
White	21	3	7	3	7	1
Male
Female	21	3	7	3	7	1
All other	26	2	7	6	6	4
Male
Female	26	2	7	6	6	4
Black	25	2	7	6	6	4
Male
Female	25	2	7	6	6	4
Other complications of pregnancy, childbirth, and the puerperium (640-676)	255	1	17	47	58	56	59
Male
Female	255	1	17	47	58	56	59
White	131	6	21	30	34	30
Male
Female	131	6	21	30	34	30
All other	124	11	26	28	22	29
Male
Female	124	11	26	28	22	29
Black	110	11	23	26	20	22
Male
Female	110	11	23	26	20	22
Congenital anomalies (740-759)	12,444	7,129	377	217	133	77	7,933	274	211	232	240	249	227	232
Male	6,610	3,886	182	113	58	35	4,274	139	125	136	141	132	140	125
Female	5,834	3,243	195	104	75	42	3,659	135	86	96	99	117	87	107
White	9,934	5,449	273	171	95	58	6,046	225	168	178	202	205	180	186
Male	5,281	2,987	137	89	43	24	3,280	109	98	104	118	107	111	102
Female	4,653	2,462	136	82	52	34	2,766	116	70	74	84	98	69	84
All other	2,510	1,680	104	46	38	19	1,887	49	43	54	38	44	47	46
Male	1,329	899	45	24	15	11	994	30	27	32	23	25	29	23
Female	1,181	781	59	22	23	8	893	19	16	22	15	19	18	23
Black	2,104	1,403	87	40	32	15	1,577	42	32	48	27	41	39	44
Male	1,116	743	39	23	14	8	827	24	21	28	16	22	24	23
Female	988	660	48	17	18	7	750	18	11	20	11	19	15	21
Certain conditions originating in the perinatal period (760-779)	15,097	14,946	58	26	11	5	15,046	11	9	5	1	4	4	1
Male	8,472	8,374	41	15	8	4	8,442	7	6	2	1	—	1	1
Female	6,625	6,572	17	11	3	1	6,604	4	3	3	—	4	3	—
White	8,831	8,732	33	15	7	3	8,790	9	8	3	1	4	4	—
Male	4,956	4,891	24	8	5	2	4,930	7	6	1	1	—	1	—
Female	3,875	3,841	9	7	2	1	3,860	2	2	2	—	4	3	—
All other	6,266	6,214	25	11	4	2	6,256	2	1	2	—	—	—	1
Male	3,516	3,483	17	7	3	2	3,512	—	1	—	—	—	—	1
Female	2,750	2,731	8	4	1	—	2,744	2	1	1	—	—	—	—
Black	5,891	5,844	21	11	4	2	5,882	2	1	1	—	—	—	1
Male	3,309	3,278	15	7	3	2	3,305	—	1	—	—	—	—	1
Female	2,582	2,566	6	4	1	—	2,577	2	—	—	—	—	—	—
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2,618	2,580	12	6	1	2	2,601	3	4	1	—	—	2	1
Male	1,523	1,500	7	3	1	2	1,513	1	2	—	—	—	—	1
Female	1,095	1,080	5	3	—	—	1,088	2	1	—	—	—	2	—
White	1,652	1,625	7	4	1	1	1,638	3	3	1	—	—	2	—
Male	959	943	4	2	1	1	951	1	2	—	—	—	—	—
Female	693	682	3	2	—	—	687	2	1	1	—	—	2	—
All other	966	955	5	2	—	1	963	—	1	—	—	—	—	1
Male	564	557	3	1	—	1	562	—	—	—	—	—	—	1
Female	402	398	2	1	—	—	401	—	1	—	—	—	—	—
Black	909	900	3	2	—	1	906	—	1	—	—	—	—	1
Male	534	528	2	1	—	1	532	—	—	—	—	—	—	1
Female	375	372	1	1	—	—	374	—	1	—	—	—	—	—
Other conditions originating in the perinatal period (760-766,770-779)	12,479	12,366	46	20	10	3	12,445	8	5	4	1	4	2	—
Male	6,949	6,874	34	12	7	2	6,929	6	4	2	1	—	1	—
Female	5,530	5,492	12	8	3	1	5,516	2	1	2	—	4	1	—
White	7,179	7,107	26	11	6	2	7,152	6	5	2	1	4	2	—
Male	3,997	3,948	20	6	4	1	3,979	6	4	1	1	—	1	—
Female	3,182	3,159	6	5	2	1	3,173	—	1	1	—	4	1	—
All other	5,300	5,259	20	9	4	1	5,293	2	—	2	—	—	—	—
Male	2,952	2,926	14	6	3	1	2,950	—	—	1	—	—	—	—
Female	2,348	2,333	6	3	1	—	2,343	2	—	1	—	—	—	—
Black	4,982	4,944	18	9	4	1	4,976	2	—	1	—	—	—	—
Male	2,775	2,750	13	6	3	1	2,773	—	—	—	—	—	—	—
Female	2,207	2,194	5	3	1	—	2,203	2	—	—	—	—	—	—

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 197

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1993—Con.

(Page 22 of 28)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Complications of pregnancy, childbirth, and the puerperium (630-676)	18	-	-	-
Male
Female	18	-	-
White	9	-	-
Male
Female	9	-	-
All other	9	-	-
Male
Female	9	-	-
Black	8	-	-
Male
Female	8	-	-
Pregnancy with abortive outcome (630-638)	1	-	-	-
Male
Female	1	-	-
White
Male
Female
All other	1	-	-
Male
Female	1	-	-
Black
Male
Female
Other complications of pregnancy, childbirth, and the puerperium (640-676)	17	-	-	-
Male
Female	17	-	-
White	9	-	-
Male
Female	9	-	-
All other	8	-	-
Male
Female	8	-	-
Black	8	-	-
Male
Female	8	-	-
Congenital anomalies (740-759)	237	259	199	215	267	267	321	341	343	222	118	50	6	1
Male	130	141	101	112	129	148	170	167	141	100	43	12	3	1
Female	107	118	98	103	138	119	151	174	202	122	75	38	3	-
White	205	220	169	186	239	242	276	316	314	211	111	48	6	1
Male	115	118	84	100	113	137	149	157	129	94	41	11	3	1
Female	90	102	85	86	126	105	127	159	185	117	70	37	3	-
All other	32	39	30	29	28	25	45	25	29	11	7	2	-	-
Male	15	23	17	12	16	11	21	10	12	6	2	1	-	-
Female	17	16	13	17	12	14	24	15	17	5	5	1	-	-
Black	25	36	28	24	22	22	34	20	24	10	7	2	-	-
Male	13	22	15	10	13	9	19	10	11	6	2	1	-	-
Female	12	14	13	14	9	13	15	10	13	4	5	1	-	-
Certain conditions originating in the perinatal period (760-779)	4	1	-	-	-	2	1	2	2	-	-	-	-	4
Male	3	1	-	-	-	2	1	2	1	-	-	-	-	2
Female	1	-	-	-	-	-	-	-	1	-	-	-	-	2
White	4	1	-	-	-	2	-	2	1	-	-	-	-	2
Male	3	1	-	-	-	2	-	2	1	-	-	-	-	1
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	1	-	1	-	-	-	-	2
Male	-	-	-	-	-	-	1	-	1	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	1	-	1	-	-	-	-	2
Male	-	-	-	-	-	-	1	-	1	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2	1	-	-	-	1	1	1	-	-	-	-	-	-
Male	2	1	-	-	-	1	1	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	1	-	-	-	1	-	1	-	-	-	-	-	-
Male	2	1	-	-	-	1	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	2	-	-	-	-	1	-	1	2	-	-	-	-	4
Male	1	-	-	-	-	1	-	1	1	-	-	-	-	2
Female	1	-	-	-	-	-	-	-	1	-	-	-	-	2
White	2	-	-	-	-	1	-	1	1	-	-	-	-	2
Male	1	-	-	-	-	1	-	1	1	-	-	-	-	1
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	1	-	-	-	-	2
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	1	-	-	-	-	2
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	1	-	-	-	-	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 200

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1993—Con.

(Page 25 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
All other external causes (E980-E999)	3,427	61	18	10	7	4	100	17	42	150	270	319	565	548
Male	2,521	38	8	5	6	3	60	10	36	121	215	241	430	416
Female	906	23	10	5	1	1	40	7	6	29	55	78	135	132
White	2,581	30	9	7	2	2	50	12	31	106	211	231	432	399
Male	1,882	20	4	4	2	2	32	7	28	85	169	175	329	304
Female	699	10	5	3	-	-	18	5	3	21	42	56	103	95
All other	846	31	9	3	5	2	50	5	11	44	59	88	133	149
Male	639	18	4	1	4	1	28	3	8	36	46	66	101	112
Female	207	13	5	2	1	1	22	2	3	8	13	22	32	37
Black	751	29	7	3	5	2	46	3	9	34	50	78	114	140
Male	584	16	3	1	4	1	25	2	6	28	38	57	86	105
Female	187	13	4	2	1	1	21	1	3	6	12	21	28	35

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 201

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1993—Con.

(Page 26 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
All other external causes (E880-E899)	469	271	160	114	88	87	57	53	40	31	16	4	-	26
Male	352	196	105	75	63	61	38	35	26	16	3	3	-	19
Female	117	75	55	39	25	26	19	18	14	15	13	1	-	7
White	344	212	127	93	73	67	51	41	36	27	14	4	-	20
Male	253	151	80	58	51	44	34	26	24	12	2	3	-	15
Female	91	61	47	35	22	23	17	15	12	15	12	1	-	5
All other	125	59	33	21	15	20	6	12	4	4	2	-	-	6
Male	99	45	25	17	12	17	4	9	2	4	1	-	-	4
Female	26	14	8	4	3	3	2	3	2	-	1	-	-	2
Black	117	50	30	18	14	19	5	11	3	3	2	-	-	5
Male	95	39	22	14	11	16	4	8	1	3	1	-	-	3
Female	22	11	8	4	3	3	1	3	2	-	1	-	-	2

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 205

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.
(Page 4 of 299)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male												Female												
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
ALABAMA—Con.																									
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2
White	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	797	1	1	-	1	6	7	38	72	179	310	182	1,377	1	1	-	3	6	16	33	69	197	482	569	
White	554	-	1	-	-	4	4	24	45	115	216	145	1,011	-	1	-	-	2	12	21	32	127	358	457	
All other	243	1	-	-	1	2	3	14	27	64	94	37	366	1	-	-	2	4	4	12	37	70	124	112	
Black	242	1	-	-	1	2	3	14	27	63	94	37	366	1	-	-	2	4	4	12	37	70	124	112	
Atherosclerosis (440)	117	-	-	-	-	-	2	5	14	26	40	30	147	-	-	-	-	-	-	1	5	18	54	69	
White	83	-	-	-	-	-	1	5	6	18	28	25	110	-	-	-	-	-	-	-	4	10	42	54	
All other	34	-	-	-	-	-	1	-	8	8	12	5	37	-	-	-	-	-	-	1	1	8	12	15	
Black	34	-	-	-	-	-	1	-	8	8	12	5	37	-	-	-	-	-	-	1	1	8	12	15	
Other diseases of arteries, arterioles, and capillaries (441-448)	259	-	-	1	1	1	5	12	28	86	86	39	165	-	-	-	1	2	9	3	12	39	48	51	
White	222	-	-	1	1	1	4	11	22	77	75	31	133	-	-	-	-	1	4	3	10	36	35	44	
All other	37	-	-	-	1	-	1	1	6	9	11	8	32	-	-	-	-	1	5	-	2	3	13	7	
Black	36	-	-	-	1	-	1	1	6	9	10	8	32	-	-	-	-	1	5	-	2	3	13	7	
Acute bronchitis and bronchiolitis (466)	4	1	-	-	-	-	-	-	-	1	1	-	1	6	-	-	-	-	-	-	-	-	3	3	
White	3	-	-	-	-	-	-	-	-	1	1	-	1	6	-	-	-	-	-	-	-	-	3	3	
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia and influenza (480-487)	618	6	-	1	2	6	15	21	44	106	222	195	734	4	-	-	2	9	12	10	31	67	211	388	
White	478	2	-	1	1	3	6	12	30	88	178	157	595	2	-	-	1	3	9	6	21	52	168	333	
All other	140	4	-	-	1	3	9	9	14	18	44	38	139	2	-	-	-	1	6	3	4	10	15	43	
Black	139	4	-	-	1	3	9	9	14	18	44	37	136	2	-	-	-	1	6	3	4	10	15	41	
Pneumonia (480-486)	615	6	-	-	2	6	15	21	44	105	222	194	731	4	-	-	2	9	12	10	30	67	210	387	
White	476	2	-	-	1	3	6	12	30	88	178	156	592	2	-	-	-	1	3	9	6	20	52	167	
All other	139	4	-	-	1	3	9	9	14	17	44	38	139	2	-	-	-	1	6	3	4	10	15	43	
Black	138	4	-	-	1	3	9	9	14	17	44	37	136	2	-	-	-	1	6	3	4	10	15	41	
Influenza (487)	3	-	-	1	-	-	-	-	-	1	-	1	3	-	-	-	-	-	-	-	1	-	1	1	
White	2	-	-	1	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	1	-	1	1	
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chronic obstructive pulmonary diseases and allied conditions (490-496)	979	-	2	1	1	2	11	38	120	323	339	142	704	-	-	1	2	2	8	16	89	215	244	127	
White	814	-	2	-	-	1	6	25	100	274	284	122	629	-	-	1	1	1	5	13	81	191	228	108	
All other	165	-	-	1	1	1	5	13	20	49	55	20	75	-	-	-	-	1	3	3	8	24	16	19	
Black	165	-	-	1	1	1	5	13	20	49	55	20	75	-	-	-	-	1	3	3	8	24	16	19	
Bronchitis, chronic and unspecified (490-491)	27	-	2	1	-	-	-	-	3	7	12	2	36	-	-	-	-	-	1	-	3	6	14	12	
White	24	-	2	-	-	-	-	-	3	7	10	2	32	-	-	-	-	-	1	-	3	4	13	11	
All other	3	-	-	1	-	-	-	-	-	-	2	-	4	-	-	-	-	-	-	-	-	2	1	1	
Black	3	-	-	1	-	-	-	-	-	-	2	-	4	-	-	-	-	-	-	-	-	2	1	1	
Emphysema (492)	154	-	-	-	-	1	4	29	59	47	14	98	-	-	-	-	-	-	4	14	40	27	11		
White	131	-	-	-	-	-	1	3	25	50	41	11	80	-	-	-	-	-	4	13	38	25	10		
All other	23	-	-	-	-	-	-	1	4	9	6	3	6	-	-	-	-	-	-	1	2	2	1		
Black	23	-	-	-	-	-	-	1	4	9	6	3	6	-	-	-	-	-	-	1	2	2	1		
Asthma (493)	26	-	-	-	1	1	6	5	4	3	3	3	53	-	-	1	2	2	7	4	8	14	9	6	
White	16	-	-	-	-	-	3	2	4	3	2	2	35	-	-	1	1	4	2	5	10	6	5		
All other	10	-	-	-	1	1	3	3	-	-	1	1	18	-	-	-	1	1	3	2	3	4	3		
Black	10	-	-	-	1	1	3	3	-	-	1	1	18	-	-	-	1	1	3	2	3	4	3		
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	772	-	-	-	-	1	4	29	84	254	277	123	519	-	-	-	-	-	8	64	155	194	98		
White	643	-	-	-	-	1	2	20	68	214	231	107	472	-	-	-	-	-	7	60	139	184	82		
All other	129	-	-	-	-	-	2	9	16	40	46	16	47	-	-	-	-	-	1	4	16	10	16		
Black	129	-	-	-	-	-	2	9	16	40	46	16	47	-	-	-	-	-	1	4	16	10	16		
Ulcer of stomach and duodenum (531-533)	34	-	-	-	-	-	1	2	2	13	12	4	41	-	-	-	-	-	1	1	3	11	16	8	
White	24	-	-	-	-	-	-	-	1	10	9	4	36	-	-	-	-	-	1	-	3	10	13	8	
All other	10	-	-	-	-	-	1	2	1	3	3	-	5	-	-	-	-	-	-	-	-	1	3	-	
Black	10	-	-	-	-	-	1	2	1	3	3	-	5	-	-	-	-	-	-	-	-	1	3	-	
Appendicitis (540-543)	2	-	-	-	1	-	-	-	-	-	1	-	2	-	-	-	1	-	-	-	-	-	1	-	
White	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	37	-	-	-	-	-	-	2	4	6	16	9	58	-	-	-	-	-	1	4	10	22	21		
White	28	-	-	-	-	-	1	2	5	12	6	6	47	-	-	-	-	-	1	-	8	18	20		
All other	11	-	-	-	-	-	-	1	2	1	4	3	11	-	-	-	-	-	-	-	4	2	4		
Black	11	-	-	-	-	-	-	1	2	1	4	3	10	-	-	-	-	-	-	-	3	2	4		

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 209

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.
(Page 8 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042.*044; see Technical Appendix. Data for *042.*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA —Con.																								
Malignant neoplasms of urinary organs (188-189)	13	-	-	-	-	-	2	2	4	4	1	-	7	-	-	-	-	-	-	1	3	2	1	
White	11	-	-	-	-	-	2	1	4	4	-	-	1	-	-	-	-	-	-	-	-	1	1	
All other	2	-	-	-	-	-	-	1	-	-	1	-	6	-	-	-	-	-	-	1	3	1	1	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	45	-	1	1	3	1	7	12	14	6	-	25	-	-	-	3	1	5	5	6	2	3		
White	41	-	1	1	3	1	5	11	14	5	-	19	-	-	-	1	1	3	3	6	2	3		
All other	4	-	-	-	-	-	2	1	1	1	-	6	-	-	-	2	2	2	2	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-		
Leukemia (204-208)	12	-	-	-	1	2	1	5	1	2	-	13	-	-	1	-	1	1	1	1	1	3	4	
White	10	-	-	-	-	2	1	4	1	2	-	12	-	-	1	-	1	-	1	1	1	3	4	
All other	2	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	14	-	-	1	-	3	1	2	3	3	1	14	-	-	-	-	1	2	3	4	2	2		
White	12	-	-	-	-	3	1	2	3	2	1	10	-	-	-	-	1	2	2	2	1	2		
All other	2	-	-	1	-	-	-	-	-	1	-	4	-	-	-	-	-	-	1	2	1	-		
Black	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4	-	1	-	-	-	-	1	2	-	-	2	-	-	-	-	-	-	-	1	1	-		
White	3	-	1	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	1	-		
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Diabetes mellitus (250)	33	-	-	-	1	1	4	8	10	7	2	26	-	-	-	-	2	2	3	6	11	2		
White	25	-	-	-	1	1	4	7	7	3	2	18	-	-	-	-	2	2	1	5	7	1		
All other	8	-	-	-	-	-	-	1	3	4	-	8	-	-	-	-	-	-	2	1	4	1		
Black	2	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	1	-	-	-		
Nutritional deficiencies (260-269)	2	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1		
White	2	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-		
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Anemias (280-285)	2	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-	-	-		
White	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-	-	-		
All other	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis (320-322)	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
White	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Major cardiovascular diseases (390-448)	396	3	2	2	4	30	43	78	109	76	49	254	1	1	-	1	8	16	28	56	83	60		
White	311	1	2	4	21	36	64	86	64	33	33	190	1	1	-	1	7	9	18	48	59	46		
All other	85	2	-	2	9	7	14	23	12	16	16	64	-	-	-	1	7	10	8	24	24	14		
Black	10	-	-	1	-	2	-	3	3	1	-	8	-	-	-	-	-	2	1	4	1	1		
Diseases of heart (390-398,402,404-429)	322	2	1	4	24	35	71	90	63	31	173	1	1	-	3	9	19	35	62	43				
White	255	1	1	4	17	29	58	73	53	19	132	1	1	-	3	6	15	31	42	33				
All other	67	1	-	1	7	6	13	17	10	12	41	-	-	-	3	4	4	4	20	10				
Black	9	-	-	1	-	2	-	3	2	1	8	-	-	-	-	-	2	1	4	1				
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	1	-	2	2	-			
White	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	1	-	2	2	-			
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Hypertensive heart disease (402)	3	-	-	-	-	1	1	-	1	-	5	-	-	-	-	-	-	2	-	2	1			
White	1	-	-	-	-	1	1	-	-	-	3	-	-	-	-	-	-	-	-	2	1			
All other	2	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	2	-	-	-			
Black	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-			
Hypertensive heart and renal disease (404)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Ischemic heart disease (410-414)	221	1	-	1	2	19	21	60	64	39	14	105	-	-	-	-	2	4	14	23	35	27		
White	181	-	-	-	2	17	18	49	55	33	7	82	-	-	-	-	2	3	13	21	23	20		
All other	40	1	-	1	2	3	11	9	6	7	7	23	-	-	-	-	1	1	1	2	12	7		
Black	4	-	-	1	-	1	-	2	-	-	-	5	-	-	-	-	-	1	1	1	3	-		
Acute myocardial infarction (410)	97	-	-	1	2	4	9	26	28	21	6	46	-	-	-	-	1	-	5	11	18	11		
White	76	-	-	-	2	4	7	22	23	17	1	34	-	-	-	-	1	-	5	10	13	5		
All other	21	-	-	1	-	2	4	5	4	5	5	12	-	-	-	-	-	-	1	5	6	6		
Black	2	-	-	1	-	-	-	1	-	-	-	4	-	-	-	-	-	-	1	3	-	-		

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 219

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.
(Page 18 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male											Female													
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
ARKANSAS																									
All causes	13,769	212	39	87	330	413	572	910	1,780	3,416	3,911	2,099	12,762	130	34	36	116	165	301	552	1,047	2,368	3,855	4,158	
White	11,563	148	29	64	231	300	424	695	1,504	2,986	3,423	1,759	10,738	88	24	22	82	115	208	440	867	1,963	3,315	3,614	
All other	2,206	64	10	23	99	113	148	215	276	430	488	340	2,024	42	10	14	34	50	93	112	180	405	540	544	
Black	2,181	63	10	23	95	112	146	213	273	422	484	340	1,999	42	10	14	33	47	92	111	177	396	536	541	
Shigellosis and amebiasis (004,006)																									
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)																									
White	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)																									
White	10	-	-	-	-	1	-	-	1	4	3	1	8	-	-	-	1	-	1	-	-	2	2	2	2
All other	5	-	-	-	-	-	-	-	-	3	2	-	6	-	-	-	1	-	1	-	1	1	1	2	2
Black	5	-	-	-	-	1	-	-	1	1	1	-	2	-	-	-	-	-	-	-	-	1	1	-	-
Tuberculosis of respiratory system (010-012)																									
White	9	-	-	-	-	1	-	-	1	4	2	1	6	-	-	-	-	-	1	-	-	2	2	1	1
All other	5	-	-	-	-	-	-	-	-	3	2	-	4	-	-	-	-	-	1	-	-	1	1	1	1
Black	4	-	-	-	-	1	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-	-
Other tuberculosis (013-018)																									
White	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	1
All other	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)																									
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)																									
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)																									
White	1	1	-	-	-	-	-	-	-	-	-	-	4	-	-	-	2	-	-	-	-	1	1	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
Septicemia (038)																									
White	122	-	1	-	-	1	2	3	4	26	46	39	203	-	1	-	1	1	3	4	9	37	64	83	
All other	98	-	1	-	-	1	2	1	3	22	40	28	171	-	1	-	-	1	3	3	7	32	56	68	
Black	24	-	-	-	-	-	2	1	4	6	11	32	32	-	-	-	1	-	1	2	5	8	15	15	
Acute poliomyelitis (045)																									
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)																									
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)																									
White	10	-	-	-	-	-	1	1	3	4	1	9	-	-	-	-	-	2	1	3	1	1	1	1	
All other	10	-	-	-	-	-	1	1	3	4	1	8	-	-	-	-	-	2	1	3	1	1	1	1	
Black	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	
Syphilis (090-097)																									
White	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)																									
White	139	2	-	1	4	48	34	23	10	5	9	3	43	-	-	3	2	7	8	3	2	5	7	6	
All other	105	1	-	1	3	35	27	14	8	4	9	3	27	-	-	2	1	2	3	2	4	7	6	6	
Black	34	1	-	-	1	13	7	9	2	1	-	-	16	-	-	1	1	5	8	-	-	1	-	-	
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)																									
White	3,343	1	3	8	15	28	100	242	576	1,104	910	356	2,631	-	3	2	6	32	102	227	402	760	699	398	
All other	2,842	-	2	8	9	23	76	194	498	975	780	277	2,248	-	2	1	4	26	75	195	345	659	603	338	
Black	501	1	1	-	6	5	24	48	78	129	130	79	383	-	1	1	2	6	27	32	57	101	96	60	
Black	496	1	1	-	6	5	24	46	78	127	129	79	378	-	1	1	2	6	27	32	56	99	95	59	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 229

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.

(Page 28 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	89	-	-	-	1	8	8	2	3	15	32	20	56	-	-	-	-	1	4	4	1	12	20	14
White	74	-	-	-	1	5	5	2	3	13	26	19	48	-	-	-	-	3	3	1	10	17	14	
All other	15	-	-	-	-	3	3	-	-	2	6	1	8	-	-	-	-	1	1	1	-	2	3	
Black	10	-	-	-	-	3	2	-	-	1	4	-	3	-	-	-	-	-	1	-	-	1	-	
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	626	12	-	1	2	15	26	38	61	136	195	140	739	10	-	1	2	9	15	21	61	179	231	210
White	491	8	-	1	1	3	14	29	50	106	160	119	598	9	-	1	1	6	11	17	49	145	185	174
All other	135	4	-	-	1	12	12	9	11	30	35	21	141	1	-	-	1	3	4	4	12	34	46	36
Black	74	4	-	-	1	8	9	7	6	20	13	6	97	1	-	-	1	3	3	3	11	19	33	23
Infections of kidney (590)	45	-	-	-	-	1	3	2	3	5	16	15	130	-	-	-	-	1	5	8	15	12	43	46
White	40	-	-	-	-	1	3	1	2	5	15	13	119	-	-	-	-	4	7	11	12	40	45	
All other	5	-	-	-	-	-	-	1	1	-	1	2	11	-	-	-	-	1	1	1	4	-	3	1
Black	2	-	-	-	-	-	-	1	-	-	1	-	7	-	-	-	-	1	-	1	2	-	2	1
Hyperplasia of prostate (600)	52	-	-	-	-	1	-	-	2	5	18	26
White	44	-	-	-	-	1	-	-	2	5	14	22
All other	8	-	-	-	-	-	-	-	-	-	4	4
Black	5	-	-	-	-	-	-	-	-	-	2	3
Complications of pregnancy, childbirth, and the puerperium (630-676)	45	-	10	20	15	-
White	30	-	7	13	10	-
All other	15	-	3	7	5	-
Black	9	-	2	6	1	-
Pregnancy with abortive outcome (630-638)	7	-	3	3	1	-
White	4	-	2	2	-	-
All other	3	-	1	1	1	-
Black	2	-	1	1	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	38	-	7	17	14	-
White	26	-	5	11	10	-
All other	12	-	2	6	4	-
Black	7	-	1	5	1	-
Congenital anomalies (740-759)	826	552	53	39	27	33	41	28	22	15	12	3	725	421	79	36	17	28	33	32	27	16	29	7
White	681	459	42	31	21	25	39	20	19	10	11	3	582	337	58	30	16	21	26	28	23	12	26	5
All other	145	93	11	8	6	8	2	8	3	5	1	-	143	84	21	6	1	7	7	4	4	4	3	2
Black	75	49	8	1	1	2	1	6	2	4	1	-	77	43	13	3	1	6	3	4	1	-	1	2
Certain conditions originating in the perinatal period (760-779)	897	882	11	3	-	-	1	-	-	-	-	-	797	785	8	2	-	2	-	-	-	-	-	-
White	630	617	9	3	-	-	1	-	-	-	-	-	581	572	6	1	-	2	-	-	-	-	-	-
All other	267	265	2	-	-	-	-	-	-	-	-	-	216	213	2	1	-	-	-	-	-	-	-	-
Black	208	206	2	-	-	-	-	-	-	-	-	-	171	170	-	1	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	158	155	-	1	-	-	-	-	-	-	-	-	153	148	2	2	-	1	-	-	-	-	-	-
White	111	110	-	1	-	-	-	-	-	-	-	-	117	114	1	1	-	1	-	-	-	-	-	-
All other	45	45	-	-	-	-	-	-	-	-	-	-	36	34	1	1	-	-	-	-	-	-	-	-
Black	38	38	-	-	-	-	-	-	-	-	-	-	28	27	-	1	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	741	727	11	2	-	-	1	-	-	-	-	-	644	637	6	-	-	1	-	-	-	-	-	-
White	519	507	9	2	-	-	1	-	-	-	-	-	464	458	5	-	-	1	-	-	-	-	-	-
All other	222	220	2	-	-	-	-	-	-	-	-	-	180	179	1	-	-	-	-	-	-	-	-	-
Black	170	168	2	-	-	-	-	-	-	-	-	-	143	143	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-789)	847	386	15	10	32	97	113	76	30	35	22	13	544	259	10	9	17	39	61	36	33	25	29	21
White	676	290	10	10	25	80	94	61	26	32	19	13	425	194	6	6	10	31	45	31	28	20	28	21
All other	171	96	5	-	7	17	19	15	4	3	3	-	119	65	4	3	7	8	16	5	5	5	1	-
Black	126	70	4	-	7	9	16	13	2	2	2	-	89	49	4	1	6	6	13	3	2	4	1	-
All other diseases (Residual)	7,414	120	64	67	139	255	557	583	741	1,380	2,146	1,361	8,755	90	51	43	78	157	327	370	574	1,379	2,585	3,101
White	6,497	98	52	53	109	205	459	505	626	1,207	1,939	1,243	7,840	67	42	33	53	118	248	305	465	1,236	2,360	2,913
All other	917	22	12	14	30	50	98	78	115	173	207	118	915	23	9	10	25	39	79	65	109	143	225	188
Black	535	19	10	8	13	36	77	58	71	101	91	51	566	12	5	8	15	30	50	46	62	95	136	107
Accidents and adverse effects (E800-E949)	6,993	57	203	242	1,177	1,479	1,525	749	446	426	417	242	2,800	37	145	119	305	373	418	264	213	274	370	279
White	5,982	39	170	176	990	1,303	1,304	653	360	364	375	219	2,347	28	114	87	254	291	347	211	184	238	332	258
All other	1,011	18	33	66	187	176	221	96	86	62	42	23	453	9	31	32	51	82	71	53	29	36	38	21
Black	635	14	19	33	108	121	160	74	51	37	13	5	249	6	18	15	29	51	51	32	13	10	16	8

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 231

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.

(Page 30 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042*044; see Technical Appendix. Data for *042*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male												Female											
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
Viral hepatitis (070)	18	-	-	-	-	1	5	2	3	3	1	3	11	-	-	-	-	1	-	1	2	3	4	-
White	16	-	-	-	-	1	5	2	2	2	1	3	10	-	-	-	-	1	-	1	2	2	4	-
All other	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042*044,046-054,056-066, 071-088,098-139)	403	1	7	1	2	120	172	66	19	10	2	3	62	2	2	1	2	10	8	6	10	8	6	7
White	365	1	6	1	2	114	151	60	16	9	2	3	55	2	1	1	2	8	6	5	10	7	6	7
All other	38	-	1	-	-	6	21	6	3	1	-	-	7	-	1	-	2	2	1	-	-	1	-	-
Black	35	-	1	-	-	6	19	6	3	-	-	-	5	-	1	-	2	2	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	2,722	-	1	4	8	29	109	211	467	886	740	267	2,611	-	2	6	7	28	124	234	438	753	659	360
White	2,593	-	-	4	7	28	103	193	443	847	709	259	2,495	-	2	3	6	28	113	219	412	726	632	354
All other	129	-	1	-	1	1	6	18	24	39	31	8	116	-	-	3	1	-	11	15	26	27	27	6
Black	100	-	1	-	1	1	6	15	17	32	21	6	90	-	-	3	1	-	8	11	17	20	25	5
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	37	-	-	-	-	-	2	6	5	13	8	3	26	-	-	-	-	1	1	2	5	7	8	2
White	34	-	-	-	-	-	2	5	5	12	7	3	26	-	-	-	-	1	1	2	5	7	8	2
All other	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	648	-	-	-	-	4	23	48	130	216	172	55	643	-	1	-	-	-	24	43	90	164	190	131
White	603	-	-	-	-	3	22	41	120	206	160	51	615	-	1	-	-	-	24	39	82	158	182	129
All other	45	-	-	-	-	1	1	7	10	10	12	4	28	-	-	-	-	-	4	8	8	6	8	2
Black	33	-	-	-	-	1	1	6	7	7	9	2	21	-	-	-	-	-	3	4	5	7	7	2
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	817	-	-	-	-	1	15	65	159	333	201	43	529	-	-	-	1	2	9	44	115	198	127	33
White	779	-	-	-	-	1	12	62	147	318	197	42	504	-	-	-	1	2	8	39	108	189	125	32
All other	38	-	-	-	-	-	3	3	12	15	4	1	25	-	-	-	-	1	5	7	9	9	2	1
Black	29	-	-	-	-	-	3	3	8	12	2	1	19	-	-	-	-	1	4	5	7	7	2	-
Malignant neoplasm of breast (174-175)	5	-	-	-	-	-	-	-	-	3	2	-	488	-	-	-	-	7	46	68	87	132	98	50
White	5	-	-	-	-	-	-	-	-	3	2	-	467	-	-	-	-	7	39	66	85	127	93	50
All other	-	-	-	-	-	-	-	-	-	-	-	-	21	-	-	-	-	7	2	2	5	5	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	18	-	-	-	-	6	2	1	4	5	-	-
Malignant neoplasms of genital organs (179-187)	371	-	-	1	1	2	4	8	25	87	151	92	237	-	-	-	-	3	17	21	41	72	52	31
White	353	-	-	1	1	2	4	5	24	83	143	90	228	-	-	-	-	3	16	19	39	71	50	30
All other	18	-	-	-	-	-	-	3	1	4	8	2	9	-	-	-	-	-	1	2	2	1	2	1
Black	14	-	-	-	-	-	-	3	1	3	5	2	6	-	-	-	-	-	-	2	1	2	1	-
Malignant neoplasms of urinary organs (188-189)	152	-	-	-	-	-	5	16	31	56	30	14	92	-	-	-	-	1	10	13	24	23	21	-
White	147	-	-	-	-	-	5	14	30	55	29	14	88	-	-	-	-	1	9	13	23	21	21	-
All other	5	-	-	-	-	-	-	2	1	1	1	-	4	-	-	-	-	-	1	-	1	2	-	-
Black	3	-	-	-	-	-	-	1	1	1	1	-	3	-	-	-	-	-	1	-	1	1	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	360	-	1	1	2	9	35	43	71	85	78	35	346	-	1	4	5	11	16	31	47	81	91	59
White	349	-	-	1	2	9	35	41	71	80	75	35	334	-	1	2	5	11	15	31	45	78	87	59
All other	11	-	1	-	-	-	-	2	-	5	3	-	12	-	-	2	-	-	1	-	2	3	4	-
Black	9	-	1	-	-	-	-	2	-	5	1	-	9	-	-	2	-	-	1	-	1	1	4	-
Leukemia (204-208)	121	-	-	2	4	4	8	10	10	35	36	12	100	-	-	1	-	2	4	7	16	24	30	16
White	119	-	-	2	4	4	8	10	10	33	36	12	97	-	-	1	-	2	4	7	15	24	29	15
All other	2	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	-	-	-	1	-	1	1
Black	2	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	211	-	-	-	1	9	17	15	36	58	62	13	150	-	-	1	1	2	6	8	24	51	40	17
White	204	-	-	-	-	9	15	15	36	57	60	12	136	-	-	-	-	2	5	7	20	49	37	16
All other	7	-	-	-	1	2	-	-	-	1	2	1	14	-	-	1	1	-	1	1	4	2	3	1
Black	7	-	-	-	1	2	-	-	-	1	2	1	12	-	-	1	1	-	1	1	4	1	3	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	43	1	-	-	-	1	3	1	8	10	12	7	56	1	-	-	-	3	1	2	5	10	21	13
White	41	1	-	-	-	1	3	1	6	10	12	7	54	1	-	-	-	3	1	2	4	9	21	13
All other	2	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 236

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.

(Page 35 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male													Female												
	Total :	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total :	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75 84 years	85 years and over		
CONNECTICUT																										
All causes	14,228	194	45	55	252	514	806	920	1,617	3,360	4,145	2,320	14,809	137	32	33	96	214	348	531	1,113	2,496	4,462	5,347		
White	12,993	139	29	38	183	391	605	762	1,436	3,160	3,992	2,258	13,890	91	25	27	73	163	266	445	986	2,319	4,283	5,212		
All other	1,235	55	16	17	69	123	201	158	181	200	153	62	919	46	7	6	23	51	82	86	127	177	179	135		
Black	1,168	49	16	16	63	118	196	150	172	189	142	57	870	44	6	6	20	51	76	82	121	169	170	125		
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-		
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-		
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Certain other intestinal infections (007-009)	1	-	-	-	-	-	-	-	-	-	-	1	7	-	-	-	-	-	-	-	-	2	5	-		
White	1	-	-	-	-	-	-	-	-	-	-	1	7	-	-	-	-	-	-	-	-	2	5	-		
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Tuberculosis (010-018)	8	-	-	-	-	1	-	-	1	1	4	1	2	-	-	-	-	1	-	-	-	-	1	-		
White	8	-	-	-	-	1	-	-	1	1	4	1	2	-	-	-	-	1	-	-	-	-	1	-		
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Tuberculosis of respiratory system (010-012)	5	-	-	-	-	-	-	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
White	5	-	-	-	-	-	-	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other tuberculosis (013-018)	3	-	-	-	-	1	-	-	1	-	1	-	2	-	-	-	-	1	-	-	-	-	1	-		
White	3	-	-	-	-	1	-	-	1	-	1	-	2	-	-	-	-	1	-	-	-	-	1	-		
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-		
White	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-		
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Septicemia (038)	172	1	-	-	-	1	10	5	14	47	67	27	245	-	2	-	1	4	8	5	8	41	70	108		
White	157	1	-	-	-	7	7	5	10	45	65	24	227	-	2	-	1	3	6	3	6	37	64	105		
All other	15	-	-	-	-	1	3	-	4	2	2	3	18	-	-	-	1	2	2	2	2	4	6	1		
Black	15	-	-	-	-	1	3	-	4	2	2	3	18	-	-	-	1	2	2	2	2	4	6	1		
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Viral hepatitis (070)	17	-	-	-	-	2	3	3	2	4	3	-	6	-	-	-	1	-	1	2	-	-	1	1		
White	15	-	-	-	-	2	3	2	2	3	3	-	6	-	-	-	1	-	1	2	-	-	1	1		
All other	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Black	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Syphilis (080-097)	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	474	1	3	2	9	123	204	70	33	15	11	3	178	2	2	4	4	47	57	14	12	5	18	13		
White	288	1	2	-	7	70	117	42	26	11	9	3	108	1	2	2	3	29	23	7	9	3	17	12		
All other	186	-	1	2	2	53	87	28	7	4	2	-	70	1	-	2	1	18	34	7	3	2	1	1		
Black	184	-	1	1	2	52	87	28	7	4	2	-	70	1	-	2	1	18	34	7	3	2	1	1		
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,510	2	4	5	12	37	101	231	545	1,135	1,054	384	3,530	-	4	3	16	30	114	257	535	951	1,022	598		
White	3,254	2	3	3	7	34	83	191	486	1,073	999	373	3,337	-	4	2	12	26	97	228	498	900	990	580		
All other	256	-	1	2	5	3	18	40	59	62	55	11	193	-	-	1	4	4	17	29	37	51	32	18		
Black	232	-	1	2	2	1	14	37	56	60	49	10	180	-	-	1	4	4	12	28	36	47	31	17		

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 242

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.

(Page 41 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male											Female													
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
DELAWARE—Con.																									
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Septicemia (038)	26	-	1	-	-	1	1	-	2	7	6	8	50	1	-	-	-	1	-	3	12	15	18	18	
White	20	-	-	-	-	-	-	-	1	6	5	7	43	1	-	-	-	1	-	2	8	13	18	18	
All other	6	-	1	-	-	1	-	-	1	1	1	1	7	-	-	-	-	-	1	4	4	2	-	-	
Black	6	-	1	-	-	1	-	-	1	1	1	1	7	-	-	-	-	-	1	4	4	2	-	-	
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	3	-	-	-	-	-	1	1	1	1	-	-	2	-	-	-	1	-	1	-	-	-	-	-	-
White	3	-	-	-	-	-	1	1	1	1	-	-	2	-	-	-	1	-	1	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	92	1	-	-	1	26	41	14	4	1	3	1	34	-	-	1	14	7	3	1	1	4	3	3	
White	47	-	-	-	1	14	17	7	3	1	3	1	12	-	-	1	3	2	1	-	1	3	1	1	
All other	45	1	-	-	-	12	24	7	1	-	-	-	22	-	-	-	11	5	2	1	-	1	2	2	
Black	44	1	-	-	-	12	23	7	1	-	-	-	22	-	-	-	11	5	2	1	-	1	2	2	
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	863	-	1	2	2	6	20	71	173	308	206	74	749	-	-	4	6	23	59	117	255	208	77	77	
White	697	-	1	2	2	6	13	51	134	256	168	64	634	-	-	4	5	17	45	96	213	184	70	70	
All other	166	-	-	-	-	7	20	39	52	38	10	115	-	-	-	1	6	14	21	42	24	7	7	7	
Black	164	-	-	-	-	7	19	39	52	37	10	114	-	-	-	1	6	14	21	42	23	7	7	7	
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	25	-	-	-	-	-	1	7	10	6	1	9	-	-	-	-	-	-	-	1	6	2	-	-	
White	15	-	-	-	-	-	1	5	6	2	1	8	-	-	-	-	-	-	-	1	5	2	-	-	
All other	10	-	-	-	-	-	-	2	4	4	-	1	-	-	-	-	-	-	-	-	1	-	-	-	
Black	10	-	-	-	-	-	-	2	4	4	-	1	-	-	-	-	-	-	-	-	1	-	-	-	
Malignant neoplasms of digestive organs and peritoneum (150-159)	206	-	-	1	-	-	7	19	46	68	55	10	144	-	-	-	-	1	6	18	42	55	22	22	
White	159	-	-	1	-	-	5	13	32	58	41	9	118	-	-	-	-	4	16	33	43	43	22	22	
All other	47	-	-	-	-	-	2	6	14	10	14	1	26	-	-	-	-	2	2	9	12	12	-	-	
Black	46	-	-	-	-	-	2	5	14	10	14	1	25	-	-	-	-	1	2	2	9	11	-	-	
Malignant neoplasms of respiratory and intrathoracic organs (160-185)	306	-	-	-	-	-	4	28	72	122	65	15	186	-	-	-	-	5	16	33	75	43	14	14	
White	250	-	-	-	-	-	2	17	62	102	55	12	154	-	-	-	-	5	11	26	62	38	12	12	
All other	56	-	-	-	-	-	2	11	10	20	10	3	32	-	-	-	-	5	7	13	5	2	2	2	
Black	55	-	-	-	-	-	2	11	10	20	9	3	32	-	-	-	-	5	7	13	5	2	2	2	
Malignant neoplasm of breast (174-175)	2	-	-	-	-	-	-	-	2	-	-	-	128	-	-	-	2	7	15	21	43	29	11	11	
White	2	-	-	-	-	-	-	-	2	-	-	-	108	-	-	-	1	5	11	17	37	28	9	9	
All other	-	-	-	-	-	-	-	-	-	-	-	-	20	-	-	-	1	2	4	4	6	1	2	2	
Black	-	-	-	-	-	-	-	-	-	-	-	-	20	-	-	-	1	2	4	4	6	1	2	2	
Malignant neoplasms of genital organs (179-187)	90	-	-	-	-	-	-	9	31	27	23	91	-	-	-	-	3	4	12	14	31	23	4	4	
White	70	-	-	-	-	-	-	3	26	22	19	72	-	-	-	-	3	2	10	9	25	20	3	3	
All other	20	-	-	-	-	-	-	6	5	5	4	19	-	-	-	-	2	2	5	5	6	3	1	1	
Black	20	-	-	-	-	-	-	6	5	5	4	19	-	-	-	-	2	2	5	5	6	3	1	1	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 246

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.

(Page 45 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male											Female												
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	36	2	-	-	-	1	-	1	2	8	15	7	42	-	-	-	-	-	2	2	5	9	9	
White	26	-	-	-	-	-	-	-	2	7	11	6	29	-	-	-	-	-	-	1	8	9	11	
All other	10	2	-	-	-	1	-	1	-	1	4	1	13	-	-	-	-	-	2	2	4	1	-	
Black	10	2	-	-	-	1	-	1	-	1	4	1	13	-	-	-	-	-	2	2	4	1	-	
Infections of kidney (590)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hyperplasia of prostate (600)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pregnancy with abortive outcome (630-636)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital anomalies (740-759)	19	10	1	-	1	-	2	-	-	1	4	-	15	7	1	1	1	1	-	-	-	1	1	
White	12	5	-	-	-	-	2	-	-	1	4	-	15	7	1	1	1	1	-	-	-	1	1	
All other	7	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	7	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Certain conditions originating in the perinatal period (760-779)	36	35	-	-	-	-	-	-	-	-	-	-	16	15	-	-	-	-	-	-	-	-	-	
White	13	13	-	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	
All other	23	22	-	-	-	-	-	-	-	-	-	-	8	7	-	-	-	-	-	-	-	-	-	
Black	23	22	-	-	-	-	-	-	-	-	-	-	8	7	-	-	-	-	-	-	-	-	-	
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	5	5	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	
White	1	1	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	
All other	4	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
Black	4	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
Other conditions originating in the perinatal period (760-766,770-779)	31	30	-	-	-	-	-	-	-	-	-	-	12	11	-	-	-	-	-	-	-	-	-	
White	12	12	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	
All other	19	18	-	-	-	-	-	-	-	-	-	-	7	6	-	-	-	-	-	-	-	-	-	
Black	19	18	-	-	-	-	-	-	-	-	-	-	7	6	-	-	-	-	-	-	-	-	-	
Symptoms, signs, and ill-defined conditions (780-789)	21	6	1	1	-	2	-	1	1	5	2	2	27	6	-	-	-	1	-	1	-	5	5	
White	14	5	-	-	-	1	-	1	-	3	2	2	18	2	-	-	-	1	-	-	-	3	5	
All other	7	1	1	1	-	1	-	-	1	2	-	-	9	4	-	-	-	-	1	-	-	2	2	
Black	7	1	1	1	-	1	-	-	1	2	-	-	8	4	-	-	-	-	1	-	-	1	2	
All other diseases (Residual)	252	1	1	-	4	4	19	18	32	50	81	42	273	-	-	1	4	4	11	11	22	40	84	
White	197	1	1	-	3	2	11	8	20	39	76	36	236	-	-	1	2	4	8	5	17	33	78	
All other	55	-	-	-	1	2	8	10	12	11	5	6	37	-	-	-	2	-	3	6	5	7	6	
Black	54	-	-	-	1	2	8	10	12	11	5	5	36	-	-	-	2	-	2	6	5	7	6	
Accidents and adverse effects (E800-E949)	162	3	6	8	23	34	30	8	11	14	13	11	88	3	3	2	8	8	7	6	9	10	18	
White	118	-	4	6	18	23	22	5	7	12	12	8	62	1	-	1	6	5	4	5	8	14	14	
All other	44	3	2	2	5	11	8	3	4	2	1	3	26	2	3	1	2	3	2	2	4	2	4	
Black	44	3	2	2	5	11	8	3	4	2	1	3	24	2	3	1	2	3	2	2	2	4	1	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 248

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.

(Page 47 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male											Female													
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
DISTRICT OF COLUMBIA—Con.																									
Viral hepatitis (070)	5	-	-	-	-	-	2	1	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	4	-	-	-	-	-	2	-	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
Black	4	-	-	-	-	-	2	-	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	546	-	4	1	6	133	240	117	27	13	3	1	83	3	-	-	5	22	26	9	5	10	1	2	
White	151	-	-	-	-	38	68	38	5	1	1	-	9	1	-	-	-	-	1	1	2	1	1	2	
All other	395	-	4	1	6	95	172	79	22	12	2	1	74	2	-	-	5	22	25	8	3	9	-	-	
Black	392	-	4	1	6	94	172	78	22	11	2	1	74	2	-	-	5	22	25	8	3	9	-	-	
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	807	-	-	-	3	8	30	65	165	273	209	54	662	-	-	1	1	8	35	59	101	189	182	84	
White	162	-	-	-	1	1	9	10	22	46	53	20	167	-	-	-	-	1	5	15	24	31	48	42	
All other	645	-	-	-	2	7	21	55	143	227	156	34	495	-	-	1	1	7	30	44	77	158	134	42	
Black	643	-	-	-	2	7	21	55	142	226	156	34	491	-	-	1	1	7	30	44	77	156	132	42	
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	33	-	-	-	-	1	6	16	8	1	1	13	-	-	-	-	-	2	3	6	-	2	-	-	
White	3	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	
All other	30	-	-	-	-	1	6	14	7	1	1	12	-	-	-	-	-	2	3	6	-	1	-	-	
Black	30	-	-	-	-	1	6	14	7	1	1	12	-	-	-	-	-	2	3	6	-	1	-	-	
Malignant neoplasms of digestive organs and peritoneum (150-159)	221	-	-	-	-	11	19	49	79	50	13	168	-	-	-	-	-	4	11	19	48	55	30		
White	44	-	-	-	-	1	4	5	15	13	6	48	-	-	-	-	-	1	5	7	19	19	16		
All other	177	-	-	-	-	10	15	44	64	37	7	120	-	-	-	-	-	4	10	14	41	36	14		
Black	177	-	-	-	-	10	15	44	64	37	7	119	-	-	-	-	-	4	10	14	40	36	14		
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	251	-	-	-	-	6	23	52	102	57	11	140	-	-	-	-	1	4	15	26	49	33	12		
White	44	-	-	-	-	1	1	8	16	16	2	38	-	-	-	-	1	4	9	10	6	8	8		
All other	207	-	-	-	-	5	22	44	86	41	9	102	-	-	-	-	-	4	11	17	39	27	4		
Black	206	-	-	-	-	5	22	43	86	41	9	101	-	-	-	-	-	4	11	17	39	26	4		
Malignant neoplasm of breast (174-175)	2	-	-	-	-	-	-	-	1	-	1	130	-	-	-	-	2	13	13	23	35	30	14		
White	-	-	-	-	-	-	-	-	-	-	-	25	-	-	-	-	-	1	5	4	2	5	8		
All other	2	-	-	-	-	-	-	-	1	-	1	105	-	-	-	-	2	12	8	19	33	25	6		
Black	2	-	-	-	-	-	-	-	1	-	1	104	-	-	-	-	2	12	8	19	32	25	6		
Malignant neoplasms of genital organs (179-187)	128	-	-	-	-	-	2	9	43	58	16	66	-	-	-	1	-	5	7	10	20	18	5		
White	16	-	-	-	-	-	-	2	2	8	4	18	-	-	-	-	-	2	4	1	4	4	3		
All other	112	-	-	-	-	-	2	7	41	50	12	48	-	-	-	1	-	3	3	9	16	14	2		
Black	112	-	-	-	-	-	2	7	41	50	12	48	-	-	-	1	-	3	3	9	16	14	2		
Malignant neoplasms of urinary organs (188-189)	36	-	-	-	-	1	2	-	5	6	17	5	13	-	-	-	-	-	-	1	3	6	3		
White	16	-	-	-	-	-	1	-	2	9	4	4	-	-	-	-	-	-	-	-	-	2	2		
All other	20	-	-	-	-	1	1	-	5	4	8	1	9	-	-	-	-	-	-	1	3	4	1		
Black	20	-	-	-	-	1	1	-	5	4	8	1	9	-	-	-	-	-	-	1	3	4	1		
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	73	-	-	-	-	1	4	12	25	17	12	2	70	-	-	1	-	4	5	6	11	10	20	12	
White	18	-	-	-	-	-	2	3	4	5	2	2	23	-	-	-	-	2	1	4	4	8	3		
All other	55	-	-	-	-	1	2	9	21	12	10	-	47	-	-	1	-	4	3	5	7	6	12	9	
Black	54	-	-	-	-	1	2	9	21	11	10	-	47	-	-	1	-	4	3	5	7	6	12	9	
Leukemia (204-208)	25	-	-	-	2	-	1	-	4	9	7	2	24	-	-	-	-	-	1	2	1	11	5	4	
White	10	-	-	-	1	-	-	-	1	4	3	1	5	-	-	-	-	-	-	1	3	1	-	-	
All other	15	-	-	-	1	-	1	-	3	5	4	1	19	-	-	-	-	-	1	2	-	8	4	4	
Black	15	-	-	-	1	-	1	-	3	5	4	1	18	-	-	-	-	-	1	2	-	8	3	4	
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	38	-	-	-	1	6	5	3	5	8	7	3	38	-	-	-	-	1	1	2	4	13	13	4	
White	11	-	-	-	-	1	4	2	-	1	2	1	5	-	-	-	-	-	-	-	-	1	2	2	
All other	27	-	-	-	1	5	1	1	5	7	5	2	33	-	-	-	-	1	1	2	4	12	11	2	
Black	27	-	-	-	1	5	1	1	5	7	5	2	33	-	-	-	-	1	1	2	4	12	11	2	
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	11	-	-	-	-	2	1	2	-	2	4	-	13	-	-	-	-	-	-	3	3	3	4		
White	1	-	-	-	-	-	-	-	-	-	1	-	6	-	-	-	-	-	-	1	1	1	3		
All other	10	-	-	-	-	2	1	2	-	2	3	-	7	-	-	-	-	-	-	2	2	2	1		
Black	10	-	-	-	-	2	1	2	-	2	3	-	7	-	-	-	-	-	-	2	2	2	1		

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 249

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.
(Page 48 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con.																								
Diabetes mellitus (250)	85	-	-	-	-	-	3	9	18	24	21	10	115	-	-	-	-	-	6	12	27	38	32	
White	18	-	-	-	-	-	-	-	2	2	8	6	19	-	-	-	-	-	-	2	1	6	10	
All other	67	-	-	-	-	-	3	9	16	22	13	4	96	-	-	-	-	-	6	10	26	32	22	
Black	67	-	-	-	-	-	3	9	16	22	13	4	96	-	-	-	-	-	6	10	26	32	22	
Nutritional deficiencies (260-269)	4	1	-	-	-	-	1	-	-	-	-	2	5	-	-	-	-	1	-	1	1	-	2	
White	2	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	1	
All other	2	1	-	-	-	-	1	-	-	-	-	-	4	-	-	-	-	1	-	1	1	-	1	
Black	2	1	-	-	-	-	1	-	-	-	-	-	4	-	-	-	-	1	-	1	1	-	1	
Anemias (280-285)	13	-	-	1	1	1	1	2	2	4	1	14	-	-	-	-	-	1	-	-	-	9	4	
White	3	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-	-	-	-	-	2	-	
All other	10	-	-	1	1	1	1	1	1	1	4	12	-	-	-	-	-	1	-	-	-	7	4	
Black	10	-	-	1	1	1	1	1	1	1	4	12	-	-	-	-	-	1	-	-	-	7	4	
Meningitis (320-322)	1	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	1	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	
Major cardiovascular diseases (380-448)	1,064	-	1	-	5	15	68	107	154	285	282	147	1,250	1	-	-	2	7	31	51	109	213	415	419
White	228	-	-	1	1	6	13	21	51	68	67	351	351	-	-	-	1	2	8	24	107	209	209	
All other	836	-	1	-	4	14	62	94	133	234	214	80	899	1	-	-	2	7	30	49	101	189	308	210
Black	828	-	1	-	4	14	61	94	132	233	210	79	892	1	-	-	2	7	30	48	100	186	306	210
Diseases of heart (390-398,402,404-429)	867	-	-	4	13	52	90	126	240	224	118	956	956	1	-	-	1	7	22	43	92	167	311	310
White	186	-	-	1	1	6	9	17	49	51	52	257	257	-	-	-	-	1	2	6	19	82	147	147
All other	681	-	-	3	12	46	81	109	191	173	66	699	699	1	-	-	1	7	21	41	86	148	229	163
Black	674	-	-	3	12	45	81	108	190	169	66	692	692	1	-	-	1	7	21	40	85	145	227	163
Rheumatic fever and rheumatic heart disease (390-399)	4	-	-	-	1	-	-	2	1	-	-	7	-	-	-	-	-	2	-	2	2	1	-	
White	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	
All other	3	-	-	-	1	-	-	2	-	-	-	6	-	-	-	-	-	2	-	2	1	1	-	
Black	3	-	-	-	1	-	-	2	-	-	-	6	-	-	-	-	-	2	-	2	1	1	-	
Hypertensive heart disease (402)	83	-	-	-	-	5	13	16	28	14	7	129	129	-	-	-	-	7	14	25	33	29	21	
White	9	-	-	-	-	1	-	2	3	2	1	16	16	-	-	-	-	-	-	3	1	5	7	
All other	74	-	-	-	-	4	13	14	25	12	6	113	113	-	-	-	-	7	14	22	32	24	14	
Black	72	-	-	-	-	4	13	14	24	11	6	110	110	-	-	-	-	7	14	21	30	24	14	
Hypertensive heart and renal disease (404)	11	-	-	-	-	-	-	3	4	3	1	11	11	-	-	-	-	-	-	2	-	4	5	
White	1	-	-	-	-	-	-	-	1	-	-	3	3	-	-	-	-	-	-	-	-	2	1	
All other	10	-	-	-	-	-	-	3	3	3	1	8	8	-	-	-	-	-	-	2	-	2	4	
Black	10	-	-	-	-	-	-	3	3	3	1	8	8	-	-	-	-	-	-	2	-	2	4	
Ischemic heart disease (410-414)	322	-	-	1	3	15	24	40	87	92	60	338	338	-	-	-	-	2	7	19	64	122	123	
White	96	-	-	-	-	6	7	22	27	34	109	109	109	-	-	-	-	-	-	1	8	39	61	
All other	226	-	-	1	3	15	18	33	65	65	26	229	229	-	-	-	-	2	7	18	56	83	62	
Black	222	-	-	1	3	14	18	32	65	63	26	227	227	-	-	-	-	2	7	18	55	82	62	
Acute myocardial infarction (410)	124	-	-	-	-	6	8	19	34	36	21	157	157	-	-	-	-	1	4	10	29	66	46	
White	36	-	-	-	-	-	3	3	7	9	14	41	41	-	-	-	-	-	-	-	3	18	20	
All other	88	-	-	-	-	6	5	16	27	27	7	116	116	-	-	-	-	1	4	10	26	48	26	
Black	87	-	-	-	-	6	5	16	27	26	7	114	114	-	-	-	-	1	4	10	25	47	26	
Other acute and subacute forms of ischemic heart disease (411)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	198	-	-	1	3	9	16	21	53	56	39	180	180	-	-	-	-	1	3	8	35	56	77	
White	60	-	-	-	-	-	3	4	15	18	20	68	68	-	-	-	-	-	1	1	5	21	41	
All other	138	-	-	1	3	9	13	17	38	38	19	112	112	-	-	-	-	1	3	7	30	35	36	
Black	135	-	-	1	3	8	13	16	38	37	19	112	112	-	-	-	-	1	3	7	30	35	36	
Other diseases of endocardium (424)	8	-	-	1	-	1	-	-	2	2	2	18	18	-	-	-	-	-	-	-	2	7	9	
White	5	-	-	1	-	-	-	-	2	2	2	9	9	-	-	-	-	-	-	-	1	1	7	
All other	3	-	-	-	-	1	-	-	-	-	-	9	9	-	-	-	-	-	-	-	1	6	2	
Black	3	-	-	-	-	1	-	-	-	-	-	9	9	-	-	-	-	-	-	-	1	6	2	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 266

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.

(Page 65 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male													Female												
	Total :	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total :	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over		
HAWAII —Con.																										
Diabetes mellitus (250)	83	-	-	-	-	-	1	10	15	22	22	13	99	-	-	-	1	-	3	2	11	30	30	21		
White	18	-	-	-	-	-	1	1	4	4	5	3	21	-	-	-	-	1	-	2	6	9	3			
All other	65	-	-	-	-	-	-	9	11	18	17	10	78	-	-	-	1	-	2	2	9	24	21	18		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Nutritional deficiencies (260-269)	4	-	-	-	-	-	-	-	1	-	1	2	8	-	-	-	-	-	-	-	-	1	2	5		
White	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	1	1	3		
All other	4	-	-	-	-	-	-	-	1	-	1	2	4	-	-	-	-	-	-	-	-	-	1	2		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Anemias (280-285)	6	-	-	-	1	-	-	-	1	1	-	3	5	1	-	-	-	-	-	-	1	1	1	1		
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All other	5	-	-	-	1	-	-	-	1	-	-	3	5	1	-	-	-	-	-	-	1	1	1	1		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis (320-322)	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
White	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All other	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Major cardiovascular diseases (390-449)	1,681	2	-	1	2	19	58	99	174	403	540	379	1,270	5	2	1	4	9	26	50	92	235	362	482		
White	459	-	-	1	2	19	30	52	135	139	83	382	2	-	-	-	1	2	9	13	17	55	119	144		
All other	1,222	2	-	2	17	45	68	122	268	401	296	908	3	2	1	3	7	17	37	75	180	243	338			
Black	4	-	-	-	1	-	-	-	3	-	-	6	-	-	-	-	-	1	2	-	-	1	-	2		
Diseases of heart (390-398,402,404-429)	1,299	2	-	1	2	17	51	83	147	312	401	279	930	2	1	1	4	4	20	34	72	172	271	347		
White	369	-	-	1	-	12	25	45	113	106	63	282	1	-	-	-	1	6	11	14	46	92	110			
All other	930	2	-	2	16	39	58	102	199	295	216	648	1	1	1	3	3	14	23	58	126	179	237			
Black	4	-	-	-	1	-	-	-	3	-	-	6	-	-	-	-	-	1	2	-	-	1	-	2		
Rheumatic fever and rheumatic heart disease (390-398)	7	-	-	-	-	-	2	-	-	3	2	-	12	-	-	-	-	1	1	3	4	3	-	-		
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-		
All other	6	-	-	-	-	-	2	-	-	2	2	-	11	-	-	-	-	1	1	3	4	2	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-		
Hypertensive heart disease (402)	42	-	-	-	-	1	4	5	15	8	9	39	39	-	-	-	-	1	-	1	2	3	13	19		
White	7	-	-	-	-	-	2	1	4	4	9	9	9	-	-	-	-	-	-	-	-	3	3	6		
All other	35	-	-	-	-	1	2	4	11	8	9	30	30	-	-	-	-	1	-	1	2	3	10	13		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Hypertensive heart and renal disease (404)	5	-	-	-	-	1	-	-	-	2	2	2	2	-	-	-	-	-	-	-	-	1	1	-		
White	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All other	3	-	-	-	-	1	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	1	1	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Ischemic heart disease (410-414)	729	-	-	1	5	31	53	84	164	235	153	466	466	-	-	-	-	1	5	13	36	95	138	176		
White	213	-	-	-	7	15	35	61	113	60	33	147	147	-	-	-	-	-	4	9	24	50	60	60		
All other	516	-	-	1	5	24	38	49	103	175	120	319	319	-	-	-	-	1	5	9	27	71	88	116		
Black	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	1	-	-	-	1	-		
Acute myocardial infarction (410)	337	-	-	-	2	16	31	39	87	103	58	189	189	-	-	-	-	1	2	6	19	46	55	60		
White	100	-	-	-	3	10	18	33	28	28	7	55	55	-	-	-	-	-	1	4	12	18	20	20		
All other	237	-	-	-	2	13	21	21	54	75	51	134	134	-	-	-	-	1	2	5	15	34	37	40		
Black	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	1	-	-	-	1	-		
Other acute and subacute forms of ischemic heart disease (411)	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-		
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-		
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	391	-	-	1	3	15	22	45	77	132	94	275	275	-	-	-	-	3	7	17	48	83	116			
White	113	-	-	-	4	5	17	28	32	26	26	92	92	-	-	-	-	-	3	5	12	32	40	40		
All other	278	-	-	1	3	11	17	28	49	100	68	183	183	-	-	-	-	3	4	12	36	51	76	76		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other diseases of endocardium (424)	29	-	-	-	-	-	-	4	6	9	10	33	33	-	-	-	-	-	1	1	4	13	14	14		
White	4	-	-	-	-	-	-	1	1	2	-	7	7	-	-	-	-	-	-	-	1	4	4	2		
All other	25	-	-	-	-	-	-	3	5	7	10	26	26	-	-	-	-	-	1	1	3	9	12	12		
Black	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-		

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 275

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.
(Page 74 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male												Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
IDAHO—Con.																									
Other conditions originating in the perinatal period (760-766,770-779)	15	15	-	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-	-
White	15	15	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	42	23	1	-	1	-	1	-	1	3	2	10	47	10	-	1	-	-	-	1	2	2	8	23	
White	38	20	1	-	1	-	1	-	1	2	2	10	46	9	-	1	-	-	-	1	2	2	8	23	
All other	4	3	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other diseases (Residual)	385	3	3	1	9	10	14	14	21	59	154	97	485	5	1	4	3	6	8	17	25	70	139	207	
White	378	3	3	1	7	9	14	12	20	58	154	97	478	5	1	4	3	6	7	16	24	70	136	206	
All other	7	-	-	-	2	1	-	2	1	1	-	-	7	-	-	-	-	-	1	1	1	-	3	1	
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	
Accidents and adverse effects (E800-E949)	340	3	15	15	68	44	55	32	23	23	33	29	157	4	4	5	23	18	17	9	9	17	23	28	
White	331	3	15	15	66	43	51	32	23	22	33	28	153	4	3	5	21	18	17	9	9	17	23	27	
All other	9	-	-	-	2	1	4	-	-	1	-	1	4	-	1	-	2	-	-	-	-	-	-	1	
Black	2	-	-	-	1	1	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	
Motor vehicle accidents (E810-E825)	170	-	3	10	47	27	30	16	10	8	11	8	78	1	4	4	22	14	8	5	5	8	6	1	
White	165	-	3	10	45	26	29	16	10	8	11	7	75	1	3	4	20	14	8	5	5	8	6	1	
All other	5	-	-	-	2	1	1	-	-	-	-	1	3	-	1	-	2	-	-	-	-	-	-	-	
Black	2	-	-	-	1	1	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	
All other accidents and adverse effects (E800-E807, E826-E949)	170	3	12	5	21	17	25	16	13	15	22	21	79	3	-	1	1	4	9	4	4	9	17	27	
White	166	3	12	5	21	17	22	16	13	14	22	21	78	3	-	1	1	4	9	4	4	9	17	26	
All other	4	-	-	-	-	-	3	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide (E950-E959)	162	-	-	3	38	32	30	18	13	13	11	4	27	-	-	-	3	5	8	6	3	-	2	-	
White	159	-	-	3	36	32	29	18	13	13	11	4	26	-	-	-	2	5	8	6	3	-	2	-	
All other	3	-	-	-	2	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Homicide and legal intervention (E960-E978)	18	1	1	1	5	4	3	2	-	1	-	-	17	-	1	3	1	8	1	1	1	-	1	-	
White	16	1	1	1	5	3	3	2	-	1	-	-	15	-	3	1	7	1	1	1	-	-	-	-	
All other	2	-	-	1	-	1	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other external causes (E980-E999)	5	-	-	-	-	2	2	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	
White	4	-	-	-	-	1	2	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ILLINOIS																									
All causes	54,084	1,070	173	257	1,338	1,863	3,050	3,910	6,825	12,939	14,642	8,011	53,109	810	130	145	411	772	1,419	2,295	4,470	9,623	15,677	17,356	
White	44,109	602	111	166	782	1,141	1,934	2,770	5,291	10,873	13,124	7,309	45,133	414	77	97	260	461	853	1,651	3,421	7,960	13,977	15,961	
All other	9,975	468	62	91	556	722	1,116	1,140	1,534	2,066	1,518	702	7,976	396	53	48	151	311	566	644	1,049	1,663	1,700	1,395	
Black	9,566	459	61	88	542	711	1,092	1,090	1,469	1,973	1,427	654	7,672	383	53	45	145	301	544	611	1,016	1,599	1,638	1,337	
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	13	5	-	-	-	-	-	2	3	1	2	17	3	-	1	-	-	-	-	1	2	5	5	5	
White	9	2	-	-	-	-	-	2	2	1	2	13	-	-	-	-	-	-	-	1	2	5	5	5	
All other	4	3	-	-	-	-	-	-	1	-	-	4	3	-	1	-	-	-	-	-	-	-	-	-	
Black	4	3	-	-	-	-	-	-	1	-	-	4	3	-	1	-	-	-	-	-	-	-	-	-	
Tuberculosis (010-018)	52	-	-	-	2	5	8	9	16	10	2	21	1	-	-	-	-	2	3	2	-	5	4	4	
White	22	-	-	-	-	-	-	2	3	8	1	10	-	-	-	-	-	1	1	2	-	2	2	2	
All other	30	-	-	-	2	5	6	6	8	2	1	11	1	-	-	-	-	1	2	-	-	3	2	2	
Black	29	-	-	-	2	4	6	6	8	2	1	11	1	-	-	-	-	1	2	-	-	3	2	2	
Tuberculosis of respiratory system (010-012)	47	-	-	-	1	4	7	8	15	10	2	13	-	-	-	-	-	1	1	2	-	3	3	3	
White	21	-	-	-	-	-	2	3	7	8	1	7	-	-	-	-	-	-	2	-	-	2	1	2	
All other	26	-	-	-	1	4	5	5	8	2	1	6	-	-	-	-	-	1	1	-	-	1	2	1	
Black	25	-	-	-	1	3	5	5	8	2	1	6	-	-	-	-	-	1	1	-	-	2	1	1	
Other tuberculosis (013-018)	5	-	-	-	1	1	1	1	1	1	-	8	1	-	-	-	-	1	2	-	-	2	1	1	
White	1	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	1	-	-	1	-	-	
All other	4	-	-	-	1	1	1	1	1	1	-	5	1	-	-	-	-	1	1	-	-	2	-	-	
Black	4	-	-	-	1	1	1	1	1	1	-	5	1	-	-	-	-	1	1	-	-	2	-	-	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 276

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.
(Page 75 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male												Female												
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
ILLINOIS—Con.																									
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	4	-	2	1	1	-	-	-	-	-	-	-	5	-	1	-	1	-	2	1	-	-	-	-	-
White	2	-	-	1	1	-	-	-	-	-	-	-	5	-	1	-	1	-	2	1	-	-	-	-	-
All other	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	493	9	3	1	3	5	25	29	48	117	146	107	653	7	4	3	-	7	12	21	41	96	205	257	
White	372	5	1	1	1	4	13	16	31	84	124	92	494	2	3	2	-	4	5	16	25	70	158	209	
All other	121	4	2	-	2	1	12	13	17	33	22	15	159	5	1	1	-	3	7	5	16	26	47	48	
Black	118	4	2	-	2	1	12	13	16	32	22	14	155	5	1	1	-	3	7	5	16	26	47	46	
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	50	-	-	-	1	4	8	15	9	8	5	-	35	-	-	-	-	3	3	9	10	9	9	1	
White	42	-	-	-	-	4	6	11	8	8	5	-	32	-	-	-	-	3	3	7	9	9	9	1	
All other	8	-	-	-	1	-	2	4	1	-	-	-	3	-	-	-	-	-	-	2	1	1	-	-	
Black	7	-	-	-	-	-	2	4	1	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-	
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	1,336	6	6	-	23	401	502	223	87	47	31	8	298	5	3	2	11	53	76	35	20	30	32	31	
White	805	4	4	-	7	214	302	142	61	36	25	8	172	3	2	2	5	22	27	19	15	21	29	27	
All other	531	2	2	-	16	187	200	81	26	11	6	-	126	2	1	-	6	31	49	16	5	9	3	4	
Black	522	2	2	-	15	185	198	79	25	10	6	-	125	2	1	-	6	31	48	16	5	9	3	4	
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	13,067	5	21	26	46	125	356	1,028	2,402	4,216	3,578	1,264	12,200	4	11	26	29	135	451	1,032	1,952	3,373	3,397	1,780	
White	10,943	5	19	22	35	99	264	780	1,918	3,524	3,159	1,118	10,421	4	10	22	24	98	333	822	1,576	2,855	3,070	1,607	
All other	2,124	-	2	4	11	26	92	248	484	692	419	146	1,779	-	1	4	5	37	118	210	376	518	327	183	
Black	2,032	-	2	3	10	24	90	239	468	658	400	138	1,706	-	1	4	5	37	111	198	365	493	314	178	
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	261	-	-	-	-	2	13	48	62	82	44	10	102	-	-	-	1	-	4	15	19	21	26	16	
White	199	-	-	-	-	1	4	31	50	64	40	9	83	-	-	-	-	3	9	10	20	25	18	-	
All other	62	-	-	-	-	1	9	17	12	18	4	1	19	-	-	-	1	-	1	6	9	1	1	-	
Black	59	-	-	-	-	1	9	15	11	18	4	1	18	-	-	-	1	-	1	6	8	1	1	-	
Malignant neoplasms of digestive organs and peritoneum (150-159)	3,149	-	1	-	5	11	87	260	585	1,008	888	304	2,966	-	-	1	3	9	53	152	420	757	970	601	
White	2,592	-	1	-	3	9	61	192	457	830	779	260	2,468	-	-	1	3	9	39	109	330	591	862	524	
All other	557	-	-	-	2	2	26	68	128	178	109	44	498	-	-	-	-	14	43	90	166	108	77	-	
Black	516	-	-	-	2	2	24	66	121	163	98	40	471	-	-	-	-	11	41	89	150	105	75	-	
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	4,469	-	-	-	1	12	78	369	1,033	1,641	1,103	232	2,657	-	-	-	-	7	53	225	563	913	693	203	
White	3,726	-	-	-	1	7	54	254	832	1,378	979	211	2,288	-	-	-	-	6	40	178	472	788	625	179	
All other	743	-	-	-	-	5	24	105	201	263	124	21	369	-	-	-	-	1	13	47	91	125	88	24	
Black	723	-	-	-	-	5	24	101	198	255	121	19	358	-	-	-	-	1	12	43	89	124	66	23	
Malignant neoplasm of breast (174-175)	19	-	-	-	-	-	1	2	8	3	4	1	2,162	-	-	-	-	32	162	295	372	544	481	276	
White	16	-	-	-	-	-	1	2	6	3	3	1	1,834	-	-	-	-	18	114	229	302	483	438	250	
All other	3	-	-	-	-	-	-	-	2	-	1	-	328	-	-	-	-	14	48	66	70	61	43	26	
Black	3	-	-	-	-	-	-	-	2	-	1	-	318	-	-	-	-	14	47	61	70	59	42	25	
Malignant neoplasms of genital organs (179-187)	1,637	-	-	-	5	6	6	18	127	462	624	389	1,209	-	-	-	1	21	72	119	205	331	303	157	
White	1,308	-	-	-	4	6	5	14	83	358	513	325	1,011	-	-	-	1	14	47	101	164	268	276	140	
All other	329	-	-	-	1	-	1	4	44	104	111	64	198	-	-	-	-	7	25	18	41	63	27	17	
Black	324	-	-	-	1	-	1	4	44	102	109	63	190	-	-	-	-	7	23	17	38	62	26	17	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 280

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.
(Page 79 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Data for *042-044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	47	-	-	-	-	-	1	2	4	9	13	18	34	-	-	-	-	-	-	-	2	7	9	16
White	42	-	-	-	-	-	1	2	3	8	11	17	27	-	-	-	-	-	-	-	1	5	8	13
All other	5	-	-	-	-	-	-	-	1	1	2	1	7	-	-	-	-	-	-	-	1	2	1	3
Black	5	-	-	-	-	-	-	-	1	1	2	1	7	-	-	-	-	-	-	-	1	2	1	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	639	7	-	-	2	9	19	30	67	157	208	140	686	1	-	-	1	8	9	16	61	119	221	250
White	473	5	-	-	2	2	4	9	41	112	171	127	530	1	-	-	1	4	5	5	36	73	185	220
All other	166	2	-	-	-	7	15	21	26	45	37	13	156	-	-	-	-	4	4	11	25	46	36	30
Black	159	2	-	-	-	7	15	19	26	42	35	13	150	-	-	-	-	4	4	11	23	44	36	28
Infections of kidney (590)	12	-	-	-	-	-	-	1	-	1	6	4	28	-	-	-	-	-	1	1	-	3	11	12
White	9	-	-	-	-	-	-	-	-	1	4	4	21	-	-	-	-	-	-	1	-	3	8	9
All other	3	-	-	-	-	-	-	-	-	-	2	-	7	-	-	-	-	-	-	-	-	-	3	3
Black	3	-	-	-	-	-	-	-	-	-	2	-	6	-	-	-	-	-	-	-	-	-	2	3
Hyperplasia of prostate (600)	19	-	-	-	-	-	-	-	1	1	5	12
White	14	-	-	-	-	-	-	-	-	1	4	9
All other	5	-	-	-	-	-	-	-	-	-	1	3
Black	5	-	-	-	-	-	-	-	-	-	1	3
Complications of pregnancy, childbirth, and the puerperium (630-676)	17	1	2	8	6	-
White	10	1	1	5	3	-
All other	7	-	1	3	3	-
Black	7	-	1	3	3	-
Pregnancy with abortive outcome (630-639)	2	-	1	1	-
White	-	-	-	-
All other	2	-	1	1	-
Black	2	-	1	1	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	15	1	2	7	5	-
White	10	1	1	5	3	-
All other	5	-	1	2	2	-
Black	5	-	1	2	2	-
Congenital anomalies (740-759)	328	207	10	9	17	9	8	11	11	17	22	7	273	171	18	5	9	4	9	7	7	13	20	10
White	256	154	8	8	16	5	7	8	8	14	21	7	198	112	14	5	5	3	7	4	7	12	19	10
All other	72	53	2	1	1	4	1	3	3	3	1	-	75	59	4	-	4	1	2	3	-	1	-	-
Black	67	48	2	1	1	4	1	3	3	3	1	-	68	55	4	-	4	1	1	2	-	-	1	-
Certain conditions originating in the perinatal period (760-779)	468	459	6	2	1	-	-	-	-	-	-	-	367	366	1	-	-	-	-	-	-	-	-	-
White	232	225	4	2	1	-	-	-	-	-	-	-	174	173	1	-	-	-	-	-	-	-	-	-
All other	236	234	2	-	-	-	-	-	-	-	-	-	193	193	-	-	-	-	-	-	-	-	-	-
Black	234	232	2	-	-	-	-	-	-	-	-	-	187	187	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	87	87	-	-	-	-	-	-	-	-	-	-	62	61	1	-	-	-	-	-	-	-	-	-
White	42	42	-	-	-	-	-	-	-	-	-	-	30	29	1	-	-	-	-	-	-	-	-	-
All other	45	45	-	-	-	-	-	-	-	-	-	-	32	32	-	-	-	-	-	-	-	-	-	-
Black	45	45	-	-	-	-	-	-	-	-	-	-	32	32	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	381	372	6	2	1	-	-	-	-	-	-	-	305	305	-	-	-	-	-	-	-	-	-	-
White	190	183	4	2	1	-	-	-	-	-	-	-	144	144	-	-	-	-	-	-	-	-	-	-
All other	191	189	2	-	-	-	-	-	-	-	-	-	161	161	-	-	-	-	-	-	-	-	-	-
Black	189	187	2	-	-	-	-	-	-	-	-	-	155	155	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	514	225	6	4	18	30	54	27	25	45	41	37	379	118	3	5	12	24	21	13	13	28	56	86
White	329	123	2	2	10	21	28	15	18	40	33	35	261	49	2	2	5	13	10	10	11	27	52	80
All other	185	102	4	2	8	9	26	12	7	5	8	2	118	69	1	3	7	11	11	3	2	1	4	6
Black	180	101	4	2	8	8	26	11	6	5	7	2	117	68	1	3	7	11	11	3	2	1	4	6
All other diseases (Residual)	4,151	48	30	34	47	119	259	270	367	840	1,325	812	5,221	42	24	23	36	73	141	179	295	730	1,589	2,089
White	3,432	28	20	25	41	70	151	182	277	711	1,189	738	4,469	24	11	16	22	36	83	121	227	602	1,423	1,904
All other	719	20	10	9	6	49	108	88	90	129	136	74	752	18	13	7	14	37	58	58	68	128	166	185
Black	694	20	10	9	6	49	108	85	87	126	125	69	723	17	13	7	13	37	58	55	64	122	163	174
Accidents and adverse effects (E800-E949)	2,593	25	50	103	447	443	510	259	195	198	224	139	1,306	31	34	38	143	157	149	92	69	134	222	237
White	1,977	10	28	70	371	340	346	173	145	164	198	132	1,027	12	24	21	120	98	94	70	60	115	197	216
All other	616	15	22	33	76	103	164	86	50	34	26	7	279	19	10	17	23	59	55	22	9	19	25	21
Black	594	14	22	33	70	102	158	81	50	33	24	7	254	19	10	14	22	53	51	18	8	15	24	20

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 282

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.
(Page 81 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male											Female														
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over		
INDIANA—Con.																										
Viral hepatitis (070)	17	-	-	-	-	1	-	3	4	4	4	1	18	-	-	-	-	1	-	1	2	9	4	1		
White	15	-	-	-	-	1	-	3	3	3	4	1	18	-	-	-	-	1	-	1	2	9	4	1		
All other	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Syphilis (090-097)	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-		
White	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-		
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	357	10	1	1	8	112	132	37	19	22	7	8	71	2	-	1	2	8	10	4	4	14	19	7		
White	291	6	1	1	5	89	108	31	16	19	7	8	60	1	-	1	1	3	9	4	2	13	19	7		
All other	66	4	-	-	3	23	24	6	3	3	-	-	11	1	-	-	1	5	1	-	2	1	-	-		
Black	66	4	-	-	3	23	24	6	3	3	-	-	11	1	-	-	1	5	1	-	2	1	-	-		
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	6,528	-	4	13	26	38	152	490	1,236	2,159	1,823	587	5,729	2	3	7	21	51	213	480	920	1,649	1,598	785		
White	5,992	-	3	12	25	33	130	442	1,117	1,996	1,693	541	5,276	1	3	7	20	47	178	435	837	1,513	1,502	733		
All other	536	-	1	1	1	5	22	48	119	163	130	46	453	1	-	-	1	4	35	45	83	136	96	52		
Black	529	-	1	1	1	5	22	48	118	159	129	45	440	1	-	-	1	4	34	43	77	135	93	52		
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	87	-	-	-	-	1	4	14	24	27	14	3	55	-	-	-	-	-	1	4	8	14	16	12		
White	79	-	-	-	-	1	4	12	22	23	14	3	51	-	-	-	-	-	-	4	8	13	14	12		
All other	8	-	-	-	-	-	-	2	2	4	-	-	4	-	-	-	-	-	1	-	-	1	2	-		
Black	8	-	-	-	-	-	-	2	2	4	-	-	4	-	-	-	-	-	1	-	-	1	2	-		
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,506	-	-	-	1	6	37	115	294	495	415	143	1,291	-	-	-	-	2	19	76	162	345	422	265		
White	1,359	-	-	-	1	6	28	100	260	452	383	129	1,178	-	-	-	-	1	16	66	147	306	397	245		
All other	147	-	-	-	-	-	9	15	34	43	32	14	113	-	-	-	-	1	3	10	15	39	25	20		
Black	145	-	-	-	-	-	9	15	33	42	32	14	110	-	-	-	-	1	3	10	13	39	24	20		
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,427	-	-	-	-	3	46	183	565	900	605	125	1,359	-	-	-	2	2	25	120	308	481	346	75		
White	2,263	-	-	-	-	1	40	167	518	846	570	121	1,249	-	-	-	2	2	18	109	280	445	326	67		
All other	164	-	-	-	-	2	6	16	47	54	35	4	110	-	-	-	-	7	11	28	36	20	8			
Black	164	-	-	-	-	2	6	16	47	54	35	4	107	-	-	-	-	7	11	25	36	20	8			
Malignant neoplasm of breast (174-175)	6	-	-	-	-	-	-	-	1	-	4	1	964	-	-	-	-	8	70	128	174	236	227	121		
White	6	-	-	-	-	-	-	-	1	-	4	1	893	-	-	-	-	8	59	116	158	221	216	115		
All other	-	-	-	-	-	-	-	-	-	-	-	-	71	-	-	-	-	-	11	12	16	15	11	6		
Black	-	-	-	-	-	-	-	-	-	-	-	-	70	-	-	-	-	-	11	11	16	15	11	6		
Malignant neoplasms of genital organs (179-187)	771	-	-	-	1	1	8	54	217	316	173	615	615	-	-	2	4	14	38	54	91	195	156	61		
White	671	-	-	-	1	1	5	46	188	276	153	564	564	-	-	2	4	14	31	51	80	183	144	55		
All other	100	-	-	-	-	-	3	8	29	40	20	51	51	-	-	-	-	-	7	3	11	12	12	6		
Black	99	-	-	-	-	-	3	8	28	40	20	50	50	-	-	-	-	-	6	3	11	12	12	6		
Malignant neoplasms of urinary organs (188-189)	348	-	-	-	-	2	6	30	46	102	116	46	212	-	-	-	1	4	4	13	25	58	70	37		
White	325	-	-	-	-	1	5	28	40	99	108	44	192	-	-	-	1	4	4	10	24	50	67	32		
All other	23	-	-	-	-	1	1	2	6	3	8	2	20	-	-	-	-	-	-	3	1	8	3	5		
Black	23	-	-	-	-	1	1	2	6	3	8	2	19	-	-	-	-	-	2	1	8	3	5			
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	780	-	3	6	16	11	36	89	153	231	177	58	692	1	1	1	11	13	35	59	82	174	192	113		
White	723	-	3	6	15	10	34	83	139	211	170	52	645	-	1	1	11	11	30	56	85	161	179	110		
All other	57	-	-	-	1	1	2	6	14	20	7	6	47	1	-	-	-	2	5	3	7	13	13	3		
Black	53	-	-	-	1	1	2	6	14	18	6	5	44	1	-	-	-	2	5	3	7	12	11	3		
Leukemia (204-208)	244	-	1	5	6	2	8	18	32	78	75	19	209	1	1	3	3	3	9	9	20	55	64	41		
White	230	-	-	4	6	2	6	18	28	73	74	19	197	1	1	3	2	3	9	9	18	50	63	38		
All other	14	-	1	1	-	-	2	-	4	5	1	-	12	-	-	-	-	-	-	-	2	5	1	3		
Black	14	-	1	1	-	-	2	-	4	5	1	-	12	-	-	-	-	-	-	-	2	5	1	3		
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	359	-	-	2	2	12	14	33	67	109	101	19	332	-	1	1	-	5	12	17	40	91	105	60		
White	336	-	-	2	2	11	12	29	63	104	94	19	307	-	1	1	-	4	11	14	37	84	96	59		
All other	23	-	-	-	-	1	2	4	4	5	7	-	25	-	-	-	-	1	1	3	3	7	9	1		
Black	23	-	-	-	-	1	2	4	4	5	7	-	24	-	-	-	-	1	1	3	2	7	9	1		
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	91	2	1	1	-	2	8	10	11	22	19	15	96	-	-	-	2	2	2	5	8	15	35	27		
White	85	2	1	1	-	2	7	9	10	22	18	13	88	-	-	-	2	2	2	5	6	14	31	26		
All other	6	-	-	-	-	-	1	1	1	-	1	2	8	-	-	-	-	-	-	-	2	1	4	1		
Black	6	-	-	-	-	-	1	1	1	-	1	2	8	-	-	-	-	-	-	-	2	1	4	1		

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 285

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.
(Page 84 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male											Female												
	Total †	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total †	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
Asthma (483)	38	-	-	-	1	-	4	6	7	6	8	4	83	-	1	1	2	4	4	7	10	23	18	13
White	30	-	-	-	-	-	2	6	6	4	8	4	79	-	1	1	2	3	7	9	23	17	13	-
All other	6	-	-	-	1	-	2	-	1	2	-	-	4	-	-	-	-	1	1	-	1	-	1	-
Black	6	-	-	-	1	-	2	-	1	2	-	-	4	-	-	-	-	1	1	-	1	-	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	953	-	-	-	-	1	6	21	89	315	367	154	883	-	-	-	1	-	1	20	98	259	357	147
White	921	-	-	-	-	1	5	20	82	304	359	150	845	-	-	-	-	-	18	94	246	344	143	-
All other	32	-	-	-	-	-	1	1	7	11	8	4	38	-	-	-	1	-	1	2	4	13	13	4
Black	31	-	-	-	-	-	1	1	7	10	8	4	38	-	-	-	1	-	1	2	4	13	13	4
Ulcer of stomach and duodenum (531-533)	71	-	-	1	-	1	2	3	10	18	21	15	74	-	-	-	-	1	2	-	6	13	18	34
White	61	-	-	-	-	1	2	-	8	15	20	15	74	-	-	-	-	1	2	-	6	13	18	34
All other	10	-	-	1	-	-	-	3	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	10	-	-	1	-	-	-	3	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	6	-	-	-	-	-	1	-	-	3	1	1	3	-	-	-	-	-	1	-	-	-	-	2
White	5	-	-	-	-	-	-	1	-	2	1	1	3	-	-	-	-	-	1	-	-	-	-	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	46	-	-	-	-	-	5	4	10	11	16	16	106	1	-	1	-	1	-	1	2	16	36	48
White	42	-	-	-	-	-	-	4	3	10	9	16	92	1	-	-	-	-	1	2	14	30	44	44
All other	4	-	-	-	-	-	1	1	1	1	2	-	14	-	-	1	-	1	-	2	2	6	4	4
Black	4	-	-	-	-	-	1	1	1	1	2	-	13	-	-	-	-	1	-	-	2	6	4	4
Chronic liver disease and cirrhosis (571)	303	-	-	-	-	2	49	48	75	87	35	7	169	-	-	-	1	1	16	22	31	42	46	10
White	264	-	-	-	-	2	42	38	65	78	32	7	148	-	-	-	1	1	10	15	28	38	45	10
All other	39	-	-	-	-	-	7	10	10	9	3	-	21	-	-	-	-	6	7	9	4	4	1	-
Black	38	-	-	-	-	-	6	10	10	9	3	-	21	-	-	-	-	6	7	9	4	4	1	-
Cholelithiasis and other disorders of gallbladder (574-575)	25	-	-	-	-	-	1	3	4	13	4	3	34	-	-	-	-	1	-	3	2	10	18	18
White	23	-	-	-	-	-	1	3	4	12	3	3	32	-	-	-	-	-	-	3	2	9	18	18
All other	2	-	-	-	-	-	-	-	-	1	1	2	2	-	-	-	-	1	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	2	2	-	-	-	-	1	-	-	-	1	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	304	5	1	-	-	1	9	8	29	78	98	75	352	1	1	-	1	2	5	7	19	65	118	133
White	269	4	1	-	-	-	6	7	22	69	91	69	320	-	1	-	1	2	3	5	17	55	109	127
All other	35	1	-	-	-	1	3	1	7	9	7	6	32	1	-	-	-	2	2	2	2	10	9	6
Black	33	1	-	-	-	1	3	1	7	9	5	6	32	1	-	-	-	2	2	2	2	10	9	6
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	1	-	-	-	-	1	5	-	-	-	-	-	-	1	-	3	1	1
White	2	-	-	-	-	-	1	-	-	-	-	1	4	-	-	-	-	-	-	1	-	2	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	22	-	-	-	-	-	1	2	-	5	8	6	15	-	-	-	1	-	-	-	-	3	1	10
White	17	-	-	-	-	-	-	1	-	5	7	4	15	-	-	-	-	-	-	-	-	3	1	10
All other	5	-	-	-	-	-	1	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Black	5	-	-	-	-	-	1	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	280	5	1	-	-	1	7	6	29	73	90	68	332	1	1	-	-	2	5	7	18	62	114	122
White	250	4	1	-	-	-	5	6	22	64	84	64	301	-	1	-	-	2	3	5	16	52	106	116
All other	30	1	-	-	-	1	2	-	7	9	6	4	31	1	-	-	-	2	2	2	2	10	8	6
Black	28	1	-	-	-	1	2	-	7	9	4	4	31	1	-	-	-	2	2	2	2	10	8	6
Infections of kidney (590)	11	-	-	-	-	-	1	-	1	4	3	2	20	-	-	-	-	1	-	1	4	7	7	7
White	11	-	-	-	-	-	1	-	1	4	3	2	20	-	-	-	-	1	-	1	4	7	7	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	9	-	-	-	-	-	-	-	-	1	6	2
White	9	-	-	-	-	-	-	-	-	1	6	2
All other	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	3	-	1	1	1	-
White	1	-	1	-	-	-
All other	2	-	-	1	1	-
Black	2	-	-	1	1	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 286

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.

(Page 85 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male											Female													
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
INDIANA—Con.																									
Pregnancy with abortive outcome (630-638)
White
All other
Black
Other complications of pregnancy, childbirth, and the puerperium (640-676)	3	1	1	1
White	1	1
All other	2	1	1	1
Black	2	1	1	1
Congenital anomalies (740-759)	157	107	7	4	2	5	7	3	4	7	10	1	125	68	7	...	4	5	3	7	5	6	8	12	
White	132	89	4	4	1	5	7	2	4	7	9	1	105	54	6	...	3	4	2	7	5	5	8	11	
All other	25	19	3	...	1	1	1	...	20	14	1	...	1	1	1	1	...	1	
Black	24	18	3	...	1	1	1	...	19	13	1	...	1	1	1	1	...	1	
Certain conditions originating in the perinatal period (760-779)	167	164	3	129	128	...	1	
White	132	129	3	94	93	...	1	
All other	35	35	35	35	
Black	34	34	35	35	
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	37	36	1	28	27	...	1	
White	33	32	1	18	17	...	1	
All other	4	4	10	10	
Black	4	4	10	10	
Other conditions originating in the perinatal period (760-766,770-779)	130	128	2	101	101	
White	99	97	2	76	76	
All other	31	31	25	25	
Black	30	30	25	25	
Symptoms, signs, and ill-defined conditions (780-799)	276	99	7	2	11	18	27	12	18	29	31	22	217	50	3	4	5	11	10	7	5	24	37	60	
White	221	79	5	2	5	14	17	11	16	27	30	21	191	38	1	3	4	10	8	5	5	23	35	59	
All other	55	26	2	...	6	4	10	1	2	2	1	1	26	12	2	1	1	2	2	1	2	1	
Black	53	25	2	...	6	4	10	1	2	2	...	1	26	12	2	1	1	2	2	1	2	1	
All other diseases (Residual)	1,928	26	12	14	25	42	90	103	181	425	599	411	2,455	17	12	12	12	32	50	85	160	388	754	933	
White	1,743	18	11	11	20	36	66	87	157	386	583	389	2,273	14	8	11	11	23	40	72	138	353	716	887	
All other	185	8	1	3	5	6	24	16	24	39	36	23	182	3	4	1	1	9	10	13	22	35	38	46	
Black	181	6	1	3	5	6	24	15	22	38	36	23	180	3	4	1	1	9	10	13	21	35	37	46	
Accidents and adverse effects (E800-E949)	1,205	17	35	50	228	203	183	127	97	78	114	72	692	10	25	29	73	66	65	35	46	69	128	135	
White	1,107	14	28	46	210	191	161	114	80	71	112	70	631	10	19	21	69	58	34	41	66	124	131	131	
All other	98	3	7	4	18	12	22	13	7	7	2	2	51	...	6	8	4	8	7	1	5	9	4	4	
Black	98	3	7	4	18	12	22	13	7	7	2	2	49	...	6	8	4	7	7	1	5	2	4	4	
Motor vehicle accidents (E910-E925)	620	1	9	39	177	133	88	64	41	27	32	15	319	1	10	15	66	47	49	23	21	38	43	6	
White	584	1	8	30	168	125	83	59	39	26	31	14	308	1	10	14	64	44	47	23	20	37	42	6	
All other	36	...	1	3	9	8	5	5	2	1	1	1	11	...	1	2	3	2	1	1	1	...	
Black	36	...	1	3	9	8	5	5	2	1	1	1	10	...	1	2	2	2	1	1	1	...	
All other accidents and adverse effects (E800-E907, E926-E949)	585	16	26	17	51	70	95	63	56	51	82	57	363	9	15	14	7	19	16	12	25	31	85	129	
White	523	13	20	16	42	66	78	55	51	45	81	56	323	9	9	7	5	14	11	11	21	29	82	125	
All other	62	3	6	1	9	4	17	8	5	6	1	1	40	...	6	7	2	5	5	1	4	2	3	4	
Black	62	3	6	1	9	4	17	8	5	6	1	1	39	...	6	7	2	5	5	1	4	1	3	4	
Suicide (E950-E959)	609	6	96	135	114	81	58	62	43	14	122	...	3	10	24	25	31	12	7	6	4	4	
White	586	6	92	127	108	80	57	61	41	14	116	...	2	10	22	24	31	12	6	6	3	3	
All other	23	4	8	6	1	1	1	2	...	6	...	1	...	2	1	1	...	1	1	
Black	21	4	8	4	1	1	1	2	...	5	...	1	...	1	1	...	1	1	
Homicide and legal intervention (E960-E978)	293	8	3	3	92	76	62	15	14	13	3	3	112	4	3	6	21	34	19	9	3	6	4	2	
White	123	7	1	1	18	33	34	10	7	10	1	1	78	3	3	5	13	22	12	7	2	6	3	2	
All other	170	1	2	2	74	43	28	5	7	3	2	2	34	1	...	1	8	12	7	2	1	1	1	...	
Black	169	1	2	2	74	43	28	5	6	3	2	2	33	1	...	1	8	12	7	1	1	1	1	...	
All other external causes (E980-E999)	41	2	...	1	8	14	6	2	6	2	17	1	...	4	4	4	2	2	
White	37	2	...	1	8	12	4	2	6	2	14	1	...	4	2	3	2	2	
All other	4	2	2	3	
Black	4	2	2	2	2	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 287

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.

(Page 86 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male											Female													
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
IOWA																									
All causes	13,540	182	39	49	217	266	421	655	1,451	3,279	4,197	2,813	14,424	99	23	24	88	110	204	402	919	2,219	4,116	6,220	
White	13,318	145	36	47	200	252	402	636	1,416	3,236	4,159	2,789	14,227	87	21	23	82	104	199	390	889	2,178	4,072	6,182	
All other	231	17	3	2	17	14	19	35	43	38	24	24	197	12	2	1	6	6	5	12	30	41	44	38	
Black	182	15	3	--	16	10	15	17	28	38	30	20	165	10	1	1	6	6	5	9	20	35	40	32	
Shigellosis and amebiasis (004,006)	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
White	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
All other	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Black	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Certain other intestinal infections (007-009)	1	--	--	--	--	--	--	--	--	--	--	1	1	1	--	--	--	--	--	--	--	--	--	--	
White	1	--	--	--	--	--	--	--	--	--	--	1	1	1	--	--	--	--	--	--	--	--	--	--	
All other	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Black	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Tuberculosis (010-018)	3	--	--	--	--	--	--	--	--	1	2	--	4	--	--	--	--	--	--	--	1	--	1	2	
White	2	--	--	--	--	--	--	--	--	1	1	--	4	--	--	--	--	--	--	--	1	--	1	2	
All other	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Black	1	--	--	--	--	--	--	--	--	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--	
Tuberculosis of respiratory system (010-012)	2	--	--	--	--	--	--	--	--	1	1	--	3	--	--	--	--	--	--	--	--	--	1	2	
White	2	--	--	--	--	--	--	--	--	1	1	--	3	--	--	--	--	--	--	--	--	--	1	2	
All other	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Black	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Other tuberculosis (013-018)	1	--	--	--	--	--	--	--	--	--	1	--	1	--	--	--	--	--	--	--	1	--	--	--	
White	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
All other	1	--	--	--	--	--	--	--	--	--	1	--	1	--	--	--	--	--	--	--	--	--	--	--	
Black	1	--	--	--	--	--	--	--	--	--	1	--	1	--	--	--	--	--	--	--	--	--	--	--	
Whooping cough (033)	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
White	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
All other	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Black	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
White	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
All other	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Black	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Meningococcal infection (036)	2	--	1	--	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
White	2	--	1	--	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
All other	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Black	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Septicemia (038)	89	--	--	--	--	4	3	6	19	37	20	102	2	1	--	1	--	4	2	6	16	29	41		
White	88	--	--	--	--	3	3	6	19	37	20	99	2	1	--	1	--	4	1	6	16	28	40		
All other	1	--	--	--	--	1	--	--	--	--	--	3	--	--	--	--	--	--	--	--	--	1	1		
Black	1	--	--	--	--	1	--	--	--	--	--	2	--	--	--	--	--	--	--	--	--	1	1		
Acute poliomyelitis (045)	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
White	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
All other	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Black	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Measles (055)	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
White	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
All other	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Black	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Viral hepatitis (070)	8	--	--	--	1	1	1	1	1	1	2	1	6	--	--	--	--	4	--	--	--	1	1	--	
White	8	--	--	--	1	1	1	1	1	1	2	1	6	--	--	--	--	4	--	--	--	1	1	--	
All other	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Black	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Syphilis (090-097)	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
White	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
All other	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Black	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
All other infectious and parasitic diseases (001-003,005, 020-032,037,059-041, *042-*044,046-054,058-066, 071-088,098-139)	97	2	--	--	1	22	38	8	2	12	8	4	37	1	--	1	2	5	4	4	3	10	4	3	
White	94	2	--	--	1	21	37	7	2	12	8	4	33	1	--	1	2	4	4	3	10	4	3		
All other	3	--	--	--	--	1	1	1	--	--	--	--	4	--	--	--	1	3	--	--	--	--	--	--	
Black	3	--	--	--	--	1	1	1	--	--	--	--	4	--	--	--	1	3	--	--	--	--	--	--	
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,390	--	3	5	6	26	79	193	553	1,088	994	443	3,091	--	2	7	7	23	83	206	426	786	955	596	
White	3,324	--	2	5	6	25	75	183	537	1,070	984	437	3,047	--	2	7	6	23	83	202	414	772	945	593	
All other	66	--	1	--	--	1	4	10	16	18	10	6	44	--	--	--	1	--	4	4	12	14	10	3	
Black	54	--	1	--	--	1	3	8	12	16	8	5	38	--	--	--	1	--	4	9	9	11	10	3	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 288

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.
(Page 87 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male											Female												
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	54	-	-	-	-	-	1	8	14	17	8	6	28	-	-	-	-	1	1	3	5	4	3	11
White	53	-	-	-	-	-	1	7	14	17	8	6	28	-	-	-	-	1	1	3	5	4	3	11
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	815	-	-	-	-	3	21	53	146	260	227	105	766	-	-	-	-	3	8	22	85	185	273	190
White	795	-	-	-	-	3	19	50	141	252	225	105	757	-	-	-	-	3	8	21	81	185	270	189
All other	20	-	-	-	-	-	2	3	5	8	2	-	9	-	-	-	-	-	1	4	-	3	1	
Black	14	-	-	-	-	-	1	3	3	6	1	-	7	-	-	-	-	-	1	2	-	3	1	
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,188	-	-	-	-	2	19	68	239	445	330	85	652	-	-	-	-	1	8	49	129	231	162	72
White	1,164	-	-	-	-	1	18	63	234	437	328	83	637	-	-	-	-	1	8	49	123	226	160	70
All other	24	-	-	-	-	1	1	5	5	8	2	2	15	-	-	-	-	-	-	6	5	2	2	
Black	21	-	-	-	-	1	1	4	4	8	2	1	13	-	-	-	-	-	-	5	4	2	2	
Malignant neoplasm of breast (174-175)	3	-	-	-	-	-	-	-	-	1	2	-	540	-	-	-	1	3	61	82	120	143	97	
White	3	-	-	-	-	-	-	-	-	1	2	-	536	-	-	-	3	33	61	80	119	143	97	
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	1	-	-	2	1	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	1	-	-	2	1	-	-	
Malignant neoplasms of genital organs (179-187)	451	-	-	-	-	1	1	5	24	105	180	135	318	-	-	-	-	4	10	28	47	72	114	43
White	444	-	-	-	-	1	1	5	23	105	177	132	316	-	-	-	-	4	10	28	47	72	112	43
All other	7	-	-	-	-	-	-	-	1	-	3	3	2	-	-	-	-	-	-	-	-	2	-	
Black	7	-	-	-	-	-	-	-	1	-	3	3	2	-	-	-	-	-	-	-	-	2	-	
Malignant neoplasms of urinary organs (188-189)	179	-	-	-	-	1	4	15	25	44	58	32	106	-	-	-	-	-	3	7	12	22	38	24
White	177	-	-	-	-	1	4	15	24	44	58	31	102	-	-	-	-	-	3	6	12	19	38	24
All other	2	-	-	-	-	-	-	-	1	-	-	1	4	-	-	-	-	-	1	-	3	-	-	
Black	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	1	-	3	-	-	
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	341	-	3	3	9	10	21	30	64	92	84	31	319	-	1	5	3	7	11	18	36	75	103	60
White	335	-	2	3	3	10	20	30	60	92	84	31	313	-	1	5	3	7	11	17	36	72	101	60
All other	6	-	-	-	-	-	-	-	4	-	-	-	6	-	-	-	-	-	1	-	3	2	-	
Black	6	-	1	-	-	-	-	-	4	-	-	-	4	-	-	-	-	-	1	-	3	1	2	
Leukemia (204-208)	145	-	-	2	1	5	6	2	15	50	47	17	123	-	1	2	3	2	3	7	9	23	37	36
White	142	-	-	2	1	5	6	2	15	49	45	17	122	-	1	2	3	2	3	7	9	22	37	36
All other	3	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	1	-	
Black	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	214	-	-	-	2	4	6	12	26	74	58	32	239	-	-	-	-	2	6	11	21	54	82	63
White	211	-	-	-	2	4	6	11	26	73	57	32	236	-	-	-	-	2	6	10	21	53	81	63
All other	3	-	-	-	-	-	-	-	1	1	1	-	3	-	-	-	-	-	1	-	1	1	1	
Black	2	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	1	1	1	
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	32	-	1	-	-	-	2	-	2	3	12	12	38	-	-	-	-	-	-	-	1	3	14	20
White	32	-	1	-	-	-	2	-	2	3	12	12	37	-	-	-	-	-	-	-	1	3	13	20
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Diabetes mellitus (250)	251	-	-	-	-	3	17	14	27	61	87	42	346	-	-	-	-	5	2	13	34	69	110	113
White	242	-	-	-	-	3	17	14	26	59	82	41	338	-	-	-	-	5	2	12	30	67	109	113
All other	9	-	-	-	-	-	-	-	1	2	5	1	8	-	-	-	-	-	1	4	2	1	-	
Black	7	-	-	-	-	-	-	-	1	2	4	-	6	-	-	-	-	-	1	2	2	1	-	
Nutritional deficiencies (260-269)	13	-	-	-	-	-	-	-	-	-	3	10	25	-	-	-	1	-	-	-	1	2	5	16
White	13	-	-	-	-	-	-	-	-	-	3	10	23	-	-	-	1	-	-	-	-	2	4	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	
Anemias (280-285)	20	-	1	1	-	-	-	-	1	1	6	10	33	-	-	-	-	1	-	1	-	2	9	20
White	20	-	1	1	-	-	-	-	1	1	6	10	32	-	-	-	-	-	1	-	-	2	9	20
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
Meningitis (320-322)	2	-	-	1	-	-	-	-	-	1	-	-	5	-	-	-	-	-	-	1	1	1	2	-
White	2	-	-	1	-	-	-	-	-	1	-	-	5	-	-	-	-	-	-	1	1	1	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Major cardiovascular diseases (390-448)	5,818	3	2	2	7	19	110	270	579	1,404	1,988	1,434	6,893	-	5	-	6	13	32	79	253	838	2,025	3,642
White	5,749	3	2	2	6	19	107	266	562	1,384	1,975	1,423	6,819	-	5	-	6	12	31	76	244	820	2,005	3,620
All other	69	-	-	-	1	-	3	4	17	20	13	11	74	-	-	-	-	1	1	3	9	18	20	22
Black	62	-	-	-	1	-	2	4	15	18	12	10	60	-	-	-	-	1	1	3	7	15	16	17

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 292

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993-Con. (Page 91 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Data for *042-044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Table with columns for Area, cause of death, and race; Total; and age groups (Under 1 year, 1-4 years, 5-14 years, 15-24 years, 25-34 years, 35-44 years, 45-54 years, 55-64 years, 65-74 years, 75-84 years, 85 years and over) for Male and Female. Rows include categories like IOWA-Con., Other conditions originating in the perinatal period, Symptoms, signs, and ill-defined conditions, All other diseases (Residual), Accidents and adverse effects (E800-E949), Motor vehicle accidents (E810-E825), All other accidents and adverse effects (E800-E807, E828-E848), Suicide (E950-E959), Homicide and legal intervention (E960-E978), All other external causes (E980-E999), KANSAS, Shigellosis and amebiasis (004.006), Certain other intestinal infections (007-009), Tuberculosis (010-018), Tuberculosis of respiratory system (010-012), and Other tuberculosis (013-018).

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 297

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.
(Page 96 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male											Female													
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
KANSAS—Con.																									
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	-	-	-	-	-	-	-	-	-	1	2	9	-	-	-	-	-	-	1	-	-	1	4	3
White	3	-	-	-	-	-	-	-	-	-	1	2	6	-	-	-	-	-	1	-	-	1	2	2	
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	2	1	
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1	
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	150	-	-	-	-	1	9	5	21	59	55	157	-	-	-	-	1	3	2	11	12	44	84		
White	141	-	-	-	-	1	8	5	18	57	53	141	-	-	-	-	1	3	1	8	10	43	76		
All other	9	-	-	-	-	1	1	-	3	2	2	16	-	-	-	-	1	-	1	3	2	1	8		
Black	9	-	-	-	-	1	1	-	3	2	2	14	-	-	-	-	1	-	1	3	1	1	8		
Infections of kidney (590)	3	-	-	-	-	-	-	2	-	1	-	17	-	-	-	-	1	-	1	-	3	3	9		
White	3	-	-	-	-	-	-	2	-	1	-	17	-	-	-	-	1	-	1	-	3	3	9		
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Hyperplasia of prostate (600)	3	-	-	-	-	-	-	1	-	1	1	
White	3	-	-	-	-	-	-	1	-	1	1	
All other	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	
Complications of pregnancy, childbirth, and the puerperium (630-676)	3	2	-	1	-	
White	2	1	-	1	-	
All other	1	
Black	1	1	-	-	-	
Pregnancy with abortive outcome (630-639)	
White	
All other	
Black	
Other complications of pregnancy, childbirth, and the puerperium (640-676)	3	2	-	1	-	
White	2	1	-	1	-	
All other	1	
Black	1	1	-	-	-	
Congenital anomalies (740-759)	58	38	6	-	1	-	3	3	1	3	2	1	65	45	4	3	1	1	3	1	1	1	3	2	
White	52	33	5	-	1	-	3	3	1	3	2	1	57	39	4	2	1	-	3	1	1	1	3	2	
All other	6	5	1	-	-	-	-	-	-	-	-	-	8	6	-	1	-	1	-	-	-	-	-	-	
Black	5	4	1	-	-	-	-	-	-	-	-	-	7	5	-	1	-	1	-	-	-	-	-	-	
Certain conditions originating in the perinatal period (760-779)	58	58	-	-	-	-	-	-	-	-	-	-	62	62	-	-	-	-	-	-	-	-	-	-	
White	39	39	-	-	-	-	-	-	-	-	-	-	41	41	-	-	-	-	-	-	-	-	-	-	
All other	19	19	-	-	-	-	-	-	-	-	-	-	21	21	-	-	-	-	-	-	-	-	-	-	
Black	19	19	-	-	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-	
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	6	6	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	
White	3	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
All other	3	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
Black	3	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
Other conditions originating in the perinatal period (760-766,770-779)	52	52	-	-	-	-	-	-	-	-	-	-	60	60	-	-	-	-	-	-	-	-	-	-	
White	36	36	-	-	-	-	-	-	-	-	-	-	40	40	-	-	-	-	-	-	-	-	-	-	
All other	16	16	-	-	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-	
Black	16	16	-	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-	
Symptoms, signs, and ill-defined conditions (780-799)	175	37	-	1	-	5	8	7	19	34	33	31	176	22	3	-	2	3	-	5	8	19	36	78	
White	147	29	-	1	-	4	8	5	12	28	31	29	149	18	2	-	1	2	-	1	6	14	30	75	
All other	28	8	-	-	-	1	-	2	7	6	2	2	27	4	1	-	1	-	4	2	5	6	3	3	
Black	27	7	-	-	-	1	-	2	7	6	2	2	25	4	1	-	1	-	3	2	5	6	3	3	
All other diseases (Residual)	966	15	1	8	11	18	30	53	85	191	334	220	1,231	7	2	5	7	7	24	45	61	176	342	555	
White	894	12	1	8	10	15	27	48	70	177	310	216	1,178	4	2	5	7	5	20	42	54	169	333	537	
All other	72	3	-	-	1	3	3	5	15	14	24	4	53	3	-	-	2	4	3	7	7	9	18		
Black	61	3	-	-	-	2	1	4	13	12	22	4	45	3	-	-	2	4	3	5	6	6	16		
Accidents and adverse effects (E800-E949)	618	5	15	27	106	96	72	64	43	56	75	59	349	9	11	12	32	31	35	22	28	35	51	83	
White	581	4	15	26	99	86	70	63	37	54	70	57	320	8	8	10	31	26	29	18	27	34	50	79	
All other	37	1	-	1	7	10	2	1	6	2	5	2	29	1	3	2	1	5	6	4	1	1	1	4	
Black	29	1	-	1	6	7	2	1	3	2	4	2	24	1	2	2	1	5	6	3	1	-	1	2	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 302

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.
(Page 101 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Data for *042-044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
Asthma (493)	25	-	-	2	-	2	3	2	1	5	8	2	32	-	-	-	-	2	2	3	4	11	8	2
White	22	-	-	1	-	1	2	2	1	5	8	2	27	-	-	-	-	2	1	3	2	10	7	2
All other	3	-	-	1	-	1	1	-	-	-	-	-	5	-	-	-	-	1	-	2	1	1	1	-
Black	3	-	-	1	-	1	1	-	-	-	-	-	5	-	-	-	-	1	-	2	1	1	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	809	-	1	-	-	-	4	24	80	287	297	116	577	-	-	-	-	2	22	79	196	180	98	
White	774	-	1	-	-	-	3	24	76	278	285	107	558	-	-	-	-	2	22	75	190	173	96	
All other	35	-	-	-	-	-	1	-	4	9	12	9	19	-	-	-	-	-	-	4	6	7	2	
Black	35	-	-	-	-	-	1	-	4	9	12	9	17	-	-	-	-	-	-	4	5	7	1	
Ulcer of stomach and duodenum (531-533)	48	1	-	-	-	-	2	1	10	8	20	6	47	-	-	-	-	1	1	1	9	11	24	
White	45	1	-	-	-	-	1	1	10	8	18	6	47	-	-	-	-	1	1	1	9	11	24	
All other	3	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
Black	3	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis (540-543)	2	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	-	-	1	-	1	1	-
White	2	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	-	-	1	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	30	-	-	-	-	-	-	-	3	7	11	9	61	-	2	-	-	1	1	2	5	5	21	24
White	28	-	-	-	-	-	-	-	3	6	10	9	59	-	1	-	-	1	1	2	5	5	21	23
All other	2	-	-	-	-	-	-	-	-	1	1	1	2	-	1	-	-	-	-	-	-	-	1	1
Black	1	-	-	-	-	-	-	-	-	1	1	1	2	-	1	-	-	-	-	-	-	-	1	1
Chronic liver disease and cirrhosis (571)	212	-	-	-	1	6	27	46	64	48	17	3	105	-	-	-	-	1	13	14	17	30	25	5
White	200	-	-	-	1	6	26	42	61	45	16	3	99	-	-	-	-	1	12	13	15	28	25	5
All other	12	-	-	-	-	-	1	4	3	3	1	-	6	-	-	-	-	1	1	2	2	2	-	-
Black	12	-	-	-	-	-	1	4	3	3	1	-	6	-	-	-	-	1	1	2	2	2	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	17	-	-	-	-	-	1	1	5	7	3	23	-	-	-	-	-	-	-	4	4	6	9	
White	16	-	-	-	-	-	-	1	5	7	3	19	-	-	-	-	-	-	-	3	2	5	9	
All other	1	-	-	-	-	-	1	-	-	-	-	4	-	-	-	-	-	-	-	1	2	1	-	
Black	1	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-	1	1	1	-	
Nephritis, nephrotic syndrome, and nephrosis (580-589)	220	-	-	-	1	2	5	8	16	50	72	66	257	2	-	-	-	3	4	16	46	79	107	
White	188	-	-	-	1	2	4	6	11	42	67	55	227	2	-	-	-	1	4	13	42	72	95	
All other	32	-	-	-	-	1	2	5	8	5	11	11	30	2	-	-	-	2	4	3	4	7	12	
Black	31	-	-	-	-	1	2	4	8	5	11	11	30	2	-	-	-	2	4	3	4	7	12	
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	13	-	-	-	-	-	2	1	3	4	3	17	-	-	-	-	-	-	-	3	2	7	5	
White	8	-	-	-	-	-	2	1	3	4	2	16	-	-	-	-	-	-	-	2	2	7	5	
All other	5	-	-	-	-	-	-	-	3	1	1	1	-	-	-	-	-	-	-	1	-	-	-	
Black	5	-	-	-	-	-	-	-	3	1	1	1	-	-	-	-	-	-	-	1	-	-	-	
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	207	-	-	-	1	2	5	6	15	47	68	63	240	2	-	-	-	3	4	13	44	72	102	
White	180	-	-	-	1	2	4	4	10	42	64	53	211	-	-	-	-	1	4	11	40	65	90	
All other	27	-	-	-	-	1	2	5	5	5	4	10	29	2	-	-	-	2	2	2	4	7	12	
Black	26	-	-	-	-	1	2	4	5	4	10	29	29	2	-	-	-	2	2	2	4	7	12	
Infections of kidney (590)	7	-	-	-	-	-	-	-	2	2	3	8	-	-	-	-	-	1	1	2	-	3	1	
White	6	-	-	-	-	-	-	-	2	2	3	8	-	-	-	-	-	1	1	2	-	3	1	
All other	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hyperplasia of prostate (600)	2	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	
White	2	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	3	3	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	2	3	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 319

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.
(Page 118 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
Asthma (483)	25	-	1	-	-	2	4	4	3	6	3	2	48	-	1	2	3	1	6	5	7	6	7	10
White	12	-	-	-	-	1	3	3	1	3	3	1	24	-	-	1	2	1	2	4	2	4	8	8
All other	13	-	1	-	-	2	3	1	2	3	-	1	24	-	1	1	1	1	5	3	4	3	2	2
Black	11	-	-	-	-	2	3	1	2	3	-	-	21	-	1	1	1	1	4	2	3	4	3	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	592	-	-	-	-	1	1	16	65	178	227	104	595	-	-	1	-	2	17	43	184	245	103	
White	507	-	-	-	-	-	-	8	49	157	197	96	539	-	-	1	-	2	15	35	165	226	95	
All other	85	-	-	-	-	1	1	8	16	21	30	8	56	-	-	-	-	-	2	8	19	19	8	
Black	80	-	-	-	-	1	1	7	15	21	27	8	54	-	-	-	-	-	2	7	19	18	8	
Ulcer of stomach and duodenum (531-533)	28	-	1	-	-	-	1	-	3	6	9	8	36	-	-	-	-	1	-	2	8	14	11	
White	25	-	1	-	-	-	1	-	2	4	9	8	27	-	-	-	-	-	-	-	6	12	9	
All other	3	-	-	-	-	-	-	-	1	2	-	-	9	-	-	-	-	1	-	2	2	2	2	
Black	2	-	-	-	-	-	-	-	1	1	-	-	9	-	-	-	-	1	-	2	2	2	2	
Appendicitis (540-543)	2	-	1	-	-	-	-	-	-	1	-	-	2	-	-	1	-	-	-	-	-	-	1	-
White	2	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	41	1	-	1	1	1	3	-	4	9	11	10	64	-	-	1	-	2	3	1	5	19	33	
White	29	1	-	-	-	1	-	-	2	8	9	8	52	-	-	-	-	1	2	1	4	17	27	
All other	12	-	1	1	1	2	-	-	2	1	2	2	12	-	-	1	-	1	1	1	1	2	6	
Black	12	-	1	1	1	2	-	-	2	1	2	2	12	-	-	1	-	1	1	-	1	2	6	
Chronic liver disease and cirrhosis (571)	285	1	1	1	-	5	59	58	68	62	26	4	145	-	-	-	1	6	23	16	22	43	27	6
White	202	-	1	-	-	1	32	39	48	51	26	4	109	-	-	-	1	4	8	12	18	37	23	5
All other	83	1	-	1	-	4	27	19	20	11	-	-	36	-	-	-	2	15	4	4	6	4	1	
Black	80	1	-	1	-	4	25	19	20	10	-	-	32	-	-	-	2	12	4	4	5	4	1	
Cholelithiasis and other disorders of gallbladder (574-575)	20	1	-	-	-	1	1	4	7	6	-	-	22	-	-	-	-	1	2	2	4	6	7	
White	15	-	-	-	-	-	1	4	5	5	-	-	20	-	-	-	-	1	2	2	3	6	6	
All other	5	1	-	-	-	1	-	2	1	1	-	-	2	-	-	-	-	-	-	-	1	1	1	
Black	5	1	-	-	-	1	-	2	1	1	-	-	2	-	-	-	-	-	-	-	1	1	1	
Nephritis, nephrotic syndrome, and nephrosis (580-589)	250	-	-	1	10	7	12	22	60	82	56	257	5	-	-	1	5	4	12	18	64	80	67	
White	158	-	-	1	2	5	10	36	60	44	162	2	-	-	1	1	3	3	11	37	51	52	52	
All other	92	-	-	-	8	7	12	24	22	12	95	3	-	-	-	4	1	9	7	27	29	15	15	
Black	88	-	-	-	8	7	12	24	19	11	93	3	-	-	-	4	1	9	7	26	28	15	15	
Acute glomerulonephritis and nephrotic syndrome (580-581)	5	-	-	-	-	-	-	2	1	1	1	3	-	-	-	1	-	-	-	-	-	-	2	
White	4	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	
All other	1	-	-	-	-	-	-	1	-	-	-	3	-	-	-	1	-	-	-	-	-	2		
Black	1	-	-	-	-	-	-	1	-	-	-	3	-	-	-	1	-	-	-	-	-	2		
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	13	-	-	-	-	-	1	-	3	4	5	14	-	-	-	-	-	3	-	-	7	3	1	
White	10	-	-	-	-	-	1	-	2	3	4	8	-	-	-	-	2	-	-	4	2	-		
All other	3	-	-	-	-	-	-	-	1	1	1	6	-	-	-	-	-	1	-	3	1	1		
Black	3	-	-	-	-	-	-	-	1	1	1	6	-	-	-	-	-	1	-	3	1	1		
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	232	-	-	1	10	7	11	20	56	77	50	240	5	-	-	1	4	4	9	18	57	77	64	
White	144	-	-	1	2	4	9	33	56	39	154	2	-	-	1	1	3	1	11	33	49	52		
All other	88	-	-	-	8	7	11	23	21	11	86	3	-	-	-	3	1	8	7	24	28	12		
Black	84	-	-	-	8	7	11	23	18	10	84	3	-	-	-	3	1	8	7	23	27	12		
Infections of kidney (590)	4	-	-	-	-	-	1	-	-	3	-	8	-	-	-	-	1	-	1	-	4	2		
White	3	-	-	-	-	-	-	-	-	3	-	6	-	-	-	-	1	-	1	-	2	2		
All other	1	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-		
Black	1	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-		
Hyperplasia of prostate (600)	7	-	-	-	-	-	-	1	1	2	3	
White	5	-	-	-	-	-	-	-	1	1	3	
All other	2	-	-	-	-	-	-	1	1	1	
Black	2	-	-	-	-	-	-	1	1	1	
Complications of pregnancy, childbirth, and the puerperium (630-676)	8	5	2	1	-	
White	3	3	1	-		
All other	5	2	2	1	-		
Black	5	2	2	1	-		

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 320

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993--Con.
(Page 119 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male											Female													
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
MARYLAND--Con.																									
Pregnancy with abortive outcome (630-638)
White
All other
Black
Other complications of pregnancy, childbirth, and the puerperium (640-676)	8	5	2	1
White	3	3
All other	5	2	2	1
Black	5	2	2	1
Congenital anomalies (740-759)	117	64	6	7	2	8	2	8	5	9	3	3	103	57	8	6	3	2	2	5	3	6	8	3	
White	81	43	5	4	...	5	...	6	4	9	3	2	60	29	3	3	2	2	4	2	4	2	4	3	
All other	36	21	1	3	2	3	2	2	1	1	43	28	5	3	1	...	1	1	2	2	
Black	36	21	1	3	2	3	2	2	1	1	41	27	4	3	1	...	1	1	2	2	
Certain conditions originating in the perinatal period (760-779)	228	226	2	193	193	
White	80	79	1	68	68	
All other	148	147	1	125	125	
Black	146	145	1	121	121	
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	39	39	24	24	
White	12	12	9	9	
All other	27	27	15	15	
Black	27	27	14	14	
Other conditions originating in the perinatal period (760-766,770-779)	189	187	2	169	169	
White	68	67	1	59	59	
All other	121	120	1	110	110	
Black	119	118	1	107	107	
Symptoms, signs, and ill-defined conditions (780-799)	159	62	3	3	7	15	18	12	6	8	11	13	127	49	5	1	5	4	4	8	2	6	16	26	
White	82	25	1	2	3	9	6	3	5	7	11	9	67	13	1	...	2	1	2	1	1	6	15	25	
All other	77	37	2	1	4	6	12	9	1	1	60	36	4	1	3	3	2	7	1	...	1	1	
Black	73	35	2	1	4	6	12	9	1	1	60	36	4	1	3	3	2	7	1	...	1	1	
All other diseases (Residual)	1,725	14	11	11	15	68	100	136	174	376	487	333	2,179	11	7	8	12	40	64	87	160	321	650	818	
White	1,263	7	7	9	10	29	46	79	113	279	418	266	1,727	3	4	4	6	12	32	45	109	242	545	725	
All other	462	7	4	2	5	39	54	57	61	97	69	67	452	8	3	4	6	28	32	42	51	79	105	93	
Black	441	7	4	2	5	39	53	57	57	94	61	62	438	8	2	4	6	27	31	41	47	79	101	91	
Accidents and adverse effects (E800-E949)	892	3	20	31	163	146	117	99	77	90	94	50	487	1	18	20	50	39	43	41	26	61	81	106	
White	643	2	11	21	98	109	85	66	54	69	81	46	369	...	5	12	35	30	28	27	16	53	70	93	
All other	249	1	9	10	65	37	32	33	23	21	13	4	118	1	13	8	15	9	15	14	10	8	11	13	
Black	238	1	9	10	61	37	31	33	20	19	12	4	108	1	13	8	12	9	13	14	7	7	10	13	
Motor vehicle accidents (E810-E825)	468	3	4	21	126	96	69	44	37	29	29	10	201	1	4	14	41	30	24	25	11	18	23	10	
White	329	2	1	15	75	71	51	30	26	23	26	9	144	...	2	9	29	22	13	17	6	17	21	8	
All other	139	1	3	6	51	25	18	14	11	6	3	1	57	1	2	5	12	8	11	8	5	1	2	2	
Black	132	1	3	6	48	25	18	14	9	5	2	1	51	1	2	5	9	8	10	8	3	1	2	2	
All other accidents and adverse effects (E800-E807, E826-E949)	424	...	16	10	37	50	46	55	40	61	65	40	286	...	14	6	9	9	19	16	15	43	58	96	
White	314	...	10	6	23	38	34	36	28	46	55	37	225	...	3	3	6	8	15	10	10	36	49	85	
All other	110	...	6	4	14	12	14	19	12	15	10	3	61	...	11	3	3	1	4	6	5	7	9	11	
Black	106	...	6	4	13	12	13	19	11	14	10	3	57	...	11	3	3	1	3	6	4	6	8	11	
Suicide (E950-E959)	416	2	65	121	79	45	33	36	30	5	113	2	16	22	25	22	8	7	10	1	
White	307	44	81	58	37	27	31	25	4	92	2	12	18	19	20	5	6	9	1	
All other	109	2	21	40	21	8	6	5	5	1	21	4	6	2	3	1	1	1	...	
Black	102	2	21	38	19	7	6	3	5	1	18	3	3	6	2	3	...	1	...	
Homicide and legal intervention (E960-E978)	535	1	8	8	220	163	75	28	14	10	4	2	128	3	1	5	26	49	18	10	6	6	3	1	
White	94	...	1	1	23	32	19	9	4	3	2	...	48	1	...	3	9	15	6	6	2	3	2	1	
All other	441	1	7	7	197	131	56	19	10	7	2	2	80	2	1	2	17	34	12	4	4	3	1	...	
Black	432	1	7	7	194	129	55	18	9	7	2	2	75	2	...	2	16	32	11	4	4	3	1	...	
All other external causes (E980-E999)	326	1	1	2	15	115	140	44	4	1	...	1	76	1	1	1	6	28	27	8	1	2	1	...	
White	136	1	...	1	11	47	54	17	2	1	...	1	32	4	12	8	6	1	1	
All other	190	...	1	1	4	68	86	27	2	44	1	1	1	2	16	19	2	...	1	
Black	185	...	1	...	4	67	84	26	2	43	1	1	1	2	16	18	2	...	1	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 327

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.

(Page 126 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male												Female												
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
MICHIGAN—Con.																									
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	4	1	-	1	1	-	1	-	-	-	-	-	4	-	-	-	3	-	-	-	1	-	-	-	-
White	4	1	-	1	1	-	1	-	-	-	-	-	4	-	-	-	2	-	-	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
Sepsis (038)	322	5	1	-	1	7	18	17	33	71	106	63	420	3	2	1	1	3	16	13	24	74	117	166	
White	246	2	1	-	-	6	6	10	28	55	89	52	338	2	2	1	1	1	6	7	18	55	99	146	
All other	76	3	-	-	1	2	12	7	7	16	17	11	82	1	-	-	-	2	10	6	6	19	18	20	
Black	75	2	-	-	1	2	12	7	7	16	17	11	82	1	-	-	-	2	10	6	6	19	18	20	
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	41	-	-	1	6	10	11	5	4	4	-	-	16	-	-	-	-	1	1	5	5	2	2	2	
White	28	-	-	1	8	7	5	2	4	4	-	-	14	-	-	-	-	1	1	5	3	2	2	2	
All other	13	-	-	-	5	2	4	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
Black	11	-	-	-	5	1	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-	
Syphilis (090-097)	4	-	-	-	-	1	-	-	-	2	1	-	1	-	-	-	-	1	-	-	-	-	-	-	
White	3	-	-	-	-	1	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,058-066, 071-088,098-139)	701	2	5	5	8	203	276	119	42	19	15	7	191	5	4	3	4	29	49	34	8	18	21	16	
White	397	1	2	4	4	108	139	76	27	17	14	5	95	2	3	1	1	15	10	15	6	15	15	12	
All other	304	1	3	1	4	95	137	43	15	2	1	2	96	3	1	2	3	14	39	19	2	3	6	4	
Black	299	1	3	1	4	95	133	43	15	2	-	2	94	3	1	2	3	14	39	19	2	2	5	4	
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	10,099	2	13	15	40	96	267	765	1,825	3,410	2,731	935	9,147	-	11	23	39	79	342	774	1,581	2,723	2,407	1,168	
White	8,563	2	10	13	30	80	188	603	1,518	2,877	2,416	826	7,940	-	10	21	29	62	260	610	1,334	2,373	2,174	1,067	
All other	1,536	-	3	2	10	16	79	162	307	533	315	109	1,207	-	1	2	10	17	82	164	247	350	233	101	
Black	1,443	-	2	2	9	15	70	146	291	511	293	104	1,141	-	1	2	9	13	78	158	227	334	222	97	
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	176	-	-	-	1	-	6	28	44	56	33	8	93	-	-	-	-	-	1	8	23	27	24	9	
White	146	-	-	-	1	-	2	16	38	52	30	7	79	-	-	1	-	-	-	5	19	24	21	9	
All other	30	-	-	-	-	4	12	6	4	4	3	1	14	-	-	-	-	-	1	3	4	3	3	-	
Black	29	-	-	-	-	4	11	6	4	3	1	1	14	-	-	-	-	-	1	3	4	3	3	-	
Malignant neoplasms of digestive organs and peritoneum (150-159)	2,309	-	-	1	1	10	54	191	425	776	667	184	2,129	-	-	1	2	12	45	118	272	581	664	434	
White	1,931	-	-	-	-	8	35	157	346	639	580	166	1,786	-	-	1	2	9	31	89	208	484	573	389	
All other	378	-	-	1	1	2	19	34	79	137	87	18	343	-	-	-	-	3	14	29	64	97	91	45	
Black	354	-	-	1	1	2	17	27	77	133	78	18	322	-	-	-	-	2	12	27	59	95	85	42	
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	3,544	-	-	-	2	11	70	298	805	1,357	807	194	2,207	-	-	-	2	6	41	183	511	812	519	133	
White	2,998	-	-	-	2	8	43	217	674	1,154	725	175	1,960	-	-	-	2	4	31	162	434	724	477	126	
All other	546	-	-	-	-	3	27	81	131	203	82	19	247	-	-	-	-	2	10	21	77	88	42	7	
Black	506	-	-	-	-	3	24	75	122	190	74	18	231	-	-	-	-	2	10	20	69	82	41	7	
Malignant neoplasm of breast (174-175)	18	-	-	-	-	-	5	3	6	2	2	1,529	-	-	-	-	1	18	121	211	280	382	333	183	
White	14	-	-	-	-	-	4	2	5	1	2	1,308	-	-	-	-	11	92	159	242	335	306	163		
All other	4	-	-	-	-	-	1	1	1	1	-	221	-	-	-	-	1	7	29	52	38	47	27	20	
Black	4	-	-	-	-	-	1	1	1	1	-	216	-	-	-	-	1	7	28	51	37	45	27	20	
Malignant neoplasms of genital organs (179-187)	1,335	-	-	-	1	6	4	13	92	376	538	305	908	-	-	1	4	9	54	92	161	271	232	84	
White	1,097	-	-	-	1	6	4	10	63	288	454	261	803	-	-	1	2	8	46	75	147	230	216	78	
All other	248	-	-	-	-	-	3	29	88	84	44	105	-	-	-	-	2	1	8	17	14	41	16	6	
Black	245	-	-	-	-	-	3	28	88	83	43	96	-	-	-	-	1	-	8	15	13	37	16	6	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 331

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.

(Page 130 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	19	-	-	-	-	-	1	1	4	9	4	24	-	-	-	-	-	1	2	2	7	10	2	
White	17	-	-	-	-	-	1	-	3	9	4	18	-	-	-	-	-	1	1	1	5	10	1	
All other	2	-	-	-	-	-	-	-	1	1	-	6	-	-	-	-	-	-	-	-	2	1	-	
Black	2	-	-	-	-	-	-	1	1	-	-	6	-	-	-	-	-	-	2	1	2	-	1	
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-585,588-589)	418	6	-	2	1	6	9	12	41	90	143	108	478	1	-	1	-	2	10	14	35	106	161	148
White	342	3	-	2	1	5	7	7	29	68	124	95	373	1	-	1	-	2	5	7	20	85	132	120
All other	76	3	-	-	-	1	2	5	12	22	19	12	105	-	-	-	-	5	7	7	15	21	29	28
Black	74	3	-	-	-	1	2	5	11	21	19	12	103	-	-	-	-	5	7	14	20	29	28	28
Infections of kidney (590)	8	-	-	-	-	-	-	1	1	2	3	1	14	-	-	-	-	-	-	1	2	4	4	3
White	5	-	-	-	-	-	-	1	-	1	2	1	14	-	-	-	-	-	-	1	2	4	4	3
All other	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	13	-	-	-	-	-	-	-	-	-	6	7	-	-	-	-	-	-	-	-	-	-	-	-
White	12	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-	-	-	8	-	-	-	1	2	5	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	1	2	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	1	1	3	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	1	1	2	-	-	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	-	-	-	-	-	-	-	-	8	-	-	-	1	2	5	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	1	2	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	1	1	3	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	1	1	2	-	-	-	-	-
Congenital anomalies (740-759)	226	117	21	8	14	12	9	5	9	11	13	7	200	99	17	8	10	10	14	7	14	8	7	6
White	178	86	14	6	11	11	9	5	7	10	12	7	148	70	9	6	8	7	12	6	12	7	5	6
All other	46	31	7	2	3	1	-	-	2	1	1	-	52	29	8	2	2	3	2	1	2	1	2	-
Black	45	30	7	2	1	1	-	-	2	1	1	-	50	28	8	2	2	3	2	1	1	1	2	-
Certain conditions originating in the perinatal period (760-779)	379	377	1	-	1	-	-	-	-	-	-	-	288	289	4	-	1	-	-	-	-	-	-	-
White	211	210	1	-	-	-	-	-	-	-	-	-	141	140	-	-	1	-	-	-	-	-	-	-
All other	168	167	-	-	1	-	-	-	-	-	-	-	147	149	4	-	-	-	-	-	-	-	-	-
Black	163	162	-	-	1	-	-	-	-	-	-	-	146	142	4	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	79	79	-	-	-	-	-	-	-	-	-	-	50	48	1	-	1	-	-	-	-	-	-	-
White	50	50	-	-	-	-	-	-	-	-	-	-	25	24	-	-	-	-	-	-	-	-	-	-
All other	29	29	-	-	-	-	-	-	-	-	-	-	25	24	1	-	-	-	-	-	-	-	-	-
Black	29	29	-	-	-	-	-	-	-	-	-	-	25	24	1	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	300	298	1	-	1	-	-	-	-	-	-	-	238	235	3	-	-	-	-	-	-	-	-	-
White	151	160	1	-	1	-	-	-	-	-	-	-	116	116	-	-	-	-	-	-	-	-	-	-
All other	139	138	-	-	1	-	-	-	-	-	-	-	122	119	3	-	-	-	-	-	-	-	-	-
Black	134	133	-	-	1	-	-	-	-	-	-	-	121	118	3	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	309	135	2	2	9	12	11	12	19	38	39	30	306	67	7	2	7	9	7	11	19	31	55	71
White	219	82	1	1	5	8	5	9	16	29	36	27	245	54	4	2	7	4	7	8	18	25	50	66
All other	90	53	1	1	4	4	6	3	3	9	3	3	61	33	3	-	-	5	-	3	1	6	5	5
Black	85	51	1	1	4	3	5	3	3	8	3	3	60	33	2	-	-	5	-	3	1	6	5	5
All other diseases (Residual)	3,116	42	17	28	40	114	238	221	314	649	887	566	3,875	19	18	16	32	60	149	164	265	612	1,195	1,345
White	2,900	29	12	23	31	79	170	150	253	556	785	512	3,255	13	10	12	21	40	71	107	209	512	1,059	1,211
All other	516	19	5	5	9	35	68	71	61	93	102	54	610	6	8	4	11	20	78	57	56	100	136	134
Black	489	18	5	4	7	35	68	64	59	85	98	51	580	5	7	4	9	20	77	55	52	95	131	125
Accidents and adverse effects (E800-E949)	1,804	32	58	83	337	305	280	165	134	159	163	87	1,062	13	36	63	128	101	97	74	58	117	187	188
White	1,458	15	38	59	281	254	214	126	109	125	156	81	899	9	27	44	107	86	80	59	46	104	163	174
All other	346	17	20	24	56	51	66	39	25	34	7	6	163	4	9	19	21	15	17	15	12	13	24	14
Black	307	15	18	20	46	43	61	38	21	33	7	5	147	4	9	16	19	12	12	12	12	12	23	12

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 346

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.
(Page 145 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male											Female													
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
MISSOURI—Con.																									
Other acute and subacute forms of ischemic heart disease (411)	5	-	-	-	-	-	-	2	2	1	-	8	-	-	-	-	-	-	-	1	-	-	3	4	
White	5	-	-	-	-	-	-	2	2	1	-	8	-	-	-	-	-	-	-	1	-	-	3	4	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Angina pectoris (413)	8	-	-	-	-	1	-	1	2	1	3	7	-	-	-	-	-	-	-	-	-	3	4		
White	7	-	-	-	-	1	-	1	1	1	3	7	-	-	-	-	-	-	-	-	-	3	4		
All other	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	3,126	-	-	-	2	7	58	182	346	730	1,028	773	3,582	-	-	-	-	-	15	47	147	472	1,074	1,827	
White	2,864	-	-	-	1	6	47	160	296	658	975	721	3,265	-	-	-	-	-	7	38	120	407	984	1,729	
All other	262	-	-	-	1	1	11	22	50	72	53	52	297	-	-	-	-	-	8	9	27	65	90	98	
Black	253	-	-	-	1	1	11	21	48	69	50	52	290	-	-	-	-	-	8	9	27	62	89	95	
Other diseases of endocardium (424)	141	-	-	-	-	2	5	4	12	25	47	46	219	-	1	-	-	-	3	3	7	23	75	107	
White	129	-	-	-	-	1	4	3	10	22	44	45	202	-	-	-	-	-	2	2	7	23	70	98	
All other	12	-	-	-	-	1	1	1	2	3	3	1	17	-	1	-	-	-	1	1	-	-	5	9	
Black	10	-	-	-	-	1	1	1	2	3	2	-	17	-	-	-	-	-	1	1	-	-	5	9	
All other forms of heart disease (415-423,425-429)	2,001	6	2	2	8	19	54	117	248	492	610	443	2,520	6	6	2	6	16	34	59	125	327	750	1,188	
White	1,776	4	1	2	7	12	39	96	202	435	561	417	2,292	4	2	2	4	11	26	45	93	283	690	1,129	
All other	225	2	1	-	1	7	15	21	46	57	49	26	228	2	4	-	2	5	8	14	32	42	60	59	
Black	222	2	1	-	1	7	15	21	46	56	48	25	223	2	4	-	2	5	8	13	31	40	60	58	
Hypertension with or without renal disease (401,403)	100	-	-	-	-	-	2	1	18	21	38	20	148	-	-	-	-	-	1	6	2	15	56	68	
White	80	-	-	-	-	-	-	-	14	18	29	19	118	-	-	-	-	-	1	4	1	8	47	57	
All other	20	-	-	-	-	-	2	1	4	3	9	1	30	-	-	-	-	-	2	1	-	7	9	11	
Black	20	-	-	-	-	-	2	1	4	3	9	1	29	-	-	-	-	-	1	1	-	7	9	11	
Cerebrovascular diseases (430-438)	1,433	4	1	1	2	9	15	50	114	288	534	415	2,325	3	-	1	2	8	24	46	101	264	766	1,110	
White	1,282	3	1	-	2	7	10	35	86	252	492	394	2,117	2	-	1	2	5	16	39	82	253	696	1,041	
All other	151	1	-	1	-	2	5	15	28	36	42	21	208	1	-	-	-	3	8	7	19	21	70	69	
Black	142	1	-	1	-	1	4	15	25	34	40	21	205	1	-	-	-	3	8	7	19	20	69	68	
Intracerebral and other intracranial hemorrhage (431-432)	210	-	-	1	2	1	4	18	35	58	63	28	330	-	-	-	-	-	9	15	29	58	123	96	
White	172	-	-	-	2	-	3	9	24	50	59	25	293	-	-	-	-	-	4	11	21	53	111	93	
All other	38	-	-	1	-	1	9	11	8	4	3	3	37	-	-	-	-	-	5	4	8	5	12	3	
Black	35	-	-	1	-	1	9	10	7	3	3	3	36	-	-	-	-	-	5	4	8	4	12	3	
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434,0,434.9)	160	-	-	-	-	-	4	5	37	66	48	226	-	-	-	1	1	1	2	9	24	84	104		
White	145	-	-	-	-	-	2	3	34	59	47	196	-	-	-	-	1	1	2	6	21	70	95		
All other	15	-	-	-	-	-	2	2	3	7	1	30	-	-	-	-	-	-	3	3	3	14	9		
Black	15	-	-	-	-	-	2	2	3	7	1	30	-	-	-	-	-	-	3	3	3	14	9		
Cerebral embolism (434.1)	9	-	-	-	-	-	-	-	1	3	5	11	-	-	-	-	-	-	1	-	1	2	3	4	
White	9	-	-	-	-	-	-	-	1	3	5	11	-	-	-	-	-	-	1	-	1	2	3	4	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,054	4	1	-	-	8	11	28	74	192	402	334	1,758	3	-	1	1	6	14	29	62	180	556	906	
White	956	3	1	-	-	7	7	24	59	167	371	317	1,617	2	-	1	1	4	11	26	54	157	512	849	
All other	98	1	-	-	-	1	4	4	15	25	31	17	141	1	-	-	-	2	3	3	8	23	44	57	
Black	92	1	-	-	-	-	3	4	13	24	30	17	139	1	-	-	-	2	3	3	8	23	43	56	
Atherosclerosis (440)	138	-	-	-	-	-	1	-	5	24	36	72	238	-	-	-	-	-	-	1	2	17	65	153	
White	130	-	-	-	-	-	1	-	3	21	34	71	228	-	-	-	-	-	-	1	2	16	63	148	
All other	8	-	-	-	-	-	-	-	2	3	2	1	10	-	-	-	-	-	-	-	-	1	2	7	
Black	8	-	-	-	-	-	-	-	2	3	2	1	10	-	-	-	-	-	-	-	-	1	2	7	
Other diseases of arteries, arterioles, and capillaries (441-448)	353	-	-	1	1	1	6	10	42	99	140	53	267	-	-	-	-	-	1	6	8	13	55	108	76
White	333	-	-	1	1	1	6	9	39	94	133	49	238	-	-	-	-	-	1	4	3	10	47	103	70
All other	20	-	-	-	-	-	-	-	1	5	7	4	29	-	-	-	-	-	-	-	3	8	5	6	
Black	20	-	-	-	-	-	-	-	1	5	7	4	29	-	-	-	-	-	-	-	3	8	5	6	
Acute bronchitis and bronchiolitis (466)	7	1	1	-	-	-	1	1	1	1	1	1	11	1	1	1	-	-	-	-	-	-	3	5	
White	6	1	-	-	-	-	1	1	1	1	1	1	11	1	1	1	-	-	-	-	-	-	3	5	
All other	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia and influenza (480-487)	966	2	4	1	3	6	16	18	48	149	363	356	1,199	2	-	-	-	3	14	12	34	122	308	702	
White	873	1	2	1	1	4	10	11	41	135	331	336	1,101	1	-	-	-	1	3	7	8	28	106	280	667
All other	93	1	2	-	2	2	6	7	7	14	32	20	98	1	-	-	-	1	7	4	6	16	28	35	
Black	91	1	2	-	2	2	6	7	7	14	31	19	95	1	-	-	-	1	7	3	6	16	27	34	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 348

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.

(Page 147 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male												Female											
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	12	-	-	-	-	-	1	-	-	1	4	6	17	-	-	-	-	-	-	-	2	2	5	8
White	9	-	-	-	-	-	-	-	-	-	4	5	14	-	-	-	-	-	-	-	1	2	5	6
All other	3	-	-	-	-	-	1	-	-	1	-	1	3	-	-	-	-	-	-	-	1	-	-	2
Black	3	-	-	-	-	-	1	-	-	1	-	1	3	-	-	-	-	-	-	-	1	-	-	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	256	-	1	-	-	2	5	3	27	60	85	73	278	-	-	-	1	-	4	4	17	39	100	113
White	226	-	1	-	-	2	4	1	20	53	76	69	239	-	-	-	1	-	4	3	13	30	86	102
All other	30	-	-	-	-	-	1	2	7	7	9	4	39	-	-	-	-	-	1	1	4	9	14	11
Black	30	-	-	-	-	-	1	2	7	7	9	4	37	-	-	-	-	-	1	4	9	12	11	11
Infections of kidney (590)	3	-	-	-	-	-	-	-	-	1	2	-	15	-	-	-	-	-	-	-	1	2	3	9
White	3	-	-	-	-	-	-	-	-	1	2	-	14	-	-	-	-	-	-	-	1	1	3	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Hyperplasia of prostate (600)	8	-	-	-	-	-	-	-	-	1	5	2	-	-	-	-	-	-	-	-	-	-	-	-
White	6	-	-	-	-	-	-	-	-	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	1	1	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	1	1	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	130	78	8	5	1	5	8	6	5	3	5	6	137	68	9	7	3	7	6	7	10	6	10	4
White	110	62	7	4	1	5	8	5	5	3	4	6	111	51	7	7	2	5	5	5	10	6	9	4
All other	20	16	1	1	-	-	-	1	-	-	1	-	26	17	2	-	1	2	1	2	-	-	1	-
Black	19	15	1	1	-	-	-	1	-	-	1	-	23	15	2	-	-	2	1	2	-	-	1	-
Certain conditions originating in the perinatal period (760-779)	140	139	1	-	-	-	-	-	-	-	-	-	114	114	-	-	-	-	-	-	-	-	-	-
White	93	93	-	-	-	-	-	-	-	-	-	-	69	69	-	-	-	-	-	-	-	-	-	-
All other	47	46	1	-	-	-	-	-	-	-	-	-	45	45	-	-	-	-	-	-	-	-	-	-
Black	46	45	1	-	-	-	-	-	-	-	-	-	45	45	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	30	30	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
White	23	23	-	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
All other	7	7	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	6	6	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	110	109	1	-	-	-	-	-	-	-	-	-	96	96	-	-	-	-	-	-	-	-	-	-
White	70	70	-	-	-	-	-	-	-	-	-	-	56	56	-	-	-	-	-	-	-	-	-	-
All other	40	39	1	-	-	-	-	-	-	-	-	-	40	40	-	-	-	-	-	-	-	-	-	-
Black	40	39	1	-	-	-	-	-	-	-	-	-	40	40	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	222	87	3	2	2	4	11	12	26	24	20	30	178	54	1	-	4	3	3	3	5	21	30	54
White	172	59	2	2	2	2	10	10	20	21	17	26	136	39	1	-	3	2	1	1	4	17	28	42
All other	50	28	1	-	-	2	1	2	6	3	3	4	42	15	-	-	1	1	2	2	1	4	4	12
Black	50	28	1	-	-	2	1	2	6	3	3	4	42	15	-	-	1	1	2	2	1	4	4	12
All other diseases (Residual)	2,006	11	8	10	26	44	75	123	177	383	681	468	2,655	7	9	10	13	36	56	83	155	363	796	1,127
White	1,771	7	5	9	22	36	44	97	145	338	627	441	2,419	4	8	7	11	28	37	66	134	320	745	1,059
All other	235	4	3	1	4	8	31	26	32	45	54	27	236	3	1	3	2	8	19	17	21	43	51	68
Black	224	4	3	1	4	7	28	26	30	43	52	26	233	3	1	3	2	8	19	17	20	42	51	67
Accidents and adverse effects (E800-E949)	1,373	10	48	52	260	241	176	113	110	123	135	104	773	6	22	32	102	66	66	49	54	75	143	157
White	1,195	7	39	39	212	211	151	103	98	111	123	100	704	5	14	28	94	53	58	44	52	69	135	151
All other	178	3	9	13	48	30	25	10	12	12	12	4	69	1	8	4	8	13	8	5	2	6	8	6
Black	173	3	9	13	47	27	25	10	12	11	12	4	65	1	8	3	7	12	8	5	2	6	8	5

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 355

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.

(Page 154 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male												Female											
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA																								
All causes	7,582	128	25	39	129	176	250	358	853	1,833	2,248	1,542	7,444	84	19	22	45	72	131	216	539	1,128	2,066	3,122
White	7,285	103	23	37	114	151	228	333	800	1,772	2,208	1,525	7,197	73	16	20	42	66	118	194	497	1,087	2,014	3,070
All other	287	25	2	2	15	25	22	25	53	61	40	17	247	11	3	2	3	6	13	22	42	41	52	52
Black	231	23	1	-	8	20	19	20	45	49	33	13	204	10	3	2	2	5	9	15	31	36	45	46
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	1	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-
White	1	-	1	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	40	-	-	-	1	1	2	5	15	11	5	50	1	1	-	-	-	1	1	5	12	14	15	
White	37	-	-	-	1	1	1	5	15	9	5	49	1	1	-	-	-	1	1	5	12	13	15	
All other	3	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-	
Black	3	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-	
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	1	-	-	-	1	1
White	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	54	-	-	1	1	19	19	4	2	-	4	4	15	1	-	-	-	1	1	2	3	1	4	2
White	48	-	-	1	1	17	16	3	2	-	4	4	14	1	-	-	-	-	1	2	3	1	4	2
All other	6	-	-	-	-	2	3	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	6	-	-	-	-	2	3	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,842	1	1	4	6	15	45	94	312	617	530	217	1,503	-	1	4	7	20	50	96	235	364	440	286
White	1,774	1	1	4	5	14	42	87	295	594	519	212	1,458	-	1	4	6	20	46	89	224	356	434	278
All other	68	-	-	-	1	1	3	7	17	23	11	5	45	-	-	-	-	-	4	7	11	8	6	8
Black	61	-	-	-	1	1	3	7	15	19	11	4	33	-	-	-	1	-	4	4	10	7	3	4

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 356

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.
(Page 155 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male												Female											
	Total :	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total :	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	30	-	-	-	-	-	1	4	7	9	6	3	14	-	-	-	-	-	1	3	2	1	2	5
White	28	-	-	-	-	-	1	4	7	8	5	3	13	-	-	-	-	-	3	2	1	2	5	
All other	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	444	-	-	-	4	10	17	89	158	113	53	361	-	-	-	-	3	6	12	50	75	116	99	
White	428	-	-	-	4	9	16	84	151	112	52	353	-	-	-	-	3	6	12	47	73	114	98	
All other	16	-	-	-	-	1	1	5	7	1	1	8	-	-	-	-	-	-	3	2	2	2	1	
Black	12	-	-	-	-	1	1	4	4	1	1	7	-	-	-	-	-	-	2	2	2	2	1	
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	621	-	-	-	2	12	39	127	230	168	43	289	-	-	-	-	2	1	21	61	103	79	22	
White	588	-	-	-	2	11	33	121	219	162	40	271	-	-	-	-	2	1	20	59	99	76	20	
All other	33	-	-	-	-	1	6	6	11	6	3	18	-	-	-	-	-	1	8	4	3	2	2	
Black	31	-	-	-	-	1	6	6	10	6	2	14	-	-	-	-	-	1	8	3	1	1	1	
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	1	-	-	-	-	267	-	-	-	1	2	14	28	42	63	74	43	
White	1	-	-	-	-	-	1	-	-	-	-	260	-	-	-	2	13	25	42	62	74	42	42	
All other	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	1	1	3	-	1	1	-	1	
Black	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	1	1	3	-	1	1	-	-	
Malignant neoplasms of genital organs (179-187)	224	-	-	-	1	-	-	13	57	91	62	142	-	-	-	2	4	6	7	21	38	36	28	
White	219	-	-	-	1	-	-	11	55	90	62	139	-	-	-	2	4	6	5	21	38	36	27	
All other	5	-	-	-	-	-	-	2	2	1	-	3	-	-	-	-	-	2	-	-	-	-	1	
Black	4	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	1	
Malignant neoplasms of urinary organs (188-189)	103	-	-	-	1	2	4	18	28	30	20	41	-	-	-	-	-	3	5	8	15	10	10	
White	100	-	-	-	-	2	4	17	28	30	19	40	-	-	-	-	-	3	5	8	14	10	10	
All other	3	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	
Black	3	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	230	1	1	4	5	2	13	22	39	67	59	17	201	-	-	2	2	7	8	13	33	34	61	41
White	224	1	1	4	4	2	13	22	36	66	58	17	198	-	-	2	2	7	8	13	33	34	61	38
All other	6	-	-	-	1	-	-	3	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-	3
Black	6	-	-	-	1	-	-	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Leukemia (204-208)	76	-	-	-	1	3	-	2	7	26	28	9	75	-	1	1	1	1	7	4	4	10	28	18
White	76	-	-	-	1	3	-	2	7	26	28	9	74	-	1	1	1	1	6	4	4	10	28	18
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	113	-	-	-	2	7	5	12	42	35	10	113	-	-	1	1	1	7	5	17	32	29	20	
White	110	-	-	-	2	6	5	12	41	34	10	110	-	-	1	1	1	6	4	17	31	29	20	
All other	3	-	-	-	-	1	-	-	1	1	-	3	-	-	-	-	1	1	-	1	1	-	-	
Black	3	-	-	-	-	1	-	-	1	1	-	2	-	-	-	-	-	-	-	1	1	-	-	
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	9	1	-	-	-	1	-	2	2	1	2	20	-	-	-	-	-	-	-	1	5	5	9	
White	9	1	-	-	-	1	-	2	2	1	2	20	-	-	-	-	-	-	-	1	5	5	9	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diabetes mellitus (250)	127	-	-	-	-	1	5	7	20	29	42	23	155	-	-	-	1	1	2	3	18	39	49	42
White	121	-	-	-	-	1	4	6	16	29	42	23	142	-	-	-	1	1	2	3	15	35	44	41
All other	6	-	-	-	-	-	1	1	4	-	-	-	13	-	-	-	-	-	-	3	4	5	1	
Black	5	-	-	-	-	-	-	1	4	-	-	-	12	-	-	-	-	-	-	2	4	5	1	
Nutritional deficiencies (260-269)	9	-	-	-	-	-	-	-	-	-	9	16	-	-	-	-	-	-	-	-	1	2	13	
White	9	-	-	-	-	-	-	-	-	-	9	16	-	-	-	-	-	-	-	-	1	2	13	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Anemias (280-285)	13	-	-	-	-	1	1	-	-	1	5	5	11	-	-	-	-	-	-	-	-	2	2	7
White	11	-	-	-	-	-	-	-	-	1	5	5	11	-	-	-	-	-	-	-	-	2	2	7
All other	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	3,133	4	3	3	4	17	45	124	303	778	1,037	815	3,536	2	-	-	3	10	21	50	151	428	995	1,876
White	3,039	4	2	3	4	14	41	118	279	746	1,020	808	3,431	1	-	-	3	10	19	42	138	407	967	1,844
All other	94	-	1	-	-	3	4	6	24	32	17	7	105	1	-	-	-	2	8	13	21	28	32	
Black	72	-	-	-	-	2	4	3	20	26	12	5	91	-	-	-	-	1	6	10	19	24	31	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 358

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.

(Page 157 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Data for *042-044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male												Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
NEBRASKA—Con.																									
Corebral embolism (434.1)	1											1	5										1	1	3
White	1											1	5										1	1	3
All other																									
Black																									
All other and late effects of cerebrovascular diseases (430,433,435-438)	360				1	1	3	8	16	61	135	135	536				1	1	3	6	13	47	162	303	
White	354				1	1	3	8	15	59	134	133	528				1	1	3	5	12	44	161	302	
All other	6								1	2	1	2	8					1	1	2	1	3	1	1	
Black	4								1	1	1	1	7					1	1	1	1	3	1	1	
Atherosclerosis (440)	94						1		4	11	33	45	144								2	8	27	107	
White	94						1		4	11	33	45	141								2	8	26	105	
All other													3										1	2	
Black													3										1	2	
Other diseases of arteries, arterioles, and capillaries (441-448)	85						4	4	2	32	30	13	70					1	1	3	8	9	19	29	
White	83						4	4	2	31	29	13	67					1	1	3	6	9	19	28	
All other	2									1	1		3								2			1	
Black	2									1	1		3								2			1	
Acute bronchitis and bronchiolitis (466)	3											1	2											1	
White	3											1	2											1	
All other																									
Black																									
Pneumonia and influenza (480-487)	278	2	1			1	7	3	12	37	90	125	350	1	4				1	4	7	18	94	221	
White	272	2	1			1	7	1	12	37	89	122	345	1	3					4	7	17	94	219	
All other	6											2	5						1				1	2	
Black	5											2	5						1				1	2	
Pneumonia (480-486)	272	2	1			1	6	3	12	37	89	121	344	1	3				1	4	7	18	93	217	
White	266	2	1			1	6	1	12	37	88	118	339	1	2					4	7	17	93	215	
All other	6											3	5						1				1	2	
Black	5											2	5						1				1	2	
Influenza (487)	6						1					1	4											1	4
White	6						1					1	4											1	4
All other																									
Black																									
Chronic obstructive pulmonary diseases and allied conditions (490-496)	447				1	2	4	7	46	121	200	66	308			1	1	1	2	12	37	101	97	56	
White	443				1	2	3	7	46	120	198	66	296					1	11	32	99	97		55	
All other	4						1						12			1	1	1	1	5	2			1	
Black	4						1						10			1	1	1	1	4	1			1	
Bronchitis, chronic and unspecified (490-491)	16					1			1	5	6	3	13						1	3	5			4	
White	16					1			1	5	6	3	12						1	2	5			4	
All other													1												
Black																									
Emphysema (492)	78					1	2	12	15	40	8	43	43						1	7	20	11		4	
White	78					1	2	12	15	40	8	43	43						1	7	20	11		4	
All other																									
Black																									
Asthma (493)	23				1		2	2	3	5	9	1	38			1	1	1	1	3	5	9	7	10	
White	21				1		1	2	3	5	8	1	32				1			3	3	8	7	10	
All other	2						1						6				1	1	1	2	2	1			
Black	2						1						6				1	1	1	2	1				
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	330					1	1	3	30	96	145	54	214						1	7	22	37	79	38	
White	328					1	1	3	30	95	144	54	209						1	6	20	36	79	37	
All other	2									1	1		5						1	2	1			1	
Black	2									1	1		4						1	2				1	
Ulcer of stomach and duodenum (531-533)	11							2	1	2	3	3	21							1	1	1	8	10	
White	11							2	1	2	3	3	21							1	1	1	8	10	
All other																									
Black																									
Appendicitis (540-543)	1									1			2										1	1	
White	1									1			2										1	1	
All other																									
Black																									
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	14						1	1	1	3	3	6	38						1	3	2	14	18		
White	14						1	1	1	3	3	6	36						1	2	2	14	17		
All other													2							1	1			1	
Black													2							1	1			1	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 361

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.
(Page 160 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male											Female													
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
NEVADA—Con.																									
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	65	1	1	-	-	2	3	3	13	17	19	6	65	2	-	-	1	-	3	1	2	17	14	25	
White	56	1	-	-	-	2	1	2	12	16	17	5	60	2	-	-	1	-	2	1	1	16	14	23	
All other	9	-	1	-	-	-	2	1	1	1	2	1	5	-	1	-	-	1	-	1	1	1	1	2	
Black	5	-	1	-	-	-	-	-	1	1	1	1	3	-	-	-	-	-	-	1	1	1	-	1	
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	11	-	-	-	-	1	3	3	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	8	-	-	-	-	1	1	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	3	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,089-139)	167	1	1	1	3	53	61	29	9	5	3	1	20	1	1	-	-	8	4	2	2	2	-	-	
White	141	1	-	-	-	46	48	28	9	5	3	1	13	-	-	-	7	-	1	2	2	2	-	-	
All other	26	-	1	1	3	7	13	1	-	-	-	-	7	1	-	-	1	4	1	-	-	-	-	-	
Black	25	-	1	1	3	6	13	1	-	-	-	-	6	1	-	-	-	4	1	-	-	-	-	-	
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,531	-	-	2	7	16	41	117	340	544	367	97	1,257	-	1	4	2	9	50	113	248	436	308	86	
White	1,437	-	-	2	7	15	37	104	317	517	346	92	1,182	-	1	4	2	8	42	104	226	411	303	81	
All other	94	-	-	-	-	1	4	13	23	27	21	5	75	-	-	-	-	1	8	9	22	25	5	5	
Black	71	-	-	-	-	1	3	10	16	21	17	3	52	-	-	-	-	1	5	5	15	20	4	2	
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	21	-	-	-	-	1	1	-	8	5	6	-	11	-	-	-	-	-	-	-	2	6	3	-	
White	19	-	-	-	-	1	1	-	6	5	6	-	10	-	-	-	-	-	-	-	1	6	3	-	
All other	2	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	
Malignant neoplasms of digestive organs and peritoneum (150-159)	328	-	-	-	-	2	10	21	70	121	89	15	233	-	-	-	-	1	3	16	33	85	68	27	
White	297	-	-	-	-	1	8	18	64	109	83	14	215	-	-	-	-	1	3	14	29	79	65	24	
All other	31	-	-	-	-	1	2	3	6	12	6	1	18	-	-	-	-	-	2	2	4	6	3	3	
Black	26	-	-	-	-	1	2	3	5	9	5	1	10	-	-	-	-	-	1	2	4	2	1	1	
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	523	-	-	-	-	-	7	38	145	222	98	13	375	-	-	-	-	-	8	24	83	152	94	14	
White	499	-	-	-	-	-	6	33	136	215	96	13	357	-	-	-	-	-	6	22	78	144	93	14	
All other	24	-	-	-	-	-	1	5	9	7	2	-	18	-	-	-	-	-	2	2	5	8	1	-	
Black	18	-	-	-	-	-	1	4	6	6	1	-	13	-	-	-	-	-	1	1	4	6	1	-	
Malignant neoplasm of breast (174-175)	2	-	-	-	-	-	-	-	-	2	-	-	215	-	-	-	-	1	14	30	48	66	43	13	
White	2	-	-	-	-	-	-	-	-	2	-	-	203	-	-	-	-	1	11	29	44	63	42	13	
All other	-	-	-	-	-	-	-	-	-	-	-	-	12	-	-	-	-	-	3	1	4	3	1	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	10	-	-	-	-	-	2	1	3	3	1	-	
Malignant neoplasms of genital organs (179-187)	164	-	-	-	-	2	2	4	10	58	53	35	104	-	-	-	1	2	7	12	19	34	26	3	
White	153	-	-	-	-	2	2	4	9	55	48	33	99	-	-	-	1	2	6	10	18	33	26	3	
All other	11	-	-	-	-	-	-	-	1	3	5	2	5	-	-	-	-	-	1	2	1	1	-	-	
Black	10	-	-	-	-	-	-	-	1	3	5	1	4	-	-	-	-	-	2	1	1	1	-	-	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 372

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.
(Page 171 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male											Female													
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
NEW JERSEY																									
All causes	36,344	542	94	123	548	1,338	2,336	2,657	4,560	9,158	9,766	5,214	36,361	435	93	73	192	616	1,083	1,577	2,979	7,024	11,039	11,248	
White	30,512	299	51	72	340	900	1,420	1,952	3,646	7,987	9,002	4,839	31,605	246	51	45	130	319	623	1,101	2,383	6,057	10,115	10,533	
All other	5,832	243	43	51	208	438	916	705	914	1,171	764	375	4,756	189	42	28	62	297	460	476	596	967	924	715	
Black	5,499	229	38	47	191	423	893	669	858	1,099	703	345	4,495	175	37	27	53	288	442	450	565	896	875	687	
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Certain other intestinal infections (007-009)	13	1	-	-	-	-	-	2	3	3	4	16	-	-	1	-	-	-	-	-	-	1	7	7	
White	8	-	-	-	-	-	-	1	1	3	3	14	-	-	1	-	-	-	-	-	-	1	6	6	
All other	5	1	-	-	-	-	-	1	2	-	-	2	-	-	-	-	-	-	-	-	-	-	1	1	
Black	5	1	-	-	-	-	-	1	2	-	-	2	-	-	-	-	-	-	-	-	-	-	1	1	
Tuberculosis (010-018)	40	-	-	-	-	3	8	6	6	9	2	21	-	-	-	-	-	3	5	2	1	3	4	3	
White	18	-	-	-	-	1	2	2	3	2	8	11	-	-	-	-	-	1	2	2	-	3	2	3	
All other	22	-	-	-	-	2	6	4	3	4	1	10	-	-	-	-	-	2	3	2	1	-	2	-	
Black	19	-	-	-	-	2	6	4	2	3	1	10	-	-	-	-	-	2	3	2	1	-	2	-	
Tuberculosis of respiratory system (010-012)	33	-	-	-	-	1	8	5	4	5	8	17	-	-	-	-	-	3	3	2	1	2	3	3	
White	13	-	-	-	-	2	1	1	1	2	7	8	-	-	-	-	-	1	1	-	-	2	1	3	
All other	20	-	-	-	-	1	6	4	3	3	1	9	-	-	-	-	-	2	2	2	1	-	2	-	
Black	17	-	-	-	-	1	6	4	2	2	1	9	-	-	-	-	-	2	2	2	1	-	2	-	
Other tuberculosis (013-018)	7	-	-	-	-	2	-	1	2	1	1	4	-	-	-	-	-	2	-	-	-	1	1	-	
White	5	-	-	-	-	1	-	1	2	-	1	3	-	-	-	-	-	-	-	-	-	1	1	-	
All other	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	
Black	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	
Whooping cough (039)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningococcal infection (036)	1	-	-	-	-	1	-	-	-	-	-	4	-	2	-	-	-	1	-	-	-	1	-	-	
White	1	-	-	-	-	1	-	-	-	-	-	4	-	2	-	-	-	1	-	-	-	1	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Septicemia (038)	506	4	2	1	2	9	20	23	34	124	176	111	669	3	1	1	1	4	15	14	32	101	208	289	
White	410	3	1	2	2	5	12	14	28	102	149	94	563	2	1	1	1	4	10	8	22	77	180	261	
All other	96	1	1	1	4	8	9	6	22	27	17	106	1	-	-	1	3	5	6	10	24	28	28		
Black	89	1	-	-	4	8	8	6	21	25	16	103	1	-	-	-	3	5	5	10	23	28	28		
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Viral hepatitis (070)	78	-	-	1	-	5	20	13	10	18	10	1	38	-	-	-	-	3	3	4	5	15	7	1	
White	58	-	-	1	-	4	14	8	8	14	8	1	29	-	-	-	-	3	3	1	1	14	6	1	
All other	20	-	-	-	-	1	6	5	2	4	2	9	-	-	-	-	-	3	3	4	4	1	1	-	
Black	13	-	-	-	-	-	6	3	-	3	1	7	-	-	-	-	-	-	2	4	-	-	-	-	
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	1,742	6	5	7	15	422	816	324	79	40	21	7	722	8	11	11	12	209	253	99	33	29	33	24	
White	864	2	1	5	4	237	370	153	39	29	17	7	274	3	3	2	3	69	71	31	19	24	28	21	
All other	878	4	4	2	11	185	446	171	40	11	4	-	448	5	8	9	9	140	182	68	14	5	5	3	
Black	864	4	4	1	10	183	443	167	40	9	3	-	444	5	8	9	9	140	180	68	14	5	4	2	
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	9,306	1	4	15	28	85	202	694	1,643	3,151	2,591	892	9,001	3	4	13	17	87	269	730	1,382	2,585	2,597	1,314	
White	8,093	1	4	11	23	70	160	542	1,325	2,759	2,369	829	7,924	3	3	13	13	60	211	562	1,162	2,284	2,401	1,212	
All other	1,213	-	-	4	5	15	42	152	318	392	222	63	1,077	-	1	-	4	27	58	168	220	301	196	102	
Black	1,134	-	-	4	5	12	35	145	297	376	202	58	1,005	-	-	-	3	26	53	151	206	279	186	101	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 373

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.
(Page 172 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male											Female												
	Total :	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total :	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY —Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	182	-	-	-	2	7	36	39	46	40	12	102	-	-	-	-	1	5	16	34	30	16		
White	142	-	-	-	2	5	15	26	43	39	12	86	-	-	-	-	1	2	13	27	27	16		
All other	40	-	-	-	-	2	21	13	3	1	-	16	-	-	-	-	-	3	3	7	3	-		
Black	39	-	-	-	-	1	21	13	3	1	-	14	-	-	-	-	-	3	3	6	2	-		
Malignant neoplasms of digestive organs and peritoneum (150-159)	2,356	1	-	4	7	38	172	447	831	630	226	2,235	-	-	-	3	7	37	126	252	607	722	481	
White	2,052	1	-	2	6	29	133	365	734	584	208	1,959	-	-	-	3	5	26	92	202	535	651	435	
All other	294	-	-	2	1	9	39	82	87	46	18	276	-	-	-	2	11	34	50	72	61	46		
Black	266	-	-	2	1	9	33	75	92	39	15	255	-	-	-	2	8	30	43	65	61	46		
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	3,040	-	-	-	6	44	231	657	1,145	786	171	1,922	-	-	-	-	8	36	164	357	671	533	153	
White	2,621	-	-	-	4	33	177	533	1,003	711	160	1,714	-	-	-	-	5	29	131	311	596	501	141	
All other	419	-	-	-	2	11	54	124	142	75	11	208	-	-	-	-	3	7	33	46	75	32	12	
Black	390	-	-	-	1	9	54	117	135	64	10	199	-	-	-	-	3	7	28	44	74	31	12	
Malignant neoplasm of breast (174-175)	16	-	-	-	-	1	-	3	6	3	3	1,581	-	-	-	1	15	89	204	290	418	369	195	
White	15	-	-	-	-	1	-	2	6	3	3	1,400	-	-	-	1	7	72	166	243	380	344	187	
All other	1	-	-	-	-	-	-	-	-	-	-	181	-	-	-	-	8	17	38	47	38	25	8	
Black	1	-	-	-	-	-	-	1	-	-	-	173	-	-	-	-	8	16	36	45	35	25	8	
Malignant neoplasms of genital organs (179-187)	1,195	-	-	1	2	2	12	94	331	496	257	934	-	-	-	2	15	39	99	176	253	267	83	
White	996	-	-	1	2	2	8	62	258	429	234	780	-	-	-	1	10	28	69	146	216	235	75	
All other	199	-	-	-	-	-	4	32	73	67	23	154	-	-	-	1	5	11	30	30	37	32	8	
Black	195	-	-	-	-	-	4	32	72	65	22	138	-	-	-	1	5	10	25	28	34	28	7	
Malignant neoplasms of urinary organs (188-189)	480	-	1	-	4	8	29	60	162	146	70	296	-	-	1	-	1	5	11	32	81	98	67	
White	451	-	1	-	3	7	26	55	159	138	68	269	-	-	1	-	1	4	10	29	68	91	66	
All other	29	-	-	-	1	1	3	5	9	8	2	27	-	-	-	-	1	1	3	13	7	1		
Black	28	-	-	-	-	1	3	5	9	8	2	26	-	-	-	-	1	1	1	3	13	6	1	
Malignant neoplasms of all other and unspecified sites (170-173, 190-199)	1,221	-	1	8	14	31	46	132	220	400	286	83	1,056	1	3	9	4	18	32	77	145	300	297	170
White	1,066	-	1	5	11	26	42	112	186	349	272	80	932	1	2	9	2	16	27	58	124	261	276	156
All other	135	-	-	3	3	3	20	34	51	14	3	124	-	-	1	-	2	5	19	21	39	21	14	
Black	125	-	-	3	2	3	19	28	50	14	3	115	-	-	-	1	2	5	18	21	35	19	14	
Leukemia (204-208)	332	-	2	7	5	10	16	27	58	85	36	348	2	1	3	7	11	14	22	43	67	115	63	
White	293	-	2	6	5	7	12	26	46	78	34	315	2	1	3	6	8	11	19	37	59	111	58	
All other	39	-	-	1	-	3	4	1	12	7	2	33	-	-	-	1	3	3	6	8	8	4	5	
Black	35	-	-	1	-	3	2	1	11	6	2	28	-	-	-	1	2	3	3	5	5	4	5	
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	484	-	-	4	23	40	55	65	145	118	34	527	-	-	-	-	12	16	22	71	154	166	86	
White	427	-	-	4	18	29	45	50	135	116	30	469	-	-	-	-	9	13	15	57	142	155	78	
All other	57	-	-	-	5	11	10	15	10	2	4	58	-	-	-	-	3	3	7	14	12	11	8	
Black	55	-	-	-	5	10	10	15	9	2	4	57	-	-	-	-	3	3	7	14	12	10	8	
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	148	1	3	2	4	5	9	7	13	37	43	24	169	-	1	1	-	1	11	9	12	36	51	47
White	126	-	2	1	3	3	6	6	10	30	42	23	151	-	1	-	-	7	9	11	30	49	44	
All other	22	1	1	1	1	2	3	1	3	7	1	18	-	-	1	-	1	4	-	1	6	2	3	
Black	20	-	1	-	1	2	3	1	3	7	1	18	-	-	-	1	-	4	-	1	6	2	3	
Diabetes mellitus (250)	950	-	-	3	7	36	73	192	321	236	81	1,208	-	1	-	2	11	19	58	125	328	422	242	
White	800	-	-	-	6	27	58	146	270	219	73	990	-	1	-	2	5	12	37	86	269	356	222	
All other	150	-	-	3	1	9	15	46	51	17	8	218	-	-	-	6	7	21	39	59	66	20		
Black	141	-	-	3	1	8	14	44	48	17	6	211	-	-	-	6	7	21	35	56	66	20		
Nutritional deficiencies (260-269)	38	-	-	-	-	-	-	3	8	12	14	71	-	-	-	-	-	-	-	-	5	23	43	
White	31	-	-	-	-	-	-	-	2	7	10	68	-	-	-	-	-	-	-	-	4	22	42	
All other	7	-	-	-	-	-	-	-	1	2	2	3	-	-	-	-	-	-	-	-	1	1	1	
Black	7	-	-	-	-	1	-	-	1	1	2	2	-	-	-	-	-	-	-	-	1	-	1	
Anemias (280-285)	66	-	-	3	4	7	4	3	2	10	19	14	108	1	-	-	3	4	3	2	9	17	32	37
White	49	-	-	2	1	3	1	2	2	10	15	13	75	-	-	-	1	1	2	6	8	29	29	
All other	17	-	-	1	3	4	3	1	-	4	1	33	1	-	-	3	4	2	-	3	9	3	8	
Black	16	-	-	1	3	4	2	1	-	4	1	33	1	-	-	3	4	2	-	3	9	3	8	
Meningitis (320-322)	22	4	2	1	1	-	1	2	1	7	2	1	16	-	4	-	-	1	2	3	2	3	1	
White	14	1	2	1	-	-	-	1	6	2	1	12	-	2	-	-	-	1	2	2	1	3	1	
All other	8	3	-	-	1	-	1	2	-	1	-	4	-	2	-	-	-	-	-	1	1	-	-	
Black	7	3	-	-	1	-	1	2	-	-	-	4	-	2	-	-	-	-	-	1	1	-	-	
Major cardiovascular diseases (390-448)	13,902	8	6	7	22	84	326	801	1,744	3,773	4,471	2,858	15,512	9	5	4	17	44	149	306	826	2,483	5,209	6,459
White	12,367	5	3	5	12	63	226	634	1,423	3,340	4,166	2,489	13,945	6	4	2	13	27	83	199	634	2,118	4,773	6,085
All other	1,535	3	3	2	10	21	100	167	321	433	305	1,899	1,567	3	1	2	4	17	66	107	192	365	436	374
Black	1,423	2	3	2	9	21	95	153	298	406	279	154	1,478	3	1	1	4	17	63	106	183	333	412	355

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 378

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.
(Page 177 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Whooping cough (033)	1	1																						
White																								
All other	1	1																						
Black																								
Streptococcal sore throat, scarlatina, and erysipelas (034-035)																								
White																								
All other																								
Black																								
Meningococcal infection (036)													1				1							
White													1				1							
All other																								
Black																								
Septicemia (038)	36					3	1	3	2	7	12	8	37				1		1	1	7	6	10	10
White	34					3		2	2	7	12	8	32					1	1	1	5	6	9	9
All other	2						1	1					5				1				2		1	1
Black																								
Acute poliomyelitis (045)																								
White																								
All other																								
Black																								
Measles (055)																								
White																								
All other																								
Black																								
Viral hepatitis (070)	12						1	4	1	3	3		14			1				3	3	3	3	1
White	12						1	4	1	3	3		14			1				3	3	3	3	1
All other																								
Black																								
Syphilis (090-097)																								
White																								
All other																								
Black																								
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	138	2		1	4	28	59	24	9	7	2	2	21	1			2	6	2	1	2	1	3	2
White	125	1		1	1	25	56	23	8	6	2	2	14		1			3	1	1	2	1	3	2
All other	13	1			3	3	3	1	1	1			7	1			2	3	1					
Black	3				1		1		1				1				1							
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,376	1	1	3	5	11	36	87	244	464	393	131	1,163		1	5	2	17	56	106	214	320	309	133
White	1,307		1	3	5	9	34	82	230	447	372	124	1,089		1	4	2	14	51	93	200	305	298	121
All other	69	1				2	2	5	14	17	7	7	74			1		3	5	13	14	15	11	12
Black	22								4	8	7	3	17					1	1	2	1	5	4	3
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	26							2	9	9	6		19						1	4	10	3	1	
White	24							2	8	8	6		17							3	10	3	1	
All other	2								1	1			2						1	1				
Black																								
Malignant neoplasms of digestive organs and peritoneum (150-159)	335					3	11	26	63	111	86	35	278				1	3	14	20	34	72	96	38
White	316					3	11	24	58	108	79	33	259				1	2	14	18	31	70	88	35
All other	19							2	5	3	7	2	19					1		2	3	2	8	3
Black	9								3	1	4	1	4								1	1	3	
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	383				1		7	21	72	152	116	14	248			1			5	18	57	92	61	24
White	373				1		7	21	70	149	112	13	240			1			5	16	55	79	61	23
All other	10								2	3	4	1	8						2	2	2	3		1
Black	6								1	3	2		2									2		
Malignant neoplasm of breast (174-175)	1								1				209						1	13	34	43	47	26
White	1								1				195						1	11	30	42	46	22
All other													14							2	4	1	1	4
Black													5									1	1	2
Malignant neoplasms of genital organs (179-187)	189								22	54	74	39	127						3	7	10	30	58	31
White	176								19	51	70	36	116						3	6	10	28	51	31
All other	13								3	3	4	3	11							1		2	7	1
Black	4									1	1	2	2							1				

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 379

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.
(Page 178 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male												Female											
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Malignant neoplasms of urinary organs (188-189)	88	-	-	-	-	-	-	9	21	25	24	9	36	-	-	-	-	-	4	5	15	8	3	
White	84	-	-	-	-	-	-	8	21	22	24	9	33	-	-	-	-	1	3	5	14	7	3	
All other	4	-	-	-	-	-	-	1	3	3	-	-	3	-	-	-	-	-	1	-	1	1	-	
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	205	-	-	1	1	4	10	18	38	63	48	22	145	-	-	1	-	4	12	13	28	28	41	18
White	190	-	-	1	1	3	8	17	35	60	44	21	136	-	-	1	-	3	11	12	26	27	41	15
All other	15	-	-	-	-	1	2	1	3	3	4	1	9	-	-	-	-	1	1	1	2	1	3	3
Black	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	1	1
Leukemia (204-208)	51	1	1	1	3	1	4	4	5	17	10	4	36	-	1	3	1	4	4	2	4	7	6	4
White	49	-	1	1	3	-	4	4	5	17	10	4	31	-	1	2	1	3	3	1	3	7	6	4
All other	2	1	-	-	-	1	-	-	-	-	-	-	5	-	-	1	-	1	1	1	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	98	-	-	1	-	3	4	7	13	33	29	8	65	-	-	-	-	1	1	4	9	21	18	11
White	94	-	-	1	-	3	4	6	13	32	27	8	62	-	-	-	-	1	1	3	7	21	18	11
All other	4	-	-	-	-	-	-	1	-	1	2	-	3	-	-	-	-	-	-	1	2	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	28	-	1	-	-	-	1	3	4	7	5	6	26	-	1	-	-	-	3	4	3	8	7	7
White	27	-	1	-	-	-	1	2	4	7	5	6	26	-	1	-	-	-	3	4	3	8	7	7
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	182	-	-	-	1	6	19	37	45	55	19	215	-	1	-	-	3	2	9	32	70	61	37	
White	155	-	-	-	1	5	12	32	40	48	17	183	-	1	-	-	3	1	6	23	60	55	34	
All other	27	-	-	-	-	1	7	5	7	7	2	32	-	-	-	-	1	3	9	10	6	6	3	
Black	2	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	1	-	-	-	1	
Nutritional deficiencies (260-269)	14	1	-	-	-	-	-	1	2	3	7	20	-	-	-	-	1	-	-	1	1	7	10	
White	12	-	-	-	-	-	-	1	2	3	6	19	-	-	-	-	1	-	-	1	1	7	9	
All other	2	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Anemias (280-285)	11	-	-	1	2	-	-	-	3	2	3	15	-	-	-	-	1	-	-	-	2	5	7	
White	6	-	-	-	2	-	-	-	2	2	2	14	-	-	-	-	-	-	-	-	2	5	7	
All other	5	-	-	1	-	-	-	-	3	1	1	1	-	-	-	-	1	-	-	-	-	-	-	
Black	2	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	
Meningitis (320-322)	3	1	-	-	-	-	1	-	1	-	-	2	1	-	-	-	-	-	-	-	1	-	-	
White	3	1	-	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Major cardiovascular diseases (390-448)	1,956	3	1	2	3	15	44	88	266	510	619	403	2,023	2	1	-	3	9	18	64	129	315	657	825
White	1,831	3	-	1	3	12	39	81	242	480	589	380	1,915	1	1	-	2	7	16	58	114	297	637	782
All other	125	-	1	1	-	3	5	7	24	30	30	23	108	1	-	-	1	2	2	6	15	18	20	43
Black	28	-	-	-	2	3	2	8	7	2	3	40	-	-	-	-	2	-	-	4	9	7	18	18
Diseases of heart (390-398,402,404-429)	1,555	1	1	2	10	36	82	232	429	456	303	1,438	1	1	-	1	6	14	46	102	249	468	550	
White	1,459	1	-	1	2	9	32	75	216	405	434	284	1,364	1	1	-	1	4	12	40	90	236	454	525
All other	96	-	1	1	-	1	4	7	16	24	22	19	74	-	-	-	2	2	6	12	13	14	25	
Black	21	-	-	-	1	3	2	4	6	1	3	28	-	-	-	-	2	-	-	4	6	6	10	10
Rheumatic fever and rheumatic heart disease (390-398)	16	-	-	1	-	4	-	2	4	3	2	24	-	-	-	1	-	-	1	7	7	8	-	
White	14	-	-	1	-	4	-	2	2	3	2	22	-	-	-	1	-	-	-	6	7	8	-	
All other	2	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	1	1	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Hypertensive heart disease (402)	34	-	-	-	-	1	5	7	10	7	4	48	-	-	-	-	-	-	4	6	9	15	14	
White	33	-	-	-	-	1	5	7	10	6	4	43	-	-	-	-	-	-	3	4	9	14	13	
All other	1	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	1	2	-	1	1	
Black	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-
Hypertensive heart and renal disease (404)	5	-	-	-	-	-	-	-	-	4	1	3	-	-	-	-	-	-	-	1	-	1	1	
White	5	-	-	-	-	-	-	-	-	4	1	3	-	-	-	-	-	-	-	1	-	1	1	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	803	-	-	-	2	16	39	102	233	259	158	662	-	-	-	-	2	5	13	35	117	245	245	
White	766	-	-	-	2	15	32	97	222	249	149	636	-	-	-	-	2	5	11	32	112	239	237	
All other	37	-	-	-	-	1	1	5	11	10	9	24	-	-	-	-	-	-	2	3	5	6	8	
Black	10	-	-	-	-	1	-	2	5	-	2	12	-	-	-	-	-	-	-	2	3	3	4	
Acute myocardial infarction (410)	376	-	-	-	1	10	18	48	126	119	54	284	-	-	-	-	-	4	6	19	67	120	68	
White	359	-	-	-	1	9	17	46	121	116	49	273	-	-	-	-	-	4	5	17	63	116	68	
All other	17	-	-	-	-	1	1	2	5	3	5	11	-	-	-	-	-	-	1	2	4	4	-	
Black	3	-	-	-	-	1	-	1	1	-	-	4	-	-	-	-	-	-	1	2	1	1	-	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 380

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.
(Page 179 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male											Female													
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
NEW MEXICO—Con.																									
Other acute and subacute forms of ischemic heart disease (411)	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	2	-
White	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	426	-	-	-	-	1	6	15	54	106	140	104	375	-	-	-	-	2	1	7	16	50	122	177	
White	406	-	-	-	-	1	6	15	51	100	133	100	362	-	-	-	-	2	1	6	15	49	120	169	
All other	20	-	-	-	-	-	-	-	3	6	7	4	13	-	-	-	-	-	-	1	1	1	2	8	
Black	7	-	-	-	-	-	-	-	1	4	-	2	8	-	-	-	-	-	-	-	1	1	2	4	
Other diseases of endocardium (424)	26	-	-	-	-	2	2	1	4	5	7	5	36	-	-	-	-	1	-	-	4	8	10	13	
White	26	-	-	-	-	2	2	1	4	5	7	5	32	-	-	-	-	1	-	-	4	8	8	11	
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	2	2	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other forms of heart disease (415-423,425-429)	671	1	1	2	1	6	13	43	117	177	176	139	665	1	1	-	-	3	9	28	49	108	189	277	
White	615	1	-	1	1	5	10	37	106	166	165	123	626	1	1	-	-	1	7	26	43	100	184	263	
All other	56	-	1	1	-	1	3	6	11	11	11	10	39	-	-	-	-	2	2	2	6	8	5	14	
Black	11	-	-	-	-	1	2	2	2	1	1	1	13	-	-	-	-	2	-	-	-	3	2	6	
Hypertension with or without renal disease (401,403)	20	-	-	-	-	-	1	-	3	2	10	4	27	-	-	-	-	-	-	-	4	5	4	14	
White	19	-	-	-	-	-	1	-	3	1	10	4	23	-	-	-	-	-	-	-	4	3	4	12	
All other	1	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	2	-	2	
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	-	1	
Cerebrovascular diseases (430-438)	247	2	-	-	1	5	7	3	20	47	101	61	398	1	-	-	2	3	4	15	15	45	138	175	
White	226	2	-	-	1	3	6	3	13	42	97	59	377	1	-	-	1	3	4	15	13	43	135	163	
All other	21	-	-	-	-	2	1	-	7	5	4	2	21	1	-	-	1	-	-	-	2	2	3	12	
Black	4	-	-	-	-	1	-	-	3	-	-	-	5	-	-	-	-	-	-	-	-	1	-	4	
Intracerebral and other intracranial hemorrhage (431-432)	40	1	-	-	-	2	4	1	7	7	12	6	55	1	-	-	-	1	2	3	6	9	19	14	
White	35	1	-	-	-	1	4	1	4	6	12	6	54	1	-	-	-	1	2	3	6	9	19	14	
All other	5	-	-	-	-	1	-	-	3	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
Black	3	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	16	1	-	-	-	-	-	1	1	5	5	3	26	-	-	-	-	1	-	1	2	3	8	11	
White	12	1	-	-	-	-	-	1	1	3	3	3	25	-	-	-	-	1	-	1	2	3	8	10	
All other	4	-	-	-	-	-	-	-	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	1	
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other and late effects of cerebrovascular diseases (430,433,435-438)	191	-	-	-	1	3	3	1	12	35	84	52	316	-	-	-	2	1	2	11	7	33	111	149	
White	179	-	-	-	1	2	2	1	8	33	82	50	297	-	-	-	1	1	2	11	5	31	108	138	
All other	12	-	-	-	-	1	1	-	4	2	2	2	19	-	-	-	-	-	-	-	2	2	3	11	
Black	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	-	-	-	1	-	3	
Atherosclerosis (440)	64	-	-	-	-	-	-	-	4	9	24	27	106	-	-	-	-	-	-	-	5	7	22	72	
White	60	-	-	-	-	-	-	-	3	9	23	25	100	-	-	-	-	-	-	-	5	7	20	68	
All other	4	-	-	-	-	-	-	-	1	-	1	2	6	-	-	-	-	-	-	-	-	-	2	4	
Black	2	-	-	-	-	-	-	-	1	-	1	-	4	-	-	-	-	-	-	-	-	1	-	3	
Other diseases of arteries, arterioles, and capillaries (441-448)	70	-	-	-	-	-	-	3	7	23	28	8	54	-	-	-	-	-	-	3	3	9	25	14	
White	67	-	-	-	-	-	-	3	7	23	25	8	51	-	-	-	-	-	-	3	2	3	24	14	
All other	3	-	-	-	-	-	-	-	-	-	3	-	3	-	-	-	-	-	-	-	1	1	1	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia and influenza (480-487)	191	3	1	-	-	4	5	8	11	32	53	74	181	4	2	-	1	1	1	5	7	10	58	86	
White	169	1	1	-	-	4	5	7	10	27	50	64	165	2	2	-	-	-	1	4	7	14	56	79	
All other	22	2	-	-	-	-	-	1	1	5	3	10	16	2	-	-	1	1	-	1	-	2	2	7	
Black	2	-	-	-	-	-	-	-	1	-	-	1	4	-	-	-	1	-	-	-	-	1	-	2	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 382

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.

(Page 181 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Data for *042-044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male													Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over		
NEW MEXICO—Con.																										
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	-	-	-	-	1	-	-	-	2	1	-	1	-	-	-	-	1	-	-	-	-	-	-		
White	3	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-			
All other	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	46	-	-	-	-	1	-	1	5	5	18	16	61	1	-	-	-	-	2	1	3	10	20	24		
White	42	-	-	-	-	-	-	1	3	5	18	15	55	1	-	-	-	-	2	1	2	8	19	22		
All other	4	-	-	-	-	1	-	-	2	-	-	1	6	-	-	-	-	-	-	1	2	1	2			
Black	2	-	-	-	-	1	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-			
Infections of kidney (590)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-		
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-		
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Hyperplasia of prostate (600)	4	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
White	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
All other	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-		
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-		
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Pregnancy with abortive outcome (630-639)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-		
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-		
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Congenital anomalies (740-759)	50	32	2	2	5	1	-	2	1	4	1	-	45	32	3	3	-	1	-	1	2	3	-	-		
White	44	26	2	2	5	1	-	2	1	4	1	-	35	24	2	2	-	1	-	1	2	3	-	-		
All other	6	6	-	-	-	-	-	-	-	-	-	-	10	8	1	1	-	-	-	-	-	-	-	-		
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-		
Certain conditions originating in the perinatal period (760-779)	39	38	-	1	-	-	-	-	-	-	-	-	48	48	-	-	-	-	-	-	-	-	-	-		
White	33	32	-	1	-	-	-	-	-	-	-	-	36	36	-	-	-	-	-	-	-	-	-	-		
All other	6	6	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-		
Black	2	2	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-		
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	3	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-		
White	2	2	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-		
All other	1	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other conditions originating in the perinatal period (760-766,770-779)	36	35	-	1	-	-	-	-	-	-	-	-	42	42	-	-	-	-	-	-	-	-	-	-		
White	31	30	-	1	-	-	-	-	-	-	-	-	32	32	-	-	-	-	-	-	-	-	-	-		
All other	5	5	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-		
Black	2	2	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-		
Symptoms, signs, and ill-defined conditions (780-799)	80	24	1	-	-	5	3	3	4	8	14	17	97	20	-	3	2	2	4	-	-	4	16	45		
White	60	17	1	-	-	2	2	1	3	7	12	14	78	11	-	1	1	1	3	-	-	4	13	43		
All other	20	7	-	-	-	3	1	2	1	1	2	3	19	9	-	2	1	1	1	-	-	-	3	2		
Black	2	1	-	-	-	-	-	-	-	-	1	-	3	2	-	-	-	1	-	-	-	-	-	-		
All other diseases (Residual)	565	5	4	7	16	13	46	40	61	105	159	109	664	6	6	3	7	6	21	27	65	114	174	235		
White	483	2	2	6	9	9	35	29	50	94	153	94	606	5	3	2	5	6	17	20	56	105	161	226		
All other	82	3	2	1	7	4	11	11	11	11	6	15	58	1	3	1	2	-	4	7	9	9	13	9		
Black	19	-	-	-	1	-	1	3	5	4	1	4	6	-	-	-	-	-	-	-	-	1	3	2		
Accidents and adverse effects (E800-E949)	623	1	18	21	106	143	119	58	49	43	47	17	241	2	6	10	26	39	27	20	13	22	35	41		
White	501	1	12	18	84	112	95	47	42	35	39	15	201	1	4	6	22	30	23	14	9	20	33	39		
All other	122	-	6	3	22	31	24	11	7	8	8	2	40	1	2	4	4	9	4	6	4	2	2	2		
Black	12	-	-	-	1	4	3	1	-	-	2	1	3	-	-	1	-	1	-	1	-	-	-	-		

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 387

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.
(Page 186 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042.*044; see Technical Appendix. Data for *042.*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male											Female													
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
NEW YORK—Con.																									
Asthma (483)	168	—	2	7	12	11	21	18	38	27	22	10	270	—	2	9	1	16	31	42	48	50	51	20	
White	105	—	—	5	8	4	11	12	21	18	17	9	182	—	—	7	1	11	14	23	29	40	42	15	
All other	63	—	2	2	4	7	10	6	17	9	5	1	88	—	2	2	—	5	17	19	19	10	9	5	
Black	62	—	2	2	4	7	10	6	16	9	5	1	83	—	2	2	—	5	16	19	18	9	8	4	
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	2,284	—	—	—	—	2	12	38	213	666	930	422	2,211	—	—	—	—	1	5	17	178	584	881	545	
White	2,115	—	—	—	—	2	6	32	189	609	869	407	2,078	—	—	—	—	1	2	17	163	536	833	526	
All other	169	—	—	—	—	—	6	6	24	57	61	15	133	—	—	—	—	—	3	—	15	48	48	19	
Black	146	—	—	—	—	—	6	6	23	49	50	12	123	—	—	—	—	3	—	15	45	43	17	17	
Ulcer of stomach and duodenum (531-533)	243	—	—	—	—	3	6	27	21	76	68	42	234	—	—	—	—	7	9	14	33	81	90	90	
White	187	—	—	—	—	2	3	14	16	58	58	36	200	—	—	—	—	6	7	11	26	70	80	80	
All other	56	—	—	—	—	1	3	13	5	18	10	6	34	—	—	—	—	1	2	3	7	11	10	10	
Black	49	—	—	—	—	1	3	13	5	16	9	2	32	—	—	—	—	1	2	3	7	10	9	9	
Appendicitis (540-543)	24	1	—	1	2	1	—	2	1	5	9	2	10	—	—	1	1	—	1	—	1	4	1	1	
White	16	1	—	1	—	—	—	1	1	3	7	2	7	—	—	—	—	—	1	—	1	2	1	1	
All other	8	—	—	—	2	1	—	1	—	2	2	—	3	—	—	—	—	—	—	—	—	2	—	—	
Black	7	—	—	—	1	1	—	1	—	2	2	—	2	—	—	—	—	—	1	—	—	1	—	—	
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	118	2	—	—	1	1	2	6	6	33	42	25	201	—	—	—	—	1	5	8	24	62	101	101	
White	107	2	—	—	1	1	2	5	5	30	37	24	184	—	—	—	—	1	4	5	22	54	98	98	
All other	11	—	—	—	—	—	—	1	1	3	5	1	17	—	—	—	—	—	1	3	2	8	3	3	
Black	11	—	—	—	—	—	—	1	1	3	5	1	15	—	—	—	—	—	1	2	2	7	3	3	
Chronic liver disease and cirrhosis (571)	1,236	—	1	—	—	29	212	275	323	242	128	26	628	—	—	—	4	13	54	86	135	201	112	23	
White	984	—	—	—	—	22	147	197	264	216	112	26	515	—	—	—	2	6	37	58	106	182	102	22	
All other	252	—	1	—	—	7	65	78	59	26	16	—	113	—	—	—	2	7	17	28	29	19	10	1	
Black	238	—	1	—	—	7	60	76	55	24	15	—	110	—	—	—	2	7	17	25	29	19	10	1	
Cholelithiasis and other disorders of gallbladder (574-575)	65	—	—	—	—	—	2	1	9	15	21	17	87	—	—	—	2	1	2	3	2	12	27	38	
White	60	—	—	—	—	—	2	1	8	12	21	16	71	—	—	—	2	1	2	—	—	9	20	37	
All other	5	—	—	—	—	—	—	—	1	3	—	1	16	—	—	—	—	—	—	3	2	3	7	1	
Black	4	—	—	—	—	—	—	—	1	3	—	—	15	—	—	—	—	—	3	2	3	6	1	1	
Nephritis, nephrotic syndrome, and nephrosis (580-589)	684	5	1	1	2	13	26	35	60	152	227	162	701	4	—	2	—	9	20	16	59	108	218	265	
White	564	4	—	—	2	5	12	19	44	127	203	148	589	4	—	2	—	4	12	13	37	89	190	238	
All other	120	1	1	1	—	8	14	16	16	25	24	14	112	—	—	—	—	5	8	3	22	19	28	27	
Black	110	1	1	1	—	8	14	16	15	22	21	11	102	—	—	—	—	3	8	3	22	16	26	24	
Acute glomerulonephritis and nephrotic syndrome (580-581)	9	—	—	—	—	—	1	1	—	1	1	5	13	—	—	—	—	1	—	—	2	1	4	5	
White	7	—	—	—	—	—	1	—	—	1	—	5	9	—	—	—	—	1	—	—	—	1	2	5	
All other	2	—	—	—	—	—	—	—	1	—	—	—	4	—	—	—	—	—	—	2	—	—	2	—	
Black	2	—	—	—	—	—	—	—	1	—	—	—	4	—	—	—	—	—	—	2	—	—	2	—	
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	54	—	—	—	—	5	3	6	7	12	10	11	43	—	—	—	—	1	1	—	3	5	14	19	
White	37	—	—	—	—	1	3	2	4	9	8	10	34	—	—	—	—	—	1	—	2	3	11	17	
All other	17	—	—	—	—	4	—	4	3	3	2	1	9	—	—	—	—	1	—	—	1	2	3	2	
Black	17	—	—	—	—	4	—	4	3	3	2	1	8	—	—	—	—	—	—	1	2	3	2	2	
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,589-589)	621	5	1	1	2	8	23	28	52	139	216	146	645	4	—	2	—	8	18	16	54	102	200	241	
White	520	4	—	—	2	4	9	16	40	118	194	133	546	4	—	2	—	4	10	13	35	85	177	216	
All other	101	1	1	1	—	4	14	12	12	21	22	13	99	—	—	—	—	4	8	3	19	17	23	25	
Black	91	1	1	1	—	4	14	12	11	18	19	10	90	—	—	—	—	3	8	3	19	14	21	22	
Infections of kidney (590)	19	—	—	—	1	—	—	2	—	3	8	5	24	—	—	—	—	1	1	3	1	5	5	8	
White	17	—	—	—	1	—	—	1	—	3	7	5	21	—	—	—	—	—	1	2	—	5	5	8	
All other	2	—	—	—	—	—	—	1	—	—	1	—	3	—	—	—	—	—	—	1	—	—	—	—	
Black	2	—	—	—	—	—	—	1	—	—	1	—	3	—	—	—	—	1	—	1	—	—	—	—	
Hyperplasia of prostate (600)	29	—	—	—	—	—	—	—	1	5	10	13	
White	25	—	—	—	—	—	—	—	1	3	9	12	
All other	4	—	—	—	—	—	—	—	—	2	1	1	
Black	3	—	—	—	—	—	—	—	—	1	1	1	
Complications of pregnancy, childbirth, and the puerperium (630-676)	34	5	16	13	
White	13	7	6	
All other	21	9	7	
Black	20	5	8	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 388

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.
(Page 187 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male											Female													
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
NEW YORK—Con.																									
Pregnancy with abortive outcome (630-639)	6	6	1	3	2
White	4	4	3	1
All other	2	2	1	1
Black	2	2	1	1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	28	28	4	13	11
White	9	9	4	5
All other	19	19	4	9	6
Black	18	18	4	8	6
Congenital anomalies (740-759)	462	257	29	17	21	19	26	19	18	23	19	14	384	205	26	13	9	14	18	14	12	24	31	18	
White	349	185	20	11	18	16	16	17	15	20	18	13	312	157	22	10	8	12	16	12	10	17	31	17	
All other	113	72	9	6	3	3	10	2	3	3	1	1	72	48	4	3	1	2	2	2	2	7	1	1	
Black	91	55	8	4	3	2	9	2	3	3	1	1	61	40	3	3	1	2	1	2	2	6	1	1	
Certain conditions originating in the perinatal period (760-779)	699	688	6	2	2	552	551	1	
White	377	371	2	2	1	305	304	1	
All other	322	317	4	1	247	247	
Black	307	302	4	1	234	234	
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	126	122	2	2	84	84	
White	81	79	1	1	47	47	
All other	45	43	1	1	37	37	
Black	43	41	1	1	34	34	
Other conditions originating in the perinatal period (760-766,770-779)	573	566	4	2	468	467	1	
White	296	292	1	2	258	257	1	
All other	277	274	3	210	210	
Black	264	261	3	200	200	
Symptoms, signs, and ill-defined conditions (780-799)	1,341	195	21	18	53	194	294	218	131	96	74	41	725	115	16	10	27	70	122	82	57	60	77	88	
White	926	100	10	15	40	134	197	147	94	80	68	36	488	52	8	5	15	38	73	55	36	50	73	82	
All other	415	95	11	3	13	60	97	71	37	16	6	5	237	63	8	5	12	32	49	27	21	10	4	6	
Black	393	92	10	3	13	59	88	67	35	14	6	5	225	59	8	4	12	31	46	27	19	9	4	6	
All other diseases (Residual)	4,931	52	29	29	68	191	468	465	584	968	1,254	822	5,626	46	24	33	49	121	210	290	417	849	1,521	2,065	
White	4,095	27	20	23	56	134	311	318	452	839	1,143	771	4,879	29	18	23	36	71	127	195	324	749	1,360	1,946	
All other	836	25	9	6	12	57	157	147	132	129	111	51	747	17	6	10	13	50	83	95	93	100	161	119	
Black	781	23	8	6	10	54	146	144	125	120	98	47	709	17	4	9	10	49	82	90	88	95	151	114	
Accidents and adverse effects (E800-E949)	3,404	28	60	105	471	657	697	353	255	271	304	201	1,714	10	44	59	144	187	185	124	126	183	333	315	
White	2,664	19	40	77	376	512	513	248	206	206	276	189	1,401	6	31	43	116	132	120	99	102	153	303	292	
All other	740	9	20	28	95	145	184	105	49	65	28	12	313	4	13	16	28	55	65	25	24	30	30	23	
Black	678	8	19	24	82	130	179	97	44	60	24	11	271	3	12	16	19	48	61	24	20	23	26	17	
Motor vehicle accidents (E810-E825)	1,298	3	17	61	312	283	171	103	109	96	100	43	668	1	18	31	107	99	69	63	61	87	101	31	
White	1,057	2	14	43	251	227	140	82	93	72	92	41	572	...	16	25	91	78	55	56	54	74	96	27	
All other	241	1	3	18	61	56	31	21	16	24	8	2	96	1	2	6	16	21	14	7	7	13	5	4	
Black	209	...	3	17	56	46	28	16	11	23	7	2	68	1	2	6	9	15	10	6	4	10	4	1	
All other accidents and adverse effects (E800-E807, E826-E949)	2,106	25	43	44	159	374	526	250	146	175	204	158	1,046	9	26	28	37	88	116	61	65	99	232	284	
White	1,607	17	26	34	125	285	373	166	113	134	184	148	829	6	15	18	25	54	65	43	48	82	207	265	
All other	499	8	17	10	34	89	153	84	33	41	20	10	217	3	11	10	12	34	51	18	17	17	25	19	
Black	469	8	16	7	26	84	151	81	33	37	17	9	203	2	10	10	10	33	51	18	16	15	22	16	
Suicide (E950-E959)	1,123	5	166	285	210	154	109	81	78	35	261	6	29	61	46	32	31	25	20	11	
White	976	5	138	231	184	135	96	77	75	35	219	6	19	44	40	29	30	25	16	10	
All other	147	28	54	26	19	13	4	3	...	42	10	17	6	3	1	...	4	1	1	
Black	116	21	46	18	16	10	3	2	...	28	6	10	5	1	1	...	4	1	1	
Homicide and legal intervention (E960-E978)	2,031	21	20	25	729	636	342	158	52	36	12	...	418	6	16	15	88	132	70	39	14	16	19	3	
White	881	9	10	13	268	271	157	88	36	21	8	...	203	3	7	6	40	54	34	25	10	12	10	2	
All other	1,150	12	10	12	461	365	185	70	16	15	4	...	215	3	9	9	48	78	36	14	4	4	9	1	
Black	1,087	11	10	12	446	345	166	65	14	15	3	...	201	3	8	8	46	72	34	13	3	4	9	1	
All other external causes (E980-E999)	120	...	2	1	14	30	32	16	12	6	2	3	41	...	2	1	6	6	11	4	3	3	2	3	
White	79	6	21	24	11	10	3	2	1	29	...	1	1	3	4	9	2	3	2	1	3	
All other	41	...	2	1	8	9	8	5	2	3	...	2	12	...	1	...	3	2	2	2	...	1	1	...	
Black	30	...	2	1	4	3	8	4	2	3	...	2	12	...	1	...	3	2	2	2	...	1	1	...	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 389

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.
(Page 188 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male											Female													
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
NORTH CAROLINA																									
All causes	32,590	605	91	139	804	1,267	1,885	2,604	4,662	8,383	8,293	3,858	29,896	461	76	90	240	461	859	1,447	2,754	6,063	8,936	8,507	
White	24,370	309	47	76	463	733	1,065	1,759	3,426	6,629	6,723	3,139	23,001	225	46	55	146	243	487	956	1,959	4,560	7,121	7,203	
All other	8,220	296	44	63	341	534	820	845	1,236	1,754	1,570	717	6,895	236	30	35	94	218	372	491	795	1,503	1,815	1,304	
Black	7,895	285	42	59	319	508	791	808	1,178	1,700	1,510	695	6,606	218	27	32	86	207	358	465	750	1,439	1,762	1,281	
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Certain other intestinal infections (007-009)	4	1	-	-	-	-	-	1	1	1	-	-	9	1	-	-	-	-	-	-	1	-	5	2	
White	3	1	-	-	-	-	-	1	1	1	-	-	7	-	-	-	-	-	-	-	-	-	5	2	
All other	1	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-	
Black	1	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-	
Tuberculosis (010-018)	27	-	1	-	-	-	1	4	1	4	9	7	24	-	-	-	1	1	1	1	-	7	8	5	
White	13	-	-	-	-	-	-	1	-	2	7	3	11	-	-	-	-	-	1	-	-	2	6	2	
All other	14	-	1	-	-	-	1	3	1	2	2	4	13	-	-	-	1	1	1	1	-	5	2	3	
Black	14	-	1	-	-	-	1	3	1	2	2	4	13	-	-	-	1	1	1	1	-	5	2	3	
Tuberculosis of respiratory system (010-012)	23	-	-	-	-	-	1	4	1	4	8	5	15	-	-	-	-	1	1	-	5	3	5		
White	11	-	-	-	-	-	-	1	-	2	6	2	8	-	-	-	-	-	1	-	-	2	3	2	
All other	12	-	-	-	-	-	1	3	1	2	2	3	7	-	-	-	-	1	-	-	3	-	3	3	
Black	12	-	-	-	-	-	1	3	1	2	2	3	7	-	-	-	-	1	-	-	3	-	3	3	
Other tuberculosis (013-018)	4	-	1	-	-	-	-	-	-	-	1	2	9	-	-	-	1	1	-	-	-	2	5	-	
White	2	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	-	-	3	-	
All other	2	-	1	-	-	-	-	-	-	-	-	1	6	-	-	-	1	1	-	-	-	2	2	-	
Black	2	-	1	-	-	-	-	-	-	-	-	1	6	-	-	-	1	1	-	-	-	2	2	-	
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningococcal infection (036)	2	-	-	-	-	1	-	-	-	-	1	-	2	1	-	-	-	-	1	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-	
All other	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Septicemia (038)	282	6	-	1	1	5	14	16	25	63	77	54	376	5	1	2	2	3	9	15	27	70	122	120	
White	187	4	-	-	4	9	10	17	48	57	38	38	285	-	1	2	1	1	3	10	16	50	94	107	
All other	75	2	-	1	1	1	5	6	8	15	20	16	91	5	-	-	1	2	6	5	11	20	28	13	
Black	75	2	-	1	1	1	5	6	8	15	20	16	88	5	-	-	-	2	5	4	9	20	28	13	
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Viral hepatitis (070)	26	-	-	-	1	1	4	4	6	7	2	1	17	-	-	1	-	2	3	1	2	5	2	1	
White	21	-	-	-	1	1	1	4	4	7	2	1	10	-	-	-	-	1	-	1	2	5	2	-	
All other	5	-	-	-	-	-	3	-	2	-	-	-	7	-	-	1	-	2	2	1	-	-	-	1	
Black	4	-	-	-	-	-	2	-	2	-	-	-	7	-	-	1	-	2	2	1	-	-	-	1	
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	790	6	3	1	10	259	317	108	31	33	18	4	235	4	4	-	7	52	67	23	16	32	19	11	
White	362	2	2	-	5	115	134	49	16	22	15	2	96	2	3	-	-	16	14	8	7	21	17	8	
All other	428	4	1	1	5	144	183	59	15	11	3	2	139	2	1	-	7	36	53	15	9	11	2	3	
Black	422	4	1	1	5	140	182	59	14	11	3	2	137	1	1	-	7	36	53	15	9	10	2	3	
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	7,870	3	3	16	21	65	244	681	1,543	2,669	2,024	601	6,540	-	6	17	22	62	253	592	1,096	1,944	1,714	834	
White	6,084	2	2	7	15	48	161	489	1,170	2,129	1,601	460	5,157	-	3	11	15	38	179	423	871	1,545	1,390	682	
All other	1,786	1	1	9	6	17	83	192	373	540	423	141	1,383	-	3	6	7	24	74	169	225	399	324	152	
Black	1,731	1	1	7	6	16	81	185	360	525	411	138	1,322	-	3	4	6	23	71	158	212	381	316	148	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 392

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.
(Page 191 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male											Female												
	Total :	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total :	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Cerebral embolism (434.1)	9	-	-	-	-	-	-	1	-	4	3	1	11	-	-	-	-	-	-	1	2	5	2	1
White	6	-	-	-	-	-	-	1	-	1	3	1	7	-	-	-	-	-	-	-	-	4	2	1
All other	3	-	-	-	-	-	-	-	-	3	-	-	4	-	-	-	-	-	-	1	2	1	-	-
Black	3	-	-	-	-	-	-	-	-	3	-	-	4	-	-	-	-	-	-	1	2	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,430	3	-	1	2	9	23	54	147	316	558	317	2,245	1	2	1	1	5	21	45	97	311	749	1,012
White	1,074	2	-	1	5	11	35	92	226	432	270	1,727	1	2	-	1	4	10	26	57	204	563	859	
All other	356	1	-	1	1	4	12	19	55	90	126	47	518	-	-	1	-	1	11	19	40	107	186	153
Black	347	1	-	1	1	4	11	19	54	90	119	47	499	-	-	1	-	1	11	18	39	101	179	149
Atherosclerosis (440)	160	-	-	-	-	1	-	3	8	43	43	62	252	-	-	-	-	-	-	-	5	18	75	154
White	121	-	-	-	-	-	-	3	6	27	37	48	195	-	-	-	-	-	-	-	2	15	56	122
All other	39	-	-	-	-	1	-	-	2	16	6	14	57	-	-	-	-	-	-	-	3	3	19	32
Black	38	-	-	-	-	1	-	-	2	16	6	13	56	-	-	-	-	-	-	-	3	3	19	31
Other diseases of arteries, arterioles, and capillaries (441-448)	435	-	-	1	1	1	7	18	62	138	147	60	298	-	-	-	1	2	5	12	22	79	98	79
White	377	-	-	1	1	-	4	14	54	123	130	50	230	-	-	-	1	1	1	8	14	63	82	60
All other	58	-	-	-	-	-	3	4	8	15	17	10	68	-	-	-	-	1	4	4	8	16	16	19
Black	57	-	-	-	-	1	3	4	8	15	17	9	65	-	-	-	-	1	3	4	7	15	16	19
Acute bronchitis and bronchiolitis (466)	6	-	-	-	-	-	-	-	-	3	2	1	5	-	-	-	-	-	-	-	-	2	1	2
White	4	-	-	-	-	-	-	-	-	1	2	1	5	-	-	-	-	-	-	-	-	2	1	2
All other	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	1,028	6	3	-	2	14	24	37	91	178	385	288	1,247	6	1	2	5	5	12	26	44	139	400	606
White	794	2	1	-	1	6	10	18	58	132	321	245	1,055	3	-	1	4	4	8	21	30	108	342	534
All other	234	4	2	-	1	8	14	19	33	46	64	43	192	3	1	1	1	1	4	5	14	31	58	72
Black	227	4	2	-	1	8	13	17	33	46	61	42	183	3	-	1	1	1	4	4	14	29	56	69
Pneumonia (480-486)	1,012	6	3	-	2	14	24	35	91	173	379	285	1,221	6	1	2	4	5	12	26	40	136	394	594
White	782	2	1	-	1	6	10	16	58	129	317	242	1,031	3	-	1	3	4	8	21	28	105	336	522
All other	230	4	2	-	1	8	14	19	33	44	62	43	190	3	1	1	1	1	4	5	12	31	58	72
Black	223	4	2	-	1	8	13	17	33	44	59	42	181	3	-	1	1	1	4	4	12	29	56	69
Influenza (487)	16	-	-	-	-	-	-	2	-	5	6	3	26	-	-	-	1	-	-	-	4	3	6	12
White	12	-	-	-	-	-	-	2	-	3	4	3	24	-	-	-	1	-	-	-	2	3	6	12
All other	4	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-	-	-	-	2	-	-	-
Black	4	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-	-	-	-	2	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,625	1	1	1	3	8	6	42	199	589	585	190	1,208	2	-	1	1	4	7	41	148	395	438	171
White	1,388	-	1	-	1	4	2	31	168	507	508	166	1,090	1	-	-	-	2	4	25	134	359	412	153
All other	237	1	-	1	2	4	4	11	31	82	77	24	118	1	-	1	1	2	3	16	14	36	26	18
Black	226	1	-	1	2	4	3	10	29	80	72	24	110	1	-	1	1	2	3	16	12	33	23	18
Bronchitis, chronic and unspecified (490-491)	65	1	-	-	-	1	-	1	10	22	17	13	59	2	-	1	-	-	-	3	5	12	21	15
White	57	-	-	-	-	1	-	1	6	20	16	13	51	1	-	-	-	-	-	1	5	12	18	14
All other	8	1	-	-	-	-	-	-	4	2	1	-	8	1	-	1	-	-	-	2	-	-	3	1
Black	7	1	-	-	-	-	-	-	3	2	1	-	7	1	-	1	-	-	-	2	-	-	2	1
Emphysema (492)	255	-	-	-	-	3	10	35	100	84	23	174	-	-	-	-	-	-	10	26	63	67	8	
White	230	-	-	-	-	1	8	34	89	80	18	166	-	-	-	-	-	-	10	25	57	66	8	
All other	25	-	-	-	-	2	2	1	11	4	5	8	-	-	-	-	-	-	-	1	3	1	-	
Black	25	-	-	-	-	2	2	1	11	4	5	8	-	-	-	-	-	-	-	1	3	1	-	
Asthma (493)	59	-	-	1	3	7	1	5	13	18	10	1	104	-	-	-	1	3	6	9	15	23	26	15
White	41	-	-	1	3	-	3	10	14	9	1	77	-	-	-	-	2	3	3	9	24	24	12	
All other	18	-	-	1	2	4	1	2	3	4	1	-	27	-	-	-	1	1	3	6	6	5	2	3
Black	17	-	-	1	2	4	-	2	3	4	1	-	25	-	-	-	1	1	3	6	6	4	1	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,246	-	1	-	-	-	2	26	141	449	474	153	871	-	-	-	-	1	1	19	102	291	324	133
White	1,060	-	1	-	-	-	1	19	118	384	403	134	796	-	-	-	-	-	1	11	95	260	304	119
All other	186	-	-	-	-	-	1	7	23	65	71	19	75	-	-	-	-	-	-	8	7	25	20	14
Black	177	-	-	-	-	-	1	6	22	63	66	19	70	-	-	-	-	-	-	8	5	23	19	14
Ulcer of stomach and duodenum (531-533)	65	-	-	-	-	-	6	4	5	18	21	11	85	-	-	-	-	-	2	4	7	15	29	28
White	50	-	-	-	-	-	2	3	3	15	18	9	70	-	-	-	-	-	-	3	6	12	25	24
All other	15	-	-	-	-	-	4	1	2	3	3	2	15	-	-	-	-	-	2	1	1	3	4	4
Black	15	-	-	-	-	-	4	1	2	3	3	2	15	-	-	-	-	-	2	1	1	3	4	4
Appendicitis (540-543)	9	-	1	1	-	-	1	-	1	2	1	2	3	-	-	-	-	-	-	-	1	1	1	-
White	5	-	-	1	-	-	1	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	1	-
All other	4	-	1	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	4	-	1	-	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-	1	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	59	-	1	-	-	-	1	5	3	8	23	16	112	1	-	-	-	-	-	2	2	15	44	48
White	38	-	-	-	-	-	2	2	4	17	11	85	-	-	-	-	-	-	-	2	2	12	31	38
All other	21	-	1	-	-	-	1	3	1	4	6	5	27	1	-	-	-	-	-	-	-	3	13	10
Black	21	-	1	-	-	-	1	3	1	4	6	5	27	1	-	-	-	-	-	-	-	3	13	10

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 401

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.
(Page 200 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male											Female													
	Total †	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total †	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
OHIO—Con.																									
Viral hepatitis (070)	32	-	-	-	-	1	8	10	3	8	2	-	14	-	-	-	-	-	1	2	1	5	4	1	
White	29	-	-	-	-	1	8	9	3	6	2	-	11	-	-	-	-	-	1	1	1	5	4	-	
All other	3	-	-	-	-	-	1	-	2	-	-	-	3	-	-	-	-	-	1	1	-	-	1	1	
Black	3	-	-	-	-	-	1	-	2	-	-	-	2	-	-	-	-	-	1	-	-	-	-	1	
Syphilis (090-097)	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,058-066, 071-088,098-139)	783	5	3	2	8	228	295	124	46	36	28	8	186	4	5	3	5	24	24	22	21	26	25	27	
White	576	2	2	2	6	163	208	99	34	30	24	6	120	2	4	3	2	10	6	12	18	19	23	21	
All other	207	3	1	-	2	65	87	25	12	6	4	2	66	2	1	-	3	14	18	10	3	7	2	6	
Black	207	3	1	-	2	65	87	25	12	6	4	2	64	2	1	-	3	13	18	10	2	7	2	6	
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	13,207	3	20	28	42	90	326	949	2,476	4,603	3,430	1,240	11,723	-	9	15	26	110	382	915	1,898	3,455	3,268	1,645	
White	11,665	3	18	22	40	80	283	798	2,118	4,081	3,095	1,127	10,527	-	9	14	20	93	323	798	1,655	3,099	3,006	1,510	
All other	1,542	-	2	6	2	10	43	151	358	522	335	113	1,196	-	-	1	6	17	59	117	243	356	262	135	
Black	1,519	-	2	5	2	10	37	150	357	514	331	111	1,173	-	-	1	6	15	56	112	238	350	260	135	
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	223	-	-	-	-	7	28	55	82	41	10	10	111	-	-	-	-	-	5	8	12	38	32	16	
White	187	-	-	-	-	4	24	42	68	40	9	9	89	-	-	-	-	-	3	5	8	32	27	14	
All other	36	-	-	-	-	3	4	13	14	1	1	1	22	-	-	-	-	-	2	3	4	6	5	2	
Black	36	-	-	-	-	3	4	13	14	1	1	1	21	-	-	-	-	-	2	2	4	6	5	2	
Malignant neoplasms of digestive organs and peritoneum (150-159)	3,068	-	-	2	3	13	75	230	603	1,033	832	277	2,716	-	1	-	-	11	55	135	302	737	906	569	
White	2,666	-	-	1	3	10	63	181	506	898	750	254	2,394	-	1	-	-	8	47	112	256	641	812	517	
All other	402	-	-	-	-	3	12	49	97	135	82	23	322	-	-	-	-	3	8	23	46	96	94	52	
Black	395	-	-	1	-	3	11	48	96	133	80	23	316	-	-	-	-	2	8	21	46	94	93	52	
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	4,807	-	-	1	-	7	63	349	1,059	1,966	1,111	251	2,745	-	-	-	1	5	29	197	584	1,031	706	192	
White	4,239	-	-	1	-	7	52	288	901	1,752	1,004	228	2,483	-	-	-	-	4	23	168	516	933	666	173	
All other	574	-	-	-	-	11	61	158	214	107	23	23	262	-	-	-	1	1	6	29	68	98	40	19	
Black	569	-	-	-	-	10	61	158	211	106	23	23	260	-	-	-	1	1	6	29	67	97	40	19	
Malignant neoplasm of breast (174-175)	18	-	-	-	-	1	3	2	7	2	2	2	2,048	-	-	-	-	18	126	253	405	515	476	255	
White	15	-	-	-	-	1	1	2	1	6	2	2	1,840	-	-	-	-	13	108	224	355	458	445	237	
All other	3	-	-	-	-	-	1	1	1	-	-	-	208	-	-	-	-	5	18	29	50	57	31	18	
Black	3	-	-	-	-	-	1	1	1	-	-	-	204	-	-	-	-	5	17	29	47	57	31	18	
Malignant neoplasms of genital organs (179-187)	1,575	-	-	1	2	4	7	19	95	447	617	383	1,193	-	-	1	1	17	56	140	194	342	293	149	
White	1,340	-	-	1	2	3	6	16	78	366	533	335	1,064	-	-	1	-	13	48	124	170	310	260	138	
All other	235	-	-	-	-	1	1	3	17	81	84	48	129	-	-	-	-	4	8	16	24	32	33	11	
Black	234	-	-	-	-	1	1	3	17	81	83	48	126	-	-	-	-	1	4	8	15	24	31	32	11
Malignant neoplasms of urinary organs (188-189)	687	-	-	-	-	12	47	128	232	184	85	384	394	-	-	-	-	4	5	24	47	105	120	79	
White	645	-	-	-	-	13	46	116	220	172	79	355	355	-	-	-	-	3	5	24	43	96	112	72	
All other	42	-	-	-	-	1	1	10	12	12	6	29	39	-	-	-	-	1	-	-	4	9	8	7	
Black	42	-	-	-	-	1	1	10	12	12	6	29	39	-	-	-	-	1	-	-	4	9	8	7	
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,567	2	11	13	16	28	88	171	332	461	323	122	1,412	-	5	10	11	32	67	98	214	387	381	207	
White	1,438	2	9	11	15	27	79	152	300	426	303	114	1,272	-	5	9	10	29	55	90	181	353	347	193	
All other	129	-	2	2	1	1	9	19	32	35	20	8	140	-	-	-	1	3	12	8	33	34	34	14	
Black	125	-	2	2	1	1	7	19	32	35	20	6	135	-	-	-	1	1	2	10	8	32	33	14	
Leukemia (204-208)	474	1	7	11	15	13	25	30	66	126	128	52	383	-	1	4	8	10	18	25	41	84	119	73	
White	439	1	7	8	14	10	23	28	57	120	120	51	356	-	1	4	6	10	17	23	36	77	115	67	
All other	35	-	3	1	3	2	2	9	6	6	8	1	27	-	-	-	2	-	1	2	5	7	4	6	
Black	34	-	2	1	3	2	2	9	6	6	8	1	27	-	-	-	2	-	1	2	5	7	4	6	
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	788	-	2	-	6	24	47	72	138	249	192	58	731	-	2	-	5	13	21	35	99	216	235	105	
White	702	-	2	-	6	22	43	61	117	225	171	55	674	-	2	-	4	13	17	28	90	199	222	99	
All other	86	-	-	-	-	2	4	11	21	24	21	3	57	-	-	-	1	-	4	7	9	17	13	6	
Black	81	-	-	-	-	2	2	11	21	21	21	3	55	-	-	-	1	-	4	6	9	16	13	6	
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	169	-	2	5	1	6	13	8	22	34	55	23	204	1	-	2	3	4	10	15	18	37	60	54	
White	153	-	2	4	1	6	9	5	20	33	51	22	179	1	-	2	1	4	6	13	15	34	54	49	
All other	16	-	-	1	-	-	4	3	2	1	4	1	25	-	-	-	2	-	4	2	3	3	6	5	
Black	16	-	-	1	-	-	4	3	2	1	4	1	25	-	-	-	2	-	4	2	3	3	6	5	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 404

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.
(Page 203 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male												Female											
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
Asthma (493)	63	-	-	3	2	2	5	4	10	13	15	9	118	-	1	-	5	8	5	10	11	32	29	17
White	52	-	-	2	1	2	2	4	8	10	14	9	100	-	1	-	2	5	4	8	9	27	27	17
All other	11	-	-	1	1	-	3	-	2	3	1	-	18	-	-	-	3	3	1	2	2	5	2	-
Black	10	-	-	1	1	-	3	-	2	2	1	-	18	-	-	-	3	3	1	2	2	5	2	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,952	-	1	-	-	1	3	42	180	628	755	342	1,652	-	-	-	-	6	35	139	510	640	322	
White	1,832	-	1	-	-	1	2	34	166	585	715	328	1,547	-	-	-	-	4	31	124	474	613	301	
All other	120	-	-	-	-	-	8	14	43	40	14	14	105	-	-	-	-	2	4	15	36	27	21	
Black	118	-	-	-	-	-	8	13	43	40	13	13	102	-	-	-	-	2	4	14	34	27	21	
Ulcer of stomach and duodenum (531-533)	107	1	1	-	-	-	2	6	11	27	35	24	145	-	-	-	1	-	6	5	24	48	61	
White	100	-	1	-	-	-	2	6	9	25	34	23	133	-	-	-	-	-	4	4	21	48	58	
All other	7	1	-	-	-	-	-	-	2	2	1	1	12	-	-	-	1	-	2	1	3	2	3	
Black	7	1	-	-	-	-	-	-	2	2	1	1	12	-	-	-	1	-	2	1	3	2	3	
Appendicitis (540-543)	14	-	1	-	1	1	1	1	4	1	4	-	8	-	-	-	-	-	-	-	1	1	4	2
White	12	-	1	-	1	1	1	1	3	1	4	-	7	-	-	-	-	-	-	-	1	1	3	2
All other	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	103	1	-	-	-	1	-	5	10	30	29	27	158	-	-	1	1	-	4	-	11	18	48	75
White	90	1	-	-	-	1	-	3	9	25	27	24	141	-	-	1	1	-	3	-	7	14	44	71
All other	13	-	-	-	-	-	-	2	1	5	2	3	17	-	-	-	-	-	1	-	4	4	4	4
Black	13	-	-	-	-	-	-	2	1	5	2	3	15	-	-	-	-	-	1	-	3	4	4	3
Chronic liver disease and cirrhosis (571)	566	2	1	-	-	10	83	112	122	151	72	13	307	-	-	-	-	4	28	34	60	88	78	15
White	487	1	-	-	-	7	70	89	103	139	67	11	271	-	-	-	-	4	20	26	50	84	73	14
All other	79	1	1	-	-	3	13	23	19	12	5	2	36	-	-	-	-	8	8	10	4	4	5	1
Black	78	1	1	-	-	3	13	23	19	12	5	2	35	-	-	-	-	8	8	9	4	5	5	1
Cholelithiasis and other disorders of gallbladder (574-575)	44	-	-	-	-	-	2	5	3	8	19	7	77	1	-	-	-	-	-	1	3	11	30	31
White	40	-	-	-	-	-	1	4	3	7	18	7	72	1	-	-	-	-	-	1	3	9	29	29
All other	4	-	-	-	-	-	1	1	-	1	1	-	5	-	-	-	-	-	-	-	-	2	1	2
Black	4	-	-	-	-	-	1	1	-	1	1	-	5	-	-	-	-	-	-	-	-	2	1	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	570	4	-	1	-	4	17	18	48	127	206	145	616	2	-	1	1	3	7	15	38	113	216	220
White	498	3	-	1	-	3	12	14	39	110	185	131	514	2	-	1	1	4	12	27	85	186	195	
All other	72	1	-	-	-	1	5	4	9	17	21	14	102	-	-	-	-	2	3	3	11	28	30	25
Black	71	1	-	-	-	1	5	4	9	17	21	13	101	-	-	-	-	2	3	3	10	28	30	25
Acute glomerulonephritis and nephrotic syndrome (580-581)	4	-	-	-	-	-	-	1	-	-	2	1	11	-	-	-	-	-	-	1	-	4	2	4
White	4	-	-	-	-	-	-	1	-	-	2	1	9	-	-	-	-	-	-	-	3	2	4	
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	32	-	-	-	-	1	3	2	-	4	14	8	36	-	-	-	-	1	2	-	2	9	12	10
White	26	-	-	-	-	2	2	-	-	2	13	7	29	-	-	-	-	1	-	-	1	7	11	9
All other	6	-	-	-	-	1	1	-	-	2	1	1	7	-	-	-	-	1	1	-	1	2	1	1
Black	6	-	-	-	-	1	1	-	-	2	1	1	7	-	-	-	-	1	1	-	1	2	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-585,588-589)	534	4	-	1	-	3	14	15	48	123	190	136	569	2	-	1	1	2	5	14	38	130	202	206
White	468	3	-	1	-	3	10	11	39	108	170	123	476	2	-	1	1	3	12	26	75	179	182	
All other	66	1	-	-	-	-	4	4	9	15	20	13	93	-	-	-	-	1	2	2	10	25	29	24
Black	65	1	-	-	-	-	4	4	9	15	20	12	92	-	-	-	-	1	2	2	9	25	29	24
Infections of kidney (590)	14	1	-	-	-	-	-	-	-	5	2	6	25	-	-	-	-	-	1	2	1	2	4	15
White	10	1	-	-	-	-	-	-	-	3	2	4	21	-	-	-	-	-	1	1	1	2	3	13
All other	4	-	-	-	-	-	-	-	-	2	-	2	4	-	-	-	-	-	-	-	-	-	1	2
Black	4	-	-	-	-	-	-	-	-	2	-	2	4	-	-	-	-	-	-	-	-	-	1	2
Hyperplasia of prostate (600)	18	-	-	-	-	-	-	-	1	1	8	7
White	15	-	-	-	-	-	-	-	1	1	6	7
All other	3	-	-	-	-	-	-	-	-	2	1
Black	3	-	-	-	-	-	-	-	-	2	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	10	-	3	5	2	-
White	7	-	1	4	2	-
All other	3	-	2	1	-	-
Black	3	-	2	1	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 405

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.
(Page 204 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male											Female												
	Total †	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total †	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
Pregnancy with abortive outcome (630-638)
White
All other
Black
Other complications of pregnancy, childbirth, and the puerperium (640-676)	10	3	5	2
White	7	1	4	2
All other	3	2	1
Black	3	2	1
Congenital anomalies (740-759)	265	162	18	9	11	11	8	9	6	11	13	7	272	147	18	9	17	11	8	9	10	12	14	17
White	227	133	17	8	9	9	7	8	6	10	13	7	228	118	16	9	15	9	6	6	9	11	14	15
All other	38	29	1	1	2	2	1	1	...	1	44	29	2	...	2	2	2	3	1	1	2	
Black	36	27	1	1	2	2	1	1	...	1	42	29	2	...	1	2	2	2	1	1	2	
Certain conditions originating in the perinatal period (760-779)	398	391	6	1	...	292	288	4	
White	250	246	3	1	...	179	178	1	
All other	148	145	3	113	110	3	
Black	148	145	3	113	110	3	
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (787-789)	65	64	1	44	44	
White	44	44	27	27	
All other	21	20	1	17	17	
Black	21	20	1	17	17	
Other conditions originating in the perinatal period (780-786,770-779)	333	327	5	1	...	248	244	4	
White	206	202	3	1	...	152	151	1	
All other	127	125	2	96	93	3	
Black	127	125	2	96	93	3	
Symptoms, signs, and ill-defined conditions (780-799)	926	154	19	14	63	87	131	90	92	106	107	63	767	119	19	9	30	40	68	54	51	94	126	157
White	724	106	12	10	40	67	103	76	66	91	94	59	615	71	12	7	23	26	51	40	40	80	117	148
All other	202	48	7	4	23	20	28	14	26	15	13	4	152	48	7	2	7	14	17	14	11	14	9	9
Black	197	47	7	4	22	20	27	13	26	14	13	4	148	48	7	1	7	12	17	14	11	13	9	9
All other diseases (Residual)	3,725	37	21	23	44	83	153	225	361	786	1,214	778	5,074	22	13	31	27	59	109	170	331	763	1,533	2,016
White	3,336	28	17	20	35	65	121	167	307	716	1,125	715	4,604	17	10	24	22	47	80	149	267	680	1,414	1,894
All other	389	9	4	3	9	18	32	38	54	70	89	63	470	5	3	7	5	12	29	21	64	83	119	122
Black	382	9	4	3	9	18	32	38	53	67	87	62	467	5	3	7	5	12	27	21	64	82	119	122
Accidents and adverse effects (E800-E949)	2,130	21	55	69	420	324	310	190	163	213	208	156	1,217	16	38	39	109	107	117	87	89	131	225	258
White	1,867	18	44	57	373	285	261	171	142	180	189	146	1,063	11	23	27	102	92	101	76	78	121	209	243
All other	263	3	11	12	47	39	49	19	21	33	19	10	134	5	15	12	7	15	11	11	10	16	15	15
Black	254	3	10	12	44	35	49	18	21	33	19	10	130	5	15	12	6	15	10	11	10	16	14	14
Motor vehicle accidents (E810-E825)	1,020	8	17	34	324	203	139	90	84	50	50	21	471	1	13	26	98	74	69	52	39	41	40	18
White	921	8	13	31	296	181	125	85	74	45	43	20	432	1	9	22	94	66	63	50	35	39	38	15
All other	99	...	4	3	28	22	14	5	10	5	7	1	39	...	4	4	4	8	6	2	4	2	2	3
Black	92	...	4	3	26	18	14	4	10	5	7	1	37	...	4	4	3	8	5	2	4	2	2	3
All other accidents and adverse effects (E800-E807, E826-E949)	1,110	13	38	35	96	121	171	100	79	163	158	135	746	15	25	13	11	33	48	35	50	90	185	240
White	946	10	31	26	77	104	136	86	68	135	146	126	651	10	14	5	8	26	38	26	43	82	171	228
All other	164	3	7	9	19	17	35	14	11	28	12	9	95	5	11	8	3	7	10	9	7	8	14	12
Black	162	3	6	9	18	17	35	14	11	28	12	9	93	5	11	8	3	7	10	8	7	8	14	11
Suicide (E950-E959)	936	10	154	176	174	99	103	106	92	22	219	1	26	36	47	38	25	26	17	3
White	860	9	130	150	167	92	100	100	91	21	205	1	22	34	45	34	23	26	17	3
All other	76	1	24	26	7	7	3	6	1	1	14	4	2	2	4	2
Black	72	1	24	23	7	7	2	6	1	1	12	2	2	2	4	2
Homicide and legal intervention (E960-E978)	452	3	5	9	175	126	76	35	9	11	3	...	153	3	5	10	27	53	32	6	7	6	3	1
White	156	2	2	6	35	50	34	16	4	5	2	...	79	2	2	7	11	25	19	1	5	3	3	1
All other	296	1	3	3	140	76	42	19	5	6	1	...	74	1	3	3	16	28	13	5	2	3
Black	293	1	1	3	139	76	42	19	5	6	1	...	72	1	3	3	16	26	13	5	2	3
All other external causes (E980-E999)	46	1	...	1	5	11	6	11	5	4	2	...	17	2	10	2	1	1	1	...	1
White	39	1	4	11	5	9	4	4	1	...	15	2	9	1	1	1	1	...	1
All other	7	1	1	...	1	2	1	...	1	...	2	1	1
Black	7	1	1	...	1	2	1	...	1	...	2	1	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 406

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.

(Page 205 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male											Female													
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
OKLAHOMA																									
All causes	16,497	228	65	80	358	528	773	1,124	2,158	3,942	4,464	2,764	15,925	181	42	58	159	203	427	692	1,351	2,305	4,511	5,487	
White	14,722	160	53	57	259	431	632	935	1,929	3,586	4,106	2,566	14,324	141	34	47	133	163	348	583	1,140	2,450	4,153	5,124	
All other	1,775	68	12	23	99	97	141	189	229	356	358	198	1,601	40	8	11	26	40	79	109	211	355	358	363	
Black	1,072	54	8	11	62	57	85	107	135	204	216	131	1,004	27	4	10	12	19	50	66	133	205	229	249	
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Certain other intestinal infections (007-009)	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	1	1	1	1	1	
White	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	1	1	1	1	1	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculosis (010-018)	14	-	-	-	-	-	1	2	5	4	2	6	-	-	-	-	-	-	-	-	2	4	4	-	
White	11	-	-	-	-	-	-	2	4	4	1	3	-	-	-	-	-	-	-	-	-	3	3	-	
All other	3	-	-	-	-	-	1	-	-	-	1	3	-	-	-	-	-	-	-	-	2	1	1	-	
Black	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	
Tuberculosis of respiratory system (010-012)	10	-	-	-	-	-	1	2	2	3	2	5	-	-	-	-	-	-	-	-	2	3	2	-	
White	7	-	-	-	-	-	-	2	1	3	1	2	-	-	-	-	-	-	-	-	-	2	1	-	
All other	3	-	-	-	-	-	1	-	-	-	1	3	-	-	-	-	-	-	-	-	2	1	-	-	
Black	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other tuberculosis (013-018)	4	-	-	-	-	-	-	-	3	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	
White	4	-	-	-	-	-	-	-	3	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningococcal infection (036)	1	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-	-	
White	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	
Septicemia (038)	156	1	-	-	3	5	10	15	31	46	45	175	2	1	1	-	1	4	5	17	20	52	72		
White	127	1	-	-	2	3	8	11	25	40	37	152	2	1	1	-	1	4	5	12	16	45	66		
All other	29	-	-	-	1	2	2	4	6	6	8	23	-	-	-	-	-	-	5	4	7	4	6		
Black	21	-	-	-	-	2	1	4	4	5	5	10	-	1	-	-	-	-	-	3	1	1	5		
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Viral hepatitis (070)	20	-	-	-	-	6	2	5	5	2	-	11	-	-	-	-	-	2	1	3	1	3	1		
White	18	-	-	-	-	4	2	5	5	2	-	11	-	-	-	-	-	2	1	3	1	3	1		
All other	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Black	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	243	1	2	2	4	92	78	18	18	11	8	9	68	3	1	2	-	10	9	2	8	11	13	9	
White	211	1	1	2	4	78	67	15	17	11	7	8	59	3	1	2	-	9	5	2	6	11	12	8	
All other	32	-	1	-	-	14	11	3	1	-	1	1	9	-	-	-	-	1	4	-	2	-	1	1	
Black	25	-	1	-	-	13	8	1	1	-	-	1	6	-	-	-	-	3	-	2	-	1	-	-	
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,842	1	5	8	12	42	115	257	744	1,179	1,098	380	3,195	1	2	10	10	32	138	273	488	847	871	522	
White	3,497	1	5	6	11	33	101	227	674	1,087	1,002	350	2,879	1	2	9	9	29	125	239	424	757	800	483	
All other	345	-	-	-	1	9	14	30	70	92	96	30	316	-	-	1	1	3	13	34	64	90	71	39	
Black	227	-	-	-	1	5	11	21	46	60	63	20	204	-	-	1	-	1	7	22	45	59	47	22	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 412

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.

(Page 211 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male											Female													
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
OREGON—Con.																									
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	4	1	-	1	-	1	-	-	-	1	-	-	3	-	-	2	-	-	-	-	-	-	-	1	-
White	2	1	-	1	-	-	-	-	-	-	-	3	-	-	2	-	-	-	-	-	-	-	-	1	-
All other	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	56	-	-	1	-	1	1	5	11	9	17	11	78	1	-	1	-	-	-	2	3	18	22	31	
White	53	-	-	1	-	1	1	3	11	9	16	11	74	1	-	1	-	-	-	2	3	15	22	30	
All other	3	-	-	-	-	-	-	2	-	-	1	-	4	-	-	-	-	-	-	-	-	3	3	1	
Black	2	-	-	-	-	-	-	2	-	-	-	-	3	-	-	-	-	-	-	-	-	2	-	1	
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	17	-	-	-	-	2	4	4	-	5	2	-	12	-	-	-	1	1	1	2	4	4	3	-	
White	16	-	-	-	-	2	3	4	-	5	2	-	12	-	-	-	1	1	1	2	4	4	3	-	
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	300	2	2	1	7	75	120	42	28	7	11	5	58	1	3	1	-	6	10	4	2	13	11	5	
White	285	2	1	1	7	68	116	39	28	7	11	5	52	1	3	1	-	6	7	4	1	13	11	5	
All other	15	-	1	-	-	7	4	3	-	-	-	-	4	-	-	-	-	3	-	-	1	-	-	-	
Black	12	-	1	-	-	4	4	3	-	-	-	-	3	-	-	-	-	3	-	-	-	-	-	-	
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,447	-	3	7	13	30	83	241	514	1,086	1,100	370	3,143	-	2	3	9	21	105	223	482	954	893	451	
White	3,349	-	3	7	13	29	78	232	496	1,056	1,070	365	3,058	-	1	3	8	19	100	215	464	928	877	443	
All other	98	-	-	-	-	1	5	9	18	30	30	5	85	-	1	-	1	2	5	8	18	26	16	8	
Black	47	-	-	-	-	1	1	5	11	11	16	2	38	-	1	-	-	1	1	4	5	13	8	5	
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	62	-	-	-	-	5	8	17	14	16	2	29	-	-	-	-	-	2	1	7	7	6	6	6	
White	56	-	-	-	-	4	7	16	11	16	2	28	-	-	-	-	-	2	1	7	6	6	6	6	
All other	6	-	-	-	-	1	1	1	3	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	
Black	2	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	
Malignant neoplasms of digestive organs and peritoneum (150-159)	751	-	-	-	-	2	14	58	118	240	230	89	672	-	-	-	-	2	7	28	81	135	220	149	
White	720	-	-	-	-	1	13	56	114	230	220	86	648	-	-	-	-	2	7	24	73	179	217	146	
All other	31	-	-	-	-	1	1	2	4	10	10	3	24	-	-	-	-	-	4	8	6	6	3	3	
Black	9	-	-	-	-	1	-	1	1	1	5	-	5	-	-	-	-	-	1	1	1	1	1	1	
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,163	-	-	-	-	2	16	90	210	437	331	77	849	-	-	-	-	1	17	69	172	321	211	58	
White	1,133	-	-	-	-	2	15	88	199	428	324	77	832	-	-	-	-	1	16	67	168	318	206	56	
All other	30	-	-	-	-	1	2	11	9	7	7	17	17	-	-	-	-	1	2	4	4	3	5	2	
Black	15	-	-	-	-	-	-	8	5	2	-	9	9	-	-	-	-	2	1	2	1	2	2	2	
Malignant neoplasm of breast (174-175)	2	-	-	-	-	-	-	-	-	2	-	-	488	-	-	-	-	4	24	59	89	141	118	53	
White	2	-	-	-	-	-	-	-	-	2	-	-	476	-	-	-	-	3	24	59	88	135	115	52	
All other	-	-	-	-	-	-	-	-	-	-	-	-	12	-	-	-	-	1	-	-	1	6	3	1	
Black	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	1	2	1	1	
Malignant neoplasms of genital organs (179-187)	481	-	-	-	1	3	3	3	25	115	230	101	314	-	-	-	-	2	16	25	40	88	102	41	
White	466	-	-	-	1	3	3	3	24	113	220	99	307	-	-	-	-	1	15	24	40	86	101	40	
All other	15	-	-	-	-	-	-	-	1	2	10	2	7	-	-	-	-	1	1	1	-	2	1	1	
Black	9	-	-	-	-	-	-	-	1	-	6	2	5	-	-	-	-	1	-	-	-	2	1	1	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 416

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.
(Page 215 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	6	-	-	-	-	-	-	-	-	1	2	3	8	-	-	-	-	1	-	1	1	1	1	3
White	6	-	-	-	-	-	-	-	-	1	2	3	7	-	-	-	-	1	-	1	1	1	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	93	-	1	-	-	1	1	1	7	20	28	34	70	3	-	-	1	-	1	5	14	19	27	
White	88	-	1	-	-	1	1	1	7	20	26	32	68	3	-	-	1	-	1	5	14	18	26	
All other	5	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	
Black	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
Infections of kidney (590)	5	-	-	-	-	-	-	-	-	2	3	15	15	-	-	-	-	-	-	-	2	2	6	5
White	5	-	-	-	-	-	-	-	-	2	3	15	15	-	-	-	-	-	-	-	2	2	6	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hyperplasia of prostate (600)	8	-	-	-	-	-	-	-	1	1	6	6	6	-	-	-	-	-	-	-	-	-	-	6
White	8	-	-	-	-	-	-	-	1	1	6	6	6	-	-	-	-	-	-	-	-	-	-	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Complications of pregnancy, childbirth, and the puerperium (630-676)	6	-	-	4	2	-
White	4	2	2	-
All other	2	-	-	-
Black	2	-	-	-
Pregnancy with abortive outcome (630-638)	2	2	-	-
White	1	1	-	-
All other	1	-	-	-
Black	1	1	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	4	2	2	-
White	3	1	2	-
All other	1	-	-	-
Black	1	1	-	-
Congenital anomalies (740-759)	81	41	6	1	8	4	-	4	2	4	8	3	72	30	5	-	4	8	5	2	2	3	7	6
White	78	39	5	1	8	4	-	4	2	4	8	3	70	30	5	-	3	7	5	2	2	3	7	6
All other	3	2	1	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	43	43	-	-	-	-	-	-	-	-	-	-	39	39	-	-	-	-	-	-	-	-	-	-
White	38	38	-	-	-	-	-	-	-	-	-	-	34	34	-	-	-	-	-	-	-	-	-	-
All other	5	5	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	4	4	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	8	8	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
White	7	7	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	35	35	-	-	-	-	-	-	-	-	-	-	32	32	-	-	-	-	-	-	-	-	-	-
White	31	31	-	-	-	-	-	-	-	-	-	-	28	28	-	-	-	-	-	-	-	-	-	-
All other	4	4	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	344	58	2	3	2	3	13	14	37	68	74	70	377	37	2	3	2	1	2	8	23	45	78	176
White	329	52	2	3	2	3	11	13	36	64	73	70	372	36	2	3	2	1	2	8	23	45	77	173
All other	15	6	-	-	-	-	2	1	1	4	1	-	5	1	-	-	-	-	-	-	-	-	1	3
Black	11	5	-	-	-	-	1	-	1	4	-	-	4	1	-	-	-	-	-	-	-	-	1	2
All other diseases (Residual)	1,253	6	5	10	11	24	55	70	102	226	436	308	1,592	2	2	5	6	12	28	49	76	210	475	727
White	1,212	5	4	9	11	20	51	64	101	215	429	303	1,562	2	2	4	6	12	28	45	72	204	473	716
All other	41	1	1	1	-	4	4	6	1	11	7	5	30	-	-	1	-	2	4	4	4	6	2	11
Black	27	1	-	1	-	2	3	4	1	8	6	1	13	-	-	1	-	-	2	2	2	2	-	6
Accidents and adverse effects (E800-E949)	802	8	16	28	131	133	147	87	57	56	82	57	443	8	10	17	34	48	56	29	18	51	82	90
White	768	6	16	27	120	126	145	82	54	56	82	54	426	7	10	17	32	46	50	27	18	47	82	90
All other	34	2	-	1	11	7	2	5	3	-	-	3	17	1	-	-	2	2	6	2	-	4	-	-
Black	13	1	-	-	4	2	2	-	-	-	-	2	2	-	-	-	-	2	-	-	-	-	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 421

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.

(Page 220 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male												Female											
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																								
Asthma (483)	78	-	-	2	3	9	5	3	10	26	15	5	133	-	-	-	4	3	9	9	22	32	38	16
White	56	-	-	1	5	3	2	7	20	13	5	112	-	-	-	4	1	5	4	18	29	35	16	
All other	22	-	-	2	2	4	2	1	3	6	2	21	-	-	-	-	2	4	5	4	3	3	-	
Black	20	-	-	2	2	3	2	1	3	5	2	21	-	-	-	-	2	4	5	4	3	3	-	
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	2,257	-	-	-	2	6	48	209	673	938	381	1,804	1	-	-	-	6	27	153	495	753	369		
White	2,108	-	-	-	2	4	41	193	615	892	361	1,729	1	-	-	-	5	24	140	469	730	360		
All other	149	-	-	-	-	2	7	16	58	46	20	75	-	-	-	-	1	3	13	26	23	9		
Black	145	-	-	-	-	2	7	16	57	43	20	73	-	-	-	-	1	2	13	26	22	9		
Ulcer of stomach and duodenum (531-533)	111	-	-	-	1	5	4	9	25	39	28	138	-	-	-	-	1	1	3	6	25	49	53	
White	101	-	-	-	-	3	4	8	22	37	27	131	-	-	-	-	1	1	2	5	23	47	52	
All other	10	-	-	-	1	2	-	1	3	2	1	7	-	-	-	-	-	-	1	1	2	2	1	
Black	8	-	-	-	1	2	-	-	3	2	-	6	-	-	-	-	-	-	1	1	2	2	-	
Appendicitis (540-543)	10	-	1	-	1	-	2	2	1	-	2	6	-	-	-	1	-	-	-	1	1	2	1	
White	6	-	1	-	-	1	1	1	-	2	1	6	-	-	-	1	-	-	-	1	1	2	1	
All other	4	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	4	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	126	3	1	-	1	1	4	4	27	45	39	220	2	2	-	-	1	3	7	23	77	105		
White	103	2	-	-	1	1	2	1	17	41	38	203	2	2	-	-	1	1	7	21	71	98		
All other	23	1	1	-	-	1	2	3	10	4	1	17	-	-	-	-	-	2	-	2	6	7		
Black	23	1	1	-	-	1	2	3	10	4	1	17	-	-	-	-	-	2	-	2	6	7		
Chronic liver disease and cirrhosis (571)	752	-	-	1	15	92	139	151	211	119	24	451	-	-	-	-	8	40	66	76	137	94	30	
White	655	-	-	-	1	15	73	103	133	193	113	24	391	-	-	-	6	31	46	66	125	88	29	
All other	97	-	-	-	-	19	36	18	18	6	-	60	-	-	-	-	2	9	20	10	12	6	1	
Black	94	-	-	-	-	19	33	18	18	6	-	56	-	-	-	-	2	9	19	8	11	6	1	
Cholelithiasis and other disorders of gallbladder (574-575)	53	-	-	-	-	1	-	6	18	18	10	63	-	-	-	-	-	3	3	12	19	26		
White	52	-	-	-	-	1	-	6	17	18	10	61	-	-	-	-	-	3	3	11	18	26		
All other	1	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	1	1	-		
Black	1	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	1	1	-		
Nephritis, nephrotic syndrome, and nephrosis (580-589)	784	4	1	-	4	14	29	52	186	301	193	843	1	-	-	1	3	9	15	51	156	283	324	
White	688	1	1	-	3	6	19	39	162	280	177	733	1	-	-	1	2	5	8	41	129	251	295	
All other	96	3	-	-	1	8	10	13	24	21	16	110	-	-	-	1	4	7	10	27	32	29		
Black	96	3	-	-	1	8	10	13	24	21	16	108	-	-	-	1	4	7	10	27	31	28		
Acute glomerulonephritis and nephrotic syndrome (580-581)	5	-	-	-	-	-	-	-	1	4	-	11	-	-	-	1	-	-	1	1	5	2		
White	4	-	-	-	-	-	-	-	1	3	-	7	-	-	-	1	-	-	1	-	4	1		
All other	1	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	1	1		
Black	1	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	1	1		
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	34	-	-	-	-	1	1	2	11	10	9	40	-	-	-	-	-	-	-	4	4	12	20	
White	30	-	-	-	-	-	1	1	9	10	9	34	-	-	-	-	-	-	-	3	4	12	15	
All other	4	-	-	-	-	1	1	2	2	-	-	6	-	-	-	-	-	-	-	-	-	5		
Black	4	-	-	-	-	1	-	1	2	-	-	5	-	-	-	-	-	-	-	1	-	4		
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	745	4	1	-	4	13	28	50	174	287	184	792	1	-	-	-	3	8	15	46	151	266	302	
White	654	1	1	-	3	6	18	38	152	267	168	682	1	-	-	-	2	5	8	37	125	235	279	
All other	91	3	-	-	1	7	10	12	22	20	16	100	-	-	-	-	1	3	7	9	26	31	23	
Black	91	3	-	-	1	7	10	12	22	20	16	99	-	-	-	-	1	3	7	9	26	30	23	
Infections of kidney (590)	13	-	-	-	-	-	-	4	1	6	2	22	-	-	-	-	-	-	1	-	1	5	8	
White	9	-	-	-	-	-	-	1	1	5	2	20	-	-	-	-	-	-	1	-	1	5	7	
All other	4	-	-	-	-	-	-	3	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1	
Black	4	-	-	-	-	-	-	3	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1	
Hyperplasia of prostate (600)	16	-	-	-	-	-	-	-	1	8	7	
White	16	-	-	-	-	-	-	-	1	8	7	
All other	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	
Complications of pregnancy, childbirth, and the puerperium (630-676)	12	2	6	4	-	
White	3	1	1	1	-	
All other	9	1	5	3	-	
Black	9	1	5	3	-	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 423

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.

(Page 222 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male											Female													
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
RHODE ISLAND																									
All causes	4,727	62	5	14	68	128	240	272	515	1,244	1,385	792	5,059	40	6	19	18	50	110	170	385	916	1,515	1,828	
White	4,526	55	4	13	57	109	214	257	482	1,202	1,360	771	4,911	32	5	16	15	43	94	156	370	887	1,490	1,801	
All other	201	7	1	1	11	19	26	15	33	42	25	21	148	8	1	3	3	7	16	14	15	29	25	27	
Black	172	7	1	1	11	16	24	14	27	36	20	16	132	8	1	2	3	5	15	11	14	28	20	25	
Shigellosis and amebiasis (004-006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Certain other intestinal infections (007-009)	3	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-	1	-	-	-	-	-	1	
White	3	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-	1	-	-	-	-	-	1	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculosis (010-018)	3	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-	-	-	-	2	-	
White	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	2	-	
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculosis of respiratory system (010-012)	3	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-	-	-	-	2	-	
White	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	2	-	
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Septicemia (038)	72	1	-	-	-	1	3	5	4	17	25	16	79	1	1	-	1	-	-	8	10	25	33		
White	67	1	-	-	-	2	5	3	17	24	15	17	78	1	1	-	1	-	-	8	10	25	32		
All other	5	-	-	-	-	1	1	-	1	1	1	1	1	-	-	-	-	-	-	-	-	1	1		
Black	5	-	-	-	-	1	1	-	1	1	1	1	1	-	-	-	-	-	-	-	-	1	1		
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Viral hepatitis (070)	4	-	-	-	-	2	1	-	1	-	-	-	5	-	-	-	-	1	-	-	2	2	-	-	
White	4	-	-	-	-	2	1	-	1	-	-	-	5	-	-	-	-	1	-	-	2	2	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	96	1	1	-	2	28	41	14	5	3	-	1	32	-	-	1	2	2	14	2	1	4	4		
White	80	1	1	-	2	24	35	11	2	3	-	1	22	-	-	1	2	6	2	1	4	2	4		
All other	16	-	-	-	-	4	6	3	3	-	-	-	10	-	-	-	-	8	-	-	-	-	-		
Black	16	-	-	-	-	4	6	3	3	-	-	-	9	-	-	-	-	8	-	-	-	-	-		
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,186	-	-	4	6	6	28	87	184	389	355	127	1,180	1	1	4	3	12	35	82	191	322	353	176	
White	1,142	-	-	3	5	5	27	84	173	374	348	123	1,133	1	1	3	2	9	33	77	182	309	344	172	
All other	44	-	-	1	1	1	1	3	11	15	7	4	47	-	-	1	1	3	2	5	9	13	9	4	
Black	37	-	-	1	1	1	2	10	13	13	6	4	44	-	-	1	1	3	1	4	9	13	8	4	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 429

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.
(Page 228 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male											Female													
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
SOUTH CAROLINA—Con.																									
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
White	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
All other	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	123	2	-	-	-	2	9	13	7	34	40	16	162	-	2	1	-	3	7	6	10	26	49	58	
White	75	1	-	-	-	1	9	4	26	21	13	113	-	1	1	-	3	4	3	7	18	33	46		
All other	48	1	-	-	-	1	9	4	3	8	19	3	49	-	1	-	3	4	2	3	8	16	12		
Black	47	1	-	-	-	1	9	4	3	8	18	3	49	-	1	-	3	4	2	3	8	16	12		
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	13	-	-	-	-	2	5	1	3	2	-	-	11	-	-	-	-	1	1	-	4	4	1	-	
White	9	-	-	-	-	2	1	1	3	2	-	-	8	-	-	-	-	1	1	-	4	4	2	1	
All other	4	-	-	-	-	-	4	-	-	-	-	-	3	-	-	-	-	-	-	-	-	2	-		
Black	4	-	-	-	-	-	4	-	-	-	-	-	3	-	-	-	-	1	-	-	-	2	-		
Syphilis (090-097)	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	444	4	2	1	8	148	153	67	26	25	6	4	125	4	3	1	2	29	36	13	10	12	11	4	
White	196	3	-	1	1	63	55	35	15	17	3	3	41	1	1	-	1	2	9	4	5	8	7	3	
All other	248	1	2	-	7	85	98	32	11	8	3	1	84	3	2	1	1	27	27	9	5	4	4	1	
Black	248	1	2	-	7	85	98	32	11	8	3	1	83	3	2	1	1	27	27	9	4	4	4	1	
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,913	-	3	10	15	35	118	413	762	1,309	981	267	3,223	1	2	3	9	29	157	344	570	929	837	342	
White	2,751	-	-	7	12	19	71	243	546	950	722	181	2,321	-	2	1	5	18	91	219	410	698	615	262	
All other	1,162	-	3	3	3	16	47	170	216	359	259	86	902	1	-	2	4	11	66	125	160	231	222	80	
Black	1,157	-	3	3	3	16	47	169	215	356	259	86	891	1	-	2	4	11	64	123	157	228	221	80	
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	124	-	-	-	-	1	10	30	38	33	11	1	32	-	-	-	-	1	-	2	5	7	7	10	
White	65	-	-	-	-	1	2	10	19	25	7	1	20	-	-	-	-	1	-	1	2	5	6	5	
All other	59	-	-	-	-	-	8	20	19	8	4	-	12	-	-	-	-	-	-	1	3	2	1	5	
Black	59	-	-	-	-	-	8	20	19	8	4	-	12	-	-	-	-	-	1	3	2	1	5	5	
Malignant neoplasms of digestive organs and peritoneum (150-159)	841	-	-	2	3	10	27	107	175	263	199	55	743	-	-	-	1	3	22	52	105	203	244	113	
White	538	-	-	-	1	4	14	55	118	174	135	37	496	-	-	-	-	3	10	26	67	137	175	78	
All other	303	-	-	2	2	6	13	52	57	89	64	18	247	-	-	-	1	-	12	26	38	66	69	35	
Black	302	-	-	2	2	6	13	52	57	88	64	18	244	-	-	-	1	-	12	25	37	66	68	35	
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,485	-	-	-	1	2	30	162	356	555	326	53	705	-	-	-	-	1	19	71	160	255	152	47	
White	1,123	-	-	-	1	-	18	99	270	433	264	38	558	-	-	-	-	1	12	49	118	213	124	41	
All other	362	-	-	-	-	2	12	63	86	122	62	15	147	-	-	-	-	-	7	22	42	42	28	6	
Black	359	-	-	-	-	2	12	62	85	121	62	15	143	-	-	-	-	-	7	22	41	39	28	6	
Malignant neoplasm of breast (174-175)	8	-	-	-	-	-	1	2	-	-	4	1	571	-	-	-	-	8	51	106	121	134	112	39	
White	7	-	-	-	-	-	-	2	-	-	4	1	411	-	-	-	-	2	29	71	94	103	83	29	
All other	1	-	-	-	-	-	1	-	-	-	-	-	160	-	-	-	-	6	22	35	27	31	29	10	
Black	1	-	-	-	-	-	1	-	-	-	-	-	160	-	-	-	-	6	22	35	27	31	29	10	
Malignant neoplasms of genital organs (179-187)	507	-	-	-	3	1	-	4	38	162	203	96	350	-	-	-	-	2	29	42	65	102	82	28	
White	291	-	-	-	3	-	-	2	22	89	122	53	220	-	-	-	-	2	12	24	50	69	45	18	
All other	216	-	-	-	-	1	-	2	16	73	81	43	130	-	-	-	-	-	17	18	15	33	37	10	
Black	216	-	-	-	-	1	-	2	16	73	81	43	127	-	-	-	-	-	16	17	14	33	37	10	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 434

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.

(Page 233 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male											Female												
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Motor vehicle accidents (E810-E825)																								
White																								
All other																								
Black																								
All other accidents and adverse effects (E800-E807, E826-E949)																								
White																								
All other																								
Black																								
Suicide (E950-E959)																								
White																								
All other																								
Black																								
Homicide and legal intervention (E980-E978)																								
White																								
All other																								
Black																								
All other external causes (E980-E999)																								
White																								
All other																								
Black																								
SOUTH DAKOTA																								
All causes																								
White																								
All other																								
Black																								
Shigellosis and amebiasis (004,006)																								
White																								
All other																								
Black																								
Certain other intestinal infections (007-009)																								
White																								
All other																								
Black																								
Tuberculosis (010-018)																								
White																								
All other																								
Black																								
Tuberculosis of respiratory system (010-012)																								
White																								
All other																								
Black																								
Other tuberculosis (013-018)																								
White																								
All other																								
Black																								
Whooping cough (033)																								
White																								
All other																								
Black																								
Streptococcal sore throat, scarlatina, and erysipelas (034-035)																								
White																								
All other																								
Black																								
Meningococcal infection (036)																								
White																								
All other																								
Black																								
Septicemia (038)																								
White																								
All other																								
Black																								
Acute poliomyelitis (045)																								
White																								
All other																								
Black																								
Measles (055)																								
White																								
All other																								
Black																								

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 450

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.
(Page 249 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	54	-	-	-	2	1	1	1	1	19	19	10	64	-	-	-	1	-	4	2	5	15	19	18
White	41	-	-	-	-	-	1	1	1	15	15	8	53	-	-	-	-	1	2	3	15	17	15	
All other	13	-	-	-	2	1	-	-	-	4	4	2	11	-	-	-	1	-	3	-	2	2	3	
Black	13	-	-	-	2	1	-	-	-	4	4	2	10	-	-	-	-	3	-	2	-	2	3	
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	424	6	-	-	3	7	8	16	41	90	134	119	427	3	-	3	1	4	3	11	31	65	114	192
White	347	4	-	-	3	4	5	10	32	74	119	96	335	2	-	3	1	3	-	4	20	49	86	157
All other	77	2	-	-	-	3	3	6	9	16	15	23	92	1	-	-	-	1	3	7	11	16	18	35
Black	72	2	-	-	-	3	3	6	8	14	15	21	85	1	-	-	-	1	3	7	10	14	15	34
Infections of kidney (590)	25	-	-	-	-	1	1	1	3	3	9	7	77	-	-	-	-	-	3	1	4	8	27	34
White	16	-	-	-	-	-	1	-	-	3	8	4	70	-	-	-	-	-	3	1	4	8	24	30
All other	9	-	-	-	-	1	-	1	3	-	1	3	7	-	-	-	-	-	-	-	-	3	3	4
Black	9	-	-	-	-	1	-	1	3	-	1	3	7	-	-	-	-	-	-	-	-	-	3	4
Hyperplasia of prostate (600)	38	-	-	-	-	-	-	1	-	4	17	16
White	32	-	-	-	-	-	-	1	-	3	14	14
All other	6	-	-	-	-	-	-	-	-	1	3	2
Black	6	-	-	-	-	-	-	-	-	1	3	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	19	7	7	5	-
White	12	5	5	2	-
All other	7	2	3	-
Black	6	2	2	2	-
Pregnancy with abortive outcome (630-638)	3	3	-	-	-
White	3	3	-	-	-
All other	-	-	-	-
Black	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	16	4	7	5	-
White	9	2	5	2	-
All other	7	2	2	3	-
Black	6	2	2	2	-
Congenital anomalies (740-759)	522	320	36	18	29	14	17	13	19	20	22	14	485	286	27	24	19	15	14	19	21	19	25	16
White	440	271	31	13	23	10	14	12	15	19	19	13	417	245	23	20	15	13	8	18	17	19	24	15
All other	82	49	5	5	6	4	3	1	4	1	3	1	68	41	4	4	4	2	6	1	4	-	1	1
Black	77	44	5	5	6	4	3	1	4	1	3	1	62	37	3	4	4	2	6	1	3	-	1	1
Certain conditions originating in the perinatal period (760-779)	546	540	4	-	-	1	-	-	-	1	-	-	416	411	1	3	-	1	-	-	-	-	-	-
White	380	375	3	-	-	1	-	-	-	1	-	-	284	280	1	2	-	1	-	-	-	-	-	-
All other	166	165	1	-	-	-	-	-	-	-	-	-	132	131	-	1	-	-	-	-	-	-	-	-
Black	162	161	1	-	-	-	-	-	-	-	-	-	127	126	-	1	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	123	122	1	-	-	-	-	-	-	-	-	-	73	71	-	1	-	1	-	-	-	-	-	-
White	97	96	1	-	-	-	-	-	-	-	-	-	55	53	-	1	-	1	-	-	-	-	-	-
All other	26	26	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
Black	25	25	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	423	418	3	-	-	1	-	-	-	1	-	-	343	340	1	2	-	-	-	-	-	-	-	-
White	283	279	2	-	-	1	-	-	-	1	-	-	229	227	1	1	-	-	-	-	-	-	-	-
All other	140	139	1	-	-	-	-	-	-	-	-	-	114	113	-	1	-	-	-	-	-	-	-	-
Black	137	136	1	-	-	-	-	-	-	-	-	-	109	108	-	1	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	705	231	9	6	21	44	65	41	65	72	79	67	637	158	9	3	4	15	28	29	33	60	94	201
White	554	155	8	4	19	35	51	30	54	66	70	58	522	115	7	2	3	9	23	24	23	52	82	179
All other	151	76	1	2	2	9	14	11	11	6	9	9	115	43	2	1	1	6	5	5	10	8	12	22
Black	142	69	1	2	1	9	14	11	10	6	9	9	111	40	2	1	-	6	5	5	10	8	12	22
All other diseases (Residual)	5,383	71	36	60	90	169	301	348	527	1,093	1,611	1,076	6,683	59	33	39	49	94	181	238	457	927	1,990	2,615
White	4,715	56	29	53	71	139	243	276	443	984	1,444	976	5,937	39	28	32	38	78	119	185	379	811	1,784	2,443
All other	668	15	7	7	19	30	58	72	84	109	167	100	746	20	5	7	11	16	62	53	78	116	206	172
Black	646	14	7	7	18	29	55	72	79	106	161	98	721	19	5	6	9	16	60	49	77	111	200	169
Accidents and adverse effects (E900-E949)	4,207	33	118	202	840	862	710	380	280	281	284	193	2,011	33	79	101	260	229	237	146	123	172	303	324
White	3,630	22	85	159	748	770	600	314	230	250	258	170	1,737	26	64	77	226	188	197	123	104	149	271	309
All other	577	11	33	43	92	92	110	66	50	31	26	23	274	7	15	24	34	41	40	23	19	23	32	15
Black	525	11	33	36	78	83	100	59	47	30	25	23	237	6	14	18	31	34	35	15	18	21	29	15

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 463

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.
(Page 262 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male											Female												
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
White	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	307	3	1	-	2	2	10	18	39	86	91	55	397	5	-	-	3	2	9	17	29	65	143	123
White	212	3	1	-	1	1	3	7	19	68	68	41	279	4	-	-	1	2	6	14	13	42	102	95
All other	95	-	-	-	1	1	7	11	20	18	23	14	118	1	-	-	2	-	3	3	16	23	41	28
Black	91	-	-	-	1	1	7	11	20	17	21	13	115	1	-	-	2	-	3	3	14	23	40	28
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	24	-	-	-	1	5	4	4	7	2	1	13	-	-	-	-	1	2	2	2	3	2	1	1
White	19	-	-	-	1	4	1	3	7	2	1	10	-	-	-	-	1	1	1	2	3	1	1	
All other	5	-	-	-	-	1	3	1	-	-	-	3	-	-	-	-	-	1	1	-	-	1	-	
Black	3	-	-	-	-	1	2	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-	
Syphilis (080-097)	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,038-041, *042-*044,046-054,058-066, 071-088,098-139)	690	3	-	2	15	205	256	120	34	25	19	11	154	7	3	5	5	26	40	21	13	13	11	10
White	415	1	-	1	6	119	142	81	21	16	18	10	76	3	1	3	2	7	13	12	6	12	9	8
All other	275	2	-	1	9	86	114	39	13	9	1	1	78	4	2	2	3	19	27	9	7	1	2	2
Black	274	2	-	1	9	85	114	39	13	9	1	1	77	4	2	2	3	19	26	9	7	1	2	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	6,732	-	7	16	33	57	191	610	1,277	2,348	1,693	499	5,692	1	12	8	12	65	246	547	950	1,656	1,493	702
White	5,122	-	6	13	24	44	138	452	967	1,790	1,297	391	4,584	1	10	5	10	44	185	413	729	1,350	1,220	597
All other	1,610	-	1	3	9	13	53	158	310	558	396	108	1,128	-	2	3	2	21	61	134	221	306	273	105
Black	1,548	-	1	2	9	10	50	147	289	539	386	104	1,077	-	2	3	-	19	54	123	206	303	267	100
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	112	-	-	-	1	1	1	20	31	33	22	3	67	-	-	-	-	-	2	6	14	22	13	10
White	78	-	-	-	-	-	1	12	23	21	18	3	54	-	-	-	-	-	2	5	10	18	10	9
All other	34	-	-	-	1	1	-	8	8	12	4	-	13	-	-	-	-	-	1	4	4	3	1	1
Black	31	-	-	-	1	-	-	7	7	12	4	-	12	-	-	-	-	-	1	3	4	3	1	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,562	-	-	-	3	7	46	151	321	560	378	96	1,332	-	-	2	1	11	28	93	169	366	421	241
White	1,150	-	-	-	-	5	35	101	230	418	296	65	1,008	-	-	1	1	6	23	68	115	268	320	206
All other	412	-	-	-	3	2	11	50	91	142	82	31	324	-	-	1	-	5	5	25	54	98	101	35
Black	389	-	-	-	3	1	10	43	87	136	79	30	312	-	-	1	-	5	4	23	49	98	98	34
Malignant neoplasms of respiratory and intrathoracic organs (160-185)	2,416	-	-	-	-	4	44	227	539	934	553	114	1,286	-	-	1	1	2	24	105	271	470	328	84
White	1,862	-	-	-	-	1	25	170	409	733	426	88	1,099	-	-	-	1	1	17	90	222	405	296	67
All other	554	-	-	-	-	3	19	57	130	201	127	16	187	-	-	1	-	1	7	15	49	65	32	17
Black	534	-	-	-	-	3	18	56	126	191	124	15	184	-	-	1	-	1	7	15	47	65	31	17
Malignant neoplasm of breast (174-175)	5	-	-	-	-	-	2	1	1	1	1	-	1,040	-	-	-	-	16	91	177	186	259	200	111
White	5	-	-	-	-	-	2	1	1	1	1	-	809	-	-	-	-	10	58	130	140	211	169	91
All other	-	-	-	-	-	-	-	-	-	-	-	-	231	-	-	-	-	6	33	47	46	48	31	20
Black	-	-	-	-	-	-	-	-	-	-	-	-	215	-	-	-	-	5	28	43	43	47	31	18
Malignant neoplasms of genital organs (179-187)	846	-	-	-	3	1	4	13	60	273	332	160	530	-	-	-	-	9	36	58	96	147	121	63
White	569	-	-	-	3	1	3	10	39	180	216	117	411	-	-	-	-	9	29	45	71	118	85	54
All other	277	-	-	-	-	-	1	3	21	93	116	43	119	-	-	-	-	-	7	13	25	29	36	9
Black	275	-	-	-	-	-	1	3	21	93	115	42	114	-	-	-	-	6	11	25	29	34	9	9

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 467

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.
(Page 266 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male												Female												
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
VIRGINIA—Con.																									
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	20	-	-	-	-	-	1	1	2	6	8	2	18	-	-	-	-	-	-	-	-	-	2	11	5
White	11	-	-	-	-	-	1	1	2	6	8	2	11	-	-	-	-	-	-	-	-	-	8	3	
All other	9	-	-	-	-	-	1	1	2	4	2	7	-	-	-	-	-	-	-	-	-	2	3	2	
Black	9	-	-	-	-	-	1	1	2	4	2	7	-	-	-	-	-	-	-	-	-	2	3	2	
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-588,589-589)	280	2	2	2	-	1	9	8	31	72	96	57	336	2	1	-	-	1	4	14	31	68	116	99	
White	184	1	2	-	-	1	4	3	17	51	60	45	217	2	-	-	-	1	3	8	17	40	75	71	
All other	96	1	-	2	-	-	5	5	14	21	36	12	119	-	1	-	-	-	1	6	14	28	41	28	
Black	94	1	-	2	-	-	5	5	14	21	35	11	117	-	1	-	-	-	1	6	14	28	40	27	
Infections of kidney (590)	3	-	-	-	-	-	-	1	-	-	1	1	13	-	-	-	-	-	2	1	2	1	5	2	
White	3	-	-	-	-	-	-	1	-	-	1	1	10	-	-	-	-	-	2	1	2	1	3	2	
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	-	-	2	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	-	-	2	-	
Hyperplasia of prostate (600)	4	-	-	-	-	-	-	-	-	1	3	-	
White	4	-	-	-	-	-	-	-	-	1	3	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	
Complications of pregnancy, childbirth, and the puerperium (630-676)	4	-	2	2	-	-	
White	3	-	2	1	-	-	
All other	1	-	1	-	-	-	
Black	1	-	1	-	-	-	
Pregnancy with abortive outcome (630-638)	1	-	1	-	-	-	
White	1	-	1	-	-	-	
All other	-	-	-	-	-	-	
Black	-	-	-	-	-	-	
Other complications of pregnancy, childbirth, and the puerperium (640-676)	3	-	1	2	-	-	
White	2	-	1	1	-	-	
All other	1	-	-	-	-	-	
Black	1	-	1	-	-	-	
Congenital anomalies (740-759)	139	78	9	11	3	9	7	3	8	2	6	3	122	64	9	3	3	4	3	5	6	7	12	6	
White	103	59	6	9	2	6	5	2	4	2	5	3	89	46	6	2	1	4	2	5	4	5	8	6	
All other	36	19	3	2	1	3	2	1	4	-	1	-	33	18	3	1	2	-	1	-	2	2	4	-	
Black	34	18	3	1	1	3	2	1	4	-	1	-	30	17	2	1	2	-	1	-	2	2	3	-	
Certain conditions originating in the perinatal period (760-779)	227	227	-	-	-	-	-	-	-	-	-	-	183	183	-	-	-	-	-	-	-	-	-	-	
White	108	108	-	-	-	-	-	-	-	-	-	-	91	91	-	-	-	-	-	-	-	-	-	-	
All other	119	119	-	-	-	-	-	-	-	-	-	-	92	92	-	-	-	-	-	-	-	-	-	-	
Black	112	112	-	-	-	-	-	-	-	-	-	-	91	91	-	-	-	-	-	-	-	-	-	-	
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	32	32	-	-	-	-	-	-	-	-	-	-	26	26	-	-	-	-	-	-	-	-	-	-	
White	20	20	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-	
All other	12	12	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-	
Black	10	10	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-	
Other conditions originating in the perinatal period (760-766,770-779)	195	195	-	-	-	-	-	-	-	-	-	-	157	157	-	-	-	-	-	-	-	-	-	-	
White	88	88	-	-	-	-	-	-	-	-	-	-	77	77	-	-	-	-	-	-	-	-	-	-	
All other	107	107	-	-	-	-	-	-	-	-	-	-	80	80	-	-	-	-	-	-	-	-	-	-	
Black	102	102	-	-	-	-	-	-	-	-	-	-	79	79	-	-	-	-	-	-	-	-	-	-	
Symptoms, signs, and ill-defined conditions (780-789)	283	88	1	2	8	13	19	14	22	36	50	30	292	51	2	1	1	6	12	10	11	35	58	105	
White	202	54	-	2	3	8	11	9	18	29	40	28	225	26	1	1	1	5	8	6	10	25	48	94	
All other	81	34	1	-	5	5	8	5	4	7	10	2	67	25	1	-	-	1	4	4	1	10	10	11	
Black	78	32	1	-	5	5	7	5	4	7	10	2	65	23	1	-	-	1	4	4	1	10	10	11	
All other diseases (Residual)	2,123	22	15	16	17	47	112	146	267	452	656	372	2,793	15	15	11	18	41	81	87	163	446	858	1,058	
White	1,823	12	10	11	13	30	64	96	197	350	531	309	2,204	10	5	9	12	20	45	52	116	334	699	902	
All other	500	10	5	5	4	17	48	50	70	102	125	63	589	5	10	2	6	21	36	35	47	112	159	156	
Black	483	8	5	4	4	17	45	50	70	98	120	61	570	4	9	2	6	21	35	33	45	110	156	149	
Accidents and adverse effects (E800-E949)	1,345	9	31	42	213	248	226	116	95	144	130	85	720	2	24	25	62	74	51	49	56	92	151	140	
White	1,021	6	22	28	173	185	148	82	75	114	111	75	583	2	19	17	52	51	36	34	46	73	124	129	
All other	324	3	9	14	40	63	78	34	23	30	19	10	137	-	5	8	10	23	15	9	10	19	27	11	
Black	312	3	9	14	39	57	76	32	22	30	19	10	126	-	5	7	7	23	15	6	8	18	26	11	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 472

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1993—Con.

(Page 271 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
Asthma (493)	40	-	-	4	-	7	2	4	9	10	4	64	-	-	-	2	2	4	3	5	14	19	15	
White	34	-	-	2	-	7	2	3	8	9	3	61	-	-	-	2	2	4	3	5	14	18	13	
All other	6	-	-	2	-	-	-	1	1	1	1	3	-	-	-	-	-	-	-	-	-	-	2	
Black	3	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	877	-	-	-	-	5	14	81	286	369	122	807	-	-	-	-	2	16	74	252	317	146		
White	847	-	-	-	-	5	14	78	274	359	117	787	-	-	-	-	2	15	70	246	314	142		
All other	30	-	-	-	-	-	-	3	12	10	5	20	-	-	-	-	2	1	4	6	3	4		
Black	11	-	-	-	-	-	-	1	8	2	1	9	-	-	-	-	1	-	1	5	2	1		
Ulcer of stomach and duodenum (531-533)	55	-	-	-	-	1	2	8	13	17	14	54	-	-	-	-	1	-	2	10	18	23		
White	52	-	-	-	-	1	2	7	12	16	14	52	-	-	-	-	1	-	1	10	18	22		
All other	3	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-	1	-	1		
Black	2	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis (540-543)	4	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-	-	-	1	-	-	-	
White	3	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-	-	-	1	-	-	-	
All other	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	46	-	-	-	-	1	-	1	10	21	13	75	1	-	-	-	1	1	1	1	7	27	36	
White	43	-	-	-	-	1	-	1	10	19	12	71	-	-	-	-	1	1	1	-	7	25	36	
All other	3	-	-	-	-	-	-	-	-	2	1	4	1	-	-	-	-	-	-	1	2	2	-	
Black	1	-	-	-	-	-	-	-	-	1	-	4	1	-	-	-	-	-	-	1	-	2	-	
Chronic liver disease and cirrhosis (571)	274	-	-	-	9	38	67	59	59	37	5	174	-	1	-	-	3	24	32	37	44	27	6	
White	253	-	-	-	8	34	59	53	57	37	5	154	-	1	-	-	2	19	29	34	38	25	6	
All other	21	-	-	-	1	4	8	6	2	-	-	20	-	-	-	-	1	5	3	3	6	2	-	
Black	6	-	-	-	1	2	2	1	-	-	-	5	-	-	-	-	2	-	1	2	-	-	-	
Cholelithiasis and other disorders of gallbladder (574-575)	26	-	-	-	1	1	-	2	11	5	6	19	-	-	-	-	-	-	-	-	3	4	12	
White	25	-	-	-	1	1	-	2	10	5	6	19	-	-	-	-	-	-	-	-	3	4	12	
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis, nephrotic syndrome, and nephrosis (580-589)	155	1	-	-	-	5	7	16	27	56	43	142	-	-	-	-	1	6	14	19	54	48		
White	141	1	-	-	-	2	4	15	26	54	39	135	-	-	-	-	1	5	12	17	52	48		
All other	14	-	-	-	-	3	3	1	1	2	4	7	-	-	-	-	-	1	2	2	2	-		
Black	8	-	-	-	-	2	3	-	-	1	2	4	-	-	-	-	-	-	1	2	1	-		
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	1	1	1	
White	2	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	1	1	1	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	17	-	-	-	-	3	1	2	3	6	2	14	-	-	-	-	-	1	-	1	10	2		
White	13	-	-	-	-	1	-	1	3	6	2	12	-	-	-	-	-	-	-	1	9	2		
All other	4	-	-	-	-	2	1	1	-	-	-	2	-	-	-	-	-	1	-	-	1	-		
Black	3	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-		
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	136	1	-	-	-	2	6	13	24	50	40	126	-	-	-	-	1	5	14	18	43	45		
White	126	1	-	-	-	1	4	13	23	48	36	121	-	-	-	-	1	5	12	16	42	45		
All other	10	-	-	-	-	1	2	-	1	2	4	5	-	-	-	-	-	-	2	2	1	-		
Black	5	-	-	-	-	-	2	-	-	1	2	3	-	-	-	-	-	-	1	2	-	-		
Infections of kidney (590)	7	-	-	-	-	-	-	-	-	2	5	14	-	-	-	-	-	-	-	-	1	3	10	
White	6	-	-	-	-	-	-	-	-	2	4	14	-	-	-	-	-	-	-	-	1	3	10	
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hyperplasia of prostate (600)	7	-	-	-	-	-	-	-	1	2	4	
White	6	-	-	-	-	-	-	-	1	2	3	
All other	1	-	-	-	-	-	-	-	-	-	1	
Black	1	-	-	-	-	-	-	-	-	-	1	
Complications of pregnancy, childbirth, and the puerperium (630-676)	6	3	3	-	
White	3	1	2	-	
All other	3	2	1	-	
Black	2	-	-	-	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 507

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1993—Con.
(Page 12 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Eau Claire, WI, MSA	El Paso, TX, MSA	Eikhart-Goshen, IN, MSA	Elmira, NY, MSA	Enid, OK, MSA	Erie, PA, MSA	Eugene-Springfield, OR, MSA	Evansville, IN-KY, MSA
All causes	1,122	3,621	1,366	1,061	648	2,689	2,518	2,769
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	1	-	-	1	2	-	1
Tuberculosis (010-018)	-	16	-	-	-	1	1	1
Tuberculosis of respiratory system (010-012)	-	13	-	-	-	1	1	1
Other tuberculosis (013-018)	-	3	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	2
Septicemia (038)	12	26	13	9	6	28	17	25
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	8	1	-	1	4	3	2
Syphilis (090-097)	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)	6	60	7	9	3	14	35	21
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	263	822	318	241	138	583	609	659
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	1	8	5	1	2	7	7	10
Malignant neoplasms of digestive organs and peritoneum (150-159)	63	223	66	59	37	113	117	135
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	56	185	100	67	47	171	181	221
Malignant neoplasm of breast (174-175)	19	80	24	22	9	61	52	38
Malignant neoplasms of genital organs (179-187)	36	110	38	33	11	66	84	61
Malignant neoplasms of urinary organs (188-189)	13	39	17	11	9	19	20	37
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	47	94	39	25	14	83	76	85
Leukemia (204-208)	11	26	10	6	4	21	26	35
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	17	57	19	17	5	42	46	37
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4	9	1	5	2	10	10	9
Diabetes mellitus (250)	29	186	27	22	22	95	71	55
Nutritional deficiencies (260-269)	2	11	1	4	-	11	1	7
Anemias (280-285)	-	24	5	2	1	7	8	3
Meningitis (320-322)	-	1	1	1	-	-	1	2
Major cardiovascular diseases (390-448)	477	1,232	655	450	292	1,194	900	1,176
Diseases of heart (390-398,402,404-429)	358	942	519	346	215	913	624	893
Rheumatic fever and rheumatic heart disease (390-398)	3	8	7	3	-	8	5	6
Hypertensive heart disease (402)	5	60	8	5	4	26	12	23
Hypertensive heart and renal disease (404)	1	4	1	-	-	3	-	2
Ischemic heart disease (410-414)	243	551	317	228	137	633	390	583
Acute myocardial infarction (410)	139	232	174	79	81	307	156	360
Other acute and subacute forms of ischemic heart disease (411)	-	2	-	-	10	25	-	3
Angina pectoris (419)	-	2	2	-	-	1	1	4
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	104	315	141	149	46	300	233	216
Other diseases of endocardium (424)	10	17	19	12	4	20	24	12
All other forms of heart disease (415-423,425-429)	96	302	167	98	70	223	193	267
Hypertension with or without renal disease (401,403)	4	19	3	2	3	11	20	5
Cerebrovascular diseases (430-438)	90	221	104	81	63	214	203	219
Intracerebral and other intracranial hemorrhage (431-432)	10	34	10	10	2	27	21	24
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	10	22	16	5	2	38	20	26
Cerebral embolism (434.1)	1	-	1	-	-	2	2	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	69	165	77	66	59	147	160	169
Atherosclerosis (440)	12	21	12	8	4	13	26	18
Other diseases of arteries, arterioles, and capillaries (441-448)	13	29	17	13	7	43	27	41
Acute bronchitis and bronchiolitis (466)	-	-	-	2	-	-	-	2
Pneumonia and influenza (480-487)	41	81	35	42	28	117	91	114
Pneumonia (480-486)	41	81	34	41	28	113	91	114
Influenza (487)	-	-	1	1	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	70	152	64	71	28	127	147	192
Bronchitis, chronic and unspecified (490-491)	1	4	-	1	3	6	7	6
Emphysema (492)	15	24	15	9	2	22	56	29
Asthma (493)	2	9	6	1	2	3	12	6
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	52	115	43	60	21	96	72	91
Ulcer of stomach and duodenum (531-533)	3	10	2	1	-	9	9	11
Appendicitis (540-543)	-	-	1	-	-	-	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	12	2	2	3	11	6	7
Chronic liver disease and cirrhosis (571)	10	104	10	12	3	23	23	24
Cholelithiasis and other disorders of gallbladder (574-575)	1	6	-	-	1	2	4	8
Nephritis, nephrotic syndrome, and nephrosis (580-589)	6	28	7	10	4	26	22	27
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	1	-	-	-	-	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	3	-	1	-	-	2	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	6	24	7	9	4	26	20	26
Infections of kidney (590)	1	1	1	1	1	1	2	1
Hyperplasia of prostate (600)	-	-	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	2	-	-	-	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	2	-	-	-	-	-	-
Congenital anomalies (740-759)	6	40	7	3	2	13	12	11
Certain conditions originating in the perinatal period (760-779)	2	44	11	3	2	16	7	14
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	13	2	1	-	2	2	4
Other conditions originating in the perinatal period (760-766,770-779)	1	31	9	2	2	14	5	10
Symptoms, signs, and ill-defined conditions (780-799)	9	27	10	11	8	15	93	18
All other diseases (Residual)	117	360	120	105	65	248	287	263
Accidents and adverse effects (E800-E949)	43	238	44	37	24	87	102	123
Motor vehicle accidents (E810-E825)	17	141	27	16	12	39	28	46
All other accidents and adverse effects (E800-E807,E826-E949)	26	97	17	21	12	48	74	77
Suicide (E950-E959)	16	62	18	13	11	37	38	40
Homicide and legal intervention (E960-E978)	-	55	4	4	3	7	9	7
All other external causes (E980-E999)	1	3	2	1	1	1	10	3

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 509

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1993—Con.
(Page 14 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042.*044; see Technical Appendix. Data for *042.*044 Human immunodeficiency virus (HIV) infection are shown in separate tables. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Fort Myers-Cape Coral, FL, MSA	Fort Pierce, FL, MSA	Fort Smith, AR-OK, MSA	Fort Walton Beach, FL, MSA	Fort Wayne, IN, MSA	Fort Worth-Arlington, TX, PMSA	Fresno, CA, MSA	Gadsden, AL, MSA
All causes	4,264	3,159	1,862	1,019	3,119	9,728	5,192	1,338
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	2	-	1
Tuberculosis (010-018)	1	1	1	-	-	9	5	-
Tuberculosis of respiratory system (010-012)	1	1	1	-	-	7	2	-
Other tuberculosis (013-018)	-	-	-	-	-	2	3	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	1	-	1	-	1	3	-
Septicemia (038)	19	13	10	2	31	60	11	17
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	4	3	-	1	1	21	11	1
Syphilis (080-097)	-	-	-	-	-	2	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042.*044,046-054,056-066,071-088,098-139)	96	79	13	10	30	207	79	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,135	847	463	268	722	2,248	1,095	276
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8	20	6	5	35	35	25	8
Malignant neoplasms of digestive organs and peritoneum (150-159)	285	169	108	57	175	501	248	65
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	371	274	155	102	204	779	312	75
Malignant neoplasm of breast (174-175)	82	71	26	20	65	169	82	13
Malignant neoplasms of genital organs (179-187)	116	105	57	24	86	239	134	26
Malignant neoplasms of urinary organs (188-189)	41	45	23	10	32	67	44	4
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	123	96	47	30	96	263	143	54
Leukemia (204-208)	38	21	20	4	27	78	43	12
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	71	46	21	16	32	117	64	19
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	12	6	3	2	10	27	12	1
Diabetes mellitus (250)	94	39	54	23	76	282	117	23
Nutritional deficiencies (260-269)	1	3	1	-	8	16	7	-
Anemias (280-285)	5	6	3	3	8	18	3	3
Meningitis (320-322)	-	1	1	-	-	1	1	-
Major cardiovascular diseases (390-448)	1,645	1,387	840	404	1,399	3,961	2,058	642
Diseases of heart (390-398,402,404-429)	1,498	1,110	672	341	1,074	2,981	1,582	548
Rheumatic fever and rheumatic heart disease (390-398)	9	7	3	1	8	19	24	4
Hypertensive heart disease (402)	94	14	10	9	22	168	72	4
Hypertensive heart and renal disease (404)	4	4	-	4	4	15	5	1
Ischemic heart disease (410-414)	908	789	542	246	740	1,928	1,096	266
Acute myocardial infarction (410)	284	237	379	114	278	1,012	414	151
Other acute and subacute forms of ischemic heart disease (411)	-	2	2	-	2	4	-	1
Angina pectoris (413)	4	2	2	-	2	5	2	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	620	558	161	132	458	907	680	113
Other diseases of endocardium (424)	35	21	3	4	31	55	47	4
All other forms of heart disease (415-423,425-429)	446	265	114	77	269	796	338	269
Hypertension with or without renal disease (401,403)	19	7	5	5	15	54	30	2
Cerebrovascular diseases (430-438)	238	199	122	44	232	726	330	80
Intracerebral and other intracranial hemorrhage (431-432)	39	40	13	6	35	80	54	16
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	23	43	5	6	13	134	49	16
Cerebral embolism (434.1)	4	1	-	-	1	6	2	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	172	115	104	32	183	506	225	48
Atherosclerosis (440)	36	19	19	5	30	87	68	3
Other diseases of arteries, arterioles, and capillaries (441-448)	56	52	22	9	48	113	48	9
Acute bronchitis and bronchiolitis (460)	2	-	-	-	2	1	-	-
Pneumonia and influenza (480-487)	132	65	63	33	92	303	193	44
Pneumonia (480-486)	132	65	61	33	92	300	191	44
Influenza (487)	-	-	2	-	-	3	2	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	197	164	83	44	120	476	235	63
Bronchitis, chronic and unspecified (490-491)	9	1	1	2	11	19	12	4
Emphysema (492)	23	66	22	4	17	95	31	16
Asthma (493)	2	5	2	1	3	26	12	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	164	92	58	37	89	336	180	40
Ulcer of stomach and duodenum (531-533)	10	2	3	3	13	19	25	3
Appendicitis (540-543)	1	1	-	-	1	3	3	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	5	5	-	11	15	21	4
Chronic liver disease and cirrhosis (571)	49	50	13	19	23	126	87	16
Cholelithiasis and other disorders of gallbladder (574-575)	4	3	5	2	3	9	8	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	22	14	25	8	51	69	49	23
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	2	-	-	2	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	1	-	3	-	12	4	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	21	13	23	5	51	55	45	22
Infections of kidney (590)	1	-	1	-	1	4	8	1
Hyperplasia of prostate (600)	1	-	-	-	-	5	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	2	4	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	-	2	4	-
Congenital anomalies (740-759)	23	12	11	6	18	84	52	4
Certain conditions originating in the perinatal period (760-779)	14	18	5	12	15	85	51	10
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	5	2	2	3	12	9	1
Other conditions originating in the perinatal period (760-766,770-779)	13	13	3	10	12	73	42	9
Symptoms, signs, and ill-defined conditions (780-799)	20	8	26	8	37	48	52	11
All other diseases (Residual)	323	263	131	81	236	846	463	94
Accidents and adverse effects (E800-E849)	158	82	66	44	119	401	328	67
Motor vehicle accidents (E810-E825)	79	43	31	23	54	186	188	34
All other accidents and adverse effects (E800-E807,E826-E849)	79	39	35	21	65	215	140	33
Suicide (E850-E859)	69	55	21	29	52	180	67	19
Homicide and legal intervention (E860-E876)	19	29	11	13	40	183	140	8
All other external causes (E880-E899)	4	2	4	3	-	14	4	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 510

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1993—Con.
(Page 15 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Gainesville, FL, MSA	Galveston-Texas City, TX, PMSA	Gary-Hammond, IN, PMSA	Glens Falls, NY, MSA	Grand Forks, ND, MSA	Grand Rapids, MI, MSA	Great Falls, MT, MSA	Greeley, CO, MSA
All causes	1,558	1,994	5,627	1,186	445	5,023	716	952
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	2	1	1	-	1	-
Tuberculosis (010-018)	-	2	6	-	1	1	-	-
Tuberculosis of respiratory system (010-012)	-	1	6	-	-	1	-	-
Other tuberculosis (013-018)	-	-	-	-	1	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	1	-	-	1	-	-
Septicemia (038)	7	17	56	5	3	49	2	10
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	4	4	-	-	4	2	-
Syphilis (090-097)	-	-	2	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)	37	53	61	7	1	62	5	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	356	485	1,320	284	104	1,192	170	232
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	2	10	14	2	2	12	4	4
Malignant neoplasms of digestive organs and peritoneum (150-159)	72	106	287	77	29	272	39	59
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	122	166	399	87	33	290	40	56
Malignant neoplasm of breast (174-175)	33	41	110	21	9	109	9	16
Malignant neoplasms of genital organs (179-187)	41	48	173	24	14	132	23	29
Malignant neoplasms of urinary organs (188-189)	18	25	58	12	2	65	5	17
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	46	51	169	33	7	161	27	27
Leukemia (204-208)	8	20	43	2	4	59	13	10
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	4	18	67	26	4	92	10	14
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	-	3	21	6	1	26	2	4
Diabetes mellitus (250)	42	79	194	34	8	117	12	13
Nutritional deficiencies (260-269)	-	1	19	4	4	14	-	2
Anemias (280-285)	4	6	16	1	1	13	-	-
Meningitis (320-322)	-	1	-	-	-	6	-	-
Major cardiovascular diseases (390-448)	555	815	2,421	539	174	2,048	284	340
Diseases of heart (390-398,402,404-429)	406	680	1,879	444	136	1,569	206	254
Rheumatic fever and rheumatic heart disease (390-398)	6	2	15	7	2	17	6	7
Hypertensive heart disease (402)	10	12	55	11	2	79	5	16
Hypertensive heart and renal disease (404)	4	-	9	3	-	3	-	-
Ischemic heart disease (410-414)	285	498	1,316	321	95	794	134	163
Acute myocardial infarction (410)	129	179	498	145	52	380	61	70
Other acute and subacute forms of ischemic heart disease (411)	-	-	6	-	-	2	1	1
Angina pectoris (413)	-	-	4	1	1	2	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	156	319	808	175	42	430	72	92
Other diseases of endocardium (424)	13	9	34	10	3	28	5	7
All other forms of heart disease (415-423,425-429)	88	159	450	92	34	648	56	81
Hypertension with or without renal disease (401,403)	8	7	38	2	-	32	1	6
Cerebrovascular diseases (430-438)	109	89	409	63	28	330	43	57
Intracerebral and other intracranial hemorrhage (431-432)	14	14	57	5	2	34	5	10
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	10	5	53	2	1	38	1	10
Cerebral embolism (434.1)	2	-	1	-	-	2	-	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	83	70	298	56	25	256	37	36
Atherosclerosis (440)	9	12	39	7	3	46	4	5
Other diseases of arteries, arterioles, and capillaries (441-448)	23	27	56	23	7	71	10	18
Acute bronchitis and bronchiolitis (466)	1	-	1	-	-	1	1	-
Pneumonia and influenza (480-487)	39	40	124	52	28	232	16	51
Pneumonia (480-486)	39	39	124	51	28	228	16	51
Influenza (487)	-	1	-	1	-	4	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	67	59	235	65	18	226	58	58
Bronchitis, chronic and unspecified (490-491)	13	1	10	1	-	13	-	7
Emphysema (492)	7	8	56	8	-	48	5	8
Asthma (493)	1	8	10	2	-	20	5	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	46	42	159	54	17	145	48	40
Ulcer of stomach and duodenum (531-533)	2	-	22	3	2	15	5	3
Appendicitis (540-543)	-	-	-	-	-	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	5	15	1	1	5	4	6
Chronic liver disease and cirrhosis (571)	23	28	66	6	3	46	12	13
Cholelithiasis and other disorders of gallbladder (574-575)	4	2	6	2	1	7	2	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	14	10	85	10	6	51	2	13
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	1	-	2	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	2	5	1	-	-	-	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	12	7	80	7	6	51	2	11
Infections of kidney (590)	-	2	8	1	-	4	1	1
Hyperplasia of prostate (600)	-	-	2	-	-	3	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	1	-	-	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	1	-	-	-	-	-
Congenital anomalies (740-759)	10	11	34	3	6	31	2	7
Certain conditions originating in the perinatal period (760-779)	18	21	45	8	1	50	3	4
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	4	18	2	-	8	1	-
Other conditions originating in the perinatal period (760-766,770-779)	17	17	27	6	1	42	2	4
Symptoms, signs, and ill-defined conditions (780-799)	57	16	91	4	6	47	7	5
All other diseases (Residual)	176	173	392	86	53	492	93	101
Accidents and adverse effects (E800-E949)	87	90	190	44	13	171	36	63
Motor vehicle accidents (E810-E825)	47	48	91	17	7	80	16	37
All other accidents and adverse effects (E800-E807,E826-E949)	40	42	99	27	6	91	20	26
Suicide (E950-E959)	31	32	56	15	8	62	14	14
Homicide and legal intervention (E960-E978)	19	32	127	2	-	39	2	8
All other external causes (E980-E999)	2	7	4	3	1	7	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 514

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1993—Con.
(Page 19 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables.

Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Johnstown, PA, MSA	Joliet, IL, PMSA	Joplin, MO, MSA	Kalamazoo, MI, MSA	Kankakee, IL, MSA	Kansas City, MO-KS, MSA	Kenosha, WI, PMSA	Killeen-Temple, TX, MSA
All causes	2,719	2,803	1,551	1,725	1,029	13,807	1,148	1,585
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	1	1	2	-	5	-	-
Tuberculosis (010-018)	2	1	2	-	-	7	-	-
Tuberculosis of respiratory system (010-012)	1	-	2	-	-	6	-	-
Other tuberculosis (013-018)	1	1	-	-	-	1	-	-
Whooping cough (039)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	3	-	-	-	-	-	-
Septicemia (038)	28	35	12	22	5	139	11	13
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2	-	-	2	1	13	-	2
Syphilis (090-097)	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)	15	25	10	15	9	237	13	18
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	605	641	349	429	223	3,118	269	322
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	11	8	5	5	1	55	4	11
Malignant neoplasms of digestive organs and peritoneum (150-159)	144	139	85	81	58	703	61	67
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	152	207	99	137	72	923	78	106
Malignant neoplasm of breast (174-175)	52	63	28	28	18	270	18	25
Malignant neoplasms of genital organs (179-187)	79	62	30	57	27	317	39	34
Malignant neoplasms of urinary organs (188-189)	19	19	22	24	7	132	12	7
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	79	88	41	44	24	378	31	51
Leukemia (204-208)	32	17	10	17	3	120	7	5
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	37	38	29	36	13	220	19	16
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	7	10	4	10	5	31	7	5
Diabetes mellitus (250)	70	74	33	40	15	300	34	64
Nutritional deficiencies (260-269)	2	8	15	5	1	36	1	1
Anemias (280-285)	4	4	3	1	4	22	1	4
Meningitis (320-322)	3	1	2	-	-	3	-	-
Major cardiovascular diseases (390-448)	1,320	1,229	678	675	452	5,685	501	714
Diseases of heart (390-398,402,404-429)	1,082	1,001	535	521	361	4,412	396	646
Rheumatic fever and rheumatic heart disease (390-398)	19	5	2	6	2	23	1	1
Hypertensive heart disease (402)	26	24	7	11	14	118	14	16
Hypertensive heart and renal disease (404)	4	2	1	2	2	20	-	2
Ischemic heart disease (410-414)	768	787	417	377	252	2,884	232	245
Acute myocardial infarction (410)	378	394	271	174	121	1,211	93	161
Other acute and subacute forms of ischemic heart disease (411)	1	2	-	-	-	1	-	-
Angina pectoris (413)	2	1	1	-	1	5	1	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	387	390	145	203	130	1,667	138	83
Other diseases of endocardium (424)	30	17	12	15	6	97	12	9
All other forms of heart disease (415-423,425-429)	235	166	98	110	85	1,270	137	373
Hypertension with or without renal disease (401,403)	17	16	5	6	8	73	4	2
Cerebrovascular diseases (430-438)	154	165	99	113	55	912	80	40
Intracerebral and other intracranial hemorrhage (431-432)	19	10	12	14	8	110	14	8
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	14	9	11	12	2	61	9	6
Cerebral embolism (434.1)	1	-	-	1	-	2	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	120	128	76	86	45	739	56	26
Atherosclerosis (440)	24	8	12	11	9	159	5	7
Other diseases of arteries, arterioles, and capillaries (441-448)	43	39	27	24	19	129	18	19
Acute bronchitis and bronchiolitis (466)	1	2	-	-	2	5	-	-
Pneumonia and influenza (480-487)	70	70	55	74	36	496	42	38
Pneumonia (480-486)	69	70	55	73	36	493	42	38
Influenza (487)	1	-	-	1	-	3	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	103	113	92	74	39	713	63	74
Bronchitis, chronic and unspecified (490-491)	2	12	2	2	2	27	5	2
Emphysema (492)	18	18	17	21	6	108	16	12
Asthma (493)	4	6	3	2	4	36	1	6
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	79	77	70	49	27	542	41	54
Ulcer of stomach and duodenum (531-533)	5	11	6	5	2	36	6	2
Appendicitis (540-543)	-	1	2	1	-	3	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	9	5	1	1	3	46	2	2
Chronic liver disease and cirrhosis (571)	21	30	10	21	13	146	14	21
Cholelithiasis and other disorders of gallbladder (574-575)	7	6	5	1	-	12	-	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	40	37	14	14	17	152	14	8
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	2	-	-	-	2	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	1	1	-	1	10	-	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	40	34	13	14	16	140	14	6
Infections of kidney (590)	-	-	-	-	-	8	1	1
Hyperplasia of prostate (600)	-	-	-	-	1	2	-	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	1	-	-	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	1	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	7	23	5	9	5	86	6	15
Certain conditions originating in the perinatal period (760-779)	11	14	10	10	6	83	4	13
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	1	2	1	-	9	-	4
Other conditions originating in the perinatal period (760-766,770-779)	8	13	8	9	6	74	4	9
Symptoms, signs, and ill-defined conditions (780-799)	13	15	6	13	8	247	1	13
All other diseases (Residual)	251	234	127	174	101	1,218	102	122
Accidents and adverse effects (E800-E849)	86	134	71	87	47	509	32	71
Motor vehicle accidents (E810-E825)	38	64	33	43	16	217	14	43
All other accidents and adverse effects (E800-E807,E826-E849)	48	70	38	44	31	292	18	28
Suicide (E850-E859)	28	39	25	28	13	218	11	32
Homicide and legal intervention (E860-E878)	7	34	9	10	21	210	9	21
All other external causes (E880-E899)	2	3	3	2	-	21	3	3

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 515

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1993—Con.
(Page 20 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Knoxville, TN, MSA	Kokomo, IN, MSA	La Crosse, WI, MSA	Lafayette, LA, MSA	Lafayette-West Lafayette, IN, MSA	Lake Charles, LA, MSA	Lake County, IL, PMSA	Lakeland-Winter Haven, FL, MSA
All causes	5,940	927	879	1,533	972	1,590	3,144	4,652
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	-	-	-	-	-	2	7
Tuberculosis (010-018)	4	1	-	2	-	-	2	6
Tuberculosis of respiratory system (010-012)	4	-	-	2	-	-	2	6
Other tuberculosis (013-018)	-	1	-	-	-	-	-	1
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	-	-	1	-
Septicemia (038)	33	15	9	16	7	21	26	19
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	6	-	-	4	1	1	3	5
Syphilis (080-097)	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)	61	7	4	31	9	23	28	60
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,388	238	201	350	237	375	787	1,081
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	27	5	4	10	2	6	15	25
Malignant neoplasms of digestive organs and peritoneum (150-159)	293	51	45	92	44	81	182	225
Malignant neoplasms of respiratory and intrathoracic organs (160-169)	426	74	59	106	73	125	221	378
Malignant neoplasm of breast (174-175)	114	20	20	31	31	23	60	67
Malignant neoplasms of genital organs (179-187)	144	26	30	38	19	36	93	129
Malignant neoplasms of urinary organs (188-189)	71	7	7	13	8	11	31	39
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	163	25	19	35	36	56	110	116
Leukemia (204-208)	46	11	9	8	5	13	30	46
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	84	19	8	17	19	24	45	56
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	22	4	2	14	3	2	10	17
Diabetes mellitus (250)	115	28	13	49	18	43	73	103
Nutritional deficiencies (260-269)	7	2	1	2	2	5	5	7
Anemias (280-285)	12	1	3	3	-	1	8	5
Meningitis (320-322)	-	-	-	-	-	-	1	1
Major cardiovascular diseases (390-448)	2,250	383	345	631	410	650	1,278	1,941
Diseases of heart (390-398,402,404-429)	1,626	303	267	495	311	538	984	1,540
Rheumatic fever and rheumatic heart disease (390-398)	18	2	5	5	4	-	-	14
Hypertensive heart disease (402)	61	4	14	27	3	54	44	56
Hypertensive heart and renal disease (404)	6	2	-	3	-	2	5	6
Ischemic heart disease (410-414)	1,149	189	167	282	235	169	682	999
Acute myocardial infarction (410)	643	81	84	177	100	84	293	405
Other acute and subacute forms of ischemic heart disease (411)	1	-	-	-	-	-	23	-
Angina pectoris (413)	2	-	-	-	-	-	2	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	503	108	83	105	135	85	364	593
Other diseases of endocardium (424)	36	4	7	11	11	13	22	31
All other forms of heart disease (415-423,425-429)	356	102	74	167	58	300	225	434
Hypertension with or without renal disease (401,403)	24	2	2	7	8	5	10	22
Cerebrovascular diseases (430-438)	459	59	58	96	70	83	229	281
Intracerebral and other intracranial hemorrhage (431-432)	59	7	15	15	7	21	33	51
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	37	3	5	6	3	7	46	47
Cerebral embolism (434.1)	1	-	-	-	-	-	2	4
All other and late effects of cerebrovascular diseases (430,433,435-438)	362	49	44	75	60	55	148	179
Atherosclerosis (440)	82	7	6	12	7	11	20	43
Other diseases of arteries, arterioles, and capillaries (441-448)	59	12	12	21	14	13	35	55
Acute bronchitis and bronchiolitis (466)	2	-	-	1	-	-	-	1
Pneumonia and influenza (480-487)	229	34	51	58	22	45	115	124
Pneumonia (480-486)	228	34	51	57	22	44	114	124
Influenza (487)	1	-	-	1	-	1	1	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	314	50	60	64	61	61	134	236
Bronchitis, chronic and unspecified (490-491)	18	1	1	7	7	1	4	6
Emphysema (492)	55	10	3	12	7	17	28	43
Asthma (493)	5	1	3	4	1	2	5	8
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	236	38	53	41	53	41	97	179
Ulcer of stomach and duodenum (531-533)	13	2	-	-	2	4	5	20
Appendicitis (540-543)	-	-	-	-	-	-	2	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	20	6	7	6	2	1	10	7
Chronic liver disease and cirrhosis (571)	52	10	10	13	6	11	33	47
Cholelithiasis and other disorders of gallbladder (574-575)	13	-	2	1	1	4	5	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	39	18	9	16	10	20	38	41
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	-	1	-	-	1	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	5	1	-	1	-	-	1	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	31	17	8	15	10	19	37	38
Infections of kidney (590)	2	-	-	1	-	1	2	2
Hyperplasia of prostate (600)	2	1	2	-	-	-	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	2	-	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	2	-	-	-	-
Congenital anomalies (740-759)	27	5	6	10	4	13	29	19
Certain conditions originating in the perinatal period (760-779)	21	2	6	10	10	13	26	33
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	4	-	1	3	-	5	2	4
Other conditions originating in the perinatal period (760-766,770-779)	17	2	5	7	10	8	24	29
Symptoms, signs, and ill-defined conditions (780-799)	363	4	1	7	9	20	25	173
All other diseases (Residual)	565	78	106	125	99	144	287	385
Accidents and adverse effects (E800-E949)	252	27	26	76	39	74	133	212
Motor vehicle accidents (E810-E825)	126	11	8	34	23	39	68	122
All other accidents and adverse effects (E800-E807,E826-E949)	126	16	18	42	16	35	65	90
Suicide (E950-E959)	71	9	13	18	16	30	47	56
Homicide and legal intervention (E960-E978)	38	2	-	20	2	19	19	42
All other external causes (E980-E999)	16	-	-	3	-	6	8	5

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 516

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1993-Con. (Page 21 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1997 includes category numbers *042.*044; see Technical Appendix. Data for *042.*044 Human immunodeficiency virus (HIV) infection are shown in separate tables. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Table with columns for Cause of death and Metropolitan Statistical Areas (Lancaster, PA; Lansing-East Lansing, MI; Laredo, TX; Las Cruces, NM; Las Vegas, NV; Lawrence, KS; Lawton, OK; Lewiston-Auburn, ME). Rows list various causes of death such as All causes, Shigellosis and amebiasis, Tuberculosis, etc., with corresponding death counts for each area.

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 536

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1993—Con.

(Page 41 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044 see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Consolidated Metropolitan Statistical Areas						Den
	Boston-Lawrence-Salem, MA-NH	Buffalo-Niagara Falls, NY	Chicago-Gary-Lake County, IL-IN-WI	Cincinnati-Hamilton, OH-KY-IN	Cleveland-Akron-Lorain, OH	Dallas-Fort Worth, TX	
All causes	33,411	12,526	70,966	15,744	27,143	27,065	
Shigellosis and amebiasis (004,006)	-	-	1	-	-	-	-
Certain other intestinal infections (007-009)	26	2	24	2	8	5	
Tuberculosis (010-018)	17	2	69	6	13	27	
Tuberculosis of respiratory system (010-012)	17	1	58	5	12	19	
Other tuberculosis (013-018)	-	-	11	1	1	8	
Whooping cough (033)	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-
Meningococcal infection (036)	3	2	6	4	-	3	
Septicemia (038)	472	130	874	144	263	197	
Acute poliomyelitis (045)	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-
Viral hepatitis (070)	37	11	65	7	13	49	
Syphilis (090-097)	1	-	3	-	-	3	
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)	675	111	1,398	156	290	890	
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	8,673	3,019	16,848	3,898	6,813	6,173	
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	120	42	248	54	97	112	
Malignant neoplasms of digestive organs and peritoneum (150-159)	2,121	724	4,113	918	1,622	1,355	
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,341	901	4,679	1,274	2,016	2,011	
Malignant neoplasm of breast (174-175)	819	262	1,544	299	583	508	
Malignant neoplasms of genital organs (179-187)	878	340	1,961	401	778	667	
Malignant neoplasms of urinary organs (188-189)	358	139	667	156	287	212	
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,197	338	2,045	458	803	711	
Leukemia (204-208)	318	89	590	128	216	231	
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	521	184	1,001	210	411	366	
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	124	45	266	49	107	79	
Diabetes mellitus (250)	749	242	1,816	412	806	774	
Nutritional deficiencies (260-269)	32	12	110	29	63	42	
Anemias (280-285)	60	22	167	30	62	52	
Meningitis (320-322)	12	2	29	-	5	13	
Major cardiovascular diseases (390-448)	13,073	6,111	29,160	6,471	11,402	10,727	
Diseases of heart (390-398,402,404-429)	10,391	4,918	23,336	5,131	9,229	8,116	
Rheumatic fever and rheumatic heart disease (390-398)	99	37	184	47	87	57	
Hypertensive heart disease (402)	162	95	880	352	261	572	
Hypertensive heart and renal disease (404)	18	13	72	20	40	39	
Ischemic heart disease (410-414)	6,629	3,703	15,534	3,221	6,579	4,880	
Acute myocardial infarction (410)	2,943	1,618	7,598	1,301	2,144	2,291	
Other acute and subacute forms of ischemic heart disease (411)	6	1	56	7	8	7	
Angina pectoris (412)	16	2	16	3	15	10	
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	3,664	2,082	7,864	1,910	4,412	2,572	
Other diseases of endocardium (424)	257	72	387	92	204	167	
All other forms of heart disease (415-423,425-429)	3,226	998	6,279	1,399	2,058	2,401	
Hypertension with or without renal disease (401,403)	148	59	344	79	138	236	
Cerebrovascular diseases (430-438)	1,947	911	4,428	971	1,568	1,865	
Intracerebral and other intracranial hemorrhage (431-432)	286	130	789	131	260	245	
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434,0,434.9)	220	155	614	132	199	203	
Cerebral embolism (434.1)	16	8	11	4	5	10	
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,425	618	3,014	704	1,104	1,407	
Atherosclerosis (440)	172	65	327	96	115	194	
Other diseases of arteries, arterioles, and capillaries (441-448)	415	158	725	194	352	316	
Acute bronchitis and bronchiolitis (466)	7	3	16	6	6	7	
Pneumonia and influenza (480-487)	1,647	369	2,565	640	856	752	
Pneumonia (480-486)	1,626	368	2,557	637	842	745	
Influenza (487)	21	1	8	3	14	7	
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,319	490	2,539	781	1,123	1,247	
Bronchitis, chronic and unspecified (490-491)	58	24	92	28	36	66	
Emphysema (492)	221	83	504	99	203	241	
Asthma (493)	61	11	193	34	43	72	
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	979	372	1,750	620	841	868	
Ulcer of stomach and duodenum (531-533)	75	40	189	38	72	63	
Appendicitis (540-543)	8	3	15	4	9	3	
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	98	30	202	52	59	54	
Chronic liver disease and cirrhosis (571)	356	146	884	151	267	325	
Cholelithiasis and other disorders of gallbladder (574-575)	55	17	82	26	33	31	
Nephritis, nephrotic syndrome, and nephrosis (580-589)	493	100	949	189	320	170	
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	-	8	-	6	4	
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	20	11	49	14	21	26	
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	470	89	892	175	293	140	
Infections of kidney (590)	14	4	30	9	6	18	
Hyperplasia of prostate (600)	1	2	13	2	5	9	
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	14	2	4	4	
Pregnancy with abortive outcome (630-638)	-	-	1	-	-	-	
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	13	2	4	4	
Congenital anomalies (740-759)	123	43	445	89	123	230	
Certain conditions originating in the perinatal period (760-779)	190	80	707	120	226	213	
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	28	2	130	18	42	31	
Other conditions originating in the perinatal period (760-766,770-779)	162	78	577	102	184	182	
Symptoms, signs, and ill-defined conditions (780-799)	233	156	652	127	634	202	
All other diseases (Residual)	3,399	881	6,120	1,503	2,290	2,292	
Accidents and adverse effects (E800-E949)	775	282	2,572	507	746	1,197	
Motor vehicle accidents (E810-E825)	292	130	972	197	244	583	
All other accidents and adverse effects (E800-E807,E826-E949)	483	152	1,600	310	502	614	
Suicide (E950-E959)	263	79	742	179	292	549	
Homicide and legal intervention (E960-E976)	188	81	1,280	87	217	600	
All other external causes (E980-E999)	213	9	114	24	10	65	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 538

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1993—Con.

(Page 43 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Data for *042-044 Human immunodeficiency virus (HIV) infection are shown in separate tables.
Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Consolidated Metropolitan Statistical Areas					
	Philadelphia-Wilmington-Trenton, PA-NJ-DE-MD ¹	Pittsburgh-Beaver Valley, PA	Portland-Vancouver, OR-WA	Providence-Pawtucket-Fall River, RI-MA	San Francisco-Oakland-San Jose, CA	Seattle-Tacoma, WA
All causes	57,910	26,172	13,072	14,032	48,122	19,500
Shigellosis and amebiasis (004.006)	-	-	-	-	-	-
Certain other intestinal infections (007-009)	18	9	2	6	11	5
Tuberculosis (010-018)	34	7	3	8	34	10
Tuberculosis of respiratory system (010-012)	30	5	2	8	25	5
Other tuberculosis (013-018)	4	2	1	-	9	5
Whooping cough (033)	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	1	-
Meningococcal infection (036)	9	-	5	2	9	-
Septicemia (038)	1,139	360	63	188	175	103
Acute poliomyelitis (045)	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-
Viral hepatitis (070)	69	17	21	10	102	39
Syphilis (090-097)	4	-	1	-	3	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)	1,145	198	231	196	2,324	483
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	14,503	6,364	3,087	3,371	11,298	4,762
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	243	67	49	51	210	66
Malignant neoplasms of digestive organs and peritoneum (150-159)	3,429	1,546	662	676	2,723	1,053
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	4,155	1,829	941	961	3,040	1,414
Malignant neoplasm of breast (174-175)	1,291	550	227	290	1,000	418
Malignant neoplasms of genital organs (179-187)	1,613	697	367	352	1,334	514
Malignant neoplasms of urinary organs (188-189)	542	273	117	146	410	176
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,827	775	402	405	1,466	637
Leukemia (204-208)	496	230	117	88	430	192
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	807	397	205	202	685	292
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	228	93	45	43	169	66
Diabetes mellitus (250)	1,398	681	309	378	797	435
Nutritional deficiencies (260-269)	97	44	23	24	47	47
Anemias (280-285)	97	49	17	22	78	32
Meningitis (320-322)	23	4	5	4	25	5
Major cardiovascular diseases (390-448)	22,929	11,555	4,981	6,168	18,662	7,910
Diseases of heart (390-398,402,404-429)	18,289	9,410	3,594	4,833	13,821	5,550
Rheumatic fever and rheumatic heart disease (390-398)	148	86	70	47	141	45
Hypertensive heart disease (402)	609	238	103	74	790	180
Hypertensive heart and renal disease (404)	61	22	17	12	54	10
Ischemic heart disease (410-414)	10,565	6,274	2,392	3,539	8,948	3,022
Acute myocardial infarction (410)	5,656	3,082	909	1,528	3,477	1,341
Other acute and subacute forms of ischemic heart disease (411)	64	11	-	13	14	1
Angina pectoris (413)	26	13	8	8	7	10
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	4,819	3,168	1,475	1,990	5,450	1,870
Other diseases of endocardium (424)	454	222	149	97	428	205
All other forms of heart disease (415-423,425-429)	6,452	2,568	863	1,164	3,460	2,108
Hypertension with or without renal disease (401,403)	248	96	94	54	226	84
Cerebrovascular diseases (430-438)	3,420	1,602	994	901	3,721	1,532
Intracerebral and other intracranial hemorrhage (431-432)	595	252	132	130	584	200
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	420	263	90	112	396	101
Cerebral embolism (434.1)	11	7	-	5	18	3
All other and late effects of cerebrovascular diseases (430,433,435-438)	2,394	1,080	772	654	2,723	1,228
Atherosclerosis (440)	285	110	133	119	403	198
Other diseases of arteries, arterioles, and capillaries (441-448)	687	337	166	161	491	246
Acute bronchitis and bronchiolitis (466)	23	3	2	1	22	4
Pneumonia and influenza (480-487)	1,820	987	502	533	2,379	751
Pneumonia (480-486)	1,806	980	480	529	2,356	736
Influenza (487)	14	7	22	4	23	12
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2,213	1,032	708	585	2,137	1,019
Bronchitis, chronic and unspecified (490-491)	80	27	19	23	85	23
Emphysema (492)	401	165	138	76	483	157
Asthma (493)	95	36	47	23	127	46
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,637	804	504	463	1,432	790
Ulcer of stomach and duodenum (531-533)	113	58	33	27	193	52
Appendicitis (540-543)	9	1	2	1	6	3
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	150	52	37	53	125	52
Chronic liver disease and cirrhosis (571)	633	272	142	131	816	290
Cholelithiasis and other disorders of gallbladder (574-575)	48	24	14	18	56	21
Nephritis, nephrotic syndrome, and nephrosis (580-589)	697	383	84	178	312	138
Acute glomerulonephritis and nephrotic syndrome (580-581)	11	3	1	1	5	3
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	40	12	10	10	33	13
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	646	368	73	167	274	122
Infections of kidney (590)	11	7	7	4	42	7
Hyperplasia of prostate (600)	8	1	2	3	18	3
Complications of pregnancy, childbirth, and the puerperium (630-676)	9	1	2	-	4	5
Pregnancy with abortive outcome (630-638)	2	1	1	-	2	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	7	-	1	-	2	-
Congenital anomalies (740-759)	293	84	87	58	253	113
Certain conditions originating in the perinatal period (760-779)	479	142	51	52	244	89
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	78	19	8	2	32	23
Other conditions originating in the perinatal period (760-766,770-779)	401	123	43	50	212	66
Symptoms, signs, and ill-defined conditions (780-799)	1,019	248	308	100	250	155
All other diseases (Residual)	5,120	2,352	1,390	1,250	4,185	1,839
Accidents and adverse effects (E800-E949)	2,175	702	572	321	1,930	752
Motor vehicle accidents (E810-E825)	706	266	224	143	646	291
All other accidents and adverse effects (E800-E807,E826-E949)	1,469	436	348	178	1,184	461
Suicide (E950-E959)	598	283	225	124	798	341
Homicide and legal intervention (E960-E978)	678	142	96	54	634	178
All other external causes (E980-E999)	121	17	15	119	83	62

¹ Excludes amended information for cause of death for some records; see Technical Appendix.

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 594

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1993—Con.

(Page 56 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hyper-tension with or without renal disease (401, 403)	Cerebro-vascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Iowa—Con.																			
Clay	2	8	-	-	7	7	-	-	-	-	1	-	3	30	2	3	1	-	-
Spencer	2	8	-	-	7	5	-	-	-	-	-	-	1	21	1	1	1	-	-
Balance of county	-	-	-	-	-	2	-	-	-	-	-	-	2	9	1	2	-	-	-
Clayton	-	20	7	3	9	8	2	-	3	-	2	-	2	25	9	5	2	-	-
Clinton	3	42	7	5	23	24	-	4	6	-	5	4	2	58	7	14	7	-	-
Clinton	2	28	2	4	18	13	-	3	5	-	4	1	1	32	7	6	3	-	-
Balance of county	1	14	5	1	5	11	-	1	1	-	1	3	1	26	-	8	4	-	-
Crawford	2	9	2	3	7	5	-	1	1	-	1	-	-	19	5	4	2	-	-
Dallas	1	15	1	6	17	16	-	1	4	-	1	1	1	30	11	8	3	-	-
Davis	-	7	-	3	3	6	-	-	-	-	1	-	-	8	3	1	2	-	-
Decatur	-	6	3	-	9	6	-	1	-	-	1	-	2	13	3	4	4	1	-
Delaware	2	14	2	2	9	9	2	3	2	-	1	-	-	22	4	2	1	-	-
Des Moines	1	29	3	2	16	16	2	2	4	-	-	1	21	48	14	7	9	1	-
Burlington	1	23	2	2	13	11	2	1	2	-	-	1	18	39	5	4	6	1	-
Balance of county	-	6	1	-	3	5	-	1	2	-	-	-	3	9	9	3	3	-	-
Dickinson	-	15	1	1	4	7	1	1	1	-	1	-	1	16	2	4	1	-	-
Dubuque	9	64	13	17	38	35	1	1	5	-	4	1	6	95	9	15	9	-	-
Dubuque	5	52	12	16	28	30	1	-	3	-	2	1	5	77	5	13	5	-	-
Balance of county	4	12	1	1	10	5	-	1	2	-	2	1	1	18	4	2	4	-	-
Emmet	1	11	1	3	5	3	1	-	1	-	-	-	1	19	1	4	-	-	-
Fayette	2	24	1	4	14	10	1	3	2	-	3	-	6	18	3	7	3	-	-
Floyd	-	17	22	1	8	10	1	2	-	-	1	1	-	19	5	4	2	-	-
Franklin	-	13	9	3	5	4	2	1	-	-	1	1	1	21	2	2	1	-	-
Fremont	-	6	1	2	9	8	1	-	-	-	-	-	-	8	3	3	-	-	-
Greene	1	12	1	-	6	6	-	-	2	-	-	-	2	12	-	-	1	1	-
Grundy	-	13	-	5	6	9	2	1	1	-	-	-	-	16	-	2	1	-	1
Guthrie	-	7	32	3	7	6	2	-	1	-	-	-	-	10	2	3	1	-	-
Hamilton	-	8	2	5	8	8	1	2	2	-	1	1	-	19	4	1	3	-	-
Hancock	1	17	-	1	7	6	-	-	-	-	-	-	-	12	4	3	1	1	-
Hardin	1	24	3	4	10	9	-	1	1	-	1	-	-	24	4	6	-	-	-
Harrison	-	9	6	6	11	6	-	-	1	-	1	2	15	4	1	2	-	-	-
Henry	1	19	3	3	17	6	1	2	1	-	-	3	2	26	7	6	2	-	-
Howard	-	12	2	3	10	7	-	1	2	-	2	-	2	20	1	2	3	-	-
Humboldt	1	9	1	3	8	6	-	-	1	-	-	-	-	16	2	3	3	-	-
Ida	-	8	-	3	6	5	-	-	-	-	-	-	1	12	4	1	1	-	-
Iowa	-	11	3	2	12	9	-	1	-	-	-	-	-	30	3	1	1	-	-
Jackson	1	23	11	5	10	15	1	1	2	-	1	2	1	13	4	3	3	-	-
Jasper	1	21	5	5	22	13	1	2	1	-	3	1	2	37	9	11	2	-	-
Newton	1	11	3	3	11	7	1	-	-	-	2	-	1	19	5	5	2	-	-
Balance of county	-	10	2	2	11	6	-	2	1	-	1	1	1	18	4	6	-	-	-
Jefferson	-	19	5	-	3	8	-	-	1	-	1	2	-	21	2	2	3	1	-
Johnson	1	40	9	6	19	19	5	-	1	-	3	2	-	59	9	7	8	1	-
Iowa City	-	15	5	1	11	9	1	-	-	-	1	2	-	33	4	5	4	1	-
Balance of county	1	25	4	5	8	10	4	-	1	-	2	-	-	26	5	2	4	-	-
Jones	-	13	2	-	9	13	1	1	-	-	-	-	-	18	6	6	1	1	-
Keokuk	2	11	1	2	5	9	1	1	1	-	1	-	-	15	6	5	3	-	-
Kossuth	-	27	6	2	13	5	-	-	3	-	1	-	-	20	6	2	1	-	-
Lee	2	36	4	4	9	17	2	4	4	-	1	1	2	54	3	7	6	-	-
Fort Madison	1	4	2	-	4	5	-	1	-	-	-	-	-	10	-	4	3	-	-
Keokuk	1	14	-	4	4	8	1	1	3	-	1	1	1	29	2	2	3	-	-
Balance of county	-	18	2	-	1	4	1	2	1	-	-	-	1	15	1	1	-	-	-
Linn	6	110	14	23	58	84	7	13	7	-	3	9	9	138	19	22	22	3	-
Cedar Rapids	5	78	11	17	42	61	5	9	5	-	3	8	7	110	11	13	10	3	-
Marion	1	12	2	4	8	11	2	2	2	-	-	-	1	15	2	3	5	-	-
Balance of county	-	20	1	2	8	12	-	2	-	-	-	1	1	13	6	6	7	-	-
Louisa	-	11	2	3	4	5	1	-	2	-	-	-	4	15	3	4	-	-	-
Lucas	1	6	2	-	8	6	-	2	-	-	-	-	-	1	2	-	1	-	-
Lyon	2	7	-	1	1	2	-	1	-	-	1	1	1	5	3	1	1	1	1
Madison	1	13	-	2	4	10	1	-	3	-	-	-	2	19	-	4	1	-	-
Mahaska	-	27	7	3	8	4	1	-	2	-	1	1	2	20	7	4	2	-	-
Oskaloosa	-	19	3	2	5	3	1	-	2	-	1	1	2	7	5	3	-	-	-
Balance of county	-	8	4	1	3	1	-	-	-	-	-	-	-	13	2	1	2	-	-
Marion	-	23	1	5	21	16	-	-	-	-	-	1	4	36	8	7	1	1	-
Marshall	1	37	7	3	26	32	1	3	2	-	2	1	5	61	5	7	3	1	-
Marshalltown	1	28	7	2	19	26	1	3	2	-	1	1	3	53	3	7	2	1	-
Balance of county	-	9	-	1	7	6	-	-	-	-	1	-	2	8	2	-	1	-	-
Mills	1	8	1	4	12	4	2	1	-	-	1	1	1	10	3	3	2	-	1
Mitchell	1	8	3	3	3	5	3	1	-	-	1	1	2	40	2	2	1	-	-
Monona	-	6	-	5	8	9	-	1	1	-	1	1	-	25	1	5	1	-	-
Monroe	-	10	2	-	6	6	-	-	-	-	-	-	1	13	4	-	1	-	-
Montgomery	1	16	4	5	4	9	1	3	1	-	1	-	4	21	2	7	2	-	1
Muscatine	-	20	4	3	43	18	-	3	1	-	1	1	2	53	3	2	6	1	-
Muscatine	-	14	-	1	29	9	-	1	-	-	1	1	2	33	1	2	5	1	-
Balance of county	-	6	4	2	14	9	-	2	1	-	-	-	-	20	2	-	1	-	-
O'Brien	1	20	2	7	7	7	1	3	-	-	-	2	1	18	1	2	1	-	-
Osceola	-	4	-	-	3	3	-	-	1	-	-	-	-	11	2	1	1	-	-
Page	-	23	-	2	8	9	-	-	1	-	1	3	7	20	1	3	-	-	-
Palo Alto	1	21	-	1	8	5	1	1	1	-	2	1	1	16	2	1	1	-	-
Plymouth	2	17	3	2	6	12	1	2	1	-	1	1	1	24	5	1	-	1	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 686

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1993-Con. (Page 148 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Table with columns for Area, Hypertension with or without renal disease (401, 403), Cerebrovascular diseases (430-438), Atherosclerosis (440), Other diseases of arteries, arterioles, and capillaries (441-448), Pneumonia and influenza (480-487), Chronic obstructive pulmonary diseases and allied conditions (490-496), Ulcer of stomach and duodenum (531-533), Chronic liver disease and cirrhosis (571), Nephritis, nephrotic syndrome, and nephrosis (580-589), Complications of pregnancy, childbirth, and the puerperium (630-676), Congenital anomalies (740-759), Certain conditions originating in the perinatal period (760-779), Symptoms, signs, and ill-defined conditions (780-799), All other diseases (Residual), Motor vehicle accidents (E810-E825), All other accidents and adverse effects (E800-E807, E826-E849), Suicide (E950-E959), Homicide and legal intervention (E960-E978), and All other external causes (E980-E999).

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 723

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1993—Con.
(Page 185 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Total	Tuber- culosis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases	Malignant neoplasms, including neoplasms of lymphatic and hemo- poietic tis- sues (140-208)	Malignant neoplasms of diges- tive organs and perito- neum (150- 159)	Malign- ant neo- plasms of respi- ratory and intra-tho- racic organs (160- 165)	Malign- ant neo- plasm of breast (174- 175)	Malign- ant neo- plasms of genital organs (179- 187)	Malign- ant neo- plasms of urinary organs (188- 189)	Leuke- mia (204- 208)	Other mal- ignant neo- plasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major car- diovascu- lar dis- eases (390- 448)	Disease of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hyper- tensive heart dis- ease with or without renal dis- ease (402, 404)	Ischemic heart dis- ease (410- 414)	Other heart diseases (415- 429)
Wyoming	3,490	1	-	43	766	157	233	68	105	40	27	136	79	1,326	987	15	26	654	292
Urban places	1,599	1	-	29	366	66	113	34	53	18	12	70	40	575	415	6	15	259	135
Balance of area	1,891	-	-	14	400	91	120	34	52	22	15	66	39	751	572	9	11	395	157
Metropolitan counties	1,078	1	-	18	277	51	90	29	36	17	5	49	24	381	275	6	9	180	80
Urban places	880	1	-	16	224	40	71	21	31	15	5	41	22	305	214	3	9	135	67
Balance of area	198	-	-	2	53	11	19	8	5	2	-	8	2	76	61	3	-	45	13
Nonmetropolitan counties	2,412	-	-	25	489	106	143	39	69	23	22	87	55	945	712	9	17	474	212
Urban places	719	-	-	13	142	26	42	13	22	3	7	29	18	270	201	3	6	124	68
Balance of area	1,693	-	-	12	347	80	101	26	47	20	15	58	37	675	511	6	11	350	144
Albany	189	-	-	1	43	10	16	1	5	2	2	7	3	59	41	2	-	28	11
Laramie	169	-	-	1	36	8	15	1	4	1	2	5	3	56	39	2	-	26	11
Balance of county	20	-	-	-	7	2	1	-	1	1	-	2	-	3	2	-	-	2	-
Big Horn	121	-	-	1	19	4	4	-	8	-	1	2	1	48	38	1	-	28	9
Campbell	103	-	-	3	15	4	3	1	5	-	1	1	1	40	33	-	1	22	10
Gilletta	86	-	-	3	13	4	1	1	5	-	1	1	1	33	26	-	1	16	9
Balance of county	17	-	-	-	2	-	2	-	-	-	-	-	-	7	7	-	-	6	1
Carbon	122	-	-	4	19	4	4	3	5	1	-	2	5	41	33	-	1	21	11
Rawlins	74	-	-	2	10	1	2	2	2	1	-	2	5	24	20	-	1	11	8
Balance of county	48	-	-	2	9	3	2	1	3	-	-	-	-	17	13	-	-	10	3
Converse	86	-	-	1	13	2	5	1	3	-	-	-	-	38	25	-	-	17	8
Crook	39	-	-	-	10	3	1	1	2	2	1	-	-	16	11	-	-	9	2
Fremont	300	-	-	4	52	16	17	4	2	5	1	7	8	116	91	3	2	64	22
Goshen	117	-	-	2	25	5	4	4	6	1	1	4	6	46	35	-	2	28	6
Hot Springs	65	-	-	-	15	3	6	-	2	-	-	4	1	20	15	1	-	7	7
Johnson	86	-	-	-	14	4	6	2	1	1	-	-	2	46	31	-	3	21	7
Laramie	561	1	-	12	132	25	38	13	25	7	-	24	14	208	148	5	5	98	40
Cheyenne	447	1	-	10	107	20	32	9	21	6	-	19	13	161	109	2	5	70	32
Balance of county	114	-	-	2	25	5	6	4	4	1	-	5	1	47	39	3	-	28	8
Lincoln	104	-	-	-	27	7	5	3	2	2	1	7	2	41	33	-	2	21	10
Natrona	517	-	-	6	145	26	52	16	11	10	5	25	10	173	127	1	4	82	40
Casper	433	-	-	6	117	20	39	12	10	9	5	22	9	144	105	1	4	65	35
Balance of county	84	-	-	-	28	6	13	4	1	1	-	3	1	29	22	-	-	17	5
Niobrara	26	-	-	-	4	-	1	-	-	-	1	2	-	16	15	-	-	8	7
Park	227	-	-	1	42	8	15	2	7	2	1	7	6	96	68	-	1	53	14
Platte	80	-	-	1	16	5	4	2	1	1	-	3	4	32	26	-	1	17	8
Sheridan	240	-	-	3	62	8	19	8	7	3	4	13	5	95	72	2	3	40	27
Balance of county	192	-	-	3	43	5	10	7	6	1	2	12	4	78	60	1	3	36	20
Sublette	48	-	-	-	19	3	9	1	1	2	2	1	1	17	12	1	-	4	7
Sweetwater	218	-	-	4	42	8	14	3	5	1	2	9	5	90	65	-	2	42	21
Green River	55	-	-	-	8	-	4	1	1	-	1	1	3	20	14	-	-	9	5
Rock Springs	143	-	-	4	32	8	10	1	4	-	1	8	2	59	42	-	1	26	15
Balance of county	20	-	-	-	2	-	-	-	-	1	-	-	-	11	9	-	1	7	1
Teton	63	-	-	-	19	2	4	2	2	-	1	8	-	22	16	-	1	12	3
Uinta	76	-	-	-	15	4	4	-	-	2	1	4	1	24	19	-	-	9	10
Washakie	56	-	-	-	11	1	4	1	2	-	2	1	2	22	15	-	-	11	4
Weston	57	-	-	-	18	7	5	-	2	-	1	3	1	18	14	-	-	9	5

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 724

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1993—Con.

(Page 186 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Hyper-tension with or without renal disease (401, 403)	Cerebro-vascular diseases (430-438)	Athero-sclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneu-monia and in-fluenza (480-487)	Chronic obstruc-tive pulmo-nary diseases and allied conditions (490-496)	Ulcer of stomach and duo-denium (531-533)	Chronic liver disease and cir-rhosis (571)	Nephri-tis, nephrotic syn-drome, and nephro-sis (580-589)	Complica-tions of preg-nancy, child-birth, and the puer-perium (630-676)	Congen-ital anomalies (740-759)	Certain con-ditions origi-nating in the perina-tal period (760-779)	Symp-toms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle acci-dents (E810-E825)	All other acci-dents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homi-cide and legal inter-vention (E960-E978)	All other ex-ternal causes (E980-E999)
Wyoming	13	256	23	47	134	248	19	66	39	1	16	22	24	362	108	109	105	15	7
Urban places	7	125	5	23	62	118	11	36	14	1	6	12	13	177	51	43	38	5	1
Balance of area	6	131	18	24	72	130	8	30	25	--	10	10	11	185	57	66	67	10	6
Metropolitan counties	6	86	3	11	34	75	7	25	9	--	4	8	8	123	31	24	25	2	2
Urban places	4	76	2	9	30	59	7	20	8	--	1	6	8	110	25	20	15	2	1
Balance of area	2	10	1	2	4	16	--	5	1	--	3	2	--	13	6	4	10	--	1
Nonmetropolitan counties	7	170	20	36	100	173	12	41	30	1	12	14	16	239	77	85	80	13	5
Urban places	3	49	3	14	32	59	4	16	6	1	5	6	5	67	26	23	23	3	--
Balance of area	4	121	17	22	68	114	8	25	24	--	7	8	11	172	51	62	57	10	5
Albany	1	13	2	2	11	10	1	5	1	--	1	--	4	30	8	5	6	1	--
Laramie	1	13	1	2	11	10	1	5	1	--	1	--	2	26	6	3	6	1	--
Balance of county	--	--	1	--	--	--	--	--	--	--	--	--	2	4	2	--	--	--	--
Big Horn	--	9	1	--	5	6	1	3	5	--	--	--	1	20	2	6	3	--	--
Campbell	--	3	--	4	6	6	--	2	2	1	--	3	1	9	4	5	5	--	--
Gilletle	--	3	--	4	5	5	--	2	2	1	--	2	1	8	3	4	3	--	--
Balance of county	--	--	--	--	1	1	--	--	--	--	--	1	--	1	1	1	2	--	--
Carbon	1	7	--	--	4	19	1	1	--	--	1	1	--	12	6	2	5	1	--
Rawlins	1	3	--	--	2	16	1	--	--	--	--	1	--	5	4	1	2	1	--
Balance of county	--	4	--	--	2	3	--	1	--	--	1	--	--	7	2	1	3	--	--
Converse	--	8	1	4	4	10	--	1	1	--	1	--	1	8	3	2	2	1	--
Crock	--	2	1	2	1	4	--	1	1	--	--	--	--	2	--	1	3	--	--
Fremont	1	18	5	1	12	19	3	11	4	--	1	2	4	37	4	11	11	--	1
Goshen	--	7	1	3	4	10	--	1	2	--	--	--	--	6	4	5	3	2	1
Hot Springs	--	5	--	--	9	6	--	2	1	--	--	--	--	5	--	3	1	1	1
Johnson	--	13	--	2	2	4	--	1	1	--	--	--	--	7	2	3	4	--	--
Laramie	4	48	1	7	12	40	4	15	5	--	3	4	5	65	13	14	13	1	--
Cheyenne	3	42	1	6	10	32	4	12	4	--	1	2	5	56	9	12	7	1	--
Balance of county	1	6	--	1	2	8	--	3	1	--	2	2	--	9	4	2	6	--	--
Lincoln	1	7	--	--	3	6	--	1	--	--	--	--	1	5	4	8	3	3	--
Natrona	2	38	2	4	22	35	3	10	4	--	1	4	3	58	18	10	12	1	2
Casper	1	34	1	3	20	27	3	8	4	--	--	4	3	54	16	8	8	1	1
Balance of county	1	4	1	1	2	8	--	2	--	--	1	--	--	4	2	2	4	--	1
Niobrara	--	--	--	1	1	1	--	--	1	--	--	--	--	2	--	--	1	--	--
Park	2	22	3	1	10	17	2	1	3	--	3	1	--	21	10	8	5	1	--
Platte	--	2	1	3	1	8	--	--	2	--	--	--	--	10	--	2	3	1	--
Sheridan	--	18	--	5	3	18	2	3	2	--	3	--	2	19	6	9	8	--	--
Sheridan	--	15	--	3	3	16	2	3	2	--	2	--	2	13	5	8	8	--	--
Balance of county	--	3	--	2	--	2	--	--	--	--	1	--	--	6	1	1	--	--	--
Sublette	--	1	2	--	1	--	--	--	--	--	--	--	--	2	4	--	1	--	--
Sweetwater	1	17	2	5	11	15	--	7	1	--	2	3	--	16	8	8	5	1	--
Green River	--	4	1	1	3	4	--	4	--	--	--	1	--	6	4	1	--	1	--
Rock Springs	1	11	1	4	8	8	--	2	1	--	2	2	--	9	4	6	4	--	--
Balance of county	--	2	--	--	--	3	--	--	1	--	--	--	--	1	--	1	1	--	--
Teton	--	4	--	2	3	4	1	1	--	--	--	3	--	5	2	2	1	--	--
Uinta	--	4	--	1	3	3	1	--	--	--	--	1	1	9	7	1	7	1	2
Washakie	--	6	1	--	3	2	--	--	3	--	--	--	1	6	2	3	1	--	--
Weston	--	4	--	--	3	5	--	--	--	--	--	--	--	8	1	1	2	--	--

1 Includes ICD-9 Nos. 001-009,020-041,*042-*044,045-088,098-139.
2 Areas shown are census areas, the nearest equivalent of counties.
3 Includes data for La Paz which became a new county on January 1, 1983.
4 Includes data for Texarkana, Ark., only.
5 Data coded by Connecticut did not identify the incorporated city of Willimantic and are included in Balance of county. Figures shown are for deaths occurring in other States.
6 Areas shown are parishes, the equivalent of counties.
7 Includes data for Bristol, Tenn., only.
8 Includes data for Texarkana, Tex., only.
9 Independent city having population of less than 10,000 according to the 1980 census.
10 Includes data for Bristol, Va., only.
11 Includes data for Bluefield, W. Va., only.
Classified as urban under special rule; see Technical Appendix.

Section 9. Puerto Rico, Virgin Islands (U.S.), and Guam

Table	Page
9-1. Deaths and death rates: Puerto Rico, Virgin Islands, and Guam, 1940-93	
9-2. Deaths by month and sex for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1993	
9-3. Deaths by 10-year age groups, race, and sex: Virgin Islands and Guam, 1993	
9-4. Deaths from 72 selected causes, by 10-year age groups and sex: Puerto Rico, 1993	
9-5. Deaths from 72 selected causes, by 10-year age groups, race, and sex: Virgin Islands, 1993	
9-6. Deaths from 72 selected causes, by 10-year age groups, race, and sex: Guam, 1993	1
9-7. Deaths from motor vehicle accidents, by person injured and sex, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1993	2
9-8. Deaths from nontransport accidents, by place of accident and sex, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1993	2
9-9. Total, infant, neonatal, and fetal deaths: Puerto Rico and each municipio, 1993	2
9-10. Total, infant, neonatal, and fetal deaths, by race: Virgin Islands by island and specified urban place, and Guam, 1993	2
9-11. Deaths under 1 year and under 28 days, by month, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1993	2
9-12. Deaths under 1 year, by age and sex, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1993	2
9-13. Deaths under 1 year, under 28 days, and 28 days-11 months, from 61 selected causes, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1993	2
9-14. Deaths from Human immunodeficiency virus infection and 3-digit subcategories, by 10-year age groups, and sex: Puerto Rico, 1993	3
9-15. Deaths from Human immunodeficiency virus infection and 3-digit subcategories, by 10-year age groups, race, and sex: Virgin Islands, 1993	3
9-16. Deaths from Human immunodeficiency virus infection and 3-digit subcategories, by 10-year age groups, race, and sex: Guam, 1993	3

NOTES

Occurrence and residence allocation

In contrast with the method of allocating deaths to place of residence for each of the 50 States and the District of Columbia, residence data for the Commonwealth of Puerto Rico include only those deaths to residents of Puerto Rico occurring in Puerto Rico. Deaths to nonresidents occurring in the Commonwealth are included in occurrence mortality statistics, but are excluded from residence mortality statistics. Deaths to residents of Puerto Rico occurring elsewhere are excluded. The same qualification applies to resident deaths in the Virgin Islands. Exclusion of these nonresident deaths from resident mortality statistics began in 1970. Before 1970 resident mortality statistics for Puerto Rico included all deaths occurring in Puerto Rico, with deaths of nonresidents of Puerto Rico assigned to place of death. Residence data for Guam, however, includes deaths to residents of Guam or the United States occurring in Guam.

Data are shown by both place of occurrence and place of residence in Puerto Rico for the primary geographic subdivision, the "municipio," and in the Virgin Islands for St. Croix Island, St. John Island, and St. Thomas Island. Deaths by place of residence are shown for municipios only and not for urban places for Puerto Rico; however, for the Virgin Islands they are shown for Charlotte Amalie, the only urban area having a population of 10,000 or more.

Race

Deaths are not shown by race for Puerto Rico; they are classified as white, all other, and black for the Virgin Islands and white, all other, and Guamanian for Guam.

Fetal deaths

Fetal deaths for Puerto Rico were published in the *Vital Statistics of the United States, Volume II, Mortality, Part B*, for the first time, beginning with 1976. Puerto Rico requires the reporting of fetal deaths with gestation period of over 5 months. All tables showing fetal deaths include only those with stated or presumed gestational age of 20 weeks or more.

The Technical Appendix—Section 7 in Part A of Volume II, *Vital Statistics of the United States, 1993*—discusses other factors concerning these mortality statistics.

SECTION 9 - PUERTO RICO, VIRGIN ISLANDS (U.S.), AND GUAM - PAGE 1

Table 9-1. Deaths and Death Rates: Puerto Rico, Virgin Islands, and Guam, 1940-93

[Rates per 1,000 population in each area]

Year	Puerto Rico		Virgin Islands		Guam	
	Number	Rate	Number	Rate	Number	Rate
1993	28,322	7.8	535	5.3	559	4.2
1992	27,229	7.6	496	---	560	---
1991	26,169	---	506	---	580	---
1990	25,957	7.4	480	---	520	3.9
1989	25,808	---	500	---	507	---
1988	24,940	7.6	501	4.9	464	3.5
1987	23,829	7.2	527	5.0	472	3.6
1986	23,182	7.1	476	4.3	429	3.4
1985	23,071	7.0	506	4.6	415	3.4
1984	21,618	6.6	471	4.4	409	3.4
1983	21,377	6.5	484	4.7	442	3.8
1982	21,427	6.6	498	4.9	428	3.9
1981	21,085	6.5	547	5.5	385	3.5
1980	20,413	6.4	504	5.2	393	3.7
1979	20,271	6.4	476	4.9	354	3.4
1978	19,812	6.4	461	4.8	398	3.9
1977	19,778	6.4	380	4.1	361	3.6
1976	19,286	6.4	447	4.6	446	4.4
1975	17,805	6.1	477	5.0	427	4.2
1974	18,948	6.6	462	5.1	423	4.2
1973	19,478	6.8	459	5.5	416	3.9
1972	19,011	6.7	---	---	409	4.2
1971	17,499	6.3	498	7.0	338	3.7
1970	17,830	6.6	441	7.1	338	4.0
1969	17,667	6.4	477	8.5	421	4.1
1968	17,481	6.4	474	8.5	356	3.6
1967	16,677	6.2	373	6.7	340	3.7
1966	16,891	6.3	387	7.8	327	4.1
1965	17,686	6.7	416	9.6	336	4.4
1964	18,566	7.2	343	8.4	363	5.3
1963	17,350	6.9	383	9.6	344	5.0
1962	16,548	6.7	321	9.2	315	4.7
1961	16,364	6.8	326	9.5	265	4.1
1960	15,791	6.7	332	10.3	351	5.3
1959	15,818	6.8	320	10.3	285	4.2
1958	16,074	7.0	340	11.3	254	3.8
1957	15,978	7.1	324	11.0	277	4.2
1956	16,566	7.4	354	12.5	246	3.6
1955	16,221	7.2	311	11.3	292	4.3
1954	16,783	7.6	301	11.1	291	4.3
1953	17,972	8.2	279	10.4	390	5.7
1952	20,480	9.2	346	12.4	278	4.4
1951	22,374	10.0	375	13.5	196	3.1
1950	21,895	9.9	374	14.0	230	3.9
1949	23,389	10.6	362	13.6	---	---
1948	26,209	12.0	340	12.6	---	---
1947	25,407	11.8	394	14.5	---	---
1946	27,517	12.9	408	15.1	---	---
1945	28,837	13.7	401	15.0	---	---
1944	29,795	14.4	402	14.8	---	---
1943	29,019	14.3	389	14.2	---	---
1942	32,220	16.2	483	18.5	---	---
1941	35,492	18.3	468	18.1	---	---
1940	34,468	18.4	553	22.2	---	---

SECTION 9 - PUERTO RICO, VIRGIN ISLANDS (U.S.), AND GUAM - PAGE 2

Table 9-2. Deaths by Month and Sex for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1993

Area, race, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Puerto Rico	28,322	2,725	2,318	2,575	2,300	2,480	2,409	2,296	2,223	2,158	2,295	2,163	2,380
Male	16,673	1,619	1,358	1,525	1,325	1,417	1,391	1,379	1,282	1,286	1,364	1,311	1,416
Female	11,649	1,106	960	1,050	975	1,063	1,018	917	941	872	931	852	964
Virgin Islands	535	48	40	38	35	47	51	49	35	48	48	40	56
Male	297	26	22	17	17	28	28	26	28	26	28	26	25
Female	238	22	18	21	18	19	23	23	7	22	20	14	31
White	137	11	11	8	8	13	14	17	4	9	13	14	15
Male	79	7	3	3	4	9	9	11	4	4	9	9	7
Female	58	4	8	5	4	4	5	6	-	5	4	5	8
All other	398	37	29	30	27	34	37	32	31	39	35	26	41
Male	218	19	19	14	13	19	19	15	24	22	19	17	18
Female	180	18	10	16	14	15	18	17	7	17	16	9	23
Black	395	37	29	30	27	34	37	31	31	39	35	25	40
Male	216	19	19	14	13	19	19	14	24	22	19	16	18
Female	179	18	10	16	14	15	18	17	7	17	16	9	22
Guam	559	45	44	45	52	50	38	40	50	57	42	51	45
Male	344	23	30	28	29	33	20	24	33	34	27	36	27
Female	215	22	14	17	23	17	18	16	17	23	15	15	18
White	41	6	-	4	3	2	2	3	4	3	4	6	4
Male	35	5	-	3	3	1	1	2	4	3	3	6	4
Female	6	1	-	1	-	1	1	1	-	-	1	-	-
All other	518	39	44	41	49	48	36	37	46	54	38	45	41
Male	309	18	30	25	26	32	19	22	29	31	24	30	23
Female	209	21	14	16	23	16	17	15	17	23	14	15	18
Guamanian	325	24	29	27	11	24	26	26	33	40	27	32	26
Male	182	10	18	16	4	16	12	14	22	20	15	23	12
Female	143	14	11	11	7	8	14	12	11	20	12	9	14

SECTION 9 - PUERTO RICO, VIRGIN ISLANDS (U.S.), AND GUAM - PAGE 3

Table 9-3. Deaths by 10-Year Age Groups, Race, and Sex: Virgin Islands and Guam, 1993

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Virgin Islands	535	31	3	6	18	33	33	64	70	108	103	65	1
Male	297	18	2	5	13	23	23	40	48	54	48	22	1
Female	238	13	1	1	5	10	10	24	22	54	55	43	-
White	137	4	-	-	4	12	11	19	25	20	27	15	-
Male	79	2	-	-	3	8	7	12	19	11	12	5	-
Female	58	2	-	-	1	4	4	7	6	9	15	10	-
All other	398	27	3	6	14	21	22	45	45	88	76	50	1
Male	218	16	2	5	10	15	16	28	29	43	36	17	1
Female	180	11	1	1	4	6	6	17	16	45	40	33	-
Black	395	26	3	6	14	21	22	44	45	88	76	49	1
Male	216	15	2	5	10	15	16	27	29	43	36	17	1
Female	179	11	1	1	4	6	6	17	16	45	40	32	-
Guam	559	36	9	6	36	35	42	55	111	116	80	32	1
Male	344	20	5	5	24	29	31	34	72	75	36	12	1
Female	215	16	4	1	12	6	11	21	39	41	44	20	-
White	41	2	-	-	6	6	3	6	6	7	4	-	1
Male	35	2	-	-	5	5	3	6	6	6	1	-	1
Female	6	-	-	-	1	1	-	-	-	1	3	-	-
All other	518	34	9	6	30	29	39	49	105	109	76	32	-
Male	309	18	5	5	19	24	28	28	66	69	35	12	-
Female	209	16	4	1	11	5	11	21	39	40	41	20	-
Guamanian	325	20	6	5	12	17	24	28	68	69	54	22	-
Male	182	11	4	4	8	13	17	16	40	41	23	5	-
Female	143	9	2	1	4	4	7	12	28	28	31	17	-

SECTION 9 - PUERTO RICO, VIRGIN ISLANDS (U.S.), AND GUAM - PAGE 4

Table 9-4. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1993

(Page 1 of 4)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Data for *042-044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Cause of death and sex	Total	Age Group											Not stated
		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
All causes	28,322	862	125	119	899	1,484	1,969	2,087	3,194	5,319	6,845	5,337	82
Male	16,673	479	60	74	735	1,150	1,493	1,449	2,025	3,166	3,604	2,368	70
Female	11,649	383	65	45	164	334	476	638	1,169	2,153	3,241	2,969	12
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	11	10	-	-	-	-	-	-	-	-	-	-	1
Male	6	5	-	-	-	-	-	-	-	-	-	-	1
Female	5	5	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	65	-	-	-	-	2	10	5	17	11	12	8	-
Male	48	-	-	-	-	2	7	4	14	7	9	5	-
Female	17	-	-	-	-	-	3	1	3	4	3	3	-
Tuberculosis of respiratory system (010-012)	61	-	-	-	-	2	10	4	16	11	12	6	-
Male	45	-	-	-	-	2	7	3	13	7	9	4	-
Female	16	-	-	-	-	-	3	1	3	4	3	2	-
Other tuberculosis (013-018)	4	-	-	-	-	-	-	1	1	-	-	2	-
Male	3	-	-	-	-	-	-	1	1	-	-	1	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	489	15	5	2	8	14	15	24	53	91	116	144	2
Male	253	5	2	1	5	7	11	20	32	59	52	59	-
Female	236	10	3	1	3	7	4	4	21	32	64	85	2
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	35	-	-	-	1	2	7	5	4	12	3	1	-
Male	24	-	-	-	-	2	6	3	3	7	2	1	-
Female	11	-	-	-	1	-	1	2	1	5	1	-	-
Syphilis (090-097)	3	1	-	-	-	-	-	-	1	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	2	1	-	-	-	-	-	-	1	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-044,046-054,056-066,071-088,098-139)	1,547	10	17	8	42	465	623	216	69	49	27	8	13
Male	1,217	5	12	2	26	356	506	186	48	39	20	5	12
Female	330	5	5	6	16	109	117	30	21	10	7	3	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,416	2	14	14	27	74	173	408	745	1,175	1,178	605	1
Male	2,634	-	6	9	13	35	77	201	433	736	741	362	1
Female	1,782	2	8	5	14	39	96	207	312	439	437	223	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	167	-	1	1	-	1	4	19	41	39	46	15	-
Male	132	-	-	1	-	-	3	17	37	35	28	10	-
Female	35	-	1	-	-	-	1	2	4	4	18	5	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,507	-	-	-	1	10	44	122	268	420	439	202	1
Male	923	-	-	-	-	6	26	84	174	262	259	111	1
Female	584	-	-	-	1	4	18	38	94	158	180	91	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	630	-	-	-	-	5	17	68	106	220	159	55	-
Male	459	-	-	-	-	2	10	43	82	173	116	33	-
Female	171	-	-	-	-	3	7	25	24	47	43	22	-
Malignant neoplasm of breast (174-175)	302	-	-	-	-	8	34	66	81	56	39	18	-
Male	2	-	-	-	-	-	-	-	-	-	2	-	-
Female	300	-	-	-	-	8	34	66	81	56	37	18	-
Malignant neoplasms of genital organs (179-187)	748	1	-	-	2	14	18	37	72	178	239	187	-
Male	542	-	-	-	2	3	4	6	41	124	199	163	-
Female	206	1	-	-	-	11	14	31	31	54	40	24	-
Malignant neoplasms of urinary organs (188-189)	141	-	-	1	-	1	6	8	19	46	39	21	-
Male	90	-	-	1	-	1	4	6	14	32	21	11	-
Female	51	-	-	-	-	-	2	2	5	14	18	10	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	522	-	8	6	7	10	24	58	101	117	113	78	-
Male	272	-	5	3	3	5	12	30	61	59	56	38	-
Female	250	-	3	3	4	5	12	28	40	58	57	40	-
Leukemia (204-208)	147	1	5	4	8	11	12	9	11	33	37	16	-
Male	72	-	1	2	3	4	6	5	3	18	20	10	-
Female	75	1	4	2	5	7	6	4	8	15	17	6	-

SECTION 9 - PUERTO RICO, VIRGIN ISLANDS (U.S.), AND GUAM - PAGE 5

Table 9-4. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1993—Con.

(Page 2 of 4)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	252	-	-	2	9	14	14	21	46	66	67	13	-
Male	142	-	-	2	5	13	12	10	21	33	40	6	-
Female	110	-	-	-	4	1	2	11	25	33	27	7	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	123	2	3	3	3	4	6	9	22	30	24	17	-
Male	64	1	3	2	-	2	5	-	12	15	16	8	-
Female	59	1	-	1	3	2	1	9	10	15	8	9	-
Diabetes mellitus (250)	1,908	-	1	1	4	16	40	129	291	514	624	286	2
Male	873	-	1	-	3	9	23	86	147	264	241	97	2
Female	1,035	-	-	1	1	7	17	43	144	250	383	189	-
Nutritional deficiencies (260-269)	51	1	-	-	-	-	1	4	1	7	15	22	-
Male	31	1	-	-	-	-	1	4	1	5	11	8	-
Female	20	-	-	-	-	-	-	-	-	2	4	14	-
Anemias (280-285)	160	1	-	-	2	3	7	12	15	18	50	52	-
Male	83	1	-	-	2	2	5	8	9	5	27	24	-
Female	77	-	-	-	-	1	2	4	6	13	23	28	-
Meningitis (320-322)	21	6	-	-	3	5	2	2	-	2	1	-	-
Male	12	2	-	-	1	3	2	2	-	2	-	-	-
Female	9	4	-	-	2	2	-	-	-	-	1	-	-
Major cardiovascular diseases (390-448)	8,808	36	5	9	34	83	182	454	993	1,930	2,742	2,330	10
Male	4,653	22	1	5	21	57	127	308	625	1,122	1,388	969	8
Female	4,155	14	4	4	13	26	55	146	368	808	1,354	1,361	2
Diseases of heart (390-398,402,404-429)	6,575	23	5	4	27	66	132	347	783	1,516	2,000	1,663	9
Male	3,553	15	1	2	16	42	98	247	494	914	1,018	698	8
Female	3,022	8	4	2	11	24	34	100	289	602	982	965	1
Rheumatic fever and rheumatic heart disease (390-398)	23	-	-	-	1	1	2	3	9	5	1	1	-
Male	10	-	-	-	-	-	1	1	4	3	-	-	-
Female	13	-	-	-	-	1	1	2	5	2	1	1	-
Hypertensive heart disease (402)	283	-	-	-	-	1	9	24	45	78	71	55	-
Male	148	-	-	-	-	1	5	14	27	46	29	26	-
Female	135	-	-	-	-	-	4	10	18	32	42	29	-
Hypertensive heart and renal disease (404)	17	-	-	-	-	-	-	1	1	4	6	5	-
Male	11	-	-	-	-	-	-	1	1	4	3	2	-
Female	6	-	-	-	-	-	-	-	-	-	3	3	-
Ischemic heart disease (410-414)	4,069	-	-	-	3	16	52	209	542	1,066	1,285	888	8
Male	2,252	-	-	-	2	13	41	150	355	645	671	368	7
Female	1,817	-	-	-	1	3	11	59	187	421	614	520	1
Acute myocardial infarction (410)	2,690	-	-	-	1	11	32	153	389	748	847	505	4
Male	1,520	-	-	-	1	10	25	109	263	459	436	214	3
Female	1,170	-	-	-	-	1	7	44	126	289	411	291	1
Other acute and subacute forms of ischemic heart disease (411)	33	-	-	-	-	-	-	2	2	4	17	8	-
Male	19	-	-	-	-	-	-	1	2	3	8	5	-
Female	14	-	-	-	-	-	-	1	-	1	9	3	-
Angina pectoris (413)	72	-	-	-	-	1	-	1	7	18	29	16	-
Male	37	-	-	-	-	-	-	-	4	9	15	8	-
Female	35	-	-	-	-	1	-	1	3	9	14	8	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,274	-	-	-	2	4	20	53	144	296	392	359	4
Male	676	-	-	-	1	3	16	39	86	174	212	141	4
Female	598	-	-	-	1	1	4	14	58	122	180	218	-
Other diseases of endocardium (424)	68	2	1	-	2	4	3	7	9	12	19	9	-
Male	36	2	-	-	1	3	2	5	4	7	8	4	-
Female	32	-	1	-	1	1	1	2	5	5	11	5	-
All other forms of heart disease (415-423,425-429)	2,115	21	4	4	21	44	66	103	177	351	618	705	1
Male	1,096	13	1	2	12	25	49	76	103	209	307	298	1
Female	1,019	8	3	2	9	19	17	27	74	142	311	407	-
Hypertension with or without renal disease (401,403)	213	-	-	-	-	3	5	18	23	50	68	46	-
Male	110	-	-	-	-	3	3	9	17	26	32	20	-
Female	103	-	-	-	-	-	2	9	6	24	36	26	-
Cerebrovascular diseases (430-438)	1,768	13	-	4	7	11	41	82	169	308	605	527	1
Male	871	7	-	3	5	9	23	48	100	153	308	215	-
Female	897	6	-	1	2	2	18	34	69	155	297	312	1
Intracerebral and other intracranial hemorrhage (431-432)	263	8	-	1	1	4	22	25	43	65	57	36	1
Male	149	5	-	1	1	3	10	19	29	32	32	17	-
Female	114	3	-	-	-	1	12	6	14	33	25	19	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	204	-	-	-	-	-	2	8	20	31	75	68	-
Male	96	-	-	-	-	-	2	4	10	10	41	29	-
Female	108	-	-	-	-	-	-	4	10	21	34	39	-
Cerebral embolism (434.1)	6	-	-	-	-	-	-	-	1	-	3	2	-
Male	2	-	-	-	-	-	-	-	-	-	2	-	-
Female	4	-	-	-	-	-	-	-	1	-	1	2	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,295	5	-	3	6	7	17	49	105	212	470	421	-
Male	624	2	-	2	4	6	11	25	61	111	233	169	-
Female	671	3	-	1	2	1	6	24	44	101	237	252	-

SECTION 9 - PUERTO RICO, VIRGIN ISLANDS (U.S.), AND GUAM - PAGE 6

Table 9-4. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1993—Con.

(Page 3 of 4)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Atherosclerosis (440)	91	-	-	-	-	-	-	-	3	5	23	60	-
Male	30	-	-	-	-	-	-	-	3	1	7	19	-
Female	61	-	-	-	-	-	-	-	-	4	16	41	-
Other diseases of arteries, arterioles, and capillaries (441-448)	161	-	-	1	-	3	4	7	15	51	46	34	-
Male	89	-	-	-	-	3	3	4	11	28	23	17	-
Female	72	-	-	1	-	-	1	3	4	23	23	17	-
Acute bronchitis and bronchiolitis (466)	29	-	-	-	-	-	-	1	3	3	13	9	-
Male	14	-	-	-	-	-	-	1	2	1	6	4	-
Female	15	-	-	-	-	-	-	-	1	2	7	5	-
Pneumonia and influenza (480-487)	1,142	55	2	1	6	40	43	41	75	163	308	406	2
Male	612	28	1	-	5	31	28	32	49	99	162	175	2
Female	530	27	1	1	1	9	15	9	26	64	146	231	-
Pneumonia (480-486)	1,138	55	2	1	6	39	43	41	75	163	307	404	2
Male	609	28	1	-	5	31	28	32	49	99	161	173	2
Female	529	27	1	1	1	8	15	9	26	64	146	231	-
Influenza (487)	4	-	-	-	-	1	-	-	-	-	1	2	-
Male	3	-	-	-	-	-	-	-	-	-	1	2	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,165	2	5	2	5	13	18	47	99	270	365	337	2
Male	609	-	2	2	-	6	8	23	63	147	200	156	2
Female	556	2	3	-	5	7	10	24	36	123	165	181	-
Bronchitis, chronic and unspecified (490-491)	49	-	-	-	-	2	-	2	2	5	8	30	-
Male	24	-	-	-	-	2	-	1	2	3	3	13	-
Female	25	-	-	-	-	-	-	1	-	2	5	17	-
Emphysema (492)	184	-	1	-	-	-	-	2	16	46	65	54	-
Male	106	-	1	-	-	-	-	2	11	24	42	26	-
Female	78	-	-	-	-	-	-	-	5	22	23	28	-
Asthma (493)	240	2	4	2	5	7	13	25	39	60	48	34	1
Male	105	-	1	2	-	1	5	12	23	28	23	9	1
Female	135	2	3	-	5	6	8	13	16	32	25	25	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	692	-	-	-	-	4	5	18	42	159	244	219	1
Male	374	-	-	-	-	3	3	8	27	92	132	108	1
Female	318	-	-	-	-	1	2	10	15	67	112	111	-
Ulcer of stomach and duodenum (531-539)	78	-	-	-	-	1	-	6	15	15	21	19	1
Male	47	-	-	-	-	1	-	5	7	11	14	8	1
Female	31	-	-	-	-	-	-	1	8	4	7	11	-
Appendicitis (540-543)	12	1	-	-	-	2	-	1	3	1	3	1	-
Male	6	-	-	-	-	2	-	1	2	-	1	1	-
Female	6	1	-	-	-	-	-	1	1	1	2	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	76	2	-	-	1	2	2	3	6	16	23	21	-
Male	39	1	-	-	1	2	2	2	2	9	12	10	-
Female	37	1	-	-	-	-	2	1	4	7	11	11	-
Chronic liver disease and cirrhosis (571)	841	-	-	-	-	20	99	181	218	169	118	28	8
Male	653	-	-	-	-	17	87	157	174	128	65	18	7
Female	188	-	-	-	-	3	12	24	44	41	53	10	1
Cholelithiasis and other disorders of gallbladder (574-575)	29	-	-	-	-	1	1	-	4	3	14	6	-
Male	14	-	-	-	-	-	-	-	3	1	9	1	-
Female	15	-	-	-	-	1	1	-	1	2	5	5	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	384	2	-	-	1	8	11	30	52	85	114	81	-
Male	222	-	-	-	1	6	9	20	37	51	61	37	-
Female	162	2	-	-	-	2	2	10	15	34	53	44	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	11	-	-	-	-	-	2	2	3	2	1	1	-
Male	5	-	-	-	-	-	-	1	1	2	-	1	-
Female	6	-	-	-	-	-	2	1	2	-	1	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	30	-	-	-	-	2	2	3	5	4	7	7	-
Male	19	-	-	-	-	2	2	2	3	2	5	3	-
Female	11	-	-	-	-	-	-	1	2	2	2	4	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	343	2	-	-	1	6	7	25	44	79	106	73	-
Male	198	-	-	-	1	4	7	17	33	47	56	33	-
Female	145	2	-	-	-	2	-	8	11	32	50	40	-
Infections of kidney (590)	9	-	-	-	1	-	-	1	1	1	4	1	-
Male	3	-	-	-	-	-	-	1	1	-	1	-	-
Female	6	-	-	-	1	-	-	-	-	1	3	1	-
Hyperplasia of prostate (600)	6	-	-	-	-	-	-	-	-	1	2	3	-
Male	6	-	-	-	-	-	-	-	-	1	2	3	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	9	2	7	-	-	-
Male
Female	9	2	7	-	-
Pregnancy with abortive outcome (630-638)	1	-	1	-	-	-
Male	1	-	-
Female	1	-	1	-	-

SECTION 9 - PUERTO RICO, VIRGIN ISLANDS (U.S.), AND GUAM - PAGE 10

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1993—Con.

(Page 3 of 7)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	3	-	-	-	-	-	-	-	-	1	2	-	-
White, male	1	-	-	-	-	-	-	-	-	-	1	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	2	-	-	-	-	-	-	-	-	1	1	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	2	-	-	-	-	-	-	-	-	1	1	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	5	-	-	-	-	-	-	2	1	1	-	1	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	-	-	-	-	-	1	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	1	-	-	-	-
All other, female	3	-	-	-	-	-	-	1	-	1	-	1	-
Black, male	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, female	3	-	-	-	-	-	-	-	-	1	-	1	-
Diabetes mellitus (250)	37	-	-	-	-	-	-	5	6	11	13	2	-
White, male	1	-	-	-	-	-	-	1	1	-	-	-	-
White, female	2	-	-	-	-	-	-	-	-	-	1	-	-
All other, male	13	-	-	-	-	-	-	1	3	3	5	1	-
All other, female	21	-	-	-	-	-	-	4	1	8	7	1	-
Black, male	12	-	-	-	-	-	-	-	3	3	5	1	-
Black, female	21	-	-	-	-	-	-	4	1	8	7	1	-
Nutritional deficiencies (260-269)	2	-	-	-	-	-	-	-	-	-	2	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	-	-	-	-	-	-	-	-	1	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	1	-	-	-	-	-	-	-	-	-	1	-	-
Anemias (280-285)	2	-	1	-	-	-	-	-	1	-	-	-	-
White, male	1	-	-	-	-	-	-	-	1	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	1	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	174	1	-	1	1	1	2	12	28	43	52	33	-
White, male	20	-	-	-	-	-	-	2	7	5	5	1	-
White, female	23	-	-	-	-	1	-	2	-	4	11	5	-
All other, male	62	1	-	1	-	-	2	6	14	16	17	5	-
All other, female	69	-	-	-	1	-	-	2	7	18	19	22	-
Black, male	62	1	-	1	-	-	2	6	14	16	17	5	-
Black, female	68	-	-	-	1	-	-	2	7	18	19	21	-
Diseases of heart (390-398,402,404-429)	142	1	-	1	1	1	1	9	20	35	46	27	-
White, male	18	-	-	-	-	-	-	2	6	4	5	1	-
White, female	21	-	-	-	-	1	-	2	-	3	11	4	-
All other, male	49	1	-	1	-	-	1	5	12	11	14	4	-
All other, female	54	-	-	1	-	-	-	5	2	17	16	18	-
Black, male	49	1	-	1	-	-	1	5	12	11	14	4	-
Black, female	54	-	-	-	1	-	-	5	2	17	16	18	-
Rheumatic fever and rheumatic heart disease (390-398)	2	-	-	1	-	-	-	-	-	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	-	-	1	-	-	-	-	-	1	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	2	-	-	1	-	-	-	-	-	1	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	18	-	-	-	-	-	-	2	1	8	4	3	-
White, male	1	-	-	-	-	-	-	-	1	-	-	-	-
White, female	3	-	-	-	-	-	-	-	-	-	2	1	-
All other, male	6	-	-	-	-	-	-	2	-	3	1	-	-
All other, female	8	-	-	-	-	-	-	-	-	5	1	2	-
Black, male	6	-	-	-	-	-	-	2	-	3	1	-	-
Black, female	8	-	-	-	-	-	-	-	-	5	1	2	-
Hypertensive heart and renal disease (404)	3	-	-	-	-	-	-	1	-	1	1	-	-
White, male	1	-	-	-	-	-	-	-	-	1	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	-	-	-	-	-	-	1	-	-	1	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	2	-	-	-	-	-	-	1	-	-	1	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	67	-	-	-	-	-	1	3	10	18	19	16	-
White, male	9	-	-	-	-	-	-	-	3	2	3	1	-
White, female	12	-	-	-	-	-	1	-	3	3	5	3	-
All other, male	19	-	-	-	-	-	1	2	5	5	4	2	-
All other, female	27	-	-	-	-	-	-	2	5	8	7	10	-
Black, male	19	-	-	-	-	-	1	2	5	5	4	2	-
Black, female	27	-	-	-	-	-	-	-	2	8	7	10	-
Acute myocardial infarction (410)	22	-	-	-	-	-	1	1	5	4	6	5	-
White, male	1	-	-	-	-	-	-	-	1	-	-	-	-
White, female	3	-	-	-	-	-	-	-	-	2	1	-	-
All other, male	6	-	-	-	-	-	1	1	2	1	1	-	-
All other, female	12	-	-	-	-	-	-	2	2	3	3	4	-
Black, male	6	-	-	-	-	-	1	1	2	1	1	-	-
Black, female	12	-	-	-	-	-	-	-	2	3	3	4	-

SECTION 9 - PUERTO RICO, VIRGIN ISLANDS (U.S.), AND GUAM - PAGE 16

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1993—Con.
(Page 2 of 7)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Viral hepatitis (070)	1	-	-	-	-	-	1	-	-	-	-	-	-
White, male	-	-	-	-	-	-	1	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	1	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	1	-	-	-	-	-	1	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044, 046-054,056-066,071-088,098-139)	3	-	-	-	-	1	1	-	-	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	3	-	-	-	-	1	1	-	-	1	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	1	-	-	-	-	1	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	80	-	-	-	1	2	3	12	29	19	13	1	-
White, male	5	-	-	-	1	1	1	1	1	1	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	43	-	-	-	1	1	1	5	15	13	8	1	-
All other, female	32	-	-	-	-	1	1	6	13	5	5	-	-
Guamanian, male	29	-	-	-	1	1	1	4	8	10	5	-	-
Guamanian, female	19	-	-	-	-	-	1	1	9	4	4	1	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	10	-	-	-	-	1	-	1	2	4	2	-	-
White, male	1	-	-	-	-	1	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	5	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	4	-	-	-	-	-	-	1	1	2	1	-	-
Guamanian, male	4	-	-	-	-	-	-	1	1	2	1	-	-
Guamanian, female	4	-	-	-	-	-	-	-	1	2	1	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	11	-	-	-	-	-	-	2	5	3	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	8	-	-	-	-	-	-	2	3	3	1	-	-
All other, female	3	-	-	-	-	-	-	2	2	3	1	-	-
Guamanian, male	4	-	-	-	-	-	-	2	2	2	1	-	-
Guamanian, female	1	-	-	-	-	-	-	-	-	2	1	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	20	-	-	-	-	1	1	-	9	4	4	1	-
White, male	1	-	-	-	-	-	1	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	14	-	-	-	-	-	-	-	7	3	4	1	-
All other, female	5	-	-	-	-	1	-	-	2	1	1	-	-
Guamanian, male	10	-	-	-	-	-	-	-	5	2	3	1	-
Guamanian, female	4	-	-	-	-	-	-	-	2	1	-	-	-
Malignant neoplasm of breast (174-175)	12	-	-	-	-	-	1	3	4	1	3	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	12	-	-	-	-	-	1	3	4	1	3	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	8	-	-	-	-	-	-	1	4	1	2	-	-
Malignant neoplasms of genital organs (179-187)	10	-	-	-	-	-	-	3	4	1	2	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	6	-	-	-	-	-	-	1	2	1	2	-	-
All other, female	4	-	-	-	-	-	-	2	2	1	-	-	-
Guamanian, male	3	-	-	-	-	-	-	-	2	1	-	-	-
Guamanian, female	1	-	-	-	-	-	-	-	1	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	3	-	-	-	-	-	-	-	1	1	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	3	-	-	-	-	-	-	-	1	1	1	-	-
All other, female	2	-	-	-	-	-	-	-	-	1	1	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	9	-	-	-	1	-	-	3	3	2	-	-	-
White, male	2	-	-	-	-	-	-	1	-	1	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	4	-	-	-	1	-	-	1	1	1	-	-	-
All other, female	3	-	-	-	-	-	-	1	2	-	-	-	-
Guamanian, male	4	-	-	-	1	-	-	1	1	1	-	-	-
Guamanian, female	1	-	-	-	-	-	-	-	1	-	-	-	-
Leukemia (204-208)	1	-	-	-	-	-	-	-	-	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	1	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	1	-	-	-

SECTION 9 - PUERTO RICO, VIRGIN ISLANDS (U.S.), AND GUAM - PAGE 17

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1993—Con.
(Page 3 of 7)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Data for *042-044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	4	-	-	-	-	-	1	-	1	2	-	-	-
White, male	1	-	-	-	-	-	-	-	1	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	-	-	-	-	-	1	-	-	1	-	-	-
All other, female	1	-	-	-	-	-	-	-	-	1	-	-	-
Guamanian, male	1	-	-	-	-	-	1	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	-	-	-	-	-	1	-	-	-	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	-	1	-	-
All other, female	1	-	-	-	-	-	1	-	-	-	-	-	-
Guamanian, male	1	-	-	-	-	-	-	-	-	-	1	-	-
Guamanian, female	1	-	-	-	-	-	1	-	-	-	-	-	-
Diabetes mellitus (250)	50	-	-	-	-	1	7	5	16	11	8	2	-
White, male	1	-	-	-	-	-	-	-	-	1	-	-	-
White, female	-	-	-	-	-	-	-	-	-	4	-	-	-
All other, male	22	-	-	-	-	1	3	1	9	4	4	-	-
All other, female	27	-	-	-	-	-	4	4	7	6	4	2	-
Guamanian, male	15	-	-	-	-	1	2	1	6	2	3	-	-
Guamanian, female	20	-	-	-	-	-	2	4	5	4	3	2	-
Nutritional deficiencies (260-269)	1	-	-	-	-	-	-	-	-	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	1	-	-	-	-	-	-	-	-	1	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	1	-	-	-	-	-	-	-	-	1	-	-	-
Anemias (280-285)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	1	-	-	-	-	-	-	-	1	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	1	-	-	-	-	-	-	-	1	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	1	-	-	-	-	-	-	-	1	-	-	-	-
Major cardiovascular diseases (390-448)	164	1	-	-	1	-	9	15	39	48	35	15	1
White, male	9	-	-	-	-	-	-	1	4	2	1	-	1
White, female	2	-	-	-	-	-	-	-	-	2	-	-	-
All other, male	90	-	-	-	1	-	7	9	27	28	14	4	-
All other, female	63	1	-	-	-	-	2	5	8	18	18	11	-
Guamanian, male	51	-	-	-	-	-	3	4	15	16	11	2	-
Guamanian, female	51	1	-	-	-	-	2	5	6	13	15	9	-
Diseases of heart (390-398,402,404-429)	124	1	-	-	1	-	7	13	32	39	20	10	1
White, male	5	-	-	-	-	-	-	1	2	1	-	-	1
White, female	2	-	-	-	-	-	-	-	-	-	2	-	-
All other, male	74	-	-	-	1	-	5	9	22	24	9	4	-
All other, female	43	1	-	-	-	-	2	3	8	14	9	6	-
Guamanian, male	43	-	-	-	-	-	3	4	13	14	7	2	-
Guamanian, female	37	1	-	-	-	-	2	3	6	11	8	6	-
Rheumatic fever and rheumatic heart disease (390-398)	2	-	-	-	-	-	1	-	-	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	2	-	-	-	-	-	1	-	-	1	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	1	-	-	-	-	-	1	-	-	-	-	-	-
Hypertensive heart disease (402)	24	-	-	-	-	-	-	1	12	6	3	2	-
White, male	1	-	-	-	-	-	-	1	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	12	-	-	-	-	-	-	-	6	3	1	2	-
All other, female	11	-	-	-	-	-	-	-	6	3	2	-	-
Guamanian, male	7	-	-	-	-	-	-	-	3	3	1	2	-
Guamanian, female	9	-	-	-	-	-	-	-	4	3	2	-	-
Hypertensive heart and renal disease (404)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	61	-	-	-	-	-	5	10	10	20	14	1	1
White, male	2	-	-	-	-	-	-	-	1	-	-	-	1
White, female	2	-	-	-	-	-	-	-	-	-	2	-	-
All other, male	41	-	-	-	-	-	5	8	7	14	6	1	-
All other, female	16	-	-	-	-	-	2	2	7	6	6	-	-
Guamanian, male	21	-	-	-	-	-	3	4	3	7	4	-	-
Guamanian, female	13	-	-	-	-	-	-	2	2	4	5	-	-

SECTION 9 - PUERTO RICO, VIRGIN ISLANDS (U.S.), AND GUAM - PAGE 18

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1993—Con.
(Page 4 of 7)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Ischemic heart disease-Con.													
Acute myocardial infarction (410)	28	-	-	-	-	-	3	4	5	10	5	-	1
White, male	1	-	-	-	-	-	-	-	-	-	-	-	1
White, female	1	-	-	-	-	-	-	-	-	-	1	-	-
All other, male	18	-	-	-	-	-	3	3	3	7	2	-	-
All other, female	8	-	-	-	-	-	1	1	2	3	2	-	-
Guamanian, male	11	-	-	-	-	-	2	3	1	4	1	-	-
Guamanian, female	8	-	-	-	-	-	-	1	2	4	2	-	-
Other acute and subacute forms of ischemic heart disease (411)	1	-	-	-	-	-	-	-	-	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	1	-	-	-	-	-	-	-	-	1	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	32	-	-	-	-	-	2	6	5	9	9	1	-
White, male	1	-	-	-	-	-	-	-	1	-	-	-	-
White, female	1	-	-	-	-	-	-	-	-	-	1	-	-
All other, male	22	-	-	-	-	-	2	5	4	6	4	1	-
All other, female	8	-	-	-	-	-	-	1	1	3	4	-	-
Guamanian, male	9	-	-	-	-	-	1	1	2	2	3	-	-
Guamanian, female	5	-	-	-	-	-	-	1	-	1	3	-	-
Other diseases of endocardium (424)	1	-	-	-	-	-	-	-	-	-	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	-	1	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	1	-	-	-	-	-	-	-	-	-	1	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	36	1	-	-	1	-	1	2	10	12	2	7	-
White, male	2	-	-	-	-	-	-	-	1	1	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	20	-	-	-	1	-	1	1	9	7	1	1	-
All other, female	14	1	-	-	-	-	1	1	4	4	1	6	-
Guamanian, male	14	-	-	-	-	-	-	1	7	6	1	6	-
Guamanian, female	14	1	-	-	-	-	1	1	4	1	1	6	-
Hypertension with or without renal disease (401,403)	1	-	-	-	-	-	-	-	-	-	-	1	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	1	-	-	-	-	-	-	-	-	-	-	1	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	1	-	-	-	-	-	-	-	-	-	-	1	-
Cerebrovascular diseases (430-438)	32	-	-	-	-	-	2	2	6	7	12	3	-
White, male	2	-	-	-	-	-	-	-	2	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	12	-	-	-	-	-	2	-	4	3	3	-	-
All other, female	18	-	-	-	-	-	-	2	4	9	9	3	-
Guamanian, male	6	-	-	-	-	-	-	-	1	2	3	-	-
Guamanian, female	12	-	-	-	-	-	-	2	-	2	7	1	-
Intracerebral and other intracranial hemorrhage (431-432)	10	-	-	-	-	-	1	1	2	2	4	-	-
White, male	1	-	-	-	-	-	-	-	1	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	3	-	-	-	-	-	1	-	1	1	-	-	-
All other, female	6	-	-	-	-	-	-	1	-	1	4	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	5	-	-	-	-	-	-	1	-	-	4	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	4	-	-	-	-	-	-	1	-	1	1	1	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	4	-	-	-	-	-	-	1	-	1	1	1	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	2	-	-	-	-	-	-	1	-	-	1	-	-
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	18	-	-	-	-	-	1	-	4	4	7	2	-
White, male	1	-	-	-	-	-	-	-	1	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	9	-	-	-	-	-	1	-	3	2	3	-	-
All other, female	8	-	-	-	-	-	-	-	-	2	4	2	-
Guamanian, male	6	-	-	-	-	-	-	-	1	2	3	-	-
Guamanian, female	5	-	-	-	-	-	-	-	-	2	2	1	-

SECTION 9 - PUERTO RICO, VIRGIN ISLANDS (U.S.), AND GUAM - PAGE 22

Table 9-7. Deaths From Motor Vehicle Accidents, by Person Injured and Sex, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1993

[Deaths are those assigned to category numbers E810-E825 of the Ninth Revision International Classification of Diseases, 1975. Numbers after person injured are fourth-digit subcategory numbers]

Area, race, and sex	Total deaths	Person injured									
		Driver of motor vehicle other than motorcycle	Passenger in motor vehicle other than motorcycle	Motorcyclist	Passenger on motorcycle	Occupant of streetcar	Rider of animal; occupant of animal-drawn vehicle	Pedal cyclist	Pedestrian	Other specified person	Unspecified person
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Puerto Rico	599	212	119	24	5	-	2	7	226	-	4
Male	449	185	56	22	3	-	2	7	171	-	3
Female	150	27	63	2	2	-	-	-	55	-	1
Virgin Islands	11	2	1	1	-	-	-	-	1	-	6
White, male	2	-	-	-	-	-	-	-	-	-	2
White, female	2	1	-	-	-	-	-	-	-	-	1
All other, male	6	1	-	1	-	-	-	-	1	-	3
All other, female	1	-	1	-	-	-	-	-	-	-	-
Black, male	6	1	-	1	-	-	-	-	1	-	3
Black, female	1	-	1	-	-	-	-	-	-	-	-
Guam	37	9	9	-	-	-	-	-	9	-	10
White, male	3	-	2	-	-	-	-	-	1	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-
All other, male	22	8	3	-	-	-	-	-	4	-	7
All other, female	12	1	4	-	-	-	-	-	4	-	3
Guamanian, male	12	4	1	-	-	-	-	-	4	-	3
Guamanian, female	2	-	1	-	-	-	-	-	1	-	-

SECTION 9 - PUERTO RICO, VIRGIN ISLANDS (U.S.), AND GUAM - PAGE 23

Table 9-8. Deaths From Nontransport Accidents, by Place of Accident and Sex, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1993

[Deaths are those assigned to category numbers E850-E869 and E880-E928 of the Ninth Revision International Classification of Diseases, 1975. Numbers after place of accident are special fifth-digit subcategory codes]

Area, race, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Residential institution	Other specified places	Unspecified place
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Puerto Rico	762	305	4	-	13	8	91	18	8	112	203
Male	619	250	4	-	13	7	87	17	8	102	131
Female	143	55	-	-	-	1	4	1	-	10	72
Virgin Islands	19	4	-	-	1	2	-	-	-	3	9
White, male	7	-	-	-	1	1	-	-	-	1	4
White, female	1	-	-	-	-	-	-	-	-	-	1
All other, male	8	3	-	-	-	1	-	-	-	2	2
All other, female	3	1	-	-	-	-	-	-	-	-	2
Black, male	8	3	-	-	-	1	-	-	-	2	2
Black, female	3	1	-	-	-	-	-	-	-	-	2
Guam	20	4	-	-	1	-	-	1	-	7	7
White, male	6	-	-	-	-	-	-	1	-	2	3
White, female	-	-	-	-	-	-	-	-	-	-	-
All other, male	12	4	-	-	1	-	-	-	-	4	3
All other, female	2	-	-	-	-	-	-	-	-	-	1
Guamanian, male	7	3	-	-	-	-	-	-	-	1	3
Guamanian, female	1	-	-	-	-	-	-	-	-	-	1

¹ Including home premises and any noninstitutional place of residence.
² Including buildings and land under cultivation, but excluding farm home and home premises.

SECTION 9 - PUERTO RICO, VIRGIN ISLANDS (U.S.), AND GUAM - PAGE 24

Table 9-9. Total, Infant, Neonatal, and Fetal Deaths: Puerto Rico and Each Municipio, 1993

[Data by place of residence exclude deaths of nonresidents and deaths of residents occurring elsewhere than Puerto Rico; however, data by place of occurrence include deaths of nonresidents of Puerto Rico. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

Area	Total deaths by municipio of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area	Total deaths by municipio of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal				Total deaths	Infant	Neonatal	
Puerto Rico	28,494	28,322	862	630	731						
Adjuntas	75	153	5	5	11	Juncos	129	274	5	5	10
Aguada	117	252	2	1	4	Lajas	91	213	6	4	5
Aguadilla	655	534	19	16	17	Lares	104	201	5	4	9
Agua Buenas	80	163	4	3	7	Las Marías	29	66	4	1	1
Aibonito	219	187	5	4	7	Las Piedras	84	201	2	2	4
Anasco	66	195	5	5	5	Loíza	99	215	16	8	11
Arecibo	1,234	842	28	22	24	Luquillo	87	153	5	5	11
Arroyo	90	135	7	3	6	Manatí	679	371	9	7	9
Barceloneta	88	163	-	-	3	Maricao	15	94	2	-	1
Barranquitas	77	171	13	10	5	Maunabo	44	98	2	-	2
Bayamon	2,609	1,677	39	24	32	Mayaguez	1,577	869	19	15	15
Cabo Rojo	147	338	5	4	10	Moca	274	181	5	3	8
Caguas	1,562	1,048	38	26	26	Morovis	87	177	7	5	6
Camuy	112	252	5	5	5	Naguabo	93	200	12	10	3
Canovanas	111	268	12	7	7	Naranjito	70	183	11	5	5
Carolina	1,069	1,268	42	36	28	Orocovis	90	165	10	7	4
Catano	111	254	10	6	6	Patillas	59	149	8	5	8
Cayey	237	362	19	14	13	Penuelas	72	153	9	7	10
Ceiba	40	94	3	3	4	Ponce	2,564	1,686	49	34	42
Ciales	48	119	4	3	6	Quebradillas	72	156	2	2	5
Cidra	116	214	6	4	8	Rincon	49	80	2	2	4
Coamo	124	248	11	7	15	Rio Grande	154	312	11	7	9
Comerio	51	119	4	3	4	Sabana Grande	92	205	2	2	5
Corozal	104	249	6	3	6	Salinas	116	241	10	7	12
Culebra	8	14	-	-	-	San German	437	310	11	11	8
Dorado	99	226	3	2	3	San Juan	7,283	4,644	101	69	65
Fajardo	487	317	11	9	7	San Lorenzo	151	260	9	8	8
Florida	26	75	1	1	3	San Sebastian	142	314	7	5	4
Guanica	74	178	4	3	4	Santa Isabel	86	169	4	2	3
Guayama	464	325	8	6	13	Toa Alta	128	247	11	7	6
Guayanilla	79	174	8	8	7	Toa Baja	271	596	19	16	11
Guaynabo	280	660	17	11	14	Trujillo Alto	165	396	15	11	15
Gurabo	101	230	6	4	6	Utua	160	277	6	5	9
Hatillo	119	250	11	8	6	Vega Alta	106	241	8	5	6
Hormigueros	57	115	2	2	8	Vega Baja	260	415	18	15	9
Humacao	699	405	10	9	9	Vieques	58	95	3	1	1
Isabela	153	327	7	7	5	Villalba	78	157	10	4	8
Jayuya	66	118	7	4	4	Yabucoa	110	257	9	7	6
Juana Diaz	169	342	11	10	9	Yauco	306	300	20	17	16

SECTION 9 - PUERTO RICO, VIRGIN ISLANDS (U.S.), AND GUAM - PAGE 25

Table 9-10. Total, Infant, Neonatal, and Fetal Deaths, by Race: Virgin Islands by Island and Specified Urban Place, and Guam, 1993

For Virgin Islands, data by place of residence exclude deaths of nonresidents and deaths of residents occurring elsewhere than the Virgin Islands; however, data by place of occurrence include deaths of nonresidents of the Virgin Islands. For Guam, data by place of residence exclude deaths to residents of any place other than Guam or the United States and exclude deaths of residents occurring elsewhere than Guam and data by place of occurrence include deaths of nonresidents of Guam. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Charlotte Amalie is the only specified urban place with a population of 10,000 or more in 1980]

Area and race	Total deaths by place of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal	
Virgin Islands	568	535	31	26	25
White	163	137	4	4	3
All other	405	398	27	22	22
Black	401	395	26	21	21
St. Croix Island	280	268	22	18	13
White	107	96	4	4	1
All other	173	172	18	14	12
Black	171	170	18	14	12
St. John Island	9	7	-	-	1
White	3	2	-	-	-
All other	6	5	-	-	1
Black	6	5	-	-	1
St. Thomas Island	279	260	9	8	11
White	53	39	-	-	2
All other	226	221	9	8	9
Black	224	220	8	7	8
Charlotte Amalie	---	113	5	5	5
White	---	10	-	-	-
All other	---	103	5	5	5
Black	---	103	5	5	5
Balance of area	---	147	4	3	6
White	---	29	-	-	2
All other	---	118	4	3	4
Black	---	117	3	2	3
Guam	576	559	36	20	48
White	41	41	2	1	3
All other	535	518	34	19	45
Guamanian	325	325	20	9	-

SECTION 9 - PUERTO RICO, VIRGIN ISLANDS (U.S.), AND GUAM - PAGE 26

Table 9-11. Deaths Under 1 Year and Under 28 Days, by Month, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1993

Area, age, and race	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
PUERTO RICO													
Under 1 year	862	93	67	59	55	72	73	87	78	76	72	60	70
Under 28 days	630	68	47	38	40	51	53	67	65	56	55	45	45
VIRGIN ISLANDS													
Under 1 year	31	5	1	3	-	1	2	3	3	2	3	3	5
White	4	-	-	2	-	-	-	1	-	-	1	-	-
All other	27	5	1	1	-	1	2	2	3	2	2	3	5
Black	26	5	1	1	-	1	2	2	3	2	2	2	5
Under 28 days	26	5	1	3	-	1	1	3	3	1	3	2	3
White	4	-	-	2	-	-	-	1	-	-	1	-	-
All other	22	5	1	1	-	1	1	2	3	1	2	2	3
Black	21	5	1	1	-	1	1	2	3	1	2	1	3
GUAM													
Under 1 year	36	2	4	6	5	4	2	3	2	1	3	3	1
White	2	1	-	-	-	1	-	-	-	-	-	-	-
All other	34	1	4	6	5	3	2	3	2	1	3	3	1
Guamanian	20	-	3	5	2	2	-	1	2	-	1	3	1
Under 28 days	20	1	2	3	2	4	2	3	-	-	1	2	-
White	1	-	-	-	-	1	-	-	-	-	-	-	-
All other	19	1	2	3	2	3	2	3	-	-	1	2	-
Guamanian	9	-	1	2	1	2	-	1	-	-	-	2	-

SECTION 9 - PUERTO RICO, VIRGIN ISLANDS (U.S.), AND GUAM - PAGE 29

Table 9-13. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1993

(Page 1 of 2)
 [Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Cause of death	Puerto Rico				Virgin Islands						Guam						
	Total, under 1 year	Under 28 days	28 days-11 months	All races, under 1 year	Under 28 days			28 days-11 months			All races, under 1 year	Under 28 days			28 days-11 months		
					White	All other		White	All other			White	All other		White	All other	
						Total	Black		Total	Black			Total	Guamanian		Total	Guamanian
All causes	862	630	232	31	4	22	21	-	5	5	36	1	19	9	1	15	11
Certain intestinal infections (008-009)	10	-	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	15	-	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral diseases (045-079)	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital syphilis (090)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,*042-*044,080-088,091-139)	8	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland (254)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of blood and blood-forming organs (280-289)	7	2	5	-	-	-	-	-	-	-	1	-	1	1	-	-	-
Meningitis (320-322)	6	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system and sense organs (323-389)	9	2	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute upper respiratory infections (460-465)	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1
Bronchitis and bronchiolitis (466,490-491)	55	34	21	-	-	-	-	-	-	-	2	-	1	1	-	1	1
Pneumonia and influenza (480-487)	55	34	21	-	-	-	-	-	-	-	1	-	1	1	-	1	1
Influenza (487)	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1
Remainder of diseases of respiratory system (470-476,492-519)	17	4	13	2	-	-	-	-	2	2	3	-	-	-	-	3	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	5	1	4	-	-	-	-	-	-	-	1	-	-	-	-	1	1
Remainder of diseases of digestive system (520-534,536-543,562-579)	7	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	174	123	51	1	-	1	1	-	-	-	6	1	2	1	3	1	1
Anencephalus and similar anomalies (740)	4	3	1	-	-	-	-	-	-	-	2	1	1	1	-	-	-
Spina bifida (741)	9	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital hydrocephalus (742.3)	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	6	3	3	-	-	-	-	-	-	-	1	-	-	-	1	1	1
Congenital anomalies of heart (745-746)	57	39	18	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Other congenital anomalies of circulatory system (747)	13	7	6	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Congenital anomalies of respiratory system (748)	17	15	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital anomalies of digestive system (749-751)	6	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital anomalies of genitourinary system (752-753)	7	7	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Congenital anomalies of musculoskeletal system (754-756)	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Down's syndrome (758.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chromosomal anomalies (758.1-758.9)	10	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and unspecified congenital anomalies (744,757,759)	24	19	5	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Certain conditions originating in the perinatal period (760-779)	440	409	31	25	4	20	19	-	1	1	14	-	14	6	-	-	-
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by maternal complications of pregnancy (761)	11	11	-	-	-	-	-	-	-	-	2	-	2	2	-	-	-
Newborn affected by complications of placenta, cord, and membranes (762)	7	7	-	3	-	3	2	-	-	-	-	-	-	-	-	-	-
Newborn affected by other complications of labor and delivery (763)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Slow fetal growth and fetal malnutrition (764)	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders relating to short gestation and unspecified low birthweight (765)	21	20	1	5	-	4	4	-	1	1	3	-	3	1	-	-	-
Disorders relating to long gestation and high birthweight (766)	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	13	13	-	1	-	1	1	-	-	-	2	-	2	1	-	-	-
Intrauterine hypoxia and birth asphyxia (768)	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fetal distress in liveborn infant (768.2-768.4)	10	10	-	1	-	1	1	-	-	-	2	-	2	1	-	-	-
Birth asphyxia (768.5-768.9)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory distress syndrome (769)	188	175	13	7	2	5	5	-	-	-	1	-	1	-	-	-	-
Other respiratory conditions of newborn (770)	80	65	15	5	1	4	4	-	-	-	2	-	2	1	-	-	-
Infections specific to the perinatal period (771)	42	42	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Neonatal hemorrhage (772)	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn (776.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	51	49	2	3	1	2	2	-	-	-	4	-	4	1	-	-	-

SECTION 9 - PUERTO RICO, VIRGIN ISLANDS (U.S.), AND GUAM - PAGE 30

Table 9-13. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1993—Con.

(Page 2 of 2)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables]

Cause of death	Puerto Rico				Virgin Islands						Guam						
	Total, under 1 year	Under 28 days	28 days-11 months	All races, under 1 year	Under 28 days			28 days-11 months			All races, under 1 year	Under 28 days			28 days-11 months		
					White	All other		White	All other			White	All other		White	All other	
						Total	Black		Total	Black			Total	Guamanian		Total	Guamanian
Symptoms, signs, and ill-defined conditions (780-799)	23	15	8	1	-	1	1	-	-	-	6	-	1	-	-	5	4
Sudden infant death syndrome (798.0)	9	3	6	-	-	-	-	-	-	-	6	-	1	-	-	5	4
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	14	12	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	18	4	14	1	-	-	-	-	1	1	1	-	-	-	1	-	-
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	5	1	4	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Accidental mechanical suffocation (E913)	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other accidental causes and adverse effects (E800-E910,E914-E949)	10	2	8	1	-	-	-	-	1	1	-	-	-	-	-	-	-
Homicide (E960-E969)	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Child battering and other maltreatment (E967)	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other homicide (E960-E966,E968-E969)	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other causes (Residual)	54	27	27	1	-	-	-	-	1	1	1	-	-	-	1	-	1

SECTION 9 - PUERTO RICO, VIRGIN ISLANDS (U.S.), AND GUAM - PAGE 31

Table 9-14. Deaths From Human Immunodeficiency Virus Infection and 3-Digit Subcategories, by 10-Year Age Groups, and Sex: Puerto Rico, 1993

[Numbers after causes of death are category numbers introduced in the United States in 1987; see Technical Appendix]

Cause of death and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Human immunodeficiency virus infection (*042-*044)	1,418	6	16	7	37	437	598	203	58	28	13	2	13
Male	1,137	3	11	1	22	339	491	175	44	25	12	2	12
Female	281	3	5	6	15	98	107	28	14	3	1	-	1
Human immunodeficiency virus infection with specified conditions (*042)	1,347	5	16	7	31	413	569	195	56	27	13	2	13
Male	1,076	2	11	1	18	319	466	167	42	24	12	2	12
Female	271	3	5	6	13	94	103	28	14	3	1	-	1
Human immunodeficiency virus infection causing other specified conditions (*043)	10	-	-	-	1	4	3	-	2	-	-	-	-
Male	8	-	-	-	-	3	3	-	2	-	-	-	-
Female	2	-	-	-	1	1	-	-	-	-	-	-	-
Other human immunodeficiency virus infection (*044)	61	1	-	-	5	20	26	8	-	1	-	-	-
Male	53	1	-	-	4	17	22	8	-	1	-	-	-
Female	8	-	-	-	1	3	4	-	-	-	-	-	-

